



(1) Publication number:

0 466 280 A3

## EUROPEAN PATENT APPLICATION

(21) Application number: **91202412.2** 

(51) Int. Cl.5: **A61B** 17/58

2 Date of filing: 18.06.87

(12)

③ Priority: 23.06.86 US 877626

Date of publication of application:15.01.92 Bulletin 92/03

© Publication number of the earlier application in accordance with Art.76 EPC: **0 251 583** 

Designated Contracting States:
AT BE CH DE ES FR GB GR IT LI LU NL SE

Date of deferred publication of the search report: 22.01.92 Bulletin 92/04 Applicant: Pfizer Hospital Products Group, Inc.
 235 East 42nd Street
 New York New York 10017(US)

2 Inventor: Chapman, Michael William 9725 Mira del Rio Drive Sacramento, California(US) Inventor: Mears, Dana Christopher 840, Twelfth Street Oakmount, Pennsylvania(US) Inventor: Edwards, Charles Cannon 3907 Greenway Baltimore, Maryland(US)

Representative: Wood, David John et al PFIZER LIMITED, Ramsgate Road Sandwich, Kent CT13 9NJ(GB)

## (54) Modular femoral fixation system.


n instrument (27) for use in inserting a surgical implant into a cavity in a patient's bone characterized in that said instrument (27) comprises:


an elongated rod (21) having a first end and a second end, said rod (21) having an externally threaded portion (23) adjacent said first end and an externally smooth portion (29) extending from said externally threaded portion (23) towards said second end, and said rod (21) being axially cannulated over at least a portion of its length so as to be capable of fitting over a surgical guide wire;

a hollow sleeve (31) receiving said elongated rod (21), said sleeve (31) being capable of sliding movement upon said externally smooth portion (29) of the rod (21); and

means (35) for advancing the hollow sleeve (31) along the externally smooth portion (29) of the rod (21) towards said externally threaded portion (23),

said advancing means (35) positively preventing movement of the sleeve (31) along the rod (21) in a direction away from said externally threaded portion (23) while it is engaged with the sleeve (31), whereby advancement of the sleeve (31) can be stopped without relaxing the force being placed upon it by said advancing means (35).





## EUROPEAN SEARCH REPORT

EP 91 20 2412

Application Number

DOCUMENTS CONSIDERED TO BE RELEVANT					
Category	Citation of document with i of relevant pa	ndication, where appropriate, assages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl. 4)	
A	EP-A-0 147 265 (ME * page 1, lines 28- 9-18; page 3, lines 1,2,5; figures 1-5	31; page 2, lines 20-34; claims	1,2,4,6	A 61 B 17/58	
A	US-A-3 892 232 (NE * column 2, lines 1 lines 14-21; figure	0-36; column 3.	1		
A	US-A-2 486 303 (LC * column 1, line 45 15; claim 1; figure	- column 2, line	2,4,6		
A	FR-A-2 387 636 (IN * page 9, line 31 - page 17, lines 1-32	page 10, line 30;	2-4		
A	US-A-3 695 259 (YC * column 1, line 47 14; figures 1-3 *	ST) - column 2, line	2,4,5	TECHNICAL FIELDS	
				SEARCHED (Int. Cl.4)	
				A 61 B	
			:		
				1	
The present search report has been drawn up for all claims					
	Place of search	Date of completion of the search		Examiner	
BERLIN 30-10-1		30-10-1991	MONNE E.M.B.		
CATEGORY OF CITED DOCUMENTS  T: theory or principle underlying the invention E: earlier patent document, but published on, or X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category A: technological background  T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons				ished on, or	
O : non-written disclosure P : intermediate document			& : member of the same patent family, corresponding		

EPO FORM 1503 03.82 (P0401)