



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 0 838 530 A3**

(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
02.09.1998 Bulletin 1998/36

(51) Int. Cl.⁶: **C14B 1/58**

(43) Date of publication A2:
29.04.1998 Bulletin 1998/18

(21) Application number: **97117907.2**

(22) Date of filing: **16.10.1997**

(84) Designated Contracting States:
**AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE**
Designated Extension States:
AL LT LV RO SI

(30) Priority: **23.10.1996 IT UD960205**

(71) Applicant: **Incoma Srl**
36016 Thiene (VI) (IT)


(72) Inventors:
• **Casasola, Luciano**
33170 Pordenone (IT)

• **Cattelan, Giuseppe**
36016 Thiene (VI) (IT)
• **Sartori, Carlo**
36010 Carre' (VI) (IT)
• **Costa, Aldo**
36030 Montecchio Prec.No (VI) (IT)
• **Tescari, Mauro**
36016 Thiene (VI) (IT)

(74) Representative:
Petraz, Gilberto Luigi
GLP S.r.l.
Piazzale Cavedalis 6/2
33100 Udine (IT)

(54) **Device for the quick hooking and unhooking of wire meshes support frame in vacuum driers**

(57) Device for the quick hooking and unhooking of wire meshes support frame in vacuum driers including at least a plane (12) to support the article to be dried cooperating at the upper part with a cover (14) which can be moved from a lowered, closed position (14a) to a raised position (14b) wherein the article is loaded/unloaded, the cover (14) supporting at least a first frame (29) supporting a covering sheet (30) defining, in the first, lowered position (14a), an air-tight chamber (23) with the supporting plane (12), the cover (14) supporting, below the covering sheet (30), at least a wire mesh element (19a, 19b) or similar or comparable element suitable to allow the passage of liquids and/or humidity in vapour form, the wire mesh element positioning itself in the working position in contact with the article to be dried, the wire mesh element (19a, 19b) being associated with a second, autonomous frame (17) including a second, inactive position (17b) at least partly remote from the cover (14) although connected solidly thereto, in the inactive position (17b) both faces of the wire mesh element (19a, 19b) being visible and easily accessible for cleaning, maintenance and/or replacement of the wire meshes (19a, 19b).



EP 0 838 530 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 97 11 7907

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
A	FR 83 681 E (SOCIÉTÉ GÉNÉRALE DU VIDE) 4 January 1965 * the whole document *	1	C14B1/58
A	US 3 303 574 A (R. HOHMANN) 14 February 1967		
A	FR 1 324 842 A (DITTA ARMANDO PIZZOCARO DI EMILIO PIZZOCARO) 19 July 1963		
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
			C14B
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 13 July 1998	Examiner De Rijck, F
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03.82 (P04C01)