

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 862 153 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

02.09.1998 Bulletin 1998/36(51) Int Cl.⁶: **G07G 1/00**(21) Application number: **98300862.4**(22) Date of filing: **05.02.1998**

(84) Designated Contracting States:

AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

Designated Extension States:

AL LT LV MK RO SI(30) Priority: **13.02.1997 JP 29423/97**(71) Applicant: **SHARP KABUSHIKI KAISHA****Osaka-shi Osaka 545 (JP)**(72) Inventor: **Kawamoto, Shinsuke****Ikoma-gun, Nara-ken (JP)**(74) Representative: **Brown, Kenneth Richard et al****R.G.C. Jenkins & Co.****26 Caxton Street****London SW1H 0RJ (GB)**(54) **Drawer box**

(57) A drawer box, including: a plurality of note accommodation parts arranged in a width direction of the drawer box, at least one note accommodation part being deep-bottomed with a depth substantially equal to a height of the drawer box; a divider including a bottom plate for dividing the at least one deep-bottomed note accommodation part into an upper portion and a lower portion, the divider further including an upright portion which extends perpendicularly from one end of the bot-

tom plate; a first holding device for holding the divider in a position where the bottom plate divides the at least one deep-bottomed note accommodation part into the upper portion and the lower portion; a guide device for guiding the divider to a bottom position, wherein the divider divides the at least one deep-bottomed note accommodation part into two side portions by the upright portion of the divider; and a second holding device for holding the divider in the bottom position.


FIG. 3A

FIG. 3B





FIG. 3C



Description

BACKGROUND OF THE INVENTION

1. FIELD OF THE INVENTION:

The present invention relates to a drawer box which is included in an electronic money register, a POS terminal, and the like for accommodating coins and notes, and papers such as checks and gift tokens.

2. DESCRIPTION OF THE RELATED ART:

A drawer box for accommodating money in an electronic money register, a POS terminal, and the like, is usually structured to include a resin-molded money case provided in a main body of the drawer-type box. Figure 20 illustrates an exemplary conventional money case.

The money case includes a plurality of coin accommodation portions **1** in a front part thereof, and a plurality of note accommodation portions **2** for horizontally accommodating notes in a stacked manner which are posterior to the coin accommodation portions **1**. The note accommodation portions **2** are arranged side by side along a width direction (arrow W) of the money case. Often, the coin accommodation portions **1** have a deep-bottomed shape having a depth substantially equal to the height of the money case, while the note accommodation portions **2** have a shallow-bottomed shape having a depth substantially half of the height of the money case. The note accommodation portions **2** have a shallow-bottomed shape, for example, for the following reasons: an increased depth makes it difficult to take out notes; and a lock unit needs to be provided below the note accommodation portions **2** in order to hold the drawer box in an open or closed state.

A larger note accommodation space is demanded in order to cope with an increase in the numbers of notes caused by issuance of new kinds of high-value notes in overseas countries, and to deal with countries in which many kinds of notes are circulated. However, space-saving is also strongly demanded, which makes it difficult to simply increase the size of the drawer box in order to enlarge the note accommodation space. Therefore, enlargement of the note accommodation space while avoiding an increase in the size of the drawer box has been strongly demanded.

Drawer boxes proposed to cope with such a demand are disclosed, for example, in Japanese Laid-Open Utility Model Publication No. 6-30883, Japanese Laid-Open Utility Model Publication No. 6-15178, Japanese Laid-Open Publication No. 4-352298, Japanese Laid-Open Publication No. 3-80395, and Japanese Laid-Open Publication No. 2-137089.

The drawer box disclosed in Japanese Laid-Open Publication No. 4-352298 adopts a structure in which a note accommodation part has a deep-bottomed shape

and is divided into an upper and a lower portions by a detachable divider. This structure allows the portion above the divider to be used as a note accommodation portion with a shallow bottom in which notes are accommodated horizontally, and also allows the portion below the divider to accommodate notes in the case where there are many kinds of notes. Therefore, the note accommodation space is enlarged while avoiding an increase in the size of the drawer box.

However, in the case where the portion below the divider is used, the notes accommodated in the portion above the divider need to be taken out and put back together with the divider every time notes are taken out of and put into the portion below the divider. This is time-consuming and troublesome.

Furthermore, since the notes accommodated below the divider cannot be visibly checked without removing the divider, the recognition of the notes is not easily performed.

SUMMARY OF THE INVENTION

According to one aspect of the invention, a drawer box includes: a plurality of note accommodation parts arranged in a width direction of the drawer box, at least one note accommodation part being deep-bottomed with a depth substantially equal to a height of the drawer box; a divider including a bottom plate for dividing the at least one deep-bottomed note accommodation part into an upper portion and a lower portion, the divider further including an upright portion which extends perpendicularly from one end of the bottom plate; a first holding device for holding the divider in a position where the bottom plate divides the at least one deep-bottomed note accommodation part into the upper portion and the lower portion; a guide device for guiding the divider to a bottom position, wherein the divider divides the at least one deep-bottomed note accommodation part into two side portions by the upright portion of the divider; and a second holding device for holding the divider in the bottom position.

In one embodiment of the invention, the at least one deep-bottomed note accommodation part including the divider is provided on one side of the drawer box.

In one embodiment of the invention, the at least one deep-bottomed note accommodation part including the divider is provided on each of two sides of the drawer box.

In one embodiment of the invention, a note accommodation part other than the at least one deep-bottomed note accommodation part has a shallow-bottomed shape, and a lock unit for maintaining the drawer box in an opened or closed state is provided under the note accommodation part having the shallow-bottomed shape.

In one embodiment of the invention, the note accommodation part having the shallow-bottomed shape horizontally accommodates notes in a stacked manner.

According to one aspect of the invention, a drawer box includes: a plurality of note accommodation parts arranged in a width direction of the drawer box, at least one note accommodation part being deep-bottomed with a depth substantially equal to a height of the drawer box; a divider for dividing the at least one deep-bottomed note accommodation part into an upper portion and a lower portion; a supporting device for supporting the divider within the at least one deep-bottomed note accommodation part, wherein the supporting device is pivotal about an axis existing on the divider; a first holding device for holding the divider in a substantially horizontal position for dividing the at least one deep-bottomed note accommodation part into the upper portion and the lower portion; and a second holding device for holding the divider in a substantially perpendicular position for dividing the at least one deep-bottomed note accommodation part into two side portions.

In one embodiment of the invention, the at least one deep-bottomed note accommodation part including the divider is provided on one side of the drawer box.

In one embodiment of the invention, the at least one deep-bottomed note accommodation part including the divider is provided on each of two sides of the drawer box.

In one embodiment of the invention, a note accommodation part other than the at least one deep-bottomed note accommodation part has a shallow-bottomed shape, and a lock unit for maintaining the drawer box in an opened or closed state is provided under the note accommodation part having the shallow-bottomed shape.

In one embodiment of the invention, the note accommodation part having the shallow-bottomed shape horizontally accommodates notes in a stacked manner.

In one embodiment of the invention, all of the plurality of note accommodation parts have a deep-bottomed shape and include the divider.

According to one aspect of the invention, a drawer box includes: a plurality of note accommodation parts arranged in a width direction of the drawer box, at least one note accommodation part being deep-bottomed with a depth substantially equal to a height of the drawer box; a divider for dividing the at least one deep-bottomed note accommodation part into an upper portion and a lower portion; a first holding device for detachably holding the divider in a position of dividing the at least one deep-bottomed note accommodation part into the upper portion and the lower portion; and a second holding device for detachably holding the divider in a position of dividing the at least one deep-bottomed note accommodation part into two side portions.

In one embodiment of the invention, the at least one deep-bottomed note accommodation part including the divider is provided on one side of the drawer box.

In one embodiment of the invention, the at least one deep-bottomed note accommodation part including the divider is provided on each of two sides of the drawer

box.

In one embodiment of the invention, a note accommodation part other than the at least one deep-bottomed note accommodation part has a shallow-bottomed shape, and a lock unit for maintaining the drawer box in an opened or closed state is provided under the note accommodation part having the shallow-bottomed shape.

In one embodiment of the invention, the note accommodation part having the shallow-bottomed shape horizontally accommodates notes in a stacked manner.

In one embodiment of the invention, all of the plurality of note accommodation parts have a deep-bottomed shape and include the divider.

According to one aspect of the invention, a drawer box includes: a plurality of coin accommodation parts provided in the drawer box; a divider detachably provided in the drawer box for dividing at least one of the plurality of coin accommodation parts into at least two coin accommodation portions; a first holding device for detachably holding the divider in a position of dividing the at least one coin accommodation part into at least two coin accommodation portions; and a second holding device for pivotally hinging the divider to a top edge of a wall of the at least one coin accommodation part about a horizontal axis.

In one embodiment of the invention, a drawer box further includes a locking device for locking a free end of the divider to a wall portion opposing to the wall portion to which the divider is hinged when the divider is hinged.

In one embodiment of the invention, a total size of the two adjacent coin accommodation portions is sufficient to accommodate notes.

In one embodiment of the invention, the guide device obliquely guides the divider to a bottom position, wherein the divider divides the at least one deep-bottomed note accommodation part into two side portions by the upright portion of the divider.

Thus, the invention described herein makes possible the advantages of providing (1) a drawer box for enlarging a note accommodation space while avoiding an increase in the size of the drawer box; and (2) a drawer box for facilitating the deposit and retrieval of notes and the recognition of notes in an enlarged note accommodation space.

These and other advantages of the present invention will become apparent to those skilled in the art upon reading and understanding the following detailed description with reference to the accompanying figures.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a perspective view of a drawer box including a money case in Example 1 according to the present invention;

Figure 2 is a plan view of the drawer box including

the money case shown in Figure 1;

Figures **3A**, **3B** and **3C** are each a cross-sectional view of the drawing box including the money case shown in Figure 1 taken along line III-III, illustrating three different states of a note accommodation part of the drawer box including the money case;

Figures **4A** and **4B** are each a perspective view of the drawer box including the money case shown in Figure 1 illustrating two different states of a coin accommodation part of the drawing box including the money case;

Figure **5** is a cross-sectional view of the drawer box including the money case shown in Figure 1 taken along line V-V, illustrating a method for operating a hinged divider for the coin accommodation part of the drawing box including the money case;

Figures **6A**, **6B** and **6C** are each a cross-sectional view of a drawer box including a money case in Example 2 according to the present invention seen from the front, illustrating three different states of the note accommodation parts of the drawer box including the money case;

Figures **7A**, **7B** and **7C** are each a cross-sectional view of a drawer box including a money case in Example 3 according to the present invention seen from the front, illustrating three different states of the note accommodation parts of the drawer box including the money case;

Figure **8A** is a side view of the drawer box including the money case shown in Figures **7A**, **7B** and **7C**;

Figure **8B** is a cross-sectional view of the drawer box including the money case shown in Figures **7A**, **7B** and **7C** seen from a side;

Figure **8C** is a cross-sectional view of the drawer box including the money case shown in Figures **7A**, **7B** and **7C** seen from the front;

Figures **9A** and **9B** are each a cross-sectional view of a drawer box including a money case in Example 4 according to the present invention seen from the front, illustrating two different states of the note accommodation part of the drawer box including the money case;

Figures **10A** and **10B** are each a cross-sectional view of a drawer box including a money case in Example 5 according to the present invention seen from the front, illustrating two different states of the note accommodation parts of the drawer box including the money case;

Figures **11A** and **11B** are each a cross-sectional view of a drawer box including a money case in Example 6 according to the present invention seen from the front, illustrating two different states of the note accommodation parts of the drawer box including the money case;

Figures **12A** and **12B** are each a cross-sectional view of a drawer box including a money case in Example 7 according to the present invention seen from the front, illustrating two different states of the note accommodation parts of the drawer box including the money case;

Figure **13A** is a side view of the drawer box including the money case shown in Figures **12A** and **12B**;

Figure **13B** is a cross-sectional view of the drawer box including the money case shown in Figures **12A** and **12B** seen from a side;

Figure **13C** is a cross-sectional view of the drawer box including the money case shown in Figures **12A** and **12B** seen from the front;

Figures **14A** and **14B** are each a cross-sectional view of a drawer box including a money case in Example 8 according to the present invention seen from the front, illustrating two different states of the note accommodation parts of the drawer box including the money case;

Figures **15A**, **15B**, **15C**, and **15D** are each a cross-sectional view of a drawer box including a money case in Example 9 according to the present invention seen from the front, illustrating four different states of the note accommodation part of the drawer box including the money case;

Figures **16A**, **16B**, **16C** and **16D** are each a cross-sectional view of a drawer box including a money case in Example 10 according to the present invention seen from the front, illustrating four different states of the note accommodation parts of the drawer box including the money case;

Figures **17A**, **17B**, **17C** and **17D** are each a cross-sectional view of a drawer box including a money case in Example 11 according to the present invention seen from the front, illustrating four different states of the note accommodation parts of the drawer box including the money case;

Figures **18A**, **18B**, **18C** and **18D** are each a cross-sectional view of a drawer box including a money case in Example 12 according to the present invention seen from the front, illustrating four different states of the note accommodation parts of the drawer box including the money case;

er box including the money case;

Figure 19 is a cross-sectional view of a drawer box including a money case in Example 13 according to the present invention, illustrating a method for operating a hinged divider for the coin accommodation part of the drawer box including the money case; and

Figure 20 is a perspective view of a conventional drawer box including a money case.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention will be described below by way of illustrative examples with reference to the accompanying drawings.

(Example 1)

Figures 1 through 5 illustrate a drawer box 100 in Example 1 according to the present invention. As shown in Figures 1 and 2, the drawer box 100 includes a money case 300. The money case 300 includes a casing 70 formed by resin-molding, a coin accommodation area 10 which is detachably engageable in a front portion of the casing 70, and a note accommodation area 20 provided posterior to the front portion of the casing 70.

The coin accommodation area 10 includes a plurality of coin accommodation parts 10a arranged in two rows, each row having two coin accommodation parts 10a in a width direction W of the money case 300. Each coin accommodation part 10a has two coin accommodation portions 10b separated from each other by a divider 30. The note accommodation area 20 includes a plurality of note accommodation parts 20a and 20b arranged in the width direction W of the money case 300.

The drawer box 100 of Example 1 adopts a divider rearrangement system (described in detail later) for the coin accommodation area 10, and a divider lifting and lowering system (described in detail later) for the note accommodation area 20.

The note accommodation area 20 which adopts the divider lifting and lowering system will be described below with reference to Figures 3A, 3B and 3C.

As shown in Figure 3A, the note accommodation area 20 includes one note accommodation part 20a of a first type and three note accommodation parts 20b of a second type. The note accommodation part 20a located at one end the note accommodation area 20 has a deep-bottomed shape having a depth substantially equal to the height of the money case 300. The note accommodation parts 20b have a shallow-bottomed shape having a depth substantially half of the height of the money case 300. The height of the money case 300 is substantially the same as that of the drawer box 100. The note accommodation part 20a has an upper portion

201a and a lower portion 201b, and the lower portion 201b is larger in the width direction W than the upper portion 201a. The note accommodation part 20a is placed between an L-shaped outer wall 21 and a laterally staggered inner wall 22 as illustrated in Figures 3A, 3B and 3C. An opening 24 is placed between bottom portions of the walls 21 and 22.

The note accommodation area 20 further includes a divider 40 having an L-shaped cross section. The divider 40 has a bottom plate 41 for separating the upper portion 201a from the lower portion 201b (Figure 3A), and an upright portion 42 extended perpendicularly from one end of the bottom plate 41.

On each of two side surfaces of the bottom plate 41 of the divider 40 extending perpendicular to the width direction W, a convex portion 41a is provided along the entire length thereof. Likewise, a projection 41b is provided on each of a front and a back surface of the bottom plate 41 extending in the width direction W (only the one on the back surface is shown).

The walls 21 and 22 each have a concave portion 23 at an intermediate position thereof in which each convex portion 41a of the divider 40 is engageable. Each of the walls 21 and 22 also has a concave portion 25 at a bottom position thereof in which each convex portion 41a of the divider 40 is also engageable.

Within the front and back walls of the note accommodation part 20a are provided grooves 26 extending from an intermediate position to a bottom position in an inwardly inclined manner. The projections 41b of the divider 40 are respectively slidable along the grooves 26.

Next, the operation of the drawer box 100 will be described with reference to Figures 3A, 3B and 3C.

As shown in Figure 3A, the divider 40 is normally held so as to allow the bottom plate 41 to be horizontally held in the intermediate level of the note accommodation part 20a. In other words, the convex portions 41a provided on the side surfaces of the bottom plate 41 fit into the concave portions 23 which are formed in the intermediate positions of the two walls 21 and 22. The convex portions 41a and the concave portions 23 function as a first holding device. The upright portion 42 of the divider 40 is substantially entirely in contact with the wall 21. In such a state, the upper portion 201a acts as a shallow-bottomed note accommodation part similar to the adjacent note accommodation parts 20b. Notes can be accommodated horizontally in the note accommodation part.

In the case where there are many types of notes to be accommodated, the divider 40 is swung slightly, disengaging the convex portions 41a of the divider 40 from the concave portions 23 as shown in Figure 3B. This causes the divider 40 to slide obliquely downward by a sliding movement of the projections 41b along the inclined grooves 26. The projections 41b and the grooves 26 function together as a guide device. Then, as shown in Figure 3C, the divider 40 is lowered to the point where the convex portions 41a are fitted into the concave por-

tions **25**, thereby locking the bottom plate **41** in the opening **24** at a bottom position. The convex portions **41a** and the concave portions **25** function as a second holding device.

When the bottom plate **41** lowers, the upright portion **42** also moves inwardly while lowering. In the state where the bottom plate **41** is locked at the bottom position of the note accommodation part **20a**, the upright portion **42** is held securely in a position which divides the note accommodation part **20a** into two side portions. In this state, the upper portion **201a** and the lower portion **201b** act together as a deep-bottomed note accommodation part. Notes can be accommodated vertically.

Next, the coin accommodation area **10** adopting the divider rearrangement system will be described.

As shown in Figures **4A** and **4B**, the coin accommodation area **10** includes the coin accommodation parts **10a** divided into two coin accommodation portions **10b** by the removable divider **30**.

The divider **30** has projections **31b** and a cut-out **31a** on a front edge **36**, and a pair of projections **32** on both of two ends of a rear edge **34** of the divider **30**. Each projection **32** has a rounded concave portion **33** in an outer surface thereof.

The coin accommodation part **10a** is placed between walls **11** and **12**. The walls **11** and **12** each has a groove **13** extending in a depth direction (arrow **D**). The projections **31b** and the projections **32** are engageable with the grooves **13**. When the divider **30** is vertically secured in the coin accommodation part **10a** through the engagement of the projections **31b** and one of the grooves **13**, and the projections **32** and the other groove **13**, the coin accommodation part **10a** is divided into two coin accommodation portions **10b**. The projections **31b** and **32**, and the grooves **13** function as a first holding device.

As best shown in Figure **4B**, the wall **12** has concave portions **14** in the top edge thereof, in which the projections **32** of the divider **30** are engageable. The wall **12** has projections **15** projecting into the concave portions **14**, wherein the projections **15** are engageable in the concave portions **33** which exist within the projections **32** of the divider **30**. The concave portions **33** and the projections **15** function as a second holding device in a form of a hinge for attaching the divider **30** to the wall **12**. The divider **30** pivots in a direction of arrow **A**, as illustrated in Figure **5**. The wall **11** has a slit **16**. When the divider **30** is pivotally attached to the wall **12**, a free end of the divider **30**, i.e., the projections **31b**, is engageable in the slit **16**. The slit **16** and the projections **31b** function as a locking device for locking the divider **30** to the wall **11**.

As shown in Figures **1** and **2**, the divider **30** is normally inserted vertically into the grooves **13**, thereby acting as a partition between the coin accommodation portions **10b**. In the case where there are many kinds of notes to be accommodated, the divider **30** is pulled out of the grooves **13** as shown in Figure **4A**. In this state,

the coin accommodation part **10a** acts as a note accommodation part, wherein the notes are accommodated horizontally. Thus, an additional note accommodation space is obtained.

After the divider **30** is pulled out, the divider **30** is turned horizontally (Figure **4B**). Then, the projections **32** of the divider **30** are fit into the concave portions **14**, and the projections **15** are fit into the concave portions **33**. This causes the divider **30** to be hinged to the top edge of the wall **12** with the rear edge **34** serving as a fulcrum (horizontal axis). Then, the free end of the hinged divider **30** is swung and pressed downward with the projections **31b** pressed against a note-weight locking device **16'** to the point where the projections **31b** are inserted into the slit **16**.

The note-weight locking device **16'** is made of resin. Accordingly, when the tips of the projections **31b** of the divider **30** touch the note-weight locking device **16'**, the note-weight locking device **16'** elastically deforms in a forward direction (arrow **F**) in Figure **5**. Then, when the projections **31b** reach the slit **16**, the note-weight locking device **16'** recovers the original shape thereof due to elasticity, thus holding the divider **30** as shown by a solid line in Figure **5**. In this state, the divider **30** functions as a weight for notes **50** accommodated in the coin accommodation part **10a**. This prevents the notes **50** from jumping out of the drawer box **100** when the drawer box **100** is opened and closed even though the note accommodation part is created in the front portion of the money case **300**.

It is needless to say that papers and the like such as gift tokens and checks can be accommodated in the note accommodation part.

(Example 2)

Figures **6A**, **6B** and **6C** illustrate a drawer box **110** including a money case **310** in Example 2 according to the present invention. Like the drawer box **100** in Example 1, the drawer box **110** adopts the divider lifting and lowering system for the note accommodation area **20** in the money case **310**. The drawer box **110** is different from the drawer box **100** in that the drawer box **110** has two note accommodation parts **20a** located at both of two ends of a row having four note accommodation parts arranged in a width direction **W** of the money case **310**. The note accommodation parts **20a** include the divider **40** and have a deep-bottomed shape. This further provides an additional note accommodation space. The two note accommodation parts **20b** placed between the note accommodation parts **20a** have a shallow bottomed shape.

(Example 3)

Figures **7A**, **7B**, **7C**, **8A**, **8B** and **8C** illustrate a drawer box **120** including a money case **320** in Example 3 according to the present invention. Like the drawer box-

es **100** and **110** in Examples 1 and 2, the drawer box **120** adopts the divider lifting and lowering system for the note accommodation area **20** in the money case **320**. As in Example 2, two note accommodation parts **20a** of a deep-bottomed shape including the divider **40** are provided at both of two ends of the row. The drawer box **120** is different from the drawer box **110** in Example 2 in that a lock unit **60** for maintaining the drawer box **120** in an opened or closed state is provided under the two note accommodation parts **20b** which have a shallow-bottomed shape and are sandwiched between the note accommodation parts **20a**.

Since the lock unit **60** is commonly used, a detailed description thereof is omitted.

As shown in Figures **8A** and **8B**, the lock unit **60** is normally provided at the rear end of the drawer box **120**, under the note accommodation parts **20b**. This structure is made possible by providing the note accommodation parts **20a** at the two ends of the row and leaving the note accommodation parts **20b** shallow-bottomed. As shown in Figure **8C**, by changing the manner of accommodating notes in the note accommodation parts **20a** from horizontally to vertically, portions **20a'** located on two sides of the lock unit **60** can be used as note accommodation space, thereby increasing the whole note accommodation space.

(Example 4)

Figures **9A** and **9B** illustrate a drawer box **130** including a money case **330** in Example 4 according to the present invention. The drawer box **130** adopts a divider pivoting system for the note accommodation area **20** in the money case **330**. The note accommodation area **20** includes one note accommodation part **20a** having an upper portion **201a** and a lower portion **201b** and a plurality of note accommodation parts **20b**. Both note accommodation parts **20a** and **20b** are arranged in a width direction **W** of the money case **330**. The divider **40** is provided to separate the upper portion **201a** from the lower portion **201b** (Figure **9A**). The note accommodation part **20a** is partially surrounded by an outer wall **91**, an inner wall **92** and a bottom plate **93**.

The divider **40** includes a projection **43** in the middle of each of a front and a back surface thereof. The front and back walls of the note accommodation part **20a** each have a concave portion (not shown) in which the projection **43** is engageable. The projections **43** function as a supporting device for pivotally supporting the divider **40** in an intermediate portion between the front and back walls of the note accommodation part **20a**. The projections **43** may be positioned at other positions as long as the divider **40** can be held in a horizontal and a vertical position. One side surface of the divider **40** extending perpendicular to the width direction **W** has a convex portion **44** provided along the entire length thereof. The inner wall **92** has a concave portion **27a** in which the convex portion **44** is engageable so as to hold

the divider **40** substantially horizontally. Alternatively, the outer wall **91** may have the concave portion **27a**. The convex portion **44** and the concave portion **27a** function as a first holding device. The top surface of the bottom plate **93** has a concave portion **27b** in which the convex portion **44** is engageable so as to hold the divider **40** in a substantially vertical position which divides the note accommodation part **20a** into two side portions. The convex portion **44** and the concave portion **27b** function as a second holding device.

Normally, the divider **40** is held horizontally in an intermediate level by fitting the convex portion **44** in the concave portion **27a** as shown in Figure **9A**. In this state, the upper portion **201a** acts as a note accommodation part of a shallow-bottomed shape similar to the note accommodation parts **20b**. In this manner notes can be accommodated horizontally.

In the case where there are many kinds of notes to be accommodated, the divider **40** is pivoted, thereby disengaging the convex portion **44** from the concave portion **27a** and fitting the convex portion **44** into the concave portion **27b** as shown in Figure **9B**. This changes the position of the divider from horizontal to vertical, thereby dividing the note accommodation part **20a** into two side portions having a deep-bottom shape. In this manner notes can be accommodated vertically. This increases the note accommodation space without increasing the width of the drawer box **130**.

Furthermore, since notes can be accommodated vertically in the note accommodation space, the notes can be deposited and retrieved and recognized more easily.

(Example 5)

Figures **10A** and **10B** illustrate a drawer box **140** including a money case **340** in Example 5 according to the present invention. Like the drawer box **130** in Example 4, the drawer box **140** adopts the divider pivoting system for the note accommodation area **20** in the money case **340**. The drawer box **140** is different from the drawer box **130** in that the drawer box **140** has two note accommodation parts **20a** located at both of two ends of a row having the four note accommodation parts arranged in a width direction **W** of the money case **340**. The note accommodation parts **20a** include the divider **40** and have a deep-bottomed shape. This further provides an additional accommodation space. The two note accommodation parts **20b** placed between the note accommodation parts **20a** have a shallow bottomed shape.

(Example 6)

Figures **11A** and **11B** illustrate a drawer box **150** including a money case **350** in Example 6 according to the present invention. Like the drawer boxes **130** and **140** in Examples 4 and 5, the drawer box **150** adopts

the divider pivoting system for the note accommodation area **20** in the money case **350**. As in Example 5, two note accommodation parts **20a** of a deep-bottomed shape including the divider **40** are provided at both of two ends of the row. The drawer box **150** is different from the drawer box **140** in Example 5 in that a lock unit **60** for maintaining the drawer box **150** in an opened or closed state is provided under the two note accommodation parts **20b** which have a shallow-bottomed shape and are sandwiched between the note accommodation parts **20a**.

By providing the note accommodation parts **20a** at both of two ends of the row and leaving the note accommodation parts **20b** shallow-bottomed, the note accommodation space can be increased without sacrificing installment space for the lock unit **60**.

(Example 7)

Figures **12A**, **12B**, **13A**, **13B** and **13C** illustrate a drawer box **160** including a money case **360** in Example 7 according to the present invention. Like the drawer boxes **130**, **140** and **150** in Examples 4, 5 and 6, the drawer box **160** adopts the divider pivoting system for the note accommodation area **20** in the money case **360**. The note accommodation area **20** of Example 7 is different from those of Examples 4, 5 and 6 in that the two note accommodation parts **20a** are located at one end of the row and include the divider **40** and have a deep-bottomed shape. The lock unit **60** is provided under the two note accommodation parts **20b** of a shallow-bottomed shape.

By providing the note accommodation parts **20a** at one end of the row, the lock unit **60** can be provided under the note accommodation parts **20b** of a shallow-bottomed shape as in a conventional manner. By changing the manner of accommodating notes in the note accommodation parts **20a** from horizontally to vertically, portions **20a'** located on one side of the lock unit **60** can be used as note accommodation space (Figure **13C**), thereby increasing the whole note accommodation space. The note accommodation space can therefore be increased without sacrificing installment space for the lock unit **60** as in Example 6.

(Example 8)

Figures **14A** and **14B** illustrate a drawer box **170** including a money case **370** in Example 8 according to the present invention. Like the drawer boxes **130**, **140**, **150**, and **160** in Examples 4, 5, 6 and 7, the drawer box **170** adopts the divider pivoting system for the note accommodation area **20** in the money case **370**. The note accommodation area **20** of Example 8 is different from those of Examples 4, 5, 6 and 7 in that all the note accommodation parts **20a** are arranged in a width direction **W** of the money case **370** and have a deep-bottomed shape with the divider **40**. This remarkably increases the

note accommodation space.

(Example 9)

Figures **15A**, **15B**, **15C** and **15D** illustrate a drawer box **180** including a money case **380** in Example 9 according to the present invention. The drawer box **180** adopts the divider rearrangement system for the note accommodation area **20** in the money case **380**. The note accommodation area **20** includes one note accommodation part **20a** having an upper portion **201a** and a lower portion **201b** and a plurality of note accommodation parts **20b**, wherein both are arranged in a width direction **W** of the money case **380**. Further, the divider **40** separates the upper portion **201a** from the lower portion **201b** in the note accommodation part **20a** (Figure **15A**). The note accommodation part **20a** is partially surrounded by an outer wall **94**, an inner wall **95** and a bottom plate **96**.

The divider **40** includes a snapfit-type protrusion **45** on one end thereof. The outer wall **94** has a slit-like engagement portion **28a** at an intermediate position thereof in which the protrusion **45** is engageable. The inner wall **95** has a slit **29** through which the divider is inserted so as to oppose the engagement portion **28a**. The protrusion **45** and the engagement portion **28a** serve as a first holding device for detachably holding the divider **40** in a position of separating the upper portion **201a** from the lower portion **201b** of the note accommodation part **20a** (Figure **15A**). Alternatively, the inner wall **95** may have the engagement portion **28a** and the outer wall **94** may have the slit **29**. The bottom plate **96** has a slit-like engagement portion **28b** on the middle portion of the top surface thereof in which the protrusion **45** is engageable. The protrusion **45** and the engagement portion **28b** function as a second holding device for detachably holding the divider **40** in a position of dividing the note accommodation part **20a** into two side portions.

Normally, the divider **40** is held horizontally in an intermediate level by the fitting the protrusion **45** provided on one end of the divider **40** into the engagement portion **28a** and inserting the other end thereof into the slit **29** as shown in Figure **15A**. In this state, the upper portion **201a** acts as a note accommodation part of a shallow-bottomed shape similar to the note accommodation parts **20b**. In this manner notes can be accommodated horizontally.

In the case where there are many kinds of notes to be accommodated, the protrusion **45** is disengaged from the engagement portion **28a**, and the divider **40** is retracted through the slit **29** in a direction of arrow **B** as shown in Figure **15B**. Then, as shown in Figures **15C** and **15D**, the divider **40** is vertically inserted into the note accommodation part **20a** with the protrusion **45** facing downward, and the protrusion **45** is fitted into the engagement portion **28b**. This divides the note accommodation part **20a** into two side portions having a deep-bottomed shape. In this manner notes can be accom-

modated vertically. This increases the note accommodation space without increasing the width of the drawer box **180**.

Furthermore, since notes can be accommodated vertically in the note accommodation space, the notes can be deposited and retrieved and recognized more easily.

(Example 10)

Figures **16A**, **16B**, **16C** and **16D** illustrate a drawer box **190** including a money case **390** in Example 10 according to the present invention. Like the drawer box **180** in Example 9, the drawer box **190** adopts the divider rearrangement system for the note accommodation area **20** in the money case **390**. The drawer box **190** is different from the drawer box **180** in that the drawer box **190** has two note accommodation parts **20a** located at both of two ends of a row having the four note accommodation parts arranged in a width direction **W** of the money case **390**. The note accommodation parts **20a** include the divider **40** and have a deep-bottomed shape. This further provides an additional note accommodation space. The two note accommodation parts **20b** placed between the note accommodation parts **20a** have a shallow bottomed shape.

(Example 11)

Figures **17A**, **17B**, **17C** and **17D** illustrate a drawer box **400** including a money case **600** in Example 11 according to the present invention. Like the drawer boxes **180** and **190** in Examples 9 and 10, the drawer box **400** adopts the divider rearrangement system for the note accommodation area **20** in the money case **600**. As in Example 10, two note accommodation parts **20a** of a deep-bottomed shape including the divider **40** are provided at both of two ends of the row. The drawer box **400** is different from the drawer box **190** in Example 10 in that the lock unit **60** for maintaining the drawer box **400** in an opened or closed state is provided under the two note accommodation parts **20b** having a shallow-bottomed shape which are sandwiched between the note accommodation parts **20a**.

By providing the note accommodation parts **20a** at both of two ends of the row and leaving the note accommodation parts **20b** shallow-bottomed, the note accommodation space can be increased without sacrificing installment space for the lock unit **60**.

The divider **40** can be moved as described above in the state where the money case **600** is taken out of a main body (not shown) of the drawer box **400**. The lock unit **60** is attached on the bottom surface of the main body. Accordingly, the divider **40** does not interfere with the lock unit **60** while the divider **40** is being moved. This also applies to a drawer box **410** as in Example 12.

(Example 12)

Figures **18A**, **18B**, **18C** and **18D** illustrate a drawer box **410** including a money case **610** in Example 12 according to the present invention. Like the drawer boxes **180**, **190** and **400** in Examples 9, 10 and 11, the drawer box **410** adopts the divider rearrangement system for the note accommodation area **20** in the money case **610**. The note accommodation area **20** of Example 12 is different from those of Examples 9, 10 and 11 in that two of the note accommodation parts **20a** are located at one end of the row and include the divider **40** and have a deep-bottomed shape. The lock unit **60** is provided under the two note accommodation parts **20b** which have a shallow-bottomed shape. The note accommodation space can be increased without sacrificing installment space for the lock unit **60**.

(Example 13)

Figure **19** illustrates a drawer box **420** including a money case **620** in Example 13 according to the present invention. Like the drawer box **100** in Example 1, the drawer box **420** adopts the divider rearrangement system for the coin accommodation area **10** of a money case. The drawer box **420** of Example 13 adopts a locking device for locking a free end **97** of the divider **30** to the wall **11**.

The locking device of Example 13 includes a magnet **35** attached at the free end **97** of the divider **30**, and a metal tip **17** attached to the wall **11**. The magnet **35** contacts the metal tip **17** when the divider **30** is lowered. In this state, the free end **97** of the divider **30** is locked to the wall **11**. Accordingly, the divider **30** functions as a weight for notes **50** accommodated horizontally in the note accommodation part. This prevents the notes **50** from jumping out of the drawer box **420** when the drawer box **420** is opened and closed even though the note accommodation part is created in the front portion of the money case **620**.

The functions and advantages of the present invention will be described below with reference to the accompanying drawings illustrating the embodiments of the present invention.

Figures **3A**, **3B**, **3C**, **6A**, **6B**, **6C**, **7A**, **7B** and **7C** illustrate drawer boxes **100**, **110** and **120** including money cases **300**, **310** and **320**, respectively with a note accommodation area **20** utilizing a divider lifting and lowering system.

In these drawer boxes, among a plurality of note accommodation parts **20a** and **20b** for accommodating notes horizontally in a stacked manner, at least one note accommodation part **20a** has a deep-bottomed shape having a depth substantially equal to the height of the drawer boxes **100**, **110** and **120**. When a divider **40** is provided in the note accommodation part **20a** and is held in such a position as to divide the note accommodation part **20a** into an upper and a lower portions **201a**

and **201b**, the upper portion **201a** functions as a note accommodation part with a shallow bottom, thus enabling the notes to be accommodated horizontally in a stacked manner on the divider **40**. Sliding the divider **40** obliquely downward from this position creates a note accommodation part of a deep-bottomed shape above the divider **40**, thereby enlarging the note accommodation space without increasing the size of the drawer boxes **100**, **110** and **120**.

Sliding the divider **40** obliquely downward causes an upright portion **42** extended perpendicularly from one end of a bottom plate **41** of the divider **40** to move and separate the note accommodation part **20a** into two side portions. Thus, notes can be accommodated vertically on two sides of the divider **40**. In other words, lowering the divider **40** changes one note accommodation part with a shallow bottom in which notes are accommodated horizontally, into two note accommodation parts in which notes are accommodated vertically. In the two note accommodation parts, the notes can be easily deposited and retrieved. Furthermore, the types of notes accommodated in the note accommodation parts can be recognized.

Figures **9A**, **9B**, **10A**, **10B**, **11A**, **11B**, **11A**, **12B**, **14A** and **14B** illustrate drawer boxes **130**, **140**, **150**, **160** and **170** including money cases **330**, **340**, **350**, **360** and **370**, respectively with a note accommodation area **20** of a divider pivoting system.

When the divider **40** is held substantially horizontally so as to divide the note accommodation part **20a** into an upper and a lower portions **201a** and **201b**, notes can be accommodated horizontally in a stacked manner on the divider **40**. When the divider **40** is pivoted so as to be substantially vertical, the note accommodation part **20a** is divided into two side portions by the divider **40**, and the side portions now function as note accommodation parts in which the notes can be accommodated vertically. Pivoting of the divider **40** changes one note accommodation part in which notes are accommodated horizontally, into two note accommodation parts in which notes are accommodated vertically, thereby enlarging the note accommodation space while avoiding an increase in the size of the drawer boxes **130**, **140**, **150**, **160** and **170**. Furthermore, depositing and retrieving the notes and recognition of the notes can be easily performed in the enlarged note accommodation space.

Figures **15A**, **15B**, **15C**, **15D**, **16A**, **16B**, **16C**, **16D**, **17A**, **17B**, **17C**, **17D**, **18A**, **18B**, **18C** and **18D** illustrate drawer boxes **180**, **190**, **400** and **410** including money cases **380**, **390**, **600** and **610**, respectively with a note accommodation area **20** which utilizes a divider rearrangement system.

When the divider **40** is held in such a position as to divide the note accommodation part **20a** into an upper and a lower portion **201a** and **201b**, respectively, notes can be accommodated horizontally in a stacked manner on the divider **40**. When the divider **40** is held in such a position as to divide the note accommodation part **20a**

into two side portions, the side portions function as note accommodation parts in which the notes can be accommodated vertically. Rearrangement of the divider **40** changes one note accommodation part in which notes are accommodated horizontally, into two note accommodation parts in which the notes are accommodated vertically, thereby enlarging the note accommodation space while avoiding an increase in the size of the drawer boxes **180**, **190**, **400** and **410**. Furthermore, depositing and retrieving the notes and recognition of the notes can be easily performed in the enlarged note accommodation space.

Figures **7A**, **7B**, **7C**, **11A**, **11B**, **12A**, **12B**, **17A**, **17B**, **17C**, **17D**, **18A**, **18B**, **18C**, and **18D** illustrate drawer boxes **120**, **150**, **160**, **400** and **410** including money cases **320**, **350**, **360**, **600** and **610**, respectively, in which the note accommodation parts **20a** which have a deep-bottomed shape with the divider **40** are provided at one end or at both ends of the drawer boxes **120**, **150**, **160**, **400** and **410**.

In the drawer boxes **120**, **150**, **160**, **400** and **410**, the note accommodation parts **20b** have a shallow-bottomed shape. Thus, a lock unit **60** for maintaining the drawer boxes **120**, **150**, **160**, **400** and **410** in an opened or closed state can be provided under the note accommodation parts **20b**. Therefore, the note accommodation space can be increased without sacrificing installment space for the lock unit **60**.

Figures **4A**, **4B**, **5** and **19** illustrate drawer boxes **100** and **420** including money cases **300** and **620**, respectively, with a coin accommodation area **10** utilizing a divider rearrangement system.

In the drawer boxes **100** and **420**, a removable divider **30** can be vertically inserted into the coin accommodation part **10a** and thereby act as a partition between the two coin accommodation parts **10b**. When the divider **30** is pulled out (when the divider **30** is removed) the notes can be horizontally accommodated in the coin accommodation part **10a**. This enlarges a note accommodation space while avoiding an increase in the size of the drawer box. Furthermore, depositing and retrieving the notes and recognition of the notes can be easily performed in the enlarged note accommodation space.

Furthermore, the divider **30** can be hinged to a top edge of the wall **12**, and a free end of the divider **30** is locked to the wall **11**. In this state, the divider **30** functions as a weight for notes accommodated in the newly created note accommodation part. This prevents the notes from jumping out of the drawer boxes **100** and **420** when the drawer boxes **100** and **420** are opened and closed even though the note accommodation part is created in the front portion thereof.

The coin accommodation area **10** of the divider rearrangement system can be combined with the aforementioned note accommodation area **20** of the divider lifting and lowering system, the divider pivoting system, or the divider rearrangement system.

In the above Examples, the numbers of the note ac-

commodation parts and the coin accommodation parts and portions are not limited to the ones mentioned above.

Various other modifications will be apparent to and can be readily made by those skilled in the art without departing from the scope and spirit of this invention. Accordingly, it is not intended that the scope of the claims appended hereto be limited to the description as set forth herein, but rather that the claims be broadly construed.

Claims

1. A drawer box, comprising:
 - a plurality of note accommodation parts arranged in a width direction of the drawer box, at least one note accommodation part being deep-bottomed with a depth substantially equal to a height of the drawer box;
 - a divider including a bottom plate for dividing the at least one deep-bottomed note accommodation part into an upper portion and a lower portion, the divider further including an upright portion which extends perpendicularly from one end of the bottom plate;
 - a first holding device for holding the divider in a position where the bottom plate divides the at least one deep-bottomed note accommodation part into the upper portion and the lower portion;
 - a guide device for guiding the divider to a bottom position, wherein the divider divides the at least one deep-bottomed note accommodation part into two side portions by the upright portion of the divider; and
 - a second holding device for holding the divider in the bottom position.
2. A drawer box according to claim 1, wherein the at least one deep-bottomed note accommodation part including the divider is provided on one side of the drawer box.
3. A drawer box according to claim 1, wherein the at least one deep-bottomed note accommodation part including the divider is provided on each of two sides of the drawer box.
4. A drawer box according to claim 2, wherein a note accommodation part other than the at least one deep-bottomed note accommodation part has a shallow-bottomed shape, and a lock unit for maintaining the drawer box in an opened or closed state is provided under the note accommodation part having the shallow-bottomed shape.
5. A drawer box according to claim 4, wherein the note accommodation part having the shallow-bottomed shape horizontally accommodates notes in a stacked manner.
6. A drawer box, comprising:
 - a plurality of note accommodation parts arranged in a width direction of the drawer box, at least one note accommodation part being deep-bottomed with a depth substantially equal to a height of the drawer box;
 - a divider for dividing the at least one deep-bottomed note accommodation part into an upper portion and a lower portion;
 - a supporting device for supporting the divider within the at least one deep-bottomed note accommodation part, wherein the supporting device is pivotal about an axis existing on the divider;
 - a first holding device for holding the divider in a substantially horizontal position for dividing the at least one deep-bottomed note accommodation part into the upper portion and the lower portion; and
 - a second holding device for holding the divider in a substantially perpendicular position for dividing the at least one deep-bottomed note accommodation part into two side portions.
7. A drawer box according to claim 6, wherein the at least one deep-bottomed note accommodation part including the divider is provided on one side of the drawer box.
8. A drawer box according to claim 6, wherein the at least one deep-bottomed note accommodation part including the divider is provided on each of two sides of the drawer box.
9. A drawer box according to claim 7, wherein a note accommodation part other than the at least one deep-bottomed note accommodation part has a shallow-bottomed shape, and a lock unit for maintaining the drawer box in an opened or closed state is provided under the note accommodation part having the shallow-bottomed shape.
10. A drawer box according to claim 9, wherein the note accommodation part having the shallow-bottomed shape horizontally accommodates notes in a stacked manner.
11. A drawer box according to claim 6, wherein all of the plurality of note accommodation parts have a deep-bottomed shape and include the divider.
12. A drawer box, comprising:

- a plurality of note accommodation parts arranged in a width direction of the drawer box, at least one note accommodation part being deep-bottomed with a depth substantially equal to a height of the drawer box;
 a divider for dividing the at least one deep-bottomed note accommodation part into an upper portion and a lower portion;
 a first holding device for detachably holding the divider in a position of dividing the at least one deep-bottomed note accommodation part into the upper portion and the lower portion; and
 a second holding device for detachably holding the divider in a position of dividing the at least one deep-bottomed note accommodation part into two side portions.
13. A drawer box according to claim 12, wherein the at least one deep-bottomed note accommodation part including the divider is provided on one side of the drawer box.
14. A drawer box according to claim 12, wherein the at least one deep-bottomed note accommodation part including the divider is provided on each of two sides of the drawer box.
15. A drawer box according to claim 13, wherein a note accommodation part other than the at least one deep-bottomed note accommodation part has a shallow-bottomed shape, and a lock unit for maintaining the drawer box in an opened or closed state is provided under the note accommodation part having the shallow-bottomed shape.
16. A drawer box according to claim 15, wherein the note accommodation part having the shallow-bottomed shape horizontally accommodates notes in a stacked manner.
17. A drawer box according to claim 12, wherein all of the plurality of note accommodation parts have a deep-bottomed shape and include the divider.
18. A drawer box, comprising:
 a plurality of coin accommodation parts provided in the drawer box;
 a divider detachably provided in the drawer box for dividing at least one of the plurality of coin accommodation parts into at least two coin accommodation portions;
 a first holding device for detachably holding the divider in a position of dividing the at least one coin accommodation part into at least two coin accommodation portions; and
 a second holding device for pivotally hinging the divider to a top edge of a wall of the at least one coin accommodation part about a horizontal axis.
19. A drawer box according to claim 18, further comprising a locking device for locking a free end of the divider to a wall portion opposing to the wall portion to which the divider is hinged when the divider is hinged.
20. A drawer box according to claim 18, wherein a total size of the two adjacent coin accommodation portions is sufficient to accommodate notes.
21. A drawer box according to claim 1, wherein the guide device obliquely guides the divider to a bottom position, wherein the divider divides the at least one deep-bottomed note accommodation part into two side portions by the upright portion of the divider.
22. A box having at least one relatively deep compartment and a divider which is selectively moveable between a first position in which it divides the compartment depthwise into relatively shallow upper and lower portions and provides the floor of the upper portion, and a second position in which it divides the compartment widthwise into two relatively deep side-by-side portions, means being provided for releasably holding the divider in said first and second positions.
23. A drawer box for a cash register in which a money note compartment is selectively configurable by a moveable divider in a single relatively wide but shallow form for flat note stacking or as two relatively narrow but deep sub-compartments, each for vertical note stacking.
24. A box having a compartment and a divider which is selectively moveable between a first position in which it divides the compartment widthwise into two side-by-side portions and a second position in which it is hinged to an upper edge of the compartment to pivot about a horizontal axis, means being provided for releasably holding the divider in said first and second positions.

FIG. 1




FIG. 2




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 4A




FIG. 4B




FIG. 5




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 7A




FIG. 7B




FIG. 7C




FIG. 8A




FIG. 8B




FIG. 8C




FIG. 9A




FIG. 9B




FIG. 10A




FIG. 10B




FIG. 11A





FIG. 11B







FIG. 13A




FIG. 13B




FIG. 13C




FIG. 14A




FIG. 14B




FIG. 15A




FIG. 15B




FIG. 15C




FIG. 15D




FIG. 16A




FIG. 16B




FIG. 16C




FIG. 16D




FIG. 17A




FIG. 17B




FIG. 17C




FIG. 17D




FIG. 18A




FIG. 18B




FIG. 18C




FIG. 18D




FIG. 19




FIG. 20

