



(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
12.07.2000 Bulletin 2000/28

(51) Int. Cl.⁷: **G01R 31/36**

(43) Date of publication A2:
14.04.1999 Bulletin 1999/15

(21) Application number: **98119246.1**

(22) Date of filing: **12.10.1998**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **13.10.1997 JP 27880197**

(71) Applicant:
TOYOTA JIDOSHA KABUSHIKI KAISHA
Aichi-ken 471-8571 (JP)

(72) Inventors:
• **Kikuchi, Yoshiaki**
Toyota-shi, Aichi-ken, 471-8571 (JP)
• **Sekimori, Toshiyuki**
Toyota-shi, Aichi-ken, 471-8571 (JP)
• **Asakawa, Fumihiko**
Toyota-shi, Aichi-ken, 471-8571 (JP)

• **Shoji, Yoshimi**
Toyota-shi, Aichi-ken, 471-8571 (JP)
• **Tojima, Kazuo**
Toyota-shi, Aichi-ken, 471-8571 (JP)
• **Uchida, Masatoshi**
Toyota-shi, Aichi-ken, 471-8571 (JP)
• **Ukita, Susumi**
Toyota-shi, Aichi-ken, 471-8571 (JP)
• **Kuno, Hiromichi**
Nishikamo-gun, Aichi-ken, 470-0205 (JP)

(74) Representative:
Tiedtke, Harro, Dipl.-Ing. et al
Patentanwaltsbüro
Tiedtke-Bühling-Kinne & Partner
Bavariaring 4
80336 München (DE)

(54) **Battery charge level detecting device**

(57) In the area of the charge level of 20 ~ 80% where the charge level of a battery (50) does not appear in the terminal voltage of the battery, the battery ECU (68) estimates charge level by integrating the currents of the charge and discharge of the battery. When the engine ECU (46) detects that the ignition key is turned on, the motor generators (26, 28) are driven by the engine (10), and the generated electric power is accumulated in the battery (50). When the area where the charge level appears in the terminal voltage, is reached, the calculation of the charge level is performed from the current and voltage at that time. When this charge level has reached 80%, the calibration of said estimated charge level is performed by this value. Furthermore, it is also possible for this calibration to be prohibited when a heavy current is flowing and the error may become large in the calculation of the charge level. By the above mentioned methods, the charge level of a battery can accurately be detected.




Fig. 2



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 98 11 9246

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
A	EP 0 560 468 A (GLOBE UNION INC) 15 September 1993 (1993-09-15) * claims 1,16 *	1,5,7	601R31/36
A	EP 0 493 226 A (TRAVAUX ELECTR SOC GEN DE) 1 July 1992 (1992-07-01) * claims 1,5 *	1,5,7	
A	PATENT ABSTRACTS OF JAPAN vol. 014, no. 422 (P-1104), 12 September 1990 (1990-09-12) & JP 02 163680 A (MEIDENSHA CORP), 22 June 1990 (1990-06-22) * abstract *	1,5,7	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
			601R B60L
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 24 May 2000	Examiner S1x, G
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 98 11 9246

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

24-05-2000

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0560468 A	15-09-1993	US 5321627 A	14-06-1994
		JP 6052903 A	25-02-1994
EP 0493226 A	01-07-1992	FR 2670953 A	26-06-1992
		AT 127633 T	15-09-1995
		DE 69112801 D	12-10-1995
		DE 69112801 T	23-05-1996
		ES 2079608 T	16-01-1996
JP 02163680 A	22-06-1990	NONE	