(11) **EP 0 944 292 A3**

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3: **02.03.2005 Bulletin 2005/09**

(51) Int Cl.⁷: **H04R 7/00**, H04R 7/12

(43) Date of publication A2: **22.09.1999 Bulletin 1999/38**

(21) Application number: 99105479.2

(22) Date of filing: 17.03.1999

(84) Designated Contracting States:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 19.03.1998 JP 7101198

(71) Applicants:

- PIONEER ELECTRONIC CORPORATION Meguro-ku, Tokyo (JP)
- TOHOKU PIONEER ELECTRONIC CORPORATION Tendo-shi, Yamagata-Ken (JP)

(72) Inventors:


- Sato, Masatoshi c/oTOHOKU PIONEER ELECTRONIC CORP. Tendo-shi, Yamagata-ken 994-0012 (JP)
- Mitobe, Kunio c/oTOHOKU PIONEER ELECTRONIC CORP. Tendo-shi, Yamagata-ken 994-0012 (JP)
- (74) Representative: Sajda, Wolf E., Dipl.-Phys. et al MEISSNER, BOLTE & PARTNER Postfach 86 06 24 81633 München (DE)

(54) Loadspeaker diaphram of an injection foam molded body

(57) An inorganic or organic filler in an amount of 3 to 30 % by weight is added to a resin containing a foaming agent. The resulting resin mixture material is injection molded into a loudspeaker diaphragm (1) having a three-layer structure in which a foamed layer (3) is covered with unfoamed skin layers (2). For forming the three-layer structure, a resin mixture material of polypropylene containing a foaming agent is injected into a cavity of a mold (20). Immediately after the injection and the completion of forming the skin layers (2), the mold

(20) is separated so that the material may start foaming at its inside to form the foamed layer (3). Since the surfaces of the resin mixture material are in contact with the inner surfaces of the mold in the injection, the surfaces of the resin mixture material have solidified before the foaming takes place, so as to form the unfoamed skin layers (2). By adjusting the filler to the appropriate content, the loudspeaker diaphragm (1) is improved in appearance quality while keeping the other physical properties with favourable characteristics.

FIG.1





EUROPEAN SEARCH REPORT

Application Number EP 99 10 5479

I		ERED TO BE RELEVANT		
Category	Citation of document with in of relevant passa	ndication, where appropriate, ges	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CI.6)
D,X	PATENT ABSTRACTS OF vol. 1997, no. 04, 30 April 1997 (1997 & JP 08 340594 A (T PIONEER ELECTRON CO 24 December 1996 (1 * abstract *	7-04-30) TOHOKU PIONEER KK; DRP),	1-6	H04R7/00 H04R7/12
Y			7	
Y A	EP 0 481 306 A (SUMITOMO CHEMICAL CO) 22 April 1992 (1992-04-22) * page 2, line 47 - page 3, line 38 *		7	
A	US 3 930 979 A (VAL 6 January 1976 (197 * column 3, line 3	LANCE CHRISTOPHER)	7	
A	US 5 650 105 A (YOC 22 July 1997 (1997- * column 4, line 11		*	TECHNICAL FIELDS SEARCHED (Int.CI.6)
	The present search report has I	peen drawn up for all claims		
	Place of search	Date of completion of the search		Examiner
	Munich	11 January 200	5 Kur	ızelmann, C
X : parti Y : parti docu A : tech O : non	ATEGORY OF CITED DOCUMENTS ioularly relevant if taken alone icularly relevant if combined with another including the same category nological background written disclosure mediate document	E : earlier patent after the filing ner D : document cite L : document cite	ciple underlying the i document, but public date ed in the application d for other reasons e same patent family	shed on, or

EPO FORM 1503 03.82 (P04C01)

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 99 10 5479

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

11-01-2005

	ocument arch report	Publication date		Patent family member(s)	Publication date
JP 0834	0594 A	24-12-1996	JP CN US US	3135482 B2 1132461 A ,B 6030561 A 5793002 A	13-02-2001 02-10-1996 29-02-2006 11-08-1998
EP 0481	306 A	22-04-1992	JP JP CA DE DE EP ES KR US	2041771 C 4144721 A 7077739 B 2052835 A1 69112979 D1 69112979 T2 0481306 A1 2079543 T3 178538 B1 5304579 A 5252269 A	09-04-1996 19-05-1992 23-08-1995 06-04-1992 19-10-1995 11-04-1996 22-04-1992 16-01-1996 15-05-1999 19-04-1993
US 3930	979 A	06-01-1976	GB AU BE CA DE FR JP JP NL US US ZA	1468355 A 7109674 A 817676 A1 1076990 A1 2433941 A1 2237988 A1 1166490 C 50070279 A 57059314 B 7409319 A 2533073 A 4098672 A 7404186 A	23-03-1977 15-01-1976 15-01-1975 06-05-1986 06-02-1975 14-02-1975 08-09-1983 11-06-1975 14-12-1982 21-01-1975 05-12-1956 04-07-1975
US 5650	105 A	22-07-1997	US	5599563 A	04-02-1997

-ORM P0459

© For more details about this annex : see Official Journal of the European Patent Office, No. 12/82