



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 033 086 B1

(12)

EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention
of the grant of the patent:
21.08.2002 Bulletin 2002/34

(51) Int Cl.7: **A43B 5/08**, A41D 11/00,
A41B 11/02, A41B 11/00,
A63B 31/11

(21) Application number: **99919646.2**

(86) International application number:
PCT/JP99/02586

(22) Date of filing: **18.05.1999**

(87) International publication number:
WO 00/019849 (13.04.2000 Gazette 2000/15)

(54) **SURFING FOOTWEAR AND FLIPPER**

SURFSCHUH UND SCHWIMMFLOSSE

CHAUSSON DE SURF ET PALME

(84) Designated Contracting States:
AT DE ES FR GB GR IT SE

(30) Priority: **02.10.1998 JP 31528198**

(43) Date of publication of application:
06.09.2000 Bulletin 2000/36

(73) Proprietor: **DAITO SEIKI CO., Ltd.**
Tokyo 141-0031 (JP)

(72) Inventor: **TERAMACHI, Akihiro**
Shinagawa-ku Tokyo 141-0031 (JP)

(74) Representative: **Prüfer, Lutz H., Dipl.-Phys. et al**
PRÜFER & PARTNER GbR,
Patentanwälte,
Harthausen Strasse 25d
81545 München (DE)

(56) References cited:
FR-A- 1 192 109 **JP-A- 10 251 902**
JP-U- 50 003 749 **JP-U- 59 145 806**
US-A- 4 317 292 **US-A- 5 617 585**
US-A- 5 617 745 **US-A- 5 898 948**

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

Description

TECHNICAL FIELD

[0001] The present invention relates to a surfing footwear for a surfer to wear when wearing flippers or when riding on a surfing board. Furthermore, the invention relates to a flipper having the surfing footwear as an under-sock.

BACKGROUND ART

[0002] People who surf generally wear integral water-tight suits whose foot portions have, in their bottoms, rubber portions for preventing slippage. Therefore, if a person who surfs in a summer season wears such a suit for a long time, the person's feet become considerably damp due to heat, so that the feet or foot may peel and, moreover, athlete's foot may be caused.

[0003] Furthermore, although the suit has slip-preventative rubber portions in the bottoms of the foot portions, the suit is not made on sufficient consideration of tight fitting between the foot portions and bare feet. Therefore, when a surfer wears flippers, the tight fitting between the surfer's bare feet and the flippers is insufficient. As a result, it is often the case that surfers cannot move the flippers as they intend.

[0004] The present invention has been accomplished to solve the aforementioned drawbacks. It is an object of the invention to provide a surfing footwear that allows a surfer to move the footwear as the surfer intends as if the footwear were a part of the surfer's own foot when the surfer wears a flipper or rides on a surfing board. It is another object of the invention to provide a flipper that has an under-sock that is useful when a surfer wears the flipper body. Therefore, when a surfer wears such flippers, a state in which the flippers and the surfer's bare feet are tightly fitted can always be maintained, so that the surfer can sufficiently cope even with strong waves. Hence, the surfer can stay out in the sea for a long time.

DISCLOSURE OF THE INVENTION

[0005] A surfing footwear according to the invention comprises a knitted body formed by integrally knitting a calf portion, an ankle portion and a foot portion, and an anti-slip member attached to an undersurface of the foot portion of the knitted body, wherein tight fitting between the knitted body and a bare foot can always be obtained.

[0006] A surfing footwear according to the invention comprises a knitted body formed by integrally knitting a calf portion, an ankle portion and a foot portion, an elastic member attached to an undersurface of the foot portion of the knitted body, and tight-fitting and/or retaining means for tightly fitting and/or retaining a foot to the knitted body.

[0007] A surfing footwear according to the invention

is characterized in that the elastic fiber yarn is knitted with a looped base fiber yarn by a tuck-in or a lay-in.

[0008] A surfing footwear according to the invention is characterized in that a number of the elastic fiber yarn is one.

[0009] A surfing footwear according to the invention is characterized in that the tight-fitting and/or retaining means is provided in the calf portion, the ankle portion, and an intermediate portion of the foot portion excluding a toe portion and a heel portion.

[0010] A surfing footwear according to the invention is characterized in that the tight-fitting and/or retaining means is provided in the ankle portion, and an intermediate portion of the foot portion excluding a toe portion and a heel portion.

[0011] A surfing footwear according to the invention is characterized in that the tight-fitting and/or retaining means is provided in the ankle portion and the foot portion.

[0012] A surfing footwear according to the invention is characterized in that the tight-fitting and/or retaining means is provided in the ankle portion.

[0013] A surfing footwear according to the invention is characterized in that the tight-fitting and/or retaining means is provided in the foot portion.

[0014] A surfing footwear according to the invention is characterized in that the tight-fitting and/or retaining means is provided in an intermediate portion of the foot portion excluding a toe portion and a heel portion.

[0015] A surfing footwear according to the invention is characterized in that the tight-fitting and/or retaining means is provided entirely in the knitted body.

[0016] A surfing footwear according to the invention is characterized in that the tight-fitting and/or retaining means is provided at a reduced knitting interval of the elastic fiber yarn in a portion near an upper end and/or in a portion near a lower end.

[0017] A surfing footwear according to the invention is characterized in that the knitted body is made by a knitter for a sock.

[0018] A surfing flipper according to the invention comprises, as an under-sock, a footwear having a knitted body formed by integrally knitting a calf portion, an ankle portion and a foot portion, and an anti-slip member attached to an undersurface of the foot portion of the knitted body.

[0019] A surfing flipper according to the invention comprises, as an under-sock, a footwear having a knitted body formed by integrally knitting a calf portion, an ankle portion and a foot portion, an elastic member attached to an undersurface of the foot portion of the knitted body, and tight-fitting and/or retaining means for tightly fitting and/or retaining a foot to the knitted body.

[0020] A surfing footwear according to the invention is made by using a knitted body that conforms to a bare foot and that can be worn directly on a bare foot and by attaching a rubber member to an undersurface of a foot portion of the knitted body. Therefore, since the footwear

conforms to a bare foot, the footwear does not discomfort the surfer.

[0021] A surfing footwear according to the invention comprises a knitted body formed by integrally knitting a calf portion, an ankle portion and a foot portion, a rubber member attached to an undersurface of the foot portion, and tight-fitting and/or retaining means for tightly fitting and/or retaining a foot to the knitted body. The knitted body is made by a knitter for socks. Therefore, the footwear is easy to handle, and it is small and light in weight, so that it is easy to carry.

[0022] The tight-fitting and/or retaining means has a construction that serves to always tightly fit the knitted body and a bare foot and/or maintain the tight fitting therebetween. The tight-fitting and/or retaining means is made by knitting an elastic fiber yarn into a knitted body, or it is made by knitting a fiber yarn having a predetermined length. The tight-fitting and/or retaining means is knitted with reduced intervals of an elastic fiber yarn in an up-down direction in a portion near an upper end and/or a portion near a lower end. Therefore, the tight fitting becomes still better.

[0023] Thus, due to the provision of the tight-fitting and/or retaining means in the knitted body; tight fitting to and/or retention of a bare foot is achieved. Furthermore, a tight-fit state between a bare foot and the rubber body attached to the undersurface of the knitted body is secured. Therefore, the surfing-purpose footwear and the flipper body can be worn as if they were no more than a bare foot.

[0024] Furthermore, it is preferable that the rubber body attached to the undersurface of the knitted body to prevent slippage of a person who wears the footwear have irregularities on its surface. Therefore, slippage between the footwear and the flipper body is more highly prevented.

[0025] The surfing footwear is an under-sock for a surfer to wear when wearing a flipper. The footwear is a sock to wear when riding on a surfing board. The footwear is not limited to a surfing footwear, but may also be applied to a footwear for a beach use. A surfing footwear for a surfer to wear when wearing a flipper is formed by a sock that is made by a sock knitter.

BRIEF DESCRIPTION OF THE DRAWINGS

[0026] FIGURE 1 is a schematic diagram illustrating a surfing footwear according to the invention.

[0027] FIGURES 2(a), 2(b), 2(c), 2(d), 2(e), 2(f) and 2(g) are schematic diagrams illustrating tight-fitting and/or retaining means arranged in a knitted body.

BEST MODES FOR CARRYING OUT THE INVENTION

[0028] An embodiment of the surfing footwear of the invention will be described in detail hereinafter with reference to the accompanying drawings.

[0029] FIGURE 1 is a schematic diagram illustrating

a surfing footwear 10 according to the invention. In the drawing, the surfing footwear 10 has a knitted body 17 that is substantially made up of a foot portion 14 having a toe portion 12 and a heel portion 13, an ankle portion 15, a foot portion 14, and a calf portion 16, and an anti-slip member, for example, a rubber member 18, which is attached to an undersurface of the foot portion 14. The knitted body 17 is formed by knitting a fiber yarn of cotton, nylon, or the like through the use of a knitting machine for socks. The toe portion 12 and the heel portion 13 are knitted with a pile stitch. Therefore, these portions have higher strength than other portions.

[0030] When the rubber member 18 is to be attached to the undersurface of the foot portion of the knitted body, a thermosetting adhesive is applied to the undersurface. After the rubber member 18 is placed on the foot portion 14, the rubber body is heat-pressed to adhere it. It is preferable that the rubber member 18 have irregularities on its surface to prevent slippage. The rubber member 18 may be provided entirely or partially over the surface of the foot portion 14. That is, if the rubber member 18 is provided partially over the foot portion 14, the rubber member 18 is provided as a spaced arrangement with a predetermined interval in a direction of a length of the footwear. In another fashion, the rubber member 18 is provided as a spaced arrangement with a predetermined interval in a direction perpendicular to the direction of the length of the footwear. In still another fashion, the rubber member 18 is provided as a spaced arrangement with predetermined intervals in the direction of the length of footwear and the direction perpendicular to that direction.

[0031] The knitted body further has tight-fitting and/or retaining means. The tight-fitting and/or retaining means of the knitted body is arranged as shown in FIGURES 2 (a), (b), (c), (d), (e), (f) and (g). That is, in (a), the tight-fitting and/or retaining means 19 is provided in the calf portion 16, the rubber member 18, and an intermediate portion 20 of the foot portion excluding the toe portion 12 and the heel portion 13. In (b), the tight-fitting and/or retaining means 19 is provided in the ankle portion 15, and an intermediate portion of the foot portion excluding the toe portion 12 and the heel portion 13. In (c), the tight-fitting and/or retaining means 19 is provided in the ankle portion and the foot portion. In (d), the tight-fitting and/or retaining means is provided in the ankle portion. In (e), the tight-fitting and/or retaining means is provided in the foot portion. In (f), the tight-fitting and/or retaining means 19 is provided in an intermediate portion of the foot portion excluding the toe portion 12 and the heel portion 13. In (g), the tight-fitting and/or retaining means 19 is provided in the entire knitted body. The arrangement of the tight-fitting and/or retaining means 19 is not limited to the aforementioned positions, but may be variously modified.

[0032] The tight-fitting and/or retaining means is formed by bringing an elastic fiber yarn, such as a rubber yarn or the like, through loop forms of a base fiber yarn

of cotton, nylon or the like. That is, an elastic fiber, such as a rubber yarn or the like, is knitted by tucking the yarn into looped base fibers. In another fashion, it is knitted by a lay-in in which a rubber yarn is flowed between purl stitches and knit stitches.

[0033] The tight-fitting and/or retaining means may be knitted with reduced intervals of an elastic yarn in a portion near an upper end of the means and/or a portion near a lower end thereof, and may be knitted with increased intervals thereof in other regions. The tight-fitting and/or retaining means may also be knitted from a fiber yarn having a predetermined length, instead of a rubber yarn.

[0034] Next described will be a case where the tight-fitting and/or retaining means is knitted in the ankle portion, and an intermediate portion of the foot portion excluding the toe portion 12 and the heel portion 13.

[0035] Rubber yarns are knitted by progressively tucking or laying them in each row of a base fiber continuously from an upper end to a lower end in the ankle portion and a portion of the foot portion excluding the toe portion 12 and the heel portion 13. That is, the knitting is performed continuously without cutting the rubber yarns at every stage. To perform such knitting, the knitter is reciprocated. By reciprocating the knitter in this manner, the rubber yarns are progressively knitted in forward and backward courses. Thus, by knitting the elastic yarns with base fiber yarns made of cotton or nylon, tight fitting and/or retainment between the knitted body and a bare foot can be achieved. The number of rubber yarns knitted may also be one.

[0036] Furthermore, a footwear having a knitted body formed by integrally knitting a calf portion, an ankle portion and a foot portion, and an anti-slip member attached to the undersurface of the foot portion of the knitted body is used as an under-sock of a surfing-purpose flipper body.

[0037] Still further, a footwear having a knitted body formed by integrally knitting a calf portion, an ankle portion and a foot portion, an elastic member attached to the undersurface of the foot portion of the knitted body, and the tight-fitting and/or retaining means for tightly fitting or retaining a foot to the knitted body is used as an under-sock of a surfing flipper.

[0038] Thus, the knitted body, which always tightly fits to a bare foot of a surfer when the surfer puts it into the knitted body, has the tight-fitting and/or retaining means. Since the knitted body has the tight-fitting and/or retaining means in this manner, the tight fitting between the footwear and the surfing flipper is good. Therefore, the surfer can surf as much as the surfer desires, for a long time.

[0039] Furthermore, even if the footwear is exposed to sea water for a long time, the knitted body does not fall apart. Therefore, the surfer can surf without keeping in mind that the surfer wears the footwear. Even when the surfer walks on a beach, the knitted body does not fall apart. Still further, the shape of the knitted body does

not change even if the footwear is repeatedly washed, so that the footwear can be worn many times. Therefore, the tight fitting is always secured, and excellent wear comfort is always obtained.

[0040] The footwear is applicable to a case where once a surfer puts it on, the surfer even walks in it on a beach without taking it off. Therefore, the footwear eliminates the inconvenience of putting it on and taking it off depending on individual purposes. Furthermore, the footwear always maintains a tight fit to a bare foot even in sea water, or during surfing, or after being washed.

INDUSTRIAL APPLICABILITY

[0041] The surfing footwear of the invention is a surfing footwear for a surfer to wear when surfing with flippers, or when riding on a surfing board. The footwear is also an under-sock to be used when a flipper is worn. Furthermore, the footwear can also be used as a substitute for beach sandals during a walk on a beach. Still further, the footwear can be used as a substitute for ordinary socks. Further, the footwear can be used as socks for mountaineering.

Claims

1. A surfing footwear comprising a knitted body (17) formed by integrally knitting a calf portion (16), an ankle portion (15), and a foot portion (14), an elastic member attached to an undersurface of the foot portion (14) of the knitted body (17), and tight-fitting and/or retaining means (19) for tightly fitting and/or retaining a foot to the knitted body (17), wherein an elastic fiber yarn is knitted with a looped base fiber yarn by a tuck-in or a lay-in, and wherein a number of the elastic fiber yarn is one.
2. A surfing footwear according to claim 1, wherein the tight-fitting and/or retaining means (19) is provided in the calf portion (16), and/or the ankle portion (15), and/or an intermediate portion (20) of the foot portion (14) excluding a toe portion (12) and a heel portion (13).
3. A surfing footwear according to claim 1, wherein the tight-fitting and/or retaining means (19) is provided in the ankle portion (15) and/or the foot portion (14).
4. A surfing footwear according to claim 1, wherein the tight-fitting and/or retaining means (19) is provided entirely in the knitted body (17).
5. A surfing footwear according to claim 2 or 3, wherein the tight-fitting and/or retaining means (19) is provided at a reduced knitting interval of the elastic fiber yarn in a portion near an upper end and/or in a portion near a lower end.

6. A surfing footwear according to claim 1, wherein the knitted body (17) is made by a knitter for a sock.
7. A surfing footwear according to any of the preceding claims being provided for use in a flipper.

Patentansprüche

1. Surfschuh, der einen gestrickten Körper (17), der durch einstückiges Stricken eines Wadenabschnittes (16), eines Knöchelabschnittes (15) und eines Fußabschnittes (14) ausgebildet ist, ein elastisches Element, das an einer Unterseite des Fußabschnittes (14) des gestrickten Körpers (17) angebracht ist, und eine eng passende Vorrichtung und/oder eine Rückhaltevorrückung (19) zum engen Anliegen und/oder Zurückhalten eines Fußes an dem gestrickten Körper (17) aufweist, wobei ein elastisches Fasergarn durch Einfangen oder Einschlagen mit einem Schlaufenbasisfasergarn verstrickt ist, und wobei die Anzahl des elastischen Fasergarns eins ist. 10
2. Surfschuh gemäß Anspruch 1, wobei die eng anliegende Vorrichtung und/oder die Rückhaltevorrückung (19) in dem Wadenabschnitt (16), und/oder dem Knöchelabschnitt (15), und/oder einem Zwischenabschnitt (20) des Fußabschnittes (14) mit Ausnahme eines Zehenabschnittes (12) und eines Fersenabschnittes (13) vorgesehen ist. 15
3. Surfschuh gemäß Anspruch 1, wobei die eng anliegende Vorrichtung und/oder die Rückhaltevorrückung (19) in dem Knöchelabschnitt (15) und/oder dem Fußabschnitt (14) vorgesehen ist. 20
4. Surfschuh gemäß Anspruch 1, wobei die eng anliegende Vorrichtung und/oder die Rückhaltevorrückung (19) vollständig in dem gestrickten Körper (17) vorgesehen ist. 25
5. Surfschuh gemäß Anspruch 2 oder 3, wobei die eng anliegende Vorrichtung und/oder die Rückhaltevorrückung (19) in einem Abschnitt nahe einem oberen Ende und/oder in einem Abschnitt nahe einem unteren Ende mit einem reduzierten Strickabstand des elastischen Fasergarns versehen ist. 30
6. Surfschuh gemäß Anspruch 1, wobei der gestrickte Körper (17) aus einem Wirker für eine Socke hergestellt ist. 35
7. Surfschuh gemäß einem der vorhergehenden Ansprüche, der zur Verwendung in einer Flosse vorgesehen ist. 40

Revendications

1. Chausson de surf comprenant un corps tricoté (17) formé en tricotant entièrement une partie de mollet (16), une partie de cheville (15) et une partie de pied (14), un élément élastique attaché à une surface inférieure de la partie de pied (14) du corps tricoté (17), et des moyens pour enserrer et/ou retenir (19) un pied dans le corps tricoté (17), dans lequel un fil de fibre élastique est tricoté avec un fil de fibre à base de boucle en insertion ou rentrée, et dans lequel le nombre de fil de fibre élastique est un. 5
2. Chausson de surf selon la revendication 1, dans lequel les moyens pour enserrer et/ou retenir (19) sont prévus dans la partie de mollet (16) et/ou la partie de cheville (15), et/ou une partie intermédiaire (20) de la partie de pied (14) à l'exclusion d'une partie d'orteil (12) ou d'une partie de talon (13). 10
3. Chausson de surf selon la revendication 1, dans lequel les moyens pour enserrer et/ou retenir (19) sont prévus dans la partie de cheville (15) et/ou la partie de pied (14). 15
4. Chausson de surf selon la revendication 1, dans lequel les moyens pour enserrer et/ou retenir (19) sont prévus entièrement dans le corps tricoté (17). 20
5. Chausson de surf selon les revendications 2 ou 3, dans lequel les moyens pour enserrer et/ou retenir (19) sont prévus à un intervalle réduit de tricotage du fil de fibre élastique dans une partie près d'une extrémité supérieure et/ou dans une partie près d'une extrémité inférieure. 25
6. Chausson de surf selon la revendication 1, dans lequel le corps tricoté (17) est fabriqué par un appareil de tricotage pour les chaussettes. 30
7. Chausson de surf selon l'une quelconque des revendications précédentes, prévue pour être utilisée dans une palme de surf. 35

FIG. 1







FIG. 2




(d)



(e)



(f)



(g)

