(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3: **02.05.2002 Bulletin 2002/18**

(51) Int Cl.⁷: **F04C 2/10**, F04C 15/00

(43) Date of publication A2: 02.05.2001 Bulletin 2001/18

(21) Application number: 00306659.4

(22) Date of filing: 04.08.2000

(84) Designated Contracting States:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: **26.10.1999 US 427303**

(71) Applicant: TUTHILL CORPORATION Hinsdale, IL 60521 (US)

(72) Inventors:

Sullivan, Michael G.
Plainfield, Illinois 60544 (US)


 Turina, Matthew Matteson, Illinois 60443 (US)

(74) Representative: Goodenough, Nigel et alA.A. Thornton & Co.235 High HolbornLondon WC1V 7LE (GB)

(54) Positive displacement pump and thrust bearing assembly

(57) A positive displacement pump (12) includes a rotor (50) having a front face (62) and a rear face (54) positioned in the fluid chamber (22). Each of the faces of the rotor is spaced apart from a corresponding inner wall (28,26) of the fluid chamber (22) to define predetermined clearances therebetween. A shaft (44) is connected at a first end to the rotor to effect rotation thereof and extends through a bore (40) in the housing. A thrust bearing assembly (100) includes an adjusting collar (102) and a thrust bushing (110). The adjusting collar (102) is attachable to the shaft and includes a central bore through which the shaft extends. The thrust bush-

ing (110) is secured within the bore of the housing by a locking ring that prevents longitudinal movement of the thrust bushing toward the fluid chamber. The adjusting collar (102) is rotatable with the shaft and is in relative rotatable engagement with the thrust bushing. The adjusting collar and the thrust bushing prevent movement of the shaft and the rotor in a direction away from the adjusting sleeve and toward the rear inner wall of the fluid chamber (22) such that the predetermined clearances between the faces (54, 62) of the rotor and the internal walls (26,28) of the housing are substantially uniformly maintained as the rotor rotates.





EUROPEAN SEARCH REPORT

Application Number EP 00 30 6659

		ERED TO BE RELEVANT	T	
Category	Citation of document with it of relevant pass	ndication, where appropriate, sages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CI.7)
D,A	US 5 494 416 A (GER 27 February 1996 (1 * column 1, line 65 * column 3, line 47 figures *		1-3	F04C2/10 F04C15/00
Α	US 3 826 597 A (SCH 30 July 1974 (1974- * column 2, line 6 * column 3, line 3 * column 3, line 42	07-30) - line 32; figure 1 * - line 10 *	1	
Α	8 July 1924 (1924-0	page 3, line 8; figure	1	
				TECHNICAL FIELDS SEARCHED (Int.CI.7)
				F01C F04C
	The present search report has	been drawn up for all claims		
·	Place of search	Date of completion of the search	' 	Examiner
	THE HAGUE	8 March 2002	Kap	oulas, T
X : part Y : parti docu A : tech O : non	ATEGORY OF CITED DOCUMENTS icularly relevant if taken alone icularly relevant if combined with anot iment of the same category nological background—written disclosure mediate document	L : document cited for	cument, but publi te n the application or other reasons	shed on, or

EPO FORM 1503 03.82 (P04C01)

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 00 30 6659

This annex lists the patent family members relating to the patent documents cited in the above–mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

08-03-2002

	Patent docume cited in search re	nt port	Publication date		Patent family member(s)	Publication date
US	5494416	Α	27-02-1996	CA	2132582 A1	13-05-1995
US	3826597	Α	30-07-1974	NONE		and also also also the size and and the annual and and also the annual and
DE	398310	С	08-07-1924	NONE		
	de 1000 mile 1000 total 1000 total 1000 total		NO THESE SEEDS SEEDS (MANY), MANY MANYS MANY COMES COMES COMES COMES AND ANY PROPER MANYS MANYS AND ANY			

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

FORM P0459

3