

Europäisches Patentamt European Patent Office Office européen des brevets



(11) **EP 1 213 754 A3**

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3: **25.05.2005 Bulletin 2005/21**

(51) Int CI.7: **H01L 21/68**, H01L 23/31, H01L 23/498

(43) Date of publication A2: 12.06.2002 Bulletin 2002/24

(21) Application number: 02003791.7

(22) Date of filing: 17.03.1995

(84) Designated Contracting States: **DE FR GB**

(30) Priority: 18.03.1994 JP 4876094 08.11.1994 JP 27346994 20.01.1995 JP 768395 15.03.1995 JP 5620295

(62) Document number(s) of the earlier application(s) in accordance with Art. 76 EPC: 95912471.0 / 0 751 561

(71) Applicant: HITACHI CHEMICAL CO., LTD. Tokyo 163-04 (JP)

(72) Inventors:

 Fukutomi, Naoki Yuki-shi, Ibaraki-ken 307 (JP)

Tsubomatsu, Yoshiaki
 Tsuchiura-shi, Ibaraki-ken 300 (JP)

Inoue, Fumio
 Tsukuba-shi, Ibaraki-ken 305 (JP)

Yamazahki, Toshio
 The Makena, Signapore, 437931 (JP)

 Ohhata, Hirohito Tsukuba-shi, Ibaraki-ken 305 (JP)

 Hagiwara, Shinsuke Shimodate-shi, Ibaraki-ken 308 (JP)


Taguchi, Noriyuki
 Tsukuba-shi, Ibaraki-ken 305 (JP)

Nomura, Hiroshi
 Oyama-shi, Tochigi-ken 329-02 (JP)

(74) Representative: Jönsson, Hans-Peter, Dr. et al Patentanwälte, von Kreisling Selting Werner, Deichmannhaus am Dom 50667 Köln (DE)

(54) Fabrication process of semiconductor package and semiconductor package

(57)A semiconductor package substrate is provided, which can meet the move toward high integration of semiconductors. A nickel layer is plated on an electroplated copper foil to form a wiring pattern. An LSI chip is mounted on the copper foil, and terminals of the LSI chip and the wiring pattern are connected by wire bonding, followed by sealing with a semiconductor-sealing epoxy resin. Only the copper foil is dissolved away with an alkali etchant to expose nickel. With a nickel stripper having low copper-dissolving power, the nickel layer is removed to expose the wiring pattern. A solder resist is coated, and a pattern is formed in such a way that connecting terminal portions are exposed. Solder balls are placed at the exposed portions of the wiring pattern and are then fused. The wiring pattern is connected to an external printed board via the solder balls.





EUROPEAN SEARCH REPORT

Application Number EP 02 00 3791

		ERED TO BE RELEVANT	Relevant	CLASSIFICATION OF THE
Category	Oitation of document with in of relevant passa	dication, where appropriate, ges	to claim	CLASSIFICATION OF THE APPLICATION (Int.CI.7)
Х	EP 0 582 052 A (MOT 9 February 1994 (19 * figures 3-6 *	1-4	H01L21/68 H01L23/31 H01L23/498	
X	PATENT ABSTRACTS OF vol. 017, no. 075 (15 February 1993 (1 -& JP 04 277636 A (LTD), 2 October 199 * abstract *	1-4		
A	WO 92/21150 A (MOTO 26 November 1992 (1 * figures 3,4 *		1-4	
Α	EP 0 091 072 A (COM TELECOMMUNICATIONS DITE:;) 12 October * the whole documen	1983 (1983-10-12)	1-4	
Α	EP 0 391 790 A (SGS MICROELECTRONICS S. S.A) 10 October 199 * the whole documen	1-4	TECHNICAL FIELDS SEARCHED (Int.CI.7)	
A	US 5 218 759 A (JUS 15 June 1993 (1993- * the whole documen	06-15)	1-4	
	The present search report has b	peen drawn up for all claims		
	Place of search	Date of completion of the search	1	Examiner
	The Hague	4 April 2005	Pro	ohaska, G
X : parti Y : parti docu A : tech O : non	ATEGORY OF CITED DOCUMENTS icularly relevant if taken alone icularly relevant if combined with anoth iment of the same category inological background written disclosure mediate document	L : document cited fo	ument, but publice the application or other reasons	shed on, or

EPO FORM 1503 03.82 (P04C01)

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 02 00 3791

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

04-04-2005

	atent document d in search report		Publication date		Patent family member(s)		Publication date
EP	0582052	A	09-02-1994	EP JP US	0582052 6112354 5592025	Α	09-02-199 22-04-199 07-01-199
JP	04277636	Α	02-10-1992	JP	2962586	B2	12-10-199
WO	9221150	Α	26-11-1992	EP JP JP KR WO US	0585376 2570498 6510396 9711620 9221150 5293067	B2 T B1 A1	09-03-199 08-01-199 17-11-199 12-07-199 26-11-199 08-03-199
EP	0091072	А	12-10-1983	FR DE EP JP US	2524707 3369428 0091072 58182853 4530152	D1 A1 A	07-10-198 26-02-198 12-10-198 25-10-198 23-07-198
EP	0391790	A	10-10-1990	FR DE DE EP JP JP US US	2645680 69028334 69028334 0391790 2849594 3202400 5041395 5147982	D1 T2 A1 B2 A	12-10-199 10-10-199 16-01-199 10-10-199 20-01-199 04-09-199 20-08-199
US	5218759	 A	15-06-1993	NONE			

FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82