



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 250 854 A1**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
23.10.2002 Bulletin 2002/43

(51) Int Cl.7: **A24B 15/28, A24D 3/16**

(21) Application number: **01303627.2**

(22) Date of filing: **20.04.2001**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Kuo, Dai-Ming**
Taipei Hsien (TW)


(74) Representative: **Stoner, Gerard Patrick et al**
MEWBURN ELLIS
York House
23 Kingsway
London WC2B 6HP (GB)

(71) Applicant: **Kuo, Dai-Ming**
Taipei Hsien (TW)

(54) **Poison-reduced cigarette and filter thereof**

(57) A poison-reduced cigarette (1) includes adding hydrate of double salt of ferroso-ferric chloride into tobacco (11) and cigarette filter (13) to react with nicotine

to form salt which will not be absorbed by the mucous membranes in the smoker's respiratory system for minimizing nicotine poison and for enhancing the smoker's health.



F 1G.1

Description

[0001] This invention relates to a poison-reduced cigarette and its filter.

[0002] It is known that the nicotine contained in a cigarette smoke is harmful to a smoker's health. Several methods have been employed to remove the harmful constituents in the tobacco smoke such as by passing the tobacco smoke through a filter filled with fibrous material, charcoal or activated carbon. However, they are majorly physical adsorptions or absorptions, not chemical binding, thereby being not so effective for removing the hazardous poison materials in the tobacco smoke.

[0003] U.S. Patent 5,048,546 disclosed a method for treating nicotine containing materials which involves adding to an adsorptional filter material of potassium aluminum sulfate or alum, $\text{KA1}(\text{SO}_4)_2$ in a quantity of 10~200 mg per cigarette for chemically binding nicotine in the tobacco smoke.

[0004] However, each cigarette still requires 10~200 mg of Alum, which will have a total amount of 200 mg ~ 4 grams per box of 20 pieces of cigarette. Such a great amount of Alum, once being sucked into a smoker's respiratory system, may possibly dissolve large amount of aluminum into his or her blood. The high "dose" of aluminum may cause senile dementia to a heavy smoker. So, the addition of alum in a cigarette is not satisfactory and is still hazardous to the smoker's health.

[0005] The present inventor has found the drawbacks of the conventional methods for treating tobacco smoke, and invented the present poison-reduced cigarette and its filter.

[0006] According to the present invention, there is provided a poison-reduced cigarette including adding hydrate of double salt of ferroso-ferric chloride into tobacco and cigarette filter to react with nicotine to form salt which will not be absorbed by the mucous membranes in the smoker's respiratory system for minimizing nicotine poison and for enhancing the smoker's health.

[0007] The present invention will be further described with reference to the accompanying drawings, in which:

Fig. 1 is a partial cut-away illustration of the present invention;

Fig. 2 shows another preferred embodiment of the present invention; and

Fig. 3 is a sectional drawing of a filter means attached to a cigarette in accordance with the present invention.

[0008] As shown in Fig. 1, a cigarette 1 includes: sliced or shredded tobacco 11 wrapped in a cigarette paper 12 to form a tubular cigarette, and a filter 13 attached to one end portion of the cigarette. The filter 13 may be formed with fibrous materials including cellulose acetate, activated carbon, charcoal and is wrapped with paper.

[0009] The hydrate of double salt of ferroso-ferric

chloride is dissolved in water to form an aqueous solution of 1 ppm of the double salt. The aqueous solution of ferroso-ferric chloride is then added into the tobacco by wetting, spraying, or other applying methods until obtaining the desired moisture content such as 11% of the cigarette. The excess of moisture is removed by drying and the tobacco treated with the ferroso-ferric chloride of the present invention is then wrapped. The filter 13 may also be treated by impregnating, coating, spraying or blending the hydrate of ferroso-ferric chloride into the fibrous or powder materials of the filter.

[0010] The ferroso-ferric chloride hydrate of the present invention has a general formula as follows:





wherein m, n and x are integers respectively. For instance, if m= 1, n = 2 and x = 18, the following formula may be obtained:



which can be decomposed to release hydrate water when heated above 50°C, and the hydrate is soluble in water either at cold or hot temperature.

[0011] The principle of the present invention, especially the mechanism to bind the nicotine with the hydrate of the ferroso-ferric chloride, is explained herein-after:

1. When igniting a cigarette, the ignition temperature will decompose the hydrate of the ferroso-ferric chloride salt, and the ferric chloride and the ferrous chloride will be hydrolyzed as follows:



2. The hydroxide of iron is a weak base, while the hydrochloric acid is a strong acid. So, the aqueous solution of the ferroso-ferric chloride will become acidic.

3. The nicotine in cigarette smoke has a formula of: 3 — (1 — Methyl — 2 — pyrrolidiny) pyridine, which is a weak base and will react with the acidic aqueous solution of the hydrolized ferroso-ferric chloride salt as above-mentioned to form salt of neutralization.

4. The salt of nicotine thus formed, even not absorbed by the filter, will not be absorbed by the mucous membranes of the smoker's respiratory system, thereby minimizing or preventing poison by nicotine.

[0012] The concentration of ferroso-ferric chloride in the aqueous solution may range from 0.1~100 ppm, and is preferably 1 ppm. However, the concentration of the ferroso-ferric chloride is not limited in the present invention.

[0013] The ferroso-ferric chloride may also absorb carbon monoxide and tar existing in the tobacco smoke to minimize the poison as caused by the poisonous constituents in the tobacco smoke. Several cancerogenic chemicals in the tobacco smoke may not be ionized as inhibited by the ferroso-ferric chloride salt of the present invention to thereby prevent from the cancer hazard by tobacco smoke.

[0014] The amount of the chloride salt as used for treating the tobacco and the cigarette filter is so small (such as less than 1 ppm) in this invention, and therefore uninfluential to the smoker's health.

[0015] Several smokers are invited for testing the effect by smoking the cigarette treated with the ferroso-ferric chloride salt of the present invention in comparison with the effect by smoking the cigarette without being treated with the ferroso-ferric chloride salt of this invention. Then, an examination is taken for checking the nicotine concentration in the smoker's blood, indicating a reduction of nicotine content of 30~80% in the smoker's blood by treating the ferroso-ferric chloride salt than that without being treated with the ferroso-ferric chloride. Therefore, the present invention may reduce the nicotine content in the cigarette smoke to minimize nicotine hazard to be helpful for a smoker's health.

[0016] As shown in Fig. 2, a filter section 14 made of fibrous materials, cotton, foam or any absorbent materials is provided in the filter 13 for carrying or absorbing the hydrate of double salt of ferroso-ferric chloride of the present invention, such as by impregnation, spraying, coating, or any other absorption methods.

[0017] As shown in Fig. 3, a filter means or additional filter 2 is provided for binding nicotine in a cigarette smoke from a conventional cigarette for reducing the nicotine content in the smoke. The filter means 2 includes: a sleeve portion 21 adapted for holding one end portion such as a filter 13 of the cigarette 1, a suction portion 22 opposite to the sleeve portion 21 adapted to be fastened in a smoker's mouth, and an absorbent medium 23 filled in the filter means between the sleeve portion 21 and the suction portion 22 having the hydrate of the ferroso-ferric chloride salt added in the absorbent medium 23.

[0018] The hydrate of ferroso-ferric chloride is added into the absorbent medium 23 by impregnation, coating, spraying, and absorption. The absorbent medium may be made of cotton, foam, fiber, or any absorbent materials.

[0019] Before entering the smoker's mouth and respiratory system, the cigarette smoke will be first filtered by the filter 13 and the absorbent medium 23 in the filter means 2, in which, the ferroso-ferric chloride may bind the nicotine in the smoke to greatly reduce the nicotine

content to minimize the nicotine poison to enhance a smoker's health.

5 Claims

1. A cigarette comprising:

a hydrate of ferroso-ferric chloride added into tobacco (11) for binding nicotine in tobacco smoke for minimizing nicotine poison in a cigarette (1).

2. A cigarette according to Claim 1, wherein said cigarette (1) includes a filter (13) added therein with a hydrate of ferroso-ferric chloride.

3. A cigarette according to Claim 1, wherein said hydrate of ferroso-ferric chloride is dissolved in water to form an aqueous solution which is applied to tobacco (11) by impregnation, spraying, wetting, absorption, and blending.

4. A cigarette according to Claim 2, wherein said filter (13) is impregnated, coated, absorbed and added therein with an aqueous solution of hydrate of ferroso-ferric chloride.

5. A cigarette according to Claim 1, wherein said hydrate of ferroso-ferric chloride has a general formula of:



wherein m, n and x is an integer.

6. A cigarette comprising:

a tubular cigarette (1) having paper (12) wrapping tobacco (11) within the paper (12);
a hydrate of ferroso-ferric chloride added in the tobacco (11) in said tubular cigarette (1); and
a filter (13) attached to said tubular cigarette (1), having a filter section (14) made of absorbent materials inserted in said filter (13), and having a hydrate of ferroso-ferric chloride added and absorbed in said filter section (14).

7. A cigarette filter means (2) comprising:

a sleeve portion (21) adapted to hold an end portion of a cigarette (1) therein;
a suction portion (22) opposite to said sleeve portion (21) adapted to be fastened to a smoker's mouth; and
an absorbent medium (23) filled in the filter

means (2) between said sleeve portion (21) and said suction portion (22), having a hydrate of ferroso-ferric chloride added and absorbed in said absorbent medium (23) for binding nicotine in a tobacco smoke.

5

8. A cigarette according to Claim 6, wherein said absorbent medium (23) is made of: fibers, cotton, foam, and absorbent materials as filled in said filter means (2).

10

15

20

25

30

35

40

45

50

55




FIG. 1




FIG. 2




FIG. 3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 01 30 3627

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	GB 348 974 A (BONICOT WARENVERTRIEBSGESELLSCHAFT) 21 May 1931 (1931-05-21) * page 1, line 14 - line 25 *	1-8	A24B15/28 A24D3/16
A	EP 0 532 159 A (HOECHST CELANESE CORP) 17 March 1993 (1993-03-17) * claims; example II *	1-8	
A	US 2 003 690 A (LEWTON LUCY O) 4 June 1935 (1935-06-04) * page 1, right-hand column, line 36 - page 2, left-hand column, line 23 *	1-8	
A	EP 0 351 252 A (MO TABACHNAYA FABRIKA YAVA) 17 January 1990 (1990-01-17)		
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			A24B A24D
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 2 October 2001	Examiner Lepretre, F
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03 82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 01 30 3627

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

02-10-2001

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
GB 348974	A	21-05-1931	NONE	
EP 0532159	A	17-03-1993	EP 0532159 A1	17-03-1993
			JP 5207870 A	20-08-1993
			US 5462072 A	31-10-1995
US 2003690	A	04-06-1935	NONE	
EP 0351252	A	17-01-1990	BR 8903470 A	06-03-1990
			CN 1046842 A	14-11-1990
			DE 351252 T1	18-10-1990
			EP 0351252 A2	17-01-1990
			FI 893432 A	16-01-1990
			JP 2113878 A	26-04-1990
			US 5083579 A	28-01-1992