



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 321 064 A1**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
25.06.2003 Bulletin 2003/26

(51) Int Cl.7: **A45C 7/00**

(21) Application number: **01130686.7**

(22) Date of filing: **21.12.2001**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Wang, Wen-Tsan**
Taipei City (TW)

(74) Representative:
Ruschke, Hans Edvard, Dipl.-Ing. et al
Ruschke Hartmann Becker
Pienzenauerstrasse 2
81679 München (DE)

(71) Applicant: **Wang, Wen-Tsan**
Taipei City (TW)

(54) **Collapsible storage box**

(57) A combination storage box is constructed to include a collapsible box body (1), a hard bottom plate (3) fitted into the box body, a folding collapsible support frame (2) inserted into the box body to support the box

body in shape, and hook and loop materials (13,14) fixedly provided in the box body and adapted for securing the folding collapsible support frame to the inside of the box body in the working position.




FIG. 1

EP 1 321 064 A1

Description

BACKGROUND OF THE INVENTION

1. Field of the Invention:

[0001] The present invention relates to storage boxes and, more particularly, to a combination storage box that can be collapsed when not in use.

2. Description of the Related Art:

[0002] Conventional storage boxes occupy much storage space during delivery because they are not folding collapsible. There is known a folding collapsible storage box, which comprises a collapsible fabric box body, four horizontal rod members respectively embedded in the top sides of the four vertical side panels of the box body, two horizontal rod member respectively embedded in the bottom sides of two opposite vertical side panels of the box body, four vertical rod members respectively embedded into the box body in four corners between each two adjacent vertical side panels, and four sets of triangle plates respectively fixedly fastened to the vertical side panels of the box body. When not in use, the box body is twisted into a collapsed condition. The triangle plates guide the twisting action, enabling the box body to be easily twisted into the collapsed condition. This structure of folding collapsible storage box is functional, however it is complicated and expensive to manufacture.

SUMMARY OF THE INVENTION

[0003] The present invention has been accomplished under the circumstances in view. It is one object of the present invention to provide a combination storage box, which can easily be set up when in use, or collapsed in a flat manner to minimize space occupation when not in use. It is another object of the present invention to provide a combination storage box, which is easy and inexpensive to manufacture. According to one aspect of the present invention, the combination storage box assembly comprises a collapsible box body made of flexible material, for example, canvas, a hard bottom plate fitted into the box body, a folding collapsible support frame inserted into the box body to support the box body in shape, and hook and loop materials fixedly provided in the box body and adapted for securing the folding collapsible support frame to the inside of the box body in the working position. According to another aspect of the present invention, the folding collapsible support frame is comprised of a rectangular open base frame, and two U-shaped foot frame bars. The rectangular open base frame comprises two pairs of downward lugs respectively downwardly extended from two distal ends of each of two opposite short sides thereof. The U-shaped foot frame bars are respectively pivoted to the downward

lugs, and turned relative to the rectangular base open frame between a first position where the U-shaped foot frame bars are closely attached to the rectangular open base frame, and a second position where the U-shaped foot frame bars are maintained perpendicular to the rectangular base frame and arranged in parallel.

BRIEF DESCRIPTION OF THE DRAWINGS

[0004]

FIG. 1 is an exploded view of a combination storage box constructed according to the present invention. FIG. 1A is an enlarged view of a part of FIG. 1.

FIG. 2 is a perspective view of the present invention showing the combination storage box opened.

FIG. 3 shows the collapsing action of the folding collapsible support frame according to the present invention (I).

FIG. 4 shows the collapsing action of the folding collapsible support frame according to the present invention (II).

FIG. 5 shows an alternate form of the combination storage box.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

[0005] Referring to FIGS. 1 and 2, a combination storage box is shown comprised of a collapsible box body **1**, a folding collapsible support frame **2**, and a hard bottom plate **3**.

[0006] Referring to FIGS. 1 and 1A, the collapsible box body **1** is made of flexible face material (for example, canvas) by stitches, comprising four upright peripheral side panels **11** connected to one another and disposed at four sides, four top flaps **12** respectively extended from the top sides of the four upright peripheral side panels **11**, a hook material **13** fixedly provided at the inner side of each of the top flaps **12**, a loop material **14** fixedly provided at the inner side of each of the four upright peripheral side panels **11** adjacent to the top flaps **12** and adapted for fastening the hook material **13** to secure the top flaps **13** to the inner surfaces of the upright peripheral side panels **11** respectively, and a cover panel **15** extended from the top side of one upright peripheral side panel **11** outside the corresponding top flap **12** and adapted for closing the top opening defined within the four upright peripheral side panels **11**. The folding collapsible support frame **2** is adapted for inserting into the collapsible box body **1** to support the collapsible box body **1** in shape, comprising a rectangular open base frame **21**, and two U-shaped foot frame bars **22** respectively pivoted to the two short sides of the rectangular open base frame **21**. The rectangular open base frame **21** comprises two pairs of downward lugs **210** respectively downwardly extended from the ends of the two opposite short sides. The downward lugs **210**

each have a positioning groove **211**. The U-shaped foot frame bars **22** each have two distal ends respectively pivoted to the downward lugs **210** of the rectangular open base frame **21** by a respective pivot **23** (see FIG. 1A), an engagement portion **221** at each of the two distal ends, and two protruded foot portions **25** at the ends of the transversely extended middle section thereof (see FIG. 1). The bottom plate **3** fits the horizontal cross section of the holding space defined within the upright peripheral side panels **11** of the collapsible box body **1**, having four notches **31** in the four corners thereof for the positioning of the protruded foot portions **25** of the folding collapsible support frame **2** (see FIG. 1).

[0007] The assembly process of the present invention is easy and outlined hereinafter with reference to FIGS. 1, 1A, and 2. The bottom plate **3** is inserted into the collapsible box body **1** and supported on the bottom panel of the collapsible box body **1**, and then the U-shaped foot frame bars **22** of the folding collapsible support frame **2** are respectively turned outwards from the rectangular open base frame **21** to force the respective engagement portions **221** into engagement with the respective positioning grooves **211**, keeping the U-shaped foot frame bars **22** maintained perpendicular to the rectangular open base frame **21**, and then the folding collapsible support frame **2** is inserted into the collapsible box body **1** to force the protruded foot portions **25** into engagement with the notches **31** of the bottom plate **3**, and then the top flaps **12** are respectively turned inwards and covered over the four sides of the rectangular open base frame **21** to force the hook material **12** into engagement with the loop material **14** and to secure the rectangular open base frame **21** to the inside wall of the collapsible box body **1**.

[0008] Referring to FIGS. 3 and 4, after removal of the folding collapsible support frame **2** from the collapsible box body **1**, the U-shaped foot frame bars **22** of the folding collapsible support frame **2** are respectively turned inwards and closely attached to the rectangular open base frame **21**, and therefore the folding collapsible support frame **2** is received in a collapsed flat manner to reduce storage space.

[0009] FIG. 5 shows an alternate form of the present invention. This alternate form eliminates the aforesaid cover panel **15**, and has two hand holes **16** at two sides of the collapsible box body **1** (see also FIG. 1). The hand holes **16** form with the two opposite long sides of the rectangular open base frame **21** of the folding collapsible support frame **2** a respective handle through which the combination storage box is conveniently carried with the hands.

[0010] A prototype of combination storage box has been constructed with the features of the annexed drawings of FIGS. 1 through 5. The combination storage box functions smoothly to provide all of the features discussed earlier.

[0011] Although particular embodiments of the invention have been described in detail for purposes of illus-

tration, various modifications and enhancements may be made without departing from the spirit and scope of the invention. Accordingly, the invention is not to be limited except as by the appended claims.

Claims

1. A combination storage box comprising a collapsible box body, said collapsible box body having a horizontal bottom panel and four upright peripheral side panels defining with said horizontal bottom panel a rectangular top-open holding space, a hard bottom plate fitted into said collapsible box body and supported on the horizontal bottom panel of said collapsible box body, a folding collapsible support frame inserted into said collapsible box body to support said collapsible box body in shape, hook and loop materials fixedly provided in said collapsible box body and adapted for securing said folding collapsible support frame in position, wherein:

said bottom plate has four notches in four corners thereof;

said folding collapsible support frame comprises a rectangular open base frame, said rectangular open base frame comprising two pairs of downward lugs respectively downwardly extended from two distal ends of each of two opposite short sides thereof, said downward lugs each having a positioning groove, and two U-shaped foot frame bars respectively pivoted to said downward lugs and turned relative to said rectangular base open frame between a first position where said U-shaped foot frame bars are closely attached to said rectangular open base frame and a second position where said U-shaped foot frame bars are maintained perpendicular to said rectangular base frame and arranged in parallel, said U-shaped foot frame bars each comprising two engagement portions at two distal ends thereof adapted for engaging the positioning grooves of said downward lugs to hold said U-shaped foot frame bars in said second position and two protruded foot portions disposed at two ends of a transversely extended middle section thereof and adapted for engaging the notches of said bottom plate after insertion of said folding collapsible support frame into said collapsible box body to support said collapsible box body in shape.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 01 13 0686

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	DE 44 43 334 A (PETER REISENTHAL PROGRAMM FA) 13 June 1996 (1996-06-13) * claims 1,2; figures 1,3 *	1	A45C7/00
A	US 6 102 569 A (WANG WEN-TSAN) 15 August 2000 (2000-08-15) * claim 1; figure 1 *	1	
A	CA 1 231 901 A (MACDUFFEE RICHARD J) 26 January 1988 (1988-01-26) * page 8, line 15 - page 9, line 15; figures 1,2 *	1	
A	FR 1 347 149 A (COTEXUNION) 27 December 1963 (1963-12-27) * claim 1; figures *	1	
A	FR 1 201 167 A (A DEVIANNE DUQUESNOY FILS DE) 29 December 1959 (1959-12-29) * page 1, right-hand column, paragraph 8 - page 2, left-hand column, paragraph 2; figures 1,3 *	1	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			B65D A45C A47B
Place of search		Date of completion of the search	Examiner
THE HAGUE		22 May 2002	Bridault, A
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 01 13 0686

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

22-05-2002

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
DE 4443334	A	13-06-1996	DE 4443334 A1	13-06-1996
US 6102569	A	15-08-2000	DE 29916074 U1	09-12-1999
CA 1231901	A	26-01-1988	CA 1231901 A1	26-01-1988
FR 1347149	A	27-12-1963	NONE	
FR 1201167	A	29-12-1959	NONE	