



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) **EP 1 547 730 A1**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:  
**29.06.2005 Bulletin 2005/26**

(51) Int Cl.7: **B25H 3/02, A47B 49/00**

(21) Application number: **03029819.4**

(22) Date of filing: **23.12.2003**

(84) Designated Contracting States:  
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR  
HU IE IT LI LU MC NL PT RO SE SI SK TR**  
Designated Extension States:  
**AL LT LV MK**

(72) Inventor: **Yang, Qinghao  
Pu Dong Shanghai 200122 (CN)**

(74) Representative: **Viering, Jentschura & Partner  
Steinsdorfstrasse 6  
80538 München (DE)**

(71) Applicant: **Global Industries Holdings Ltd.  
Nassau, New Providence (BS)**

(54) **Storage rack**

(57) A storage rack includes a pivot shaft (40), a plurality of plastic trays (10,20,30) pivoted to the pivot shaft, each tray having a plurality of upwardly protruded locating blocks (50), and flat accessories boxes (12,22,32)

of different sizes selectively and detachably carried in the trays, each flat accessories box having a plurality of recessed bottom locating holes (51) connectable to the locating blocks (50) at the tray.




FIG. 7

EP 1 547 730 A1

**Description****BACKGROUND OF THE INVENTION****1. Field of the Invention:**

**[0001]** The present invention relates to storage racks and, more particularly, to such a storage rack, which comprises a plurality of trays pivoted to a pivot shaft, and a plurality of flat accessories boxes selectively and detachably fastened to the trays for keeping accessories.

**2. Description of the Related Art:**

**[0002]** Various storage boxes are known for keeping accessories and small items. These storage boxes commonly comprise a box body defining a plurality of compartments for keeping different accessories, and a cover hinged to the box body. Several storage boxes may be joined, forming a storage rack.

**[0003]** There is known a loose-leaf type storage rack, which comprises a pivot shaft, a plurality of trays, and a plurality of flat accessories boxes mounted in the trays. The trays each have a plurality of knuckles respectively pivotally coupled to the pivot shaft such that the trays are arranged in a stack and can be turned about the pivot shaft together or respectively relative to one another. Positioning structure (not shown) is provided between the pivot shaft and the knuckles such that the trays can be respectively positioned in the desired angular position after having been turned about the pivot shaft. This design of loose-leaf type storage rack is functional. However, because the flat accessories boxes are available in only one single size, the user cannot arrange different sizes of flat accessories boxes in the trays to provide different combinations.

**SUMMARY OF THE INVENTION**

**[0004]** The present invention has been accomplished under the circumstances in view. It is the main object of the present invention to provide a storage rack, which enables the user to arrange the accessories boxes in the trays subject to provide different combinations. To achieve this and other objects of the present invention, the storage rack comprises a pivot shaft, a plurality of trays molded from plastics and respectively pivoted to the pivot shaft, a plurality of flat accessories boxes molded from plastics and respectively detachably carried in the trays, and a positioning structure adapted to secure the flat accessories boxes to the trays, wherein the positioning structure comprises a plurality of recessed locating holes disposed at a bottom side of each of the flat accessories boxes, and a plurality of locating blocks provided at a top side of each of the trays and adapted to engage the recessed locating holes.

**BRIEF DESCRIPTION OF THE DRAWINGS****[0005]**

- 5 FIG. 1 is an elevational view of a storage rack according to the present invention.  
 FIG. 2 is an exploded view of the storage rack according to the present invention.  
 FIG. 3 is an exploded view in an enlarged scale of a part of the present invention.  
 FIG. 4 is an assembly view of FIG. 3.  
 FIG. 5 is a sectional view taken along line 5-5 of FIG. 4.  
 FIG. 6 is a sectional view taken along line 6-6 of FIG. 4.  
 FIG. 7 is another exploded view of the storage rack according to the present invention.  
 FIG. 8 is still another exploded view of the storage rack according to the present invention.  
 FIG. 9 is still another exploded view of the storage rack according to the present invention.

**DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT**

**[0006]** Referring to FIG. 1, a storage rack is shown comprising a pivot shaft **40**, a plurality of trays **10;20;30**, and a plurality of flat accessories boxes **12;22;32** mounted in the trays **10;20;30**. The trays **10;20;30** each have a plurality of knuckles **11;21;31** respectively pivotally coupled to the pivot shaft **40** such that the trays **10;20;30** are arranged in a stack and can be turned about the pivot shaft **40** together or respectively relative to one another. Positioning structure (not shown) is provided between the pivot shaft **40** and the knuckles **11;21;31** such that the trays **10;20;30** can be respectively positioned in the desired angular position after having been turned about the pivot shaft **40**. The flat accessories boxes **12;22;32** have different sizes, i.e., a tray **10;20;30** can carry one big-size flat accessories box **12** (see FIG. 2), two medium-size flat accessories boxes **22** (see FIG. 7), or four small-size flat accessories boxes **32** (see FIG. 8).

**[0007]** Referring to FIGS. 2~6, each tray **10;20;30** has at least two locating blocks **50** upwardly disposed at the top and arranged at right angles; each flat accessories box **12;22;32** has a plurality of recessed bottom locating holes **51** corresponding to the locating blocks **50** at the tray **10;20;30**. Because the trays **10;20;30** and the flat accessories boxes **12;22;32** are molded from plastics, the locating blocks **50** are springy, and the recessed bottom locating holes **51** are slightly expansible. When put the flat accessories boxes **12;22;32** in the trays **10;20;30**, the respective locating blocks **50** are respectively press-fitted into the respective recessed bottom locating holes **51**, thereby causing the flat accessories boxes **12;22;32** to be respectively firmly secured to the trays **10;20;30**. The friction force between the respective flat ac-

cessories boxes **12;22;32** and the respective trays **10;20;30** is sufficient to firmly secure the into the respective recessed bottom locating holes **51**, thereby causing the flat accessories boxes **12;22;32** to the trays **10;20;30**, and the flat accessories boxes **12;22;32** do not fall from the trays **10;20;30** when turning the trays **10;20;30** about the pivot shaft **40**.

**[0008]** Referring to FIGS. 2, 7, and 8, each tray **10;20;30** has two oval through holes **13;23;33** symmetrically disposed near two opposite lateral sides. The user can insert a finger through the oval through holes **13;23;33** to push the flat accessories boxes **12;22;32** upwardly away from the trays **10;20;30** in direction reversed to the bonding direction between the locating blocks **50** and the recessed bottom locating holes **51**. Therefore, the recessed bottom locating holes **51** can be smoothly disengaged from the locating blocks **50** without damaging the locating blocks **50**.

**[0009]** Referring to FIG. 7, the tray **20** carrying two medium-size flat accessories boxes **22** is seen after opening of the tray **10** carrying one big-size flat accessories box **12** from the other trays. The medium-size flat accessories boxes **22** are about one half of the size of one big-size flat accessories box **12**. Every medium-size flat accessories box **22** has a plurality of bottom locating holes **51** disposed adjacent to three of the four sides thereof and connected to corresponding locating blocks **50** at the tray **20**.

**[0010]** Referring to FIG. 8, the tray **30** carrying four small-size flat accessories boxes **32** is seen after opening of the tray **10** carrying one big-size flat accessories box **12** with the tray **20** carrying two medium-size flat accessories boxes **22**. The small-size flat accessories boxes **32** are about one half of the size of one medium-size flat accessories box **22**. Every small-size flat accessories box **32** has a plurality of recessed bottom locating holes **51** disposed adjacent to two of the four sides thereof and connected to corresponding locating blocks **50** at the tray **30**.

**[0011]** Referring to FIG. 9, one medium-size flat accessories box **22** and two small-size flat accessories boxes **32** can be carried in one tray **20**. By means of the recessed bottom locating holes **51** at the flat accessories boxes **12;22;32** and the locating blocks **50** at the trays **10;20;30**, the flat accessories boxes **12;22;32** can detachably and selectively set in the trays **10;20;30**.

**[0012]** A prototype of storage rack has been constructed with the features of the annexed drawings of FIGS. 1~9. The storage rack functions smoothly to provide all of the features discussed earlier.

**[0013]** Although particular embodiments of the invention have been described in detail for purposes of illustration, various modifications and enhancements may be made without departing from the spirit and scope of the invention. Accordingly, the invention is not to be limited except as by the appended claims.

## Claims

1. A storage rack comprising a pivot shaft, a plurality of trays molded from plastics and respectively pivoted to said pivot shaft, a plurality of flat accessories boxes molded from plastics and respectively detachably carried in said trays, and a positioning structure adapted to secure said flat accessories boxes to said trays, wherein said positioning structure comprises a plurality of recessed locating holes disposed at a bottom side of each of said flat accessories boxes, and a plurality of locating blocks provided at a top side of each of said trays and adapted to engage said recessed locating holes.
2. The storage rack as claimed in claim 1, wherein said trays each have a plurality of through holes symmetrically disposed near two opposite lateral sides thereof for the insertion of the user's finger to push said flat accessories boxes away from said trays.
3. The storage rack as claimed in claim 1, wherein the number of the recessed locating holes at each said flat accessories box is equal to the number of the locating blocks at each said tray.
4. The storage rack as claimed in claim 1, wherein said recessed locating holes are respectively arranged along three of four sides of each said flat accessories box and coupled to corresponding locating blocks at said trays.
5. The storage rack as claimed in claim 1, wherein said recessed locating holes are respectively arranged along two adjacent sides of each said flat accessories box and coupled to corresponding locating blocks at said trays.
6. A storage rack comprising a pivot shaft, a plurality of trays molded from plastics and respectively pivoted to said pivot shaft, a plurality of flat accessories boxes molded from plastics and respectively detachably carried in said trays, and a positioning structure adapted to secure said flat accessories boxes to said trays, wherein said positioning structure comprises a plurality of recessed locating holes formed in a bottom side of each said flat accessories box, and a plurality of locating blocks respectively formed integral with said trays along each of four peripheral sides of each said tray and adapted to engage said recessed locating holes.
7. The storage rack as claimed in claim 6, wherein said trays each have a plurality of through holes symmetrically disposed near two opposite lateral sides thereof for the insertion of the user's finger to push said flat accessories boxes away from said trays.

8. The storage rack as claimed in claim 6, wherein the number of the recessed locating holes at each said flat accessories box is equal to the number of the locating blocks at each said tray.

5

9. The storage rack as claimed in claim 6, wherein said recessed locating holes are respectively arranged along three of four sides of each said flat accessories box and coupled to corresponding locating blocks at said trays.

10

10. The storage rack as claimed in claim 6, wherein said recessed locating holes are respectively arranged along two adjacent sides of each said flat accessories box and coupled to corresponding locating blocks at said trays.

15

20

25

30

35

40

45

50

55




FIG. 1




FIG. 2




FIG. 4

FIG. 3




FIG. 6




FIG. 5






FIG. 7




FIG.8




FIG. 9



DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Y	EP 1 364 753 A (GLOBAL IND HOLDING LTD) 26 November 2003 (2003-11-26) * column 2, lines 29-51 * * figure 1 * -----	1,3-6, 8-10	B25H3/02 A47B49/00
Y	US 4 895 256 A (JOHNSTON JAMES E) 23 January 1990 (1990-01-23) * column 2, lines 1-16 * * figures 1,2 * -----	1,3-6, 8-10	
A	DE 92 05 444 U (KUN-CHEN CHEN) 25 June 1992 (1992-06-25) * the whole document * -----	1,6	
A	US 6 105 767 A (VASUDEVA KAILASH C) 22 August 2000 (2000-08-22) * the whole document * -----	1,6	
A	DE 295 17 259 U (CHAO LI SMELTION CO) 4 January 1996 (1996-01-04) * the whole document * -----	1,6	
A	CH 662 487 A (LANTER DESIGN AG) 15 October 1987 (1987-10-15) * the whole document * -----	1,6	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			B25H A47B
The present search report has been drawn up for all claims			
Place of search The Hague		Date of completion of the search 21 July 2004	Examiner Chariot, D
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ..... & : member of the same patent family, corresponding document	

EPO FORM 1503 03/82 (P04/C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 03 02 9819

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

21-07-2004

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 1364753	A	26-11-2003	US 2003218345 A1	27-11-2003
			CA 2425093 A1	21-11-2003
			EP 1364753 A1	26-11-2003
			NZ 525947 A	28-05-2004
-----				
US 4895256	A	23-01-1990	NONE	
-----				
DE 9205444	U	25-06-1992	DE 9205444 U1	25-06-1992
-----				
US 6105767	A	22-08-2000	CA 2234341 A1	11-10-1998
-----				
DE 29517259	U	04-01-1996	DE 29517259 U1	04-01-1996
-----				
CH 662487	A	15-10-1987	CH 662487 A5	15-10-1987
-----				