



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 598 311 A8**

(12) **CORRECTED EUROPEAN PATENT APPLICATION**

Note: Bibliography reflects the latest situation

(15) Correction information:

Corrected version no 1 (W1 A1)
INID code(s) 72

(51) Int Cl.:

B67D 3/00 (1968.09)

(48) Corrigendum issued on:

17.05.2006 Bulletin 2006/20

(43) Date of publication:

23.11.2005 Bulletin 2005/47

(21) Application number: **04388034.3**

(22) Date of filing: **18.05.2004**

(84) Designated Contracting States:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PL PT RO SE SI SK TR

Designated Extension States:

AL HR LT LV MK

• **Lindberg, Frank**

2670 Greve (DK)

• **Lindberg, Peter**

2670 Greve (DK)

(71) Applicant: **Dannemose, Per Henrik**

4000 Roskilde (DK)

(74) Representative: **Olsen, Lau Lund et al**

Internationalt Patent-Bureau A/S

Rigensgade 11

1316 Copenhagen K (DK)

(72) Inventors:

• **Jensen, Bjoern Slot**

4600 Koege (DK)

(54) **Dosing device for mounting on a container**

(57) A dosing device (6) comprises a dosing chamber (14) associated with a liquid inlet valve (23) and a liquid outlet valve (47). Each said valve (23, 47) has a valve body (22, 51) being displaceable by means of an armature (28) located in an outlet spout and being displaceable by means of a magnetic field. The dosing device is operable between a charging state, in which the liquid inlet valve is open, and the liquid outlet valve is closed, and a dispensing state, in which the liquid inlet valve is closed, and the liquid outlet valve is open. The spout comprises two armatures (28, 29) adapted to influence each other by means of a magnetic force, and the dosing chamber is provided with an air intake valve (37) having a valve body (36) operable between a closed position in the charging state of the dosing device and an open position in the dispensing state of the dosing device.




Fig. 3

EP 1 598 311 A8