



(11)

EP 1 679 262 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
12.07.2006 Bulletin 2006/28

(51) Int Cl.:
B65D 5/02 (2006.01)

(21) Application number: **05000109.8**

(22) Date of filing: **05.01.2005**

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IS IT LI LT LU MC NL PL PT RO SE SI SK TR**
Designated Extension States:
AL BA HR LV MK YU

(72) Inventor: **Kohlweyer, Christian**
61118 Bad Vilbel (DE)

(74) Representative: **Kremer, Véronique Marie**
Joséphine et al
Procter & Gamble Service GmbH
Sulzbacher Strasse 40-50
65824 Schwalbach am Taunus (DE)


(71) Applicant: **The Procter and Gamble Company**
Cincinnati, Ohio 45202 (US)

(54) **Container with hollow bottom**

(57) The present invention relates to a container for packaging personal care articles, especially sanitary absorbent articles of personal hygiene. The package container has a hollow bottom being spaced away from the

lower end of the container. The hollow bottom is made out of a large bottom flap (3) having the size and shape of the cross section of the container and being held in place by a holding strip (5) and at least one small flap (4).

Fig. 3



Description

FIELD OF THE INVENTION

[0001] The present invention relates to a container for packaging personal care articles, especially sanitary absorbent articles of personal hygiene. The package container has a hollow bottom being spaced away from the lower end of the container. The hollow bottom is made out of a large bottom flap having the size and shape of the cross section of the container and being held in place by a holding strip and at least one small flap.

BACKGROUND OF THE INVENTION

[0002] Packaging containers with oval cross-section and closed bottom are known in the art. Exemplary disclosures can be found in EP 881 151; US 6,152,369 and US 6,170,740. However, all containers suggested by those references have one drawback in common: Their bottom is more or less flat and it has been found that such flat folded bottoms oftentimes tend to be slightly roundish, in other words they are slightly extending beyond the lower end of the sidewalls of the container in a convex manner. As a consequence such containers don't stand very well and oftentimes fall over due to their typically relatively small bottom area.

[0003] Therefore, it is an objective of the present invention to provide a container with oval cross-section and a closed bottom, which overcomes the disadvantages of the prior art by having a more stable stand.

[0004] A further objective of the present invention is to provide such a container, which is easy and cost-efficient to produce.

SUMMARY OF THE INVENTION

[0005] The present invention provides a container comprising a wall, an upper end and a lower end, said wall having an inner and an outer surface. The container has a lower portion extending from the middle distance between said upper and lower end of said container to said lower end of said container. The lower end of the container is closed by a hollow bottom, which is formed by one large bottom flap having approximately the shape and size of said cross section of said container. The large bottom flap resides in the interior of the container and is held in place by a holding strip, which is attached to the large bottom flap along a line of connection, which is spaced away from the lower end of the container. The container further comprises a small flap being attached to the large bottom flap approximately opposite to said line of connection. By this configuration the large bottom flap is spaced away from the lower end of the container towards the upper end of the container and thus a hollow bottom is formed. Due to this the container solely stands on the lower edge of its circumferential wall. Thus the problems arising from a non-flat bottom are avoided. In

a preferred embodiment the container is formed from one interconnected piece of carton cut-out, which is very economical and provides the possibility of forming the container on the packaging line itself.

BRIEF DESCRIPTION OF THE DRAWINGS

[0006]

Figure 1 illustrates the interconnected cut-out from which a preferred execution of the container (1) of the present invention is formed.

Figures 2 and 3 illustrate the above cut-out from alternative views

Figure 4 illustrates how the container of the present invention is formed out of the cut-out, namely by folding the two wall portions (2a and 2b) upon themselves and attaching the wall connection flap (2c) to the inside of the opposite wall portion (2a). Further the bottom is formed by folding the large bottom flap (3) onto the three small flaps (4).

Figure 5 illustrates a finished container (1) with closed bottom. It is visible that the large bottom flap (3) is spaced away from the lower end of the container (1) by the holding strip (5) and that the folding lines (6) of the extensions of the wall (2) forming the small flaps (4) and the holding strip (5) are spaced away from the lower end of the container (1).

DETAILED DESCRIPTION OF THE INVENTION

[0007] The container of the present invention is made of rigid material, typically carton board. 'Rigid material' as used herein refers to materials with at least some flexural stiffness, i.e. a significant degree to maintain their original shape. Exemplary rigid materials in the context of the present invention are carton paper, carton board, card board, enforced paper, corrugate or the like or combinations thereof. Further examples of rigid materials for use herein are plastic or rubber-like polymeric materials with a significant degree to maintain their shape.

[0008] "Lower portion of the wall" refers to the part of the wall extending from the mid height of said wall, defined by the middle distance between the upper and lower ends of the container, towards the lower end of the container.

[0009] "Interior" herein means the inner volume of the container volume, which is enclosed by the wall.

[0010] The wall of the container can be made out of one or more wall portions. When the container is made from a flat cut-out of material the wall is typically closed by a wall connection flap, which is bonded to the inside of a wall portion as illustrated in Figure 4. The arrangement of the wall of the container defines the cross section of the container. In one embodiment herein the container herein is substantially cylindrical with an essentially cir-

cular or ellipsoidal cross-section. In other embodiments herein the container has a substantially square or rectangular cross-section. Generally, there is basically no limitation in cross-sectional shape of the container.

[0011] The hollow bottom of the container is basically formed by a large bottom flap, which is held in place by a holding strip on one side and at least one small flap on the other. The large bottom flap resides in the interior of the container and is spaced away from the lower end of the container. Both the holding strip and the small flap are either attached to the inner surface of the wall or are interconnected extensions of the wall, which are folded against the inner surface of the wall along folding lines. The folding lines can extend along the lower end of the container but are preferably spaced away from the lower end towards the upper end. The spacing away can be facilitated by cuts, as illustrated e.g. in Figures 3, 4 and 5.

[0012] The upper end of the container of the present invention can be open or closed. The upper end lower ends of the container preferably have the same cross-sectional shape and are preferably coextensive. However, it is also within the scope of the present invention that the upper and lower ends of the container are not co-extensive, such as in case the side walls of the container have different heights, or in case one or more side walls have a variable height, or in case the walls have an angle other than 90° with respect to a substantially even horizontal surface the container is placed on or have different angles for each wall.

[0013] It is furthermore within the scope of the present invention that the cross-section of the container is variable between the upper and lower end of the container. In an embodiment herein the lower of the container has a square shape, whereas the upper end has a substantially ellipsoidal shape. Also the reverse configuration, i.e. circular or ellipsoidal lower end and square upper end are within the scope of the present invention. It will be apparent to the skilled artisan that also numerous other different configurations are possible, which will lead to a variable cross-sectional shape of the container.

[0014] In other embodiments the container herein is provided with windows, through which its contents can be seen from outside. These windows can be provided by holes in the wall of the container or by zones in the wall, which are transparent.

[0015] According to further embodiments herein the container according to the present invention is provided with means for aiding collapsibility. This is beneficial for improving the disposability of the container, since it requires less space in the garbage container in collapsed state. Means for providing collapsibility are for instance cuts or weakness lines, such as perforations or score lines.

[0016] All documents cited in the Detailed Description of the Invention are, in relevant part, incorporated herein by reference; the citation of any document is not to be construed as an admission that it is prior art with respect to the present invention.

[0017] While particular embodiments of the present invention have been illustrated and described, it would be obvious to those skilled in the art that various other changes and modifications can be made without departing from the spirit and scope of the invention. It is therefore intended to cover in the appended claims all such changes and modifications that are within the scope of this invention.

Claims

1. Container comprising a wall, an upper end and a lower end spaced away from each other by said wall, said wall having an inner and an outer surface and a lower portion extending from the middle distance between said upper and lower end of said container to said lower end of said container, said container further having a cross section, a length extending along said wall and an interior enclosed by said wall, wherein said lower end is closed by a hollow bottom, said container being **characterized in that** said hollow bottom is formed by one large bottom flap having approximately the shape and size of said cross section of said container, said large bottom flap residing in said interior of said container and being held in place by a holding strip being attached to said large bottom flap along a line of connection, wherein said line of connection is spaced away from said lower end of said container along said length of said container, said container further comprising a small flap being attached to said large bottom flap approximately opposite to said line of connection.
2. The container of claim 1, wherein said holding strip and said small flap are extensions of said wall on said lower end of said container, wherein said extensions are folded against said inner surface of said wall along folding lines.
3. The container of claim 1, wherein at least one of said holding strip and said small flap are connected to said inner surface of said wall.
4. The container of claim 2, wherein said folding lines are spaced away from said lower end of said container towards said upper end of said container.
5. The container of any of the previous claims, wherein said cross-section varies along said length of said container.
6. The container of any of the previous claims, wherein said container comprises more than one small flap.

Fig. 1




Fig. 2




Fig. 3




Fig. 4





Fig. 5





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 05 00 0109

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	EP 0 872 425 A (4P NICOLAUS KEMPTEN GMBH) 21 October 1998 (1998-10-21) * the whole document *	1,3,6	B65D5/02
X	DE 77 10 912 U1 (HAMMER & CO KG VERPACKUNGSMITTEL) 14 July 1977 (1977-07-14) * the whole document *	1-4,6	
Y	----- US 1 184 956 A (HOPPKE F) 30 May 1916 (1916-05-30) * the whole document *	5	
X	----- US 3 157 343 A (KENDALL OVID M) 17 November 1964 (1964-11-17) * the whole document *	1-3,6	
X	----- FR 2 774 361 A (FINEGA) 6 August 1999 (1999-08-06) * page 3, lines 13-30; figures 1-3 *	1-3,5,6	
A	DE 76 33 636 U1 (SCHWARTAUER WERKE GMBH & CO) 3 March 1977 (1977-03-03) * figures 1,2 *	1	
Y	----- US 3 580 473 A (LESTER D. GILL) 25 May 1971 (1971-05-25) * figure 1 *	5	
A	-----	1,5	
The present search report has been drawn up for all claims			
Place of search Munich		Date of completion of the search 29 April 2005	Examiner Visentin, M
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

1
EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 05 00 0109

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

29-04-2005

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0872425	A	21-10-1998	DE 29706982 U1 EP 0872425 A1	12-06-1997 21-10-1998
DE 7710912	U1	14-07-1977	NONE	
US 1184956	A		NONE	
US 3157343	A	17-11-1964	NONE	
FR 2774361	A	06-08-1999	FR 2774361 A1	06-08-1999
DE 7633636	U1	03-03-1977	NONE	
US 3580473	A	25-05-1971	NONE	