



(12) **CORRECTED EUROPEAN PATENT SPECIFICATION**

(15) Correction information:
Corrected version no 1 (W1 B1)
Corrections, see
Description Paragraph(s) 189
Claims EN 18

(51) Int Cl.:
C12N 5/10 ^(2006.01) **A01H 5/00** ^(2006.01)
C12N 15/82 ^(2006.01) **C12N 9/10** ^(2006.01)

(86) International application number:
PCT/EP2004/010985

(48) Corrigendum issued on:
30.03.2011 Bulletin 2011/13

(87) International publication number:
WO 2005/030942 (07.04.2005 Gazette 2005/14)

(45) Date of publication and mention
of the grant of the patent:
15.12.2010 Bulletin 2010/50

(21) Application number: **04787074.6**

(22) Date of filing: **29.09.2004**

(54) **PLANTS WITH REDUCED ACTIVITY OF A CLASS 3 BRANCHING ENZYME**

PFLANZEN MIT REDUZIERTER AKTIVITÄT EINES KLASSE-3-VERZWEIGUNGSENZYMS

VEGETAUX AYANT UNE ACTIVITE REDUITE DE L'ENZYME DE RAMIFICATION DE CLASSE 3

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PL PT RO SE SI SK TR**

(30) Priority: **30.09.2003 EP 03090325**

(43) Date of publication of application:
09.08.2006 Bulletin 2006/32

(73) Proprietor: **Bayer CropScience AG
40789 Monheim (DE)**

(72) Inventor: **FROHBERG, Claus
14532 Kleinmachnow (DE)**

(74) Representative: **Beyer, Andreas et al
Bressel und Partner - Patentanwälte
Park Kolonnaden
Potsdamer Platz 10
10785 Berlin (DE)**

(56) References cited:
WO-A-01/70942 WO-A-96/34968

- **DATABASE EMBL [Online] 8 June 2001 (2001-06-08), "EST512701 cSTD Solanum tuberosum cDNA clone cSTD2O3 5' sequence, mRNA sequence." XP002309391 retrieved from EBI accession no. EM_PRO:BG886850 Database accession no. BG886850**
- **DATABASE UniProt [Online] 1 March 2003 (2003-03-01), "Putative 1,4-alpha-glucan branching enzyme." XP002309392 retrieved from EBI accession no. UNIPROT:Q8GWK4 Database accession no. Q8GWK4 & DATABASE EMBL SEQUENCE LIBRARY 13 December 2002 (2002-12-13), SEKI, M., ET AL.: "A. thaliana At3g20440 mRNA for putative 1,4-alpha-glucan branching enzyme, complete cds, clone: RAFL21-11-O08" accession no. WWW.EBI.AC.UK Database accession no. AK118785**
- **JOBLING STEPHEN A ET AL: "A minor form of starch branching enzyme in potato (Solanum tuberosum L.) tubers has a major effect on starch structure: Cloning and characterisation of multiple forms of SBE A" PLANT JOURNAL, vol. 18, no. 2, April 1999 (1999-04), pages 163-171, XP002309385 ISSN: 0960-7412**

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

- LARSSON CLAS-TOMAS ET AL: "Molecular cloning and characterization of starch-branching enzyme II from potato" PLANT MOLECULAR BIOLOGY, vol. 37, no. 3, June 1998 (1998-06), pages 505-511, XP002309386 ISSN: 0167-4412
- KHOSHNOODI JAMSHID ET AL: "The multiple forms of starch-branching enzyme I in Solanum tuberosum" EUROPEAN JOURNAL OF BIOCHEMISTRY, vol. 242, no. 1, 1996, pages 148-155, XP002309387 ISSN: 0014-2956
- MIZUNO K ET AL: "ALTERATION OF THE STRUCTURAL PROPERTIES OF STARCH COMPONENTS BY THE LACK OF AN ISOFORM OF STARCH BRANCHING ENZYME IN RICE SEEDS" JOURNAL OF BIOLOGICAL CHEMISTRY, AMERICAN SOCIETY OF BIOLOGICAL CHEMISTS, BALTIMORE, MD, US, vol. 268, no. 25, 5 September 1993 (1993-09-05), pages 19084-19091, XP002014043 ISSN: 0021-9258
- BLAUTH SUSAN L ET AL: "Identification of Mutator insertional mutants of starch-branching enzyme 1 (sbe1) in Zea mays L" PLANT MOLECULAR BIOLOGY, vol. 48, no. 3, February 2002 (2002-02), pages 287-297, XP002309388 ISSN: 0167-4412
- BLAUTH SUSAN L ET AL: "Identification of Mutator insertional mutants of starch-branching enzyme 2a in corn" PLANT PHYSIOLOGY (ROCKVILLE), vol. 125, no. 3, March 2001 (2001-03), pages 1396-1405, XP002309389 ISSN: 0032-0889
- FLIPSE E ET AL: "INTRODUCTION OF SENSE AND ANTISENSE CDNA FOR BRANCHING ENZYME IN THE AMYLOSE-FREE POTATO MUTANT LEADS TO PHYSICO-CHEMICAL CHANGES IN THE STARCH" PLANTA, SPRINGER VERLAG, DE, vol. 198, 1996, pages 340-347, XP009019570 ISSN: 0032-0935
- RYDBERG ULRIKA ET AL: "Comparison of starch branching enzyme I and II from potato" EUROPEAN JOURNAL OF BIOCHEMISTRY, vol. 268, no. 23, December 2001 (2001-12), pages 6140-6145, XP002309390 ISSN: 0014-2956

Description

[0001] The present invention relates to plant cells and plants, which are genetically modified, wherein the genetic modification leads to the reduction of the activity of a Class 3 vegetable branching enzyme having the amino acid sequence of Seq ID 4 in comparison with corresponding wild type plant cells or wild type plants that have not been genetically modified. Furthermore, the present invention relates to means and methods for the manufacture of such plant cells and plants. Plant cells and plants of this type synthesise a modified starch. The present invention therefore also relates to methods for the manufacture of the starch synthesised by the plant cells and plants according to the invention. Furthermore, the present invention relates to nucleic acids coding said Class 3 branching enzyme, vectors, host cells, plant cells and plants containing such nucleic acid molecules.

[0002] With regard to the increasing importance currently attributed to vegetable constituents as renewable raw material sources, one of the tasks of biotechnological research is to endeavour to adapt these vegetable raw materials to suit the requirements of the processing industry. Furthermore, in order to enable regenerating raw materials to be used in as many areas of application as possible, it is necessary to achieve a large variety of materials.

[0003] Polysaccharide starch is made up of chemically uniform base components, the glucose molecules, but constitutes a complex mixture of different molecule forms, which exhibit differences with regard to the degree of polymerisation and branching, and therefore differ strongly from one another in their physical-chemical characteristics. Discrimination is made between amylose starch, an essentially unbranched polymer made from α -1,4-glycosidically linked glucose units, and the amylopectin starch, a branched polymer, in which the branches come about by the occurrence of additional α -1,6-glycosidic links. A further essential difference between amylose and amylopectin lies in the molecular weight. While amylose, depending on the origin of the starch, has a molecular weight of 5×10^5 - 10^6 Da, that of the amylopectin lies between 10^7 and 10^8 Da. The two macromolecules can be differentiated by their molecular weight and their different physical-chemical characteristics, which can most easily be made visible by their different iodine bonding characteristics.

[0004] Amylose has long been looked upon as a linear polymer, consisting of α -1,4-glycosidically linked α -D-glucose monomers. In more recent studies, however, the presence of α -1,6-glycosidic branching points (ca. 0.1%) has been shown (Hizukuri and Takagi, Carbohydr. Res. 134, (1984), 1-10; Takeda et al., Carbohydr. Res. 132, (1984), 83-92).

[0005] Amylopectin constitutes a complex mixture of differently branched glucose chains. In contrast to amylose, amylopectin is more strongly branched. According to textbook information (Voet and Voet, Biochemistry, John Wiley & Sons, 1990), on average, the α -1,6 branches occur every 24 to 30 glucose residues. This is equivalent to a degree of branching of ca. 3% - 4%. The figures for the degree of branching are variable and are dependent on the origin (e.g. plant species, plant type etc.) of the appropriate starch. In typical plants used for the industrial production of starch, such as maize, wheat or potato, for example, the synthesised starch consists of ca. 20% - 30% amylose starch and ca. 70% - 80% amylopectin starch.

[0006] The functional characteristics of the starch, along with the amylose/amylopectin ratio and the phosphate content, are strongly affected by the molecular weight, the pattern of the side chain distribution, the ion concentration, the lipid and protein content, the average grain size of the starch and the grain morphology of the starch etc. At the same time, by way of example, the solubility, the retrogradation behaviour, the water bonding capability, the film formation characteristics, the viscosity, the sticking characteristics, the freezing-thawing stability, the acid stability, the gelling strength etc. must be mentioned as important functional characteristics. The grain size of the starch can also be important for different applications.

[0007] Branching enzymes, which are also abbreviated by the designation "BE" (from Branching Enzyme; E.C. 2.4.1.18), catalyse the introduction of α -1,6 branches in α -1,4-glucans. Branching enzymes and the nucleic or amino acid sequences that characterise them are known from widely different organisms, such as bacteria, microbial fungi, mammals, algae and higher plants, for example. As only plants synthesise starch, while the above-mentioned non-vegetable organisms (e.g. bacteria, fungi and mammals) synthesise glycogen, the related branching enzymes, which are involved in the synthesis of the appropriate polymer, can also be subdivided into glycogen branching enzymes and starch branching enzymes. Plants are therefore starch branching enzymes, which are often also referred to as Q-enzymes in older literature.

[0008] In all plant species that have been investigated up to now, the branching enzymes described can be associated with two different classes (Burton et al., 1995, Plant Journal 7, 3-15; Mizuno et al., 2001, Plant Cell Physiol. 42(4), 349-357). The association with these classes, sometimes designated in the literature with A or 2 respectively and B or 1 respectively, is based on the comparison of derived protein sequences.

[0009] As different nomenclatures have been used in the past for designating and classifying branching enzymes, Smith-White and Preiss (1994, Plant Molecular Biology Reporter 12, 67-71) (1994, Plant Molecular Biology Reporter 12, 67-71) have proposed a system for standardising this nomenclature, in which the association with the two classes of vegetable branching enzymes is also based on the comparison of derived protein sequences (Larsson et al., 1998, Plant Mol. Biol. 37, 505-511). According to this nomenclature, those vegetable branching enzymes, the amino acid sequence of which has a higher degree of identity with that of branching enzyme I of maize (GenBank Acc: D11081),

is to be designated as a Class 1 branching enzyme, and those vegetable branching enzymes, the coding amino acid sequence of which has a higher degree of identity with that of branching enzyme II of maize (GenBank Acc: AF072725), is to be designated as a Class 2 branching enzyme. The designation of gene products, which are coding for branching enzymes, are, in accordance with the nomenclature of Smith-White and Preiss, to be incorporated in the already existing nomenclature by means of E.C. numbers. This results in the so-called GPN (Gene Product Number) Codes for the two classes, namely GPN 2.2.4.1.18:1 for Class 1 branching enzymes and GPN 2.2.4.18:2 for Class 2 branching enzymes. **[0010]** The following vegetable or starch branching enzymes therefore belong to Class 1 (GPN 2.2.1.18:1) according to the nomenclature proposed by Smith-White and Preiss (1994, Plant Molecular Biology Reporter 12, 67-71):

BE I from *Aegilops tauschii* (GenBank Acc: AF525746), BE I from barley (GenBank Acc: AY304541), BE from tapioca (GenBank Acc: X77012), BE I (frequently also described as BE 1) from rice (GenBank Acc: D11082, D10752, D10838), BE 3 from bean (GenBank Acc: AB029549), BE II from pea (GenBank Acc: X80010), BE from millet (GenBank Acc: AF169833), BE I from potato (GenBank Acc: Y08786, X69805), BE from wheat (GenBank Acc: Y12320, AF076679, AF002820) and BE I from maize (GenBank Acc: D11081, AAO20100, E03435, AY176762, U17897, AF072724).

[0011] At the same time, the amino acid sequences for different Class 1 branching enzymes each have an identity of more than 60% with the amino acid sequence of branching enzyme I from maize (GenBank Acc: D11081).

[0012] Branching enzymes, which belong to Class 2 (GPN 2.2.1.18:2) according to the nomenclature proposed by Smith-White and Preiss (1994, Plant Molecular Biology Reporter 12, 67-71) are, for example, BE IIa from *Aegilops tauschii* (GenBank Acc: AF338431, WO 9914314), BE2-1 and BE2-2 from *Arabidopsis thaliana* (BE2-1 GenBank Acc: NM_129196 CAA04134; BE2-2 GenBank Acc: CAB82930, NM_120446), BE IIa and BE IIb from barley (BE IIa GenBank Acc: AF064560; BE IIb GenBank Acc: AF064561), BE II from sweet potato (GenBank Acc: AB071286), BE III and BE IV (frequently also described as BE 3 or BE 4 respectively) from rice (BE III GenBank Acc: D16201; BE IV GenBank Acc: AB023498), BE 1 from bean (GenBank Acc: AB029548), BE I from pea (GenBank Acc: X80009), BE IIb from millet (GenBank Acc: AY304540), BE II from potato (GenBank Acc: AJ000004, AJ011885, AJ011888, AJ011889, AJ011890), BE II or BE IIa from wheat (GenBank Acc: Y11282, AF286319, AF338432, U66376) and BE II, or BE IIb from maize (BE II GenBank Acc: AAA18571, T02981; BE IIb GenBank Acc: AF072725, L08065). At the same time, the amino acid sequences for different Class 2 branching enzymes each have an identity of more than 60% with the amino acid sequence of branching enzyme IIb from maize (GenBank Acc: AF072725).

[0013] Vegetable or starch branching enzymes belong to the family of alpha-amylolytic enzymes (Svensson, 1994, Plant Molecular Biology 25, 141-157; Jespersen et al., 1991, Biochem J. 280, 51-55) and, with regard to the amino acid sequence, have four conserved domains (Baba et al., 1991, Biochem. Biophys. Res. Commun. 181(1), 87-94; Kuriki et al., 1996, J. of Protein Chemistry 15(3), 305-313).

[0014] Structural predictions based on mathematical calculations derived from experimental data such as protein crystal structures (Pfam: <http://hits.isb-sib.ch/cgi-bin/PFSCAN?>) show that all previously known branching enzymes from higher plants have two domains: an alpha-amylase domain and an iso-amylase domain. Here, the iso-amylase domain lies closer to the N-terminus of the protein than the alpha-amylase domain.

[0015] Plants are known, for example, which have a reduced activity of a Class 2 branching enzyme due to a mutation. These include the so-called "amylose extender" (ae) mutants from maize (Stindard et al., 1993, Plant Cell 5, 1555-1566; Boyer and Preiss, 1978, Biochem. Biophys. Res. Commun. 80, 169-175) and rice (Mizuno et al., 1993, J. Biol. Chem. 268, 19084-19091), as well as the "rugosus" (r) mutation in pea (Smith, 1988, Planta 175, 270-279; Bhattacharyya et al., 1990, Cell 60; 115-122). All these mutants are distinguished by the fact that they synthesise a starch, which has an increased amylose content in comparison with starches from corresponding plants, which do not have this mutation.

[0016] Furthermore, genetically modified potato plants are described, in which the activity of a BE I (Class 1) branching enzyme (Kossmann et al., 1991, Mol Gen Genet 230, 39-44; Safford et al., 1998, Carbohydrate Polymers 35, 155-168), or the activity of a BEII (Class 2) branching enzyme (Jobling et al., 1999, The Plant Journal 18), or the activity of a BEI and BEII branching enzyme (Schwall et al., 2000, Nature Biotechnology 18, 551- 554, Jobling et al., 2003, Nature Biotechnology 21, 77-80) are reduced.

[0017] Previously, it has been possible to associate all vegetable branching enzymes to one or both of the classes described above. Plant cells or plants, which have a reduced activity of a branching enzyme, which cannot be associated with these classes, are unknown.

[0018] The object of the present invention is therefore based on providing modified starches, new plant cells and/or plants, which synthesise such a modified starch, as well as means and methods for producing said plants.

[0019] This problem is solved by the embodiments described in the claims.

[0020] A first aspect of the present invention relates to a genetically modified plant cell, characterised in that it has a reduced activity of at least one Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4, in comparison with wild type plant

cells that have not been genetically modified, that have been raised under the same cultivation conditions, and that have the same cultivation age,

wherein the genetic modification consists in the introduction of at least one foreign recombinant nucleic acid molecule into the genome of the plant cell by transformation,

wherein the said foreign recombinant nucleic acid molecule leads to a reduction of the activity of the class 3 branching enzyme,

wherein the said foreign recombinant nucleic acid molecule is chosen from the group consisting of

a) Nucleic acid molecules, which code a protein with the amino acid sequence given under Seq ID NO 4;

b) Nucleic acid molecules, which code a protein, the amino acid sequence of which has an identity of at least 90% with the amino acid sequence given under Seq ID NO 4;

c) Nucleic acid molecules, which include the nucleotide sequence shown under Seq ID NO 3 or a complimentary sequence;

d) Nucleic acid molecules, the nucleic acid sequence of which has an identity of at least 90% with the nucleic acid sequences described under a) or c);

e) Nucleic acid molecules, the nucleotide sequence of which deviates from the sequence of the nucleic acid molecules identified under a), b), c), or d) due to the degeneration of the genetic code; and

f) Nucleic acid molecules, which represent fragments of the nucleic acid molecules identified under a) or c) having a minimum length of 21 base pairs and an identity of between 95% and 100% with the nucleic acid molecules identified under a) or c) and leading to a reduction of the activity of the class 3 branching enzyme,

and

wherein a reduced activity means a reduction in the expression of endogenous genes, which codes the Class 3 branching enzyme and/or a reduction in the quantity of the Class 3 branching enzyme protein in the cells and/or a reduction in the enzymatic activity of the Class 3 branching enzyme in the cells.

[0021] In conjunction with the present invention, the term "wild type plant cell" means that the plant cells concerned were used as starting material for the manufacture of the plant cells according to the invention, i.e. their genetic information, apart from the introduced genetic modification, corresponds to that of a plant cell according to the invention.

[0022] In conjunction with the present invention, the term "wild type plant" means that the plants concerned were used as starting material for the manufacture of the plants according to the invention, i.e. their genetic information, apart from the introduced genetic modification, corresponds to that of a plant according to the invention.

[0023] In conjunction with the present invention, the term "corresponding" means that, in the comparison of several objects, the objects concerned that are compared with one another have been kept under the same conditions. In conjunction with the present invention, the term "corresponding" in conjunction with wild type plant cell or wild type plant means that the plant cells or plants, which are compared with one another, have been raised under the same cultivation conditions and that they have the same (cultivation) age.

[0024] In conjunction with the present invention, the term "mutagenesis" is to be understood to mean any type of introduced mutation, such as deletions, point mutations (nucleotide exchanges), insertions, inversions, gene conversions or chromosome translocations, for example.

[0025] The plant cells according to the invention and the plants according to the invention have a reduction of the activity of at least one Class 3 branching enzyme having the amino acid sequence of Seq ID 4 in comparison with corresponding wild type plant cells that have not been genetically modified and which have been raised under the same cultivation conditions.

[0026] Here, within the framework of the present invention, the term "reduction of activity" means a reduction in the expression of endogenous genes, which code Class 3 branching enzymes, and/or a reduction in the quantity of protein of a Class 3 branching enzyme in the plant cells and/or a reduction in the enzymatic activity of Class 3 branching enzymes in the plant cells, wherein a class 3 branching enzyme has the amino acid sequence of SEQ ID No 4 or an amino acid sequence having an identity of at least 90% with the sequence of SEQ ID No 4.

[0027] The reduction in the expression can, for example, be determined by measuring the quantity of transcripts coding Class 3 branching enzyme, e.g. using Northern blot analysis or RT-PCR. Here, a reduction preferably means a reduction in the amount of transcripts in comparison with corresponding plant cells that have not been genetically modified by at least 50%, in particular by at least 70%, preferably by at least 85% and particularly preferably by at least 95%.

[0028] The reduction in the amount of protein of a Class 3 branching enzyme, which results in a reduced activity of

this protein in the plant cells concerned, can, for example, be determined by immunological methods such as Western blot analysis, ELISA (Enzyme Linked Immuno Sorbent Assay) or RIA (Radio Immune Assay). Here, a reduction preferably means a reduction in the amount of Class 3 branching enzyme protein in comparison with corresponding plant cells that have not been genetically modified by at least 50%, in particular by at least 70%, preferably by at least 85% and particularly preferably by at least 95%.

[0029] Within the framework of the present invention, the term "branching enzyme" (α -1,4-glucan: α -1,4- glucan 6-glycosyltransferase, E.C. 2.4.1.18) is understood to mean a protein, which catalyses a transglycosylation reaction, in which α -1,4 links of an α -1,4-glucan donor are hydrolysed and the thereby released α -1,4-glucan chains are transferred to an α -1,4-glucan acceptor chain and, in doing so, are transformed into α -1,6-links. In particular, within the framework of the present invention, the term "branching enzyme" is to be understood to mean a vegetable branching enzyme, i.e. a starch branching enzyme.

[0030] The activity of a branching enzyme can be demonstrated, for example, with the help of native acrylamide gel electrophoresis. In doing so, proteins are first separated electrophoretically and, after incubation in buffers containing an activity, which synthesises linear α -1,4-glucan chains (e.g. starch phosphorylase a) and its substrate (e.g. glucose-6-phosphate), the corresponding gels are coloured with iodine (Kimihiro et al., 1980, Analytical Biochemistry 108, 16-24).

[0031] Furthermore, branching enzymes in microbial organisms, such as the *E. coli* strain KV832 for example (Kiel et al., 1987 Mol. Gen. Genet 207: 294-301), which do not synthesise branched α -glucans, can be expressed. If an activity of a branching enzyme is introduced into the microbial organism due to the expression of a foreign gene in such strains (e.g. *E. coli* KV832), then the branching enzyme activity can be demonstrated by treating colonies of these organisms with iodine vapour, for example. Colonies, which synthesise linear α -1,4-glucans, turn blue in this test, while colonies, which synthesise branched glucans by expressing an additional enzymatic activity of a branching enzyme, turn reddish-brown after treating with iodine vapour. It is also possible to express proteins in phosphoglucosyltransferase mutants of *E. coli* to identify a branching enzyme activity of appropriate proteins (Buettcher et al., 1999, Biochem. Biophys. Acta 1432, 406-412).

[0032] A further possibility of demonstrating branching enzyme activity of proteins is the use of a reaction stimulated by phosphorylase a and the subsequent separation of the products by means of thin film chromatography (Almstrupp et al., 2000, Analytical Biochemistry 286, 297-300).

[0033] Branching enzyme activities can also be demonstrated with the help of the methods described in Guan and Preiss (1993, Plant Physiol. 102. 1269- 1273) and Kuriki et al. (1996, J. of Protein Chemistry 15, 305-313).

[0034] In conjunction with the present invention, the term "Class 3 branching enzyme" is to be understood as an enzyme having the amino acid sequence of SEQ ID NO 4 or an amino acid sequence having an identity of at least 90% with the sequence of SEQ ID NO 4 and which has a higher degree of identity with the amino acid sequence shown in SEQ ID NO 4 than with that of the branching enzyme BE I from maize (GenBank Acc: D11081) or with that of the branching enzyme BE IIb from maize (GenBank Acc: AF072725). Preferably, the Class 3 branching enzyme comes from starch-storing plants, particularly preferably from plant species of the genus *Solanum*, especially preferably from *Solanum tuberosum*.

[0035] In a further embodiment of the present invention, amino acid sequences coding Class 3 branching enzymes have an identity of at least 95% with the sequence shown in SEQ ID NO 4.

[0036] According to the invention, Class 3 branching enzymes have an iso-amylase domain (Pfam acc.: Pf02922) and an alpha-amylase domain (Pfam acc: Pf00128). According to the invention, the iso-amylase domain and the alpha-amylase domain in amino acid sequences coding branching enzymes are separated from one another by the presence of further amino acids, which do not belong to these two domains.

[0037] Class 3 branching enzymes according to the invention are distinguished by the fact that the iso-amylase domain is separated from the alpha-amylase domain by a greater number of amino acids than the iso-amylase domain and the alpha-amylase domain of Class 1 and 2 branching enzymes.

[0038] Class 3 branching enzymes according to the invention are preferably distinguished with regard to their amino acid sequence by the fact that they have at least 70, preferably at least 100, particularly preferably at least 130 and especially preferably at least 198 amino acids between the iso-amylase domain and the alpha-amylase domain.

[0039] With the help of the Pfam database (Bateman et al., 2002, Nucleic Acids Research 30, 276-280; accessible via <http://www.sanger.ac.uk/Software/Pfam/>, <http://www.cgb.ki.se/Pfam/>; <http://pfam.jouy.inra.fr/> or <http://pfam.wustl.edu/>), it is possible for the person skilled in the art to determine whether amino acid sequences already have known domains (e.g. an iso-amylase domain and/or an alpha-amylase domain).

[0040] Pfam is a database put together by experts, which classifies amino acid sequences into so-called families. Here, the assignment of an amino acid sequence to a family is carried out on the basis of so-called domains, which are to be looked upon as functional and structural components of proteins. A domain is defined as a structural unit or a repeatedly occurring amino acid sequence unit, which can occur in proteins with widely different functions. Along with information relating to the amino acid sequence of known proteins, further knowledge (e.g. evidence of the enzymatic activity, crystal structure data) is also used for the assignment of a protein to a family. Each family is assigned a name

and an "accession" number (e.g. Name: Isoamylase_N, acc: PF02922). A constituent part of each family in the Pfam database is, amongst other things, a so-called "seed alignment". The "seed alignment" contains the amino acid sequences of representative proteins of a family. Starting from "seed alignments", a so-called profile HMM ("profile Hidden Markov Model"; overview article in: Durbin et al., "Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids", Cambridge University Press, 1998, ISBN 0-521-62041-4) is produced using the HMMER 2 software (freely available under <http://hmmer.wustl.edu/>). The HMMs produced have names and are stored in the Pfam database specifically for the correspondingly assigned domains. In contrast to classical, multiple "alignments" (e.g. produced using the Clustal W program or the Blossum62 algorithm), HMMs are based on a valid statistical theory (Bayes theory of conditional probability, Markoff chains) and enable an interrogation sequence (query) to be assigned to a family based on the use of position-specific evaluation matrices. This enables an assignment to be made even when there are considerable differences in the amino acid sequences between the interrogation sequence (query) and a comparison sequence (e.g. amino acid sequence entry in a database).

[0041] The domain structure of the amino acid sequence concerned can be determined by means of a comparison of the HMMs stored in the Pfam database with amino acid sequences, which are entered as a so-called interrogation sequence (query) (e.g. under <http://hits.isb-sib.ch/cgi-bin/PFSCAN?>).

[0042] In conjunction with the present invention, the term "iso-amylase domain" is to be understood to mean a Pfam iso-amylase domain (acc: Pf02922). At the same time, the HMM describing this Pfam iso-amylase domain is to be produced with the HMMER 2 [2.3.1] software, starting from a "seed alignment", which contains the amino acid sequences shown in Table 1. In conjunction with the present invention, the "seed alignment" is produced by means of the ClustalW program (Thompson et al., Nucleic Acids Research 22 (1994), 4673-4680; see below). The following settings must be chosen to produce the appropriate HMMs: Build Method of HMM: `hmmbuild -F HMM_Is`, `hmmcalibrate -seed 0 HMM_Is`; Gathering cutoff: 2.3 2.3; Trusted cutoff: 2.3 2.2; Noise cutoff: 2.1 2.1). Further information for producing the HMM of the Pfam iso-amylase domain (acc: Pf02922) is given in Table 3.

[0043] In conjunction with the present invention, the term "alpha-amylase domain" is to be understood to mean a Pfam alpha-amylase domain (acc: Pf00128). At the same time, the HMM describing this Pfam alpha-amylase domain is to be produced with the HMMER 2 [2.3.1] software, starting from a "seed alignment", which contains the amino acid sequences shown in Table 2. Here, the "seed alignment" is produced by means of HMM_simulated_annealing (<http://www.psc.edu/general/software/packages/hmmer/manual/node11.html#SECT1> ON00321000000000000000). The following settings must be chosen to produce the appropriate HMM: Build Method of HMM: `hmmbuild -F HMM_Is`, `hmmcalibrate -seed 0 HMM_Is`; Gathering cutoff: -82.0 -82.0; Trusted cutoff: -81.7 -81.7; Noise cutoff: -82.7 -82.7). Further information for producing the HMM of the Pfam alpha-amylase domain (acc: Pf00128) is given in Table 4.

[0044] In conjunction with the present invention, the term "Class 3 branching enzyme gene" is to be understood to mean a nucleic acid molecule (cDNA, DNA), which codes a Class 3 branching enzyme, preferably a Class 3 branching enzyme from starch-storing plants, particularly preferably from plant species of the genus *Solanum*, especially preferably from *Solanum tuberosum*.

[0045] In the present invention, the term "genetic modification" means the introduction of homologous and/or heterologous foreign recombinant nucleic acid molecules into the genome of a plant cell or into the genome of a plant by transformation wherein said introduction of these molecules leads to a reduction of the activity of the above defined Class 3 branching enzyme.

[0046] The plant cells according to the invention or plants according to the invention are modified with regard to their genetic information by the introduction of a foreign recombinant nucleic acid molecule. The presence or the expression of the foreign recombinant nucleic acid molecule leads to a phenotypic change. Here, "phenotypic" change means preferably a measurable change of one or more functions of the cells. For example, the genetically modified plant cells according to the invention and the genetically modified plants according to the invention exhibit a reduction of the activity of the Class 3 branching enzyme due to the presence or on the expression of the introduced nucleic acid molecule.

[0047] In conjunction with the present invention, the term "foreign nucleic acid molecule" is understood to mean such a molecule that either does not occur naturally in the corresponding wild type plant cells that have not been genetically modified, or that does not occur naturally in the concrete spatial arrangement in wild type plant cells that have not been genetically modified, or that is localised at a place in the genome of the wild type plant cell at which it does not occur naturally. The foreign nucleic acid molecule is a recombinant molecule, which consists of different elements, the combination or specific spatial arrangement of which does not occur naturally in vegetable cells.

[0048] In conjunction with the present invention, the term "genome" is to be understood to mean the totality of the genetic material present in a vegetable cell. It is known to the person skilled in the art that, as well as the cell nucleus, other compartments (e.g. plastids, mitochondrions) also contain genetic material.

[0049] In a further embodiment, the plant cells according to the invention and the plants according to the invention are characterised in that the foreign recombinant nucleic acid molecule codes a Class 3 branching enzyme, preferably a Class 3 branching enzyme from starch-storing plants, particularly preferably from plants of a species of the genus *Solanum*, especially preferably from *Solanum tuberosum*.

[0050] In a particularly preferred embodiment, the foreign recombinant nucleic acid molecule codes a Class 3 branching enzyme with the amino acid sequence specified in SEQ ID NO 4.

[0051] A large number of techniques are available for the introduction of DNA into a vegetable host cell. These techniques include the transformation of vegetable cells with T-DNA using *Agrobacterium tumefaciens* or *Agrobacterium rhizogenes* as the transformation medium, the fusion of protoplasts, injection, the electroporation of DNA, the introduction of DNA by means of the biolistic approach as well as other possibilities.

[0052] The use of agrobacteria-mediated transformation of plant cells has been intensively investigated and adequately described in EP 120516; Hoekema, IN: The Binary Plant Vector System Offsetdrukkerij Kanters B.V., Alblaserdam (1985), Chapter V; Fraley et al., Crit. Rev. Plant Sci. 4, 1-46 and by An et al. EMBO J. 4, (1985), 277-287. For the transformation of potato, see Rocha-Sosa et al., EMBO J. 8, (1989), 29-33, for example.

[0053] The transformation of monocotyledonous plants by means of vectors based on agrobacterium transformation has also been described (Chan et al., Plant Mol. Biol. 22, (1993), 491-506; Hiei et al., Plant J. 6, (1994) 271-282; Deng et al, Science in China 33, (1990), 28-34; Wilmink et al., Plant Cell Reports 11, (1992), 76-80; May et al., Bio/Technology 13, (1995), 486-492; Conner and Domisse, Int. J. Plant Sci. 153 (1992), 550-555; Ritchie et al, Transgenic Res. 2, (1993), 252-265). An alternative system to the transformation of monocotyledonous plants is transformation by means of the biolistic approach (Wan and Lemaux, Plant Physiol. 104, (1994), 37-48; Vasil et al., Bio/Technology 11 (1993), 1553-1558; Ritala et al., Plant Mol. Biol. 24, (1994), 317-325; Spencer et al., Theor. Appl. Genet. 79, (1990), 625-631), protoplast transformation, electroporation of partially permeabilised cells and the introduction of DNA by means of glass fibres. In particular, the transformation of maize has been described in the literature many times (cf. e.g. WO95/06128 EP0513849, EP0465875, EP0292435; Fromm et al., Biotechnology 8, (1990), 833-844; Gordon-Kamm et al., Plant Cell 2, (1990), 603-618; Koziel et al., Biotechnology 11 (1993), 194-200; Moroc et al., Theor. Appl. Genet. 80, (1990), 721-726).

[0054] The successful transformation of other types of cereal has also already been described, for example for barley (Wan and Lemaux, see above; Ritala et al., see above; Krens et al., Nature 296, (1982), 72-74) and for wheat (Nehra et al., Plant J. 5, (1994), 285-297). All the above methods are suitable within the framework of the present invention.

[0055] Amongst other things, the genetically modified plant cells according to the invention and the genetically modified plants according to the invention can be differentiated from wild type plant cells and wild type plants respectively in that they contain a foreign recombinant nucleic acid molecule as defined above and in claim 1, which does not occur naturally in wild type plant cells or wild type plants, or in that such a molecule is present integrated at a place in the genome of the plant cell according to the invention or in the genome of the plant according to the invention at which it does not occur in wild type plant cells or wild type plants, i.e. in a different genomic environment. Furthermore, plant cells according to the invention and plants according to the invention of this type differ from wild type plant cells and wild type plants respectively in that they contain at least one copy of the foreign recombinant nucleic acid molecule stably integrated within their genome, possibly in addition to naturally occurring copies of such a molecule in the wild type plant cells or wild type plants. If the foreign recombinant nucleic acid molecule(s) introduced into the plant cells according to the invention or into the plants according to the invention is (are) additional copies of molecules already occurring naturally in the wild type plant cells or wild type plants respectively, then the plant cells according to the invention and the plants according to the invention can be differentiated from wild type plant cells or wild type plants respectively in particular in that this additional copy or these additional copies is (are) localised at places in the genome at which it does not occur (or they do not occur) in wild type plant cells or wild type plants. This can be verified, for example, with the help of a Southern blot analysis.

[0056] Furthermore, the plant cells according to the invention and the plants according to the invention can preferably be differentiated from wild type plant cells or wild type plants respectively by at least one of the following characteristics: If the foreign recombinant nucleic acid module that has been introduced is heterologous with respect to the plant cell or plant, then the plant cells according to the invention or plants according to the invention have transcripts of the introduced nucleic acid molecules. These can be verified, for example, by Northern blot analysis or by RT-PCR (Reverse Transcription Polymerase Chain Reaction). Plant cells according to the invention and plants according to the invention, which express an antisense and/or an RNAi transcript, can be verified, for example, with the help of specific nucleic acid probes, which are complementary to the RNA (occurring naturally in the plant cell), which is coding for the protein.

[0057] If the foreign recombinant nucleic acid module that has been introduced is homologous with respect to the plant cell or plant, the plant cells according to the invention or plants according to the invention can be differentiated from wild type plant cells or wild type plants respectively due to the additional expression of the introduced foreign recombinant nucleic acid molecule, for example. The plant cells according to the invention and the plants according to the invention preferably contain (sense and/or antisense) transcripts of the foreign recombinant nucleic acid molecules. This can be demonstrated by Northern blot analysis, for example, or with the help of so-called quantitative PCR.

[0058] In a special embodiment, the plant cells according to the invention and the plants according to the invention are transgenic plant cells or transgenic plants respectively.

[0059] A further embodiment of the present invention relates to genetically modified plant cells according to the invention and plants according to the invention wherein the foreign recombinant nucleic acid molecule is chosen from the group

consisting of

a) DNA molecules, which code at least one antisense RNA, which effects a reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4;

b) DNA molecules, which by means of a co-suppression effect lead to the reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4;

c) DNA molecules, which code at least one ribozyme, which splits specific transcripts of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4;

d) DNA molecules, which simultaneously code at least one antisense RNA and at least one sense RNA, wherein the said antisense RNA and the said sense RNA form a double-stranded RNA molecule, which effects a reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4 (RNAi technology);

e) Nucleic acid molecules introduced by means of in vivo mutagenesis, which lead to a mutation or an insertion of a heterologous sequence in at least one endogenous gene coding a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4, wherein the mutation or insertion effects a reduction in the expression of a gene coding a Class 3 branching enzyme or results in the synthesis of inactive Class 3 branching enzymes.

[0060] The genetically modified plant cells according to the invention and the genetically modified plants according to the invention can be manufactured by different methods known to the person skilled in the art. These include, for example, the expression of a corresponding antisense RNA or of a double-stranded RNA construct, the provision of molecules or vectors, which impart a cosuppression effect, the expression of a correspondingly constructed ribozyme that splits specific transcripts, which code a Class 3 branching enzyme, or so-called "in vivo mutagenesis". Furthermore, the reduction of the Class 3 branching enzyme activity in plant cells and plants can also be brought about by the simultaneous expression of sense and antisense RNA molecules of the respective target gene to be repressed, preferably of the Class 3 branching enzyme gene.

[0061] In addition to this, it is known that *in planta* the formation of double-stranded RNA molecules of promoter sequences can lead *in trans* to methylation and transcriptional inactivation of homologous copies of this promoter (Mette et al., EMBO J. 19, (2000), 5194-5201).

[0062] All these methods are based on the introduction of a foreign recombinant or of several foreign recombinant nucleic acid molecules into the genome of plant cells or plants and are therefore basically suitable for manufacturing genetically modified plant cells according to the invention and genetically modified plants according to the invention.

[0063] For inhibiting the expression of genes by means of antisense or cosuppression technology, a DNA molecule can be used, for example, which includes the whole coding sequence for a Class 3 branching enzyme, including any existing flanking sequences, as well as DNA molecules, which include only parts of the coding sequence, whereby these parts must be long enough to produce an antisense effect or a cosuppression effect respectively in the cells. In general, sequences up to a minimum length of 21 bp, preferably a minimum length of at least 100 bp, particularly preferably of at least 500 bp are suitable. For example, the DNA molecules have a length of 21-100 bp, preferably of 100-500 bp, particularly preferably over 500 bp.

[0064] The use of DNA sequences, which have a high degree of identity with the endogenous sequences occurring in the plant cells and which code Class 3 branching enzymes, is also suitable for antisense or cosuppression approaches. The use of sequences with identities of at least 90%, in particular between 95% and 100%, is to be preferred. The meaning of the term "identity" will be defined elsewhere.

[0065] Furthermore, the use of introns, i.e. of non-coding areas of genes, which code for Class 3 branching enzymes, is also conceivable for achieving an antisense or a cosuppression effect.

[0066] The use of intron sequences for inhibiting the gene expression of genes, which code for starch biosynthesis proteins, has been described in the international patent applications WO97/04112, WO97/04113 WO98/37213, WO98/37214.

[0067] The person skilled in the art knows how to achieve an antisense and a cosuppression effect. For example, the method of cosuppression inhibition has been described in Jorgensen (Trends Biotechnol. 8 (1990), 340-344), Niebel et

al., (Curr. Top. Microbiol. Immunol. 197 (1995), 91-103), Flavell et al. (Curr. Top. Microbiol. Immunol. 197 (1995), 43-46), Palaqui and Vaucheret (Plant. Mol. Biol. 29 (1995), 149-159), Vaucheret et al., (Mol. Gen. Genet. 248 (1995), 311-317), de Borne et al. (Mol. Gen. Genet. 243 (1994), 613-621).

[0068] The expression of ribozymes for reducing the activity of particular enzymes in cells is also known to the person skilled in the art, and is described, for example, in EP-B1 0321201. The expression of ribozymes in vegetable cells has been described, for example, in Feyter et al. (Mol. Gen. Genet. 250, (1996), 329-338).

[0069] The reduction of the activity of a Class 3 branching enzyme in plant cells according to the invention and plants according to the invention can also be brought about by the simultaneous expression of sense and antisense RNA molecules (RNAi technology) of the respective target gene to be repressed, preferably of the Class 3 branching enzyme gene.

[0070] This can be achieved, for example, by the use of chimeric constructs, which contain "inverted repeats" of the respective target gene or parts of the target gene. In this case, the generic constructs code for sense and antisense RNA molecules of the respective target gene. Sense and antisense RNA are synthesised simultaneously *in planta* as an RNA molecule, wherein sense and antisense RNA are separated from one another by a spacer, and are able to form a double-stranded RNA molecule.

[0071] It has been shown that the introduction of inverted repeat DNA constructs into the genome of plant cells or plants is a very effective method of repressing the genes corresponding to the inverted repeat DNA constructs (Waterhouse et al., Proc. Natl. Acad. Sci. USA 95, (1998), 13959-13964; Wang and Waterhouse, Plant Mol. Biol. 43, (2000), 67-82; Singh et al., Biochemical Society Transactions Vol. 28 part 6 (2000), 925- 927; Liu et al., Biochemical Society Transactions Vol. 28 part 6 (2000), 927-929); Smith et al., (Nature 407, (2000), 319-320; international patent application WO99/53050 A1). Sense and antisense sequences of the target gene or the target genes can also be expressed separately from one another by means of similar or different promoters (Nap, J-P et al, 6th International Congress of Plant Molecular Biology, Quebec, 18th-24th June, 2000; Poster S7-27, Presentation Session S7).

[0072] The reduction of the activity of a Class 3 branching enzyme in plant cells according to the invention or plants according to the invention can therefore also be achieved by producing double-stranded RNA molecules. In this regard, "inverted repeats" of DNA molecules of Class 3 branching enzyme genes or cDNAs are preferably introduced into the genome of plants, wherein the DNA molecules (Class 3 branching enzyme gene or cDNA or fragments of this gene or cDNA) to be transcribed are under the control of a promoter, which controls the expression of said DNA molecules.

[0073] In addition to this, it is known that the formation of double-stranded RNA molecules from promoter DNA molecules in plants *in trans* can lead to methylation and transcriptional inactivation of homologous copies of these promoters, which are to be referred to in the following as target promoters (Mette et al., EMBO J. 19, (2000), 5194-5201).

[0074] It is therefore possible to reduce the gene expression of a particular target gene (e.g. branching enzyme Class 3 gene), which is naturally under the control of this target promoter, by deactivating the target promoter.

[0075] This means that, in this case, the DNA molecules, which include the target promoters of the genes to be repressed (target genes), in contrast to the original function of promoters in plants, are not used as control elements for the expression of genes or cDNAs, but are themselves used as transcribable DNA molecules.

[0076] For the production of double-stranded target promoter RNA molecules *in planta*, which can occur there as RNA hairpin molecules, constructs are preferably used, which contain the "inverted repeats" of the target promoter DNA molecules, wherein the target promoter DNA molecules are under the control of a promoter, which controls the gene expression of said target promoter DNA molecules. These constructs are subsequently introduced into the genome of plants. The expression of the "inverted repeats" of said target promoter DNA molecules *in planta* leads to the formation of double-stranded target promoter RNA molecules (Mette et al., EMBO J. 19, (2000), 5194-5201). The target promoter can be inactivated by this means.

[0077] The reduction of the activity of a Class 3 branching enzyme in plant cells according to the invention and plants according to the invention can therefore also be achieved by the production of double-stranded RNA molecules of promoter sequences of Class 3 branching enzyme genes. In this regard, "inverted repeats" of promoter DNA molecules of Class 3 branching enzyme genes are preferably introduced into the genome of plants, wherein the target promoter DNA molecules (promoter of a Class 3 branching enzyme gene) to be transcribed are under the control of a promoter, which controls the expression of said target promoter DNA molecules.

[0078] For inhibiting the expression of genes by means of the simultaneous expression of sense and antisense RNA molecules (RNAi technology), a DNA molecule can be used, for example, which includes the whole coding sequence for a Class 3 branching enzyme, including any existing flanking sequences, as well as DNA molecules, which include only parts of the coding sequence, whereby these parts must be long enough to produce a so-called RNAi effect in the cells. In general, sequences with a minimum length of 40 bp, preferably a minimum length of at least 100 bp, particularly preferably of at least 500 bp are suitable. For example, the DNA molecules have a length of 21-100 bp, preferably of 100-500 bp.

[0079] The use of DNA sequences, which have a high degree of identity with the endogenous sequences occurring in the plant cells and which code Class 3 branching enzymes, is also suitable for the simultaneous expression of sense

and antisense RNA molecules (RNAi technology). The use of sequences with identities of at least 90%, in particular between 95% and 100%, is to be particularly preferred.

[0080] Furthermore, the reduction of the activity of a Class 3 branching enzyme in plant cells according to the invention and plants according to the invention can also be achieved by so-called "in vivo mutagenesis", in which a hybrid RNA-DNA oligonucleotide ("Chimeroplast") is introduced into plant cells (Kipp, P.B. et al., Poster Session at the "5th International Congress of Plant Molecular Biology, 21st-27th September 1997, Singapore; R. A. Dixon and C.J. Arntzen, meeting report on "Metabolic Engineering in Transgenic Plants", Keystone Symposia, Copper Mountain, CO, USA, TIBTECH 15, (1997), 441-447; international patent application WO 9515972; Kren et al., Hepatology 25, (1997), 1462-1468; Cole-Strauss et al., Science 273, (1996), 1386-1389; Beetham et al., 1999, PNAS 96, 8774-8778).

[0081] A part of the DNA components of the RNA-DNA oligonucleotide is homologous to a nucleic acid sequence of an endogenous Class 3 branching enzyme gene, but, in comparison with the nucleic acid sequence of a Class 3 branching enzyme gene, it has a mutation or contains a heterologous region, which is surrounded by the homologous regions.

[0082] By base pairing of the homologous regions of the RNA-DNA oligonucleotide and the endogenous nucleic acid molecule followed by homologous recombination, the mutation or heterologous region contained in the DNA components of the RNA-DNA oligonucleotide can be transferred into the genome of a plant cell. This leads to the reduction of the activity of one or more Class 3 branching enzymes.

[0083] Surprisingly, it has been found that genetically modified plant cells according to the invention and genetically modified plants according to the invention synthesise a modified starch in comparison with starch of corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0084] The plant cells according to the invention and plants according to the invention synthesise a modified starch, which in its physical-chemical characteristics, in particular the amylose content or the amylose/amylopectin ratio, the degree of branching, the average chain length, the side chain distribution, the viscosity behaviour, the gelling strength, the starch grain size and/or the starch grain morphology, is changed in comparison with the synthesised starch in wild type plant cells or plants, so that this is better suited for special applications.

[0085] It was surprisingly found that plant cells or plants of the invention synthesize a modified starch having decreased phosphate content. So far known plants with a reduced activity of a branching enzyme (Class 1 and/or Class 2) did show an increased phosphate content.

[0086] The present invention therefore also includes genetically modified plant cells according to the invention and genetically modified plants according to the invention, which synthesise a modified starch.

[0087] In a preferred embodiment of the invention, the plant cells according to the invention or the plant according to the invention synthesize a starch with a decreased phosphate content in comparison with corresponding starch isolated from wild type plant cells or wild type plants that have not been genetically modified. Preferably the plant cells according to the invention or the plants according to the invention synthesize a starch having a total phosphate content that is decreased by at least 10%, more preferably by at least 15% and particularly preferably by at least 20% in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified. Especially preferably the total phosphate content of starch isolated from plant cells of the invention or plants of the invention is decreased by 14% to 22% in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0088] In respect with C-6-phosphate content the plant cells according to the invention or the plants according to the invention synthesize a starch having a C-6-phosphate content that is decreased by at least 15%, more preferably by at least 19% and particularly preferably by at least 25% in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified. Especially preferably the C-6-phosphate content of starch isolated from plant cells of the invention or plants of the invention is decreased by 15% to 27% in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0089] Methods for the determination of total phosphate or C-6-phosphate content in starches are well known by a person skilled in the art. Preferred methods for the determination of total or C-6-phosphate content in starches to be used in combination with the present invention are described below in the section "general methods" (Starch analysis, e) Analysis of the side-chain distribution of the amylopectin by means of ion-exchange chromatography).

[0090] In a further preferred embodiment of the invention, the plant cells according to the invention or the plants according to the invention synthesize a starch which has an altered viscosity behaviour in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified. Plant cells of the invention or plants of the invention synthesize a starch which has a decreased maximum viscosity, a decreased minimum viscosity and/or a decreased final viscosity in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0091] The maximum viscosity of starch isolated from plant cells of the invention or plants of the invention is preferably decreased by at least 8% and more preferably by at least 16% in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified. Especially preferably the maximum viscosity of starch isolated from plant cells of the invention or plants of the invention is decreased by 8% to 16% in

comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0092] The minimum viscosity of starch isolated from plant cells of the invention or plants of the invention is preferably decreased by at least 10%, more preferably by at least 15% and particularly preferably by at least 25% in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified. Especially preferably the minimum viscosity of starch isolated from plant cells of the invention or plants of the invention is decreased by 15% to 25% in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0093] The final viscosity of starch isolated from genetically modified plant cells of the invention or genetically modified plants of the invention is preferably decreased by at least 5% and more preferably by at least 10% in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified. Particularly preferably the minimum viscosity of starch isolated from genetically modified plant cells of the invention or genetically modified plants of the invention is decreased by 5% to 10% in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0094] It has further been found, that starch isolated from genetically modified plant cells of the invention or genetically modified plants of the invention shows an increased gelling strength in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0095] The present invention therefore also comprises genetically modified plant cells of the invention or genetically modified plants of the invention that synthesize a starch with an increased gel strength in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified. Preferably plant cells of the invention or plants of the invention synthesize a starch which shows a gel strength which is increased by at least 20%, more preferably by at least 30% and particular preferably by at least 35% in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified. Especially preferably the gel strength of starch isolated from plant cells of the invention or plants of the invention is increased by 27% to 38% in comparison with starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0096] Methods for the determination of viscosity behaviour or gelling properties of starches are well known by a person skilled in the art. Preferred methods for the determination of viscosity behaviour or gelling properties of starches to be used in combination with the present invention are described below in the section "general methods".

[0097] Furthermore it was surprisingly found that starch, isolated from genetically modified plant cells of the invention or genetically modified plants of the invention shows an altered side chain distribution pattern in the amylopectin fraction in comparison with the amylopectin fraction from starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0098] In a further embodiment of the invention, genetically modified plant cells according to the invention or the genetically modified plants according to the invention synthesize a starch with an altered short-side-chain distribution pattern in the amylopectin fraction in comparison with the amylopectin fraction from starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified. Preferably plant cells according to the invention or the plants according to the invention synthesize a starch wherein the short-side-chains in the amylopectin fraction having a degree of polymerization (DP) of 6 and/or a DP of 7 is increased in comparison with the amylopectin fraction from starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified. More preferably the amylopectin fraction of starch isolated from plant cells according to the invention or plants according to the invention synthesize a starch wherein short-side-chains with a DP 6 is increased by at least 15%, particularly preferably by at least 20%, especially particularly by at least 25% and/or the short-side-chains with a DP 7 are increased by at least 2%, particularly preferably by at least 4%, especially preferably by at least 8% in comparison with the amylopectin fraction from starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0099] In a further preferred embodiment of the invention the genetically modified plant cells according to the invention or the genetically modified plants according to the invention synthesize a starch wherein the short-side-chains of DP 6 in the amylopectin fraction is increased by 17% to 29% and/or the side chains of DP 7 in the amylopectin fraction is increased by 2% to 9% in comparison with the amylopectin fraction from starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0100] In conjunction with the present invention, the term "short-side-chain" shall mean alpha-1,6-linked side-chains in the starch molecule having a degree of polymerization between DP 6 and DP 34.

[0101] Methods for the quantification of short-side-chains having a specified DP in the amylopectin fraction are well known by the person skilled in the art. Preferred methods for the quantification of side-chains having a specified DP, suitable to be used in combination with the present invention are described below in the section "general methods (Analysis of the side-chain distribution of the amylopectin by means of ion-exchange chromatography).

[0102] Furthermore it was found that the amylopectin fraction of starch, isolated from the plant cells according to the

invention or the plants according to the invention shows an altered total-side-chain distribution.

[0103] Therefore, further embodiments of the present invention are the genetically modified plant cells according to the invention or the genetically modified plants according to the invention which synthesize a starch wherein the groups of total-side-chains in the amylopectin fraction characterized by the following ranges:

- a) DP up to 11,
- b) DP 12 to DP 19,
- c) DP 20 to DP 25 and/or
- d) DP 26 to DP 31

is/are increased and/or the groups of total-side-chains in the amylopectin fraction characterized by the following ranges:

- a) DP 38 to DP 43
- b) DP 44 to DP 49
- c) DP 50 to DP 56
- d) DP 57 to DP 62 and/or
- e) DP 63 to DP 123

Is/are decreased in comparison with the amylopectin fraction from starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0104] The term "total-side-chains" shall mean alpha-1,6-linked side-chains in the starch molecule having a degree of polymerization up to DP 123. A group of total-side-chains consists of all side-chains spanning a defined DP range (e.g. DP up to 11, DP 12 to DP 19, DP 20 to DP 25, DP 26 to DP 31, DP 38 to DP 43, DP 44 to DP 49, DP 50 to DP 56, DP 57 to DP 62, DP 63 to DP 123).

[0105] Methods for the quantification of groups of total-side-chains spanning ranges of side-chains with a specified DP in the amylopectin fraction are well known by the person skilled in the art. Preferred methods for the quantification groups of total-side-chains, suitable to be used in combination with the present invention are described below in example 5d).

[0106] Further embodiments of the invention are the genetically modified plant cells according to the invention or the genetically modified plants according to the invention which synthesize a starch having a decreased peak onset Temperature (To), a decreased peak temperature (T Peak) and an increased delta H (dH) when analyzed by differential scanning calorimetry (DSC) in comparison to starch isolated from corresponding wild type plant cells or wild type plants that have not been genetically modified.

[0107] Methods for the analysis of starch by DSC are well known by a person skilled in the art. Preferred Methods for DSC analysis suitable to be used in combination with the present invention are described below in the section "general methods" (DSC-analysis ("Differential Scanning Calorimetry")).

[0108] Furthermore, genetically modified plants, which contain the plant cells according to the invention, are also the subject matter of the invention. Plants of this type can be produced from plant cells according to the invention by regeneration.

[0109] In principle, the plants according to the invention can be plants of any plant species, i.e. both monocotyledonous and dicotyledonous plants. Preferably they are useful plants, i.e. plants, which are cultivated by people for the purposes of food or for technical, in particular industrial purposes.

[0110] In a further preferred embodiment, the genetically modified plant according to the invention is a starch-storing plant.

[0111] In a further preferred embodiment, the present invention relates to starch-storing plants according to the invention of the genus *Solanum*, in particular *Solanum tuberosum*.

[0112] The term "starch-storing plants" includes all plants with starch-storing plant parts such as, for example, maize, rice, wheat, rye, oat, barley, cassava, potato, sago mung bean, pea or sorghum. Preferred starch-storing plant parts are, for example, tubers, storage roots and grains containing an endosperm; tubers are particularly preferred.

[0113] The term "potato plant" or "potato" means plant species of the genus *Solanum*, in particular tuber-producing species of the genus *Solanum* and especially *Solanum tuberosum*.

[0114] The present invention also relates to propagation material of genetically modified plants according to the invention containing a genetically modified plant cell according to the invention.

[0115] Here, the term "propagation material" includes those constituents of the plant that are suitable for producing offspring by vegetative or sexual means. Cuttings, callus cultures, rhizomes or tubers, for example, are suitable for vegetative propagation. Other propagation material includes, for example, fruits, seeds, seedlings, protoplasts, cell cultures, etc. Preferably, the propagation material is seeds and particularly preferably tubers.

[0116] In a further embodiment, the present invention relates to harvestable plant parts of genetically modified plants

according to the invention such as fruits, storage roots, roots, blooms, buds, shoots or stems, preferably seeds or tubers, wherein these harvestable parts contain at least one plant cell according to the invention.

[0117] Furthermore, the present invention also relates to a method for the manufacture of a genetically modified plant according to the invention, wherein

a) a plant cell is genetically modified by introduction of at least one foreign recombinant nucleic acid molecule into the genome of the plant cell by transformation, wherein the said foreign recombinant nucleic acid molecule is chosen from the group consisting of

i) Nucleic acid molecules, which code a protein with the amino acid sequence given under Seq ID NO 4;

ii) Nucleic acid molecules, which code a protein, the amino acid sequence of which has an identity of at least 90% with the amino acid sequence given under Seq ID NO 4;

iii) Nucleic acid molecules, which include the nucleotide sequence shown under Seq ID NO 3 or a complimentary sequence;

iv) Nucleic acid molecules, the nucleic acid sequence of which has an identity of at least 90% with the nucleic acid sequences described under i) or iii);

v) Nucleic acid molecules, the nucleotide sequence of which deviates from the sequence of the nucleic acid molecules identified under i), ii), iii), or iv) due to the degeneration of the genetic code; and

vi) Nucleic acid molecules, which represent fragments of the nucleic acid molecules identified under i) or iii) having having a minimum length of 21 base pairs an identity of between 95% and 100% with the nucleic acid molecules identified under i) or iii),

wherein the presence or expression of said foreign recombinant nucleic acid molecule leads to a reduction of the activity of a class 3 branching enzyme having the amino acid Sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4, in the cell, and

wherein a reduced activity means a reduction in the expression of endogenous genes, which codes the Class 3 branching enzyme and/or a reduction in the quantity of the Class 3 branching enzyme protein in the cells and/or a reduction in the enzymatic activity of the Class 3 branching enzyme in the cells in comparison with wild type plant cells that have not been genetically modified, that have been raised under the same cultivation conditions, and that have the same cultivation age;

b) a plant is regenerated from plant cells from Step a); and

c) if necessary, further plants are produced with the help of the plants according to Step b).

[0118] The regeneration of the plants according to Step (b) can be carried out using methods known to the person skilled in the art (e.g. described in "Plant Cell Culture Protocols", 1999, ed. by R.D. Hall, Humana Press, ISBN 0-89603-549-2).

[0119] The production of further plants according to Step (c) of the method according to the invention can be carried out, for example, by vegetative propagation (for example using cuttings, tubers or by means of callus culture and regeneration of whole plants) or by sexual propagation. Here, sexual propagation preferably takes place under controlled conditions, i.e. selected plants with particular characteristics are crossed and propagated with one another.

[0120] The statements made in conjunction with genetically modified plant cells according to the invention and genetically modified plants according to the invention apply with regard to the "introduction of a foreign recombinant nucleic acid molecule".

[0121] In a further preferred embodiment, the method according to the invention is used for producing genetically modified potato plants according to the invention.

[0122] In a further preferred embodiment of the method according to the invention, the foreign recombinant nucleic acid molecule is chosen from the group consisting of

a) DNA molecules, which code at least one antisense RNA, which effects a reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4;

b) DNA molecules, which by means of a co-suppression effect lead to the reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4;

c) DNA molecules, which code at least one ribozyme, which splits specific transcripts of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4;

d) DNA molecules, which simultaneously code at least one antisense RNA and at least one sense RNA, wherein the said antisense RNA and the said sense RNA form a double-stranded RNA molecule, which effects a reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4 (RNAi technology);

e) Nucleic acid molecules introduced by means of in vivo mutagenesis, which lead to a mutation or an insertion of a heterologous sequence in at least one endogenous gene coding a Class 3 branching enzyme, having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4, wherein the mutation or insertion effects a reduction in the expression of a gene coding the Class 3 branching enzyme or results in the synthesis of inactive Class 3 branching enzymes.

[0123] In a further embodiment of the method according to the invention, the genetically modified plants according to the invention synthesise a modified starch in comparison with corresponding wild type plants that have not been genetically modified.

[0124] In a further embodiment of the method according to the invention, the method according to the invention is used to manufacture genetically modified plants according to the invention.

[0125] It is also an object of the present invention to provide means such as DNA molecules, for example, for the production of plant cells according to the invention and plants according to the invention, which synthesise a modified starch in comparison with modified wild type plant cells or wild type plants that have not been genetically modified.

[0126] The present invention therefore also relates to a nucleic acid molecule, coding for a protein with the enzymatic activity of a Class 3 branching enzyme and catalysing a transglycosylation reaction, in which alpha-1,4 links of an alpha-1,4-glucan donor are hydrolysed and the thereby released alpha-1,4-glucan chains are transferred to an alpha-1,4-glucan acceptor chain and transformed into alpha-1,6-links, wherein a class 3 branching enzyme is characterized in that it has the amino acid Sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% with the sequence of Seq ID NO 4, and wherein the nucleic acid molecule is chosen from the group consisting of

a) Nucleic acid molecules, which code a protein with the amino acid sequence given under Seq ID No. 4;

b) Nucleic acid molecules, which code a protein, the sequence of which has an identity of at least 90% with the amino acid sequence given under Seq ID No. 4,

c) Nucleic acid molecules, which include the nucleotide sequence shown under Seq ID No. 3 or a complimentary sequence;

d) Nucleic acid molecules, the nucleotide sequence of which deviates from the sequence of the nucleic acid sequences identified under a) or c) due to the degeneration of the genetic code.

[0127] The amino acid sequence shown in SEQ ID NO 4 codes a protein with the activity of a Class 3 branching enzyme from *Solanum tuberosum*.

[0128] The proteins coded from the different varieties of nucleic acid molecules according to the invention have certain common characteristics. These can include, for example, biological activity, molecular weight, immunological reactivity, conformation etc, as well as physical characteristics such as, for example, the running behaviour in gel electrophoresis, chromatographic behaviour, sedimentation coefficients, solubility, spectroscopic characteristics, stability; optimum pH, optimum temperature etc.

[0129] The molecular weight of the Class 3 branching enzyme from *Solanum tuberosum* derived from the amino acid sequence shown under SEQ ID NO 4 is ca. 103 kDa. The derived molecular weight of a protein according to the invention therefore preferably lies in the range from 85 kDa to 120 kDa, preferably in the range from 95' kDa to 110 kDa and particularly preferably from ca. kDa 100 to 105 kDa.

[0130] The present invention relates to nucleic acid molecules, which code a protein with the enzymatic activity of a

Class 3 branching enzyme, wherein the coded protein has an identity of at least 90% and preferably of 95% with the amino acid sequence specified under SEQ ID NO 4.

[0131] A plasmid containing a cDNA, which codes a Class 3 branching enzyme from *Solanum tuberosum*, was deposited with the Deutsche Sammlung von Mikroorganismen und Zellkulturen GmbH, Mascheroder Weg 1 b, 38124 Braunschweig, Germany, in accordance, with the Budapest Treaty on 15th September 2003 under the number DSM 15926. The amino acid sequence shown SEQ ID NO 4 can be derived from the coding region of the cDNA sequence integrated in plasmid DSM 15926 and codes for a Class 3 branching enzyme from *Solanum tuberosum*. Further disclosed is a nucleic acid molecules, which code a protein with the enzymatic activity of a Class 3 branching enzyme, which includes the amino acid sequence, which is coded by the insertion in plasmid DSM 15926, wherein the coded protein has an identity of at least 90% and preferably of 95% with the amino acid sequence, which can be derived from the insertion in DSM 15926.

[0132] The nucleic acid sequence shown SEQ ID NO 3 is a cDNA sequence, which includes the coding region for a Class 3 branching enzyme from *Solanum tuberosum*.

[0133] Further disclosed is a nucleic acid molecules, which code a Class 3 branching enzyme and the coding region of the nucleotide sequence shown under Seq ID NO 3 or a complimentary sequence, nucleic acid molecules, which include the coding region of the nucleotide sequence of the insertion contained in plasmid DSM 15926.

[0134] With the help of the sequence information of the nucleic acid molecule according to the invention or with the help of the nucleic acid molecule according to the invention, it is now possible for the person skilled in the art to isolate homologous sequences from other plant species, preferably from starch-storing plants, preferably from plant species of the genus *Solanum*, particularly preferably from *Solanum tuberosum*. This can be carried out, for example, with the help of conventional methods such as the examination of cDNA or genomic banks with suitable hybridisation samples. The person skilled in the art knows that homologous sequences can also be isolated with the help of (degenerated) oligo-nucleotides and the use of PCR-based methods.

[0135] The examination of databases, such as are made available, for example, by EMBL (<http://www.ebi.ac.uk/Tools/index.htm>) or NCBI (National Center for Biotechnology Information, <http://www.ncbi.nlm.nih.gov/>), can also be used for identifying homologous sequences, which code for a Class 3 branching enzyme. In this case, one or more sequences are specified as a so-called query. This query sequence is then compared by means of statistical computer programs with sequences, which are contained in the selected databases. Such database queries (e.g. blast or fasta searches) are known to the person skilled in the art and can be carried out by various providers.

[0136] If such a database query is carried out, e.g. at the NCBI (National Center for Biotechnology Information, <http://www.ncbi.nlm.nih.gov/>), then the standard settings, which are specified for the particular comparison inquiry, should be used. For protein sequence comparisons (blastp), these are the following settings: Limit entrez = not activated; Filter = low complexity activated; Expect value = 10; word size = 3; Matrix = BLOSUM62; Gap costs: Existence = 11, Extension = 1.

[0137] For nucleic acid sequence comparisons (blastn), the following parameters must be set: Limit entrez = not activated; Filter = low complexity activated; Expect value = 10; word size = 11.

[0138] With such a database search, the sequences described in the present invention can be used as a query sequence in order to identify further nucleic acid molecules and/or proteins, which code a Class 3 branching enzyme.

[0139] With the help of the described methods, it is also possible to identify and/or isolate nucleic acid molecules according to the invention, which hybridise with the sequence specified under SEQ ID NO 3 and which code a Class 3 branching enzyme.

[0140] Within the framework of the present invention, the term "hybridising" means hybridisation under conventional hybridisation conditions, preferably under stringent conditions such as, for example, are described in Sambrook et al., Molecular Cloning, A Laboratory Manual, 2nd Ed. (1989) Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY). Particularly preferably, "hybridising" means hybridisation under the following conditions:

Hybridisation buffer:

[0141] 2xSSC; 10xDenhardt solution (Ficoll 400+PEG+BSA; Ratio 1:1:1); 0.1% SDS; 5 mM EDTA; 50 mM Na₂HPO₄; 250 µg/ml* herring sperm DNA; 50 µg/ml tRNA; or 25 M sodium phosphate buffer pH 7.2; 1 mM EDTA; 7% SDS

Hybridisation temperature:	T=65 to 68°C
Wash buffer:	0.2xSSC; 0.1 % SDS
Wash temperature:	T=65 to 68°C.

[0142] In principle, nucleic acid molecules, which hybridise with the nucleic acid molecules according to the invention,

can originate from any plant species, which expresses an appropriate protein, preferably they originate from starch-storing plants, preferably from species of the genus *Solanum*, particularly preferably from *Solanum tuberosum*. Nucleic acid molecules, which hybridise with the molecules according to the invention, can, for example, be isolated from genomic or from cDNA libraries. The identification and isolation of nucleic acid molecules of this type can be carried out using

the nucleic acid molecules according to the invention or parts of these molecules or the reverse complements of these molecules, e.g. by means of hybridisation according to standard methods (see, for example, Sambrook et al., 1989, Molecular Cloning, A Laboratory Manual, 2nd Ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY) or by amplification using PCR.

[0143] Nucleic acid molecules, which exactly or essentially have the nucleotide sequence specified under SEQ ID NO 3 or parts of this sequence, can be used as hybridisation samples. The fragments used as hybridisation samples can also be synthetic fragments or oligonucleotides, which have been manufactured using established synthesising techniques and the sequence of which corresponds essentially with that of a nucleic acid molecule according to the invention. If genes have been identified and isolated, which hybridise with the nucleic acid sequences according to the invention, then a determination of this sequence and an analysis of the characteristics of the proteins coded by this sequence should be carried out in order to establish whether a Class 3 branching enzyme is involved. Homology comparisons on the level of the nucleic acid or amino acid sequence and a determination of the enzymatic activity are particularly suitable for this purpose. As described above, the activity of a Class 3 branching enzyme can take place by expression in *E. coli* strains, which themselves do not express an active branching enzyme (Kiel et al., 1987 Mol. Gen. Genet 207: 294-301); Guan et al., 1995, Proc. Natl. Acad. Sci. 92, 964-967).

[0144] The molecules hybridising with the nucleic acid molecules according to the invention particularly include fragments, derivatives and allelic variants of the nucleic acid molecules according to the invention, which code a Class 3 branching enzyme from plants, preferably from starch-storing plants, preferably from plant species of the genus *Solanum*, particularly preferably from *Solanum tuberosum*. In conjunction with the present invention, the term "derivative" means that the sequences of these molecules differ at one or more positions from the sequences of the nucleic acid molecules described above and have a high degree of identity with these sequences. Here, the deviation from the nucleic acid molecules described above can have come about, for example, due to deletion, addition, substitution, insertion or recombination.

[0145] Furthermore, identity means that functional and/or structural equivalence exists between the nucleic acid molecules concerned or the proteins coded by them. The nucleic acid molecules, which are homologous to the molecules described above and constitute derivatives of these molecules, are generally variations of these molecules, which constitute modifications, which execute the same biological function. At the same time, the variations can occur naturally, for example they can be sequences from other plant species, or they can be mutations, wherein these mutations may have occurred in a natural manner or have been introduced by objective mutagenesis. The variations can also be synthetically manufactured sequences. The allelic variants can be both naturally occurring variants and also synthetically manufactured variants or variants produced by recombinant DNA techniques. Nucleic acid molecules, which deviate from nucleic acid molecules according to the invention due to degeneration of the genetic code, constitute a special form of derivatives.

[0146] The proteins coded from the different derivatives of nucleic acid molecules according to the invention have certain common characteristics. These can include, for example, biological activity, substrate specificity, molecular weight, immunological reactivity, conformation etc, as well as physical characteristics such as, for example, the running behaviour in gel electrophoresis, chromatographic behaviour, sedimentation coefficients, solubility, spectroscopic characteristics, stability; optimum pH, optimum temperature etc.

[0147] The nucleic acid molecules according to the invention can be any nucleic acid molecules, in particular DNA or RNA molecules, for example cDNA, genomic DNA, mRNA etc. They can be naturally occurring molecules or molecules manufactured by genetic or chemical synthesis methods. They can be single-stranded molecules, which either contain the coding or the non-coding strand, or double-stranded molecules.

[0148] Furthermore, the present invention relates to nucleic acid molecules of at least 21, preferably more than 50 and particularly preferably more than 200 nucleotides length, which specifically hybridise with at least one nucleic acid molecule according to the invention. Here, specifically hybridise means that these molecules hybridise with nucleic acid molecules, which code a protein according to the invention, but not with nucleic acid molecules, which code other proteins. In particular, the invention relates to such nucleic acid molecules, which hybridise with transcripts of nucleic acid molecules according to the invention and, as a result, can hinder their translation. Such nucleic acid molecules, which specifically hybridise with the nucleic acid molecules according to the invention, can, for example, be constituents of antisense, RNAi or cosuppression constructs or ribozymes, or can be used as primers for PCR amplification.

[0149] The term "identity" means a sequence identity over the whole length of the coding region of at least 60%, in particular an identity of at least 70%, preferably greater than 80%, particularly preferably greater than 90% and especially of at least 95%. In conjunction with the present invention, the term "identity" is to be understood to mean the number of amino acids/nucleotides (identity) corresponding with other proteins/nucleic acids, expressed as a percentage. Identity

is preferably determined by comparing the Seq. ID NO 4 or SEQ ID NO 3 with other proteins/nucleic acids with the help of computer programs. If sequences that are compared with one another have different lengths, the identity is to be determined in such a way that the number of amino acids, which have the shorter sequence in common with the longer sequence, determines the percentage quotient of the identity. Preferably, identity is determined by means of the computer program ClustalW, which is well known and available to the public (Thompson et al., Nucleic Acids Research 22 (1994), 4673-4680). ClustalW is made publicly available by Julie Thompson (Thompson@EMBL-Heidelberg.DE) and Toby Gibson (Gibson@EMBL-Heidelberg.DE), European Molecular Biology Laboratory, Meyerhofstrasse 1, D 69117 Heidelberg, Germany. ClustalW can also be downloaded from different Internet sites, including the IGBMC (Institut de Génétique et de Biologie Moléculaire et Cellulaire, B.P. 163, 67404 Illkirch Cedex, France; ftp://ftp-igbmc.u-strasbg.fr/pub/) and the EBI (ftp://ftp.ebi.ac.uk/pub/software/) as well as from all mirrored Internet sites of the EBI (European Bioinformatics Institute, Wellcome Trust Genome Campus, Hinxton, Cambridge CB10 1 SD, UK).

[0150] Preferably, Version 1.8 of the ClustalW computer program is used to determine the identity between proteins according to the invention and other proteins. In doing so, the following parameters must be set: KTUPLE=1, TOPDIAG=5, WINDOW=5, PAIRGAP=3, GAOPEN=10, GAPEXTEND=0.05, GAPDIST=8, MAXDIV=40, MATRIX=GONNET, ENDGAPS(OFF), NOGAP, NOHGAP.

[0151] Preferably, Version 1.8 of the ClustalW computer program is used to determine the identity between the nucleotide sequence of the nucleic acid molecules according to the invention, for example, and the nucleotide sequence of other nucleic acid molecules. In doing so, the following parameters must be set:

KTUPLE=2, TOPDIAGS=4, PAIRGAP=5, DNAMATRIX:IUB, GAOPEN=10, GAPEXT=5, MAXDIV=40, TRANSITIONS: unweighted.

[0152] Basically, nucleic acid molecules according to the invention, can originate from any plant, preferably they originate from starch-storing plants, preferably from plant species of the genus *Solanum*, particularly preferably from *Solanum tuberosum*.

[0153] Furthermore, the invention relates to vectors, in particular plasmids, cosmids, viruses, bacteriophages and other common vectors in genetic engineering, which contain the nucleic acid molecules according to the invention described above.

[0154] In a preferred embodiment, the nucleic acid molecules according to the invention contained in the vectors are linked with regulatory sequences, which guarantee expression in prokaryotic or eukaryotic cells. Here, the term "expression" can mean both transcription as well as transcription and translation. In this case, the nucleic acid molecules according to the invention can be present in "sense" orientation and/or in "antisense" orientation to the regulatory sequences.

[0155] Regulatory sequences for expression in prokaryotic organisms, e.g. *E. coli*, and in eukaryotic organisms are adequately described in the literature, in particular those for expression in yeast such as *Saccharomyces cerevisiae*, for example. An overview of different expression systems for proteins in different host organisms can be found, for example, in Methods in Enzymology 153 (1987), 383-516 and in Bitter et al. (Methods in Enzymology 153 (1987), 516-544).

[0156] For expressing the nucleic acid molecules, which code a Class 3 branching enzyme, in sense and/or antisense orientation in vegetable cells, these are preferably linked with regulatory DNA sequences, which guarantee transcription in vegetable cells. In particular, these include promoters. In general, any promoter that is active in vegetable cells is eligible for expression.

[0157] At the same time, the promoter can be chosen so that expression takes place constitutively or only in a certain tissue, at a certain stage of the plant development or at a time determined by external influences. The promoter can be homologous or heterologous both with respect to the plant and with respect to the nucleic acid molecule.

[0158] Suitable promoters are, for example, the promoter of the 35S RNA of the cauliflower mosaic virus and the ubiquitin promoter from maize for constitutive expression, the patatin promoter B33 (Rocha-Sosa et al., EMBO J. 8 (1989), 23-29) for tuber-specific expression in potatoes or a promoter, which only ensures expression in photosynthetically active tissues, e.g. the ST-LS1 promoter (Stockhaus et al., Proc. Natl. Acad. Sci. USA 84 (1987), 7943-7947; Stockhaus et al., EMBO J. 8 (1989), 2445-2451) or, for endosperm-specific expression of the HMG promoter from wheat, the USP promoter, the phaseolin promoter, promoters of zein genes from maize (Pedersen et al., Cell 29 (1982), 1015-1026; Quatroccio et al., Plant Mol. Biol. 15 (1990), 81-93), glutelin promoter (Leisy et al., Plant Mol. Biol. 14 (1990), 41-50; Zheng et al., Plant J. 4 (1993), 357-366; Yoshihara et al., FEBS Lett. 383 (1996), 213-218) or shrunken-1 promoter (Werr et al., EMBO J. 4 (1985), 1373-1380). However, promoters can also be used, which are only activated at a time determined by external influences (see for example WO 9307279). Promoters of heat-shock proteins, which allow simple induction, can be of particular interest here. Furthermore, seed-specific promoters can be used, such as the USP promoter from *Vicia faba*, which guarantees seed-specific expression in *Vicia faba* and other plants (Fiedler et al., Plant Mol. Biol. 22 (1993), 669-679; Bäumlein et al., Mol. Gen. Genet. 225 (1991), 459-467).

[0159] Furthermore, a termination sequence (polyadenylation signal) can be present, which is used for adding a poly-A tail to the transcript. A function in the stabilisation of the transcripts is ascribed to the poly-A tail. Elements of this type are described in the literature (cf. Gielen et al., EMBO J. 8 (1989), 23-29) and can be exchanged at will.

[0160] In a further embodiment, the present invention relates to vectors, which contain DNA molecules, which code at least one antisense RNA, which effects a reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme.

[0161] In a further special embodiment, the present invention relates to vectors, which contain DNA molecules, which by means of a cosuppression effect lead to a reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme.

[0162] In a further embodiment, the present invention relates to vectors, which contain DNA molecules, which code at least one ribozyme, which splits specific transcripts of at least one endogenous gene, which codes a Class 3 branching enzyme.

[0163] In a further embodiment, the present invention relates to vectors, which contain DNA molecules, which simultaneously code at least one antisense RNA and at least one sense RNA, wherein the said antisense RNA and the said sense RNA form a double-stranded RNA molecule, which effects a reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme (RNAi technology).

[0164] A further subject of the present invention is a host cell, in particular a prokaryotic or eukaryotic cell, which is genetically modified with a nucleic acid molecule according to the invention and/or with a vector according to the invention, as well as cells, which originate from host cells of this type and which contain the genetic modification according to the invention.

[0165] In a preferred embodiment, the invention relates to host cells, in particular prokaryotic or eukaryotic cells, which have been transformed using the recombinant nucleic acid molecule according to the invention or a vector according to the invention, as well as host cells, which originate from host cells of this type and which contain the described recombinant nucleic acid molecules or vectors according to the invention.

[0166] The host cells can be bacteria (e.g. *E. coli*) or fungus cells (e.g. yeast, in particular *S. cerevisiae*, *Agaricus*, in particular *Agaricus bisporus*), as well as vegetable or animal cells. Here, the term "transforms" means that the cells according to the invention are genetically modified with a recombinant nucleic acid molecule according to the invention inasmuch as they contain at least one nucleic acid molecule according to the invention in addition to their natural genome. This can be freely present in the cell, possibly as a self-replicating molecule, or it can be stably integrated in the genome of the host cell. The host cells are preferably microorganisms. Within the framework of the present application, these are understood to mean all bacteria and all protista (e.g. fungi, in particular yeast and algae), as defined, for example, in Schlegel "Allgemeine Mikrobiologie" (Georg Thieme Verlag (1985), 1-2).

[0167] It is especially preferred if the host cells according to the invention are plant cells. In principle, these can be plant cells from any plant species, i.e. both monocotyledonous and dicotyledonous plants. Preferably, these will be plant cells from useful agricultural plants, i.e. from plants, which are cultivated by people for the purposes of food or for technical, in particular industrial purposes. The invention relates preferably to plant cells and plants from starch-storing plants (maize, rice, wheat, rye, oat, barley, cassava, potato, sago, mung bean, pea or sorghum); in particular, plant cells from maize, rice, wheat or potato plants are particularly preferred.

[0168] A further subject of the present invention is a Protein with the enzymatic activity of a Class 3 branching enzyme catalysing a transglycosylation reaction, in which alpha-1,4 links of an alpha-1,4-glucan donor are hydrolysed and the thereby released alpha-1,4-glucan chains are transferred to an alpha-1,4-glucan acceptor chain and transformed into alpha-1,6-links, wherein the protein is chosen from the group consisting of

a) Proteins, which include the amino acid sequence specified under Seq ID No. 4, or

b) Proteins, which have an identity of at least 90% with the amino acid sequence of the proteins identified under a).

[0169] In a further embodiment, the present invention relates to proteins with the enzymatic activity of a Class 3 branching enzyme, wherein the coded protein has an identity of at least 95% with the amino acid sequence specified under SEQ ID NO 4.

[0170] In a further embodiment, the invention also relates to proteins, which are coded by nucleic acid molecules according to the invention.

[0171] In a preferred embodiment, the present invention relates to a protein with the enzymatic activity of said Class 3 branching enzyme, wherein the Class 3 branching enzyme originates from a potato plant.

[0172] Surprisingly, it has been found that plant cells and plants, which have a reduced activity of a Class 3 branching enzyme, synthesise a starch, which is modified in comparison with starch from wild type plant cells or wild type plants.

[0173] In conjunction with the present invention, the term "modified starch" means that the starch has changed physical-chemical characteristics compared with non-modified starch obtainable from corresponding wild type plant cells or wild

type plants that have not been genetically modified.

[0174] In a preferred embodiment of the present invention, the modified starch is native starch.

[0175] In conjunction with the present invention, the term "native starch" means that the starch is isolated from plants according to the invention, harvestable plant parts according to the invention or propagation material of plants according to the invention by methods known to the person skilled in the art.

[0176] Starch is a classical additive for many foodstuffs in which it essentially takes over the function of binding aqueous additives or increasing the viscosity, or brings about an increased formation of gel. Important characteristic features are the flow and sorption behaviour, the source and sticking temperature, the viscosity and thickening performance, the solubility of the starch, the transparency and paste structure, the heat, shearing and acidic stability, the tendency to retrogradation, the ability to form a film, the freezing/thawing stability, the digestibility as well as the ability to form complexes with, for example, inorganic or organic ions.

[0177] In the area of the non-foodstuffs industry, starch can be used, for example, as an auxiliary substance for different manufacturing processes or as an additive in technical products. Particular mention must be made here of the paper and cardboard industry where starch is used as an auxiliary substance. Here, the starch is primarily used for retardation (holding back of solids), the bonding of filler and fine material particles, as a consolidation material and for dehydration. In addition to this, the favourable characteristics of starch with regard to stiffness, hardness, sound, grip, shine, smoothness and resistance to splitting as well as the surfaces are also fully utilised.

[0178] A further major area of use of starches is in the adhesive industry, where the possible applications are divided into four sub-areas. Use as a pure starch adhesive, use with starch adhesives prepared with special chemicals, use of starch as an additive to synthetic resins and polymer dispersions, and the use of starches as a stretching medium for synthetic adhesives.

[0179] Furthermore, starches can be used as additives for building materials (e.g. plasterboard sheets, ready-mixed concrete, plaster and mineral fibres), for the manufacture of media for stabilising soil, as a functional aid in plant protection media or fertilisers, as a functional aid in the pharmaceutical industry (e.g. as a bonding medium, tablet dispersal medium, in lubricating and vulnery powders) and the cosmetic industry (as a carrier of additives), as a strengthening additive for coal and briquettes, as a flocculation medium (e.g. in the preparation of carbon sludge) and as a bonding medium, e.g. in Betonit.

[0180] Genetically modified plant cells according to the invention and genetically modified plants according to the invention synthesise a modified starch in comparison with starch of corresponding wild type plant cells or wild type plants that have not been genetically modified. In its physical-chemical characteristics, e.g. the amylopectin/amylose ratio, the degree of branching, the phosphate content, the average chain length, the viscosity behaviour, the starch grain size, the side chain distribution and/or the starch grain form, the modified starch is changed in comparison with the synthesised starch in wild type plant cells or plants so that it is better suited for use in particular application areas, for example.

[0181] Further disclosed are modified starches obtainable or isolated from plant cells according to the invention or plants according to the invention, from propagation material according to the invention or from harvestable plant parts according to the invention.

[0182] Furthermore the present invention relates to a method for the manufacture of a modified starch including the step of extracting the starch from a genetically modified plant cell according to the invention or from a genetically modified plant according to the invention, from propagation material according to the invention of such a plant and/or from harvestable plant parts according to the invention of such a plant, preferably from starch-storing parts according to the invention of a genetically modified plant. Preferably, such a method also includes the step of harvesting the cultivated plants or plant parts and/or the propagation material of these plants before the extraction of the starch and, further, particularly preferably the step of cultivating plants according to the invention before harvesting.

[0183] Methods for extracting starches from plants or from starch-storing parts of plants are known to the person skilled in the art. Furthermore, methods for extracting starch from different starch-storing plants are described, e.g. in Starch: Chemistry and Technology (Publisher: Whistler, BeMiller and Paschall (1994), 2nd Edition, Academic Press Inc. London Ltd; ISBN 0-12-746270-8; see e.g. Chapter XII, Page 412-468: Maize and Sorghum Starches: Manufacture; by Watson; Chapter XIII, Page 469-479: Tapioca, Arrowroot and Sago Starches: Manufacture; by Corbishley and Miller, Chapter XIV, Page 479-490: Potato starch: Manufacture and Uses; by Mitch; Chapter XV, Page 491 to 506: Wheat starch: Manufacture, Modification and Uses; by Knight and Oson; and Chapter XVI, Page 507 to 528: Rice starch: Manufacture and Uses; by Rohmer and Klem; Maize starch: Eckhoff et al., Cereal Chem. 73 (1996), 54-57, the extraction of maize starch on an industrial scale is generally achieved by so-called "wet milling"). Devices, which are in common use in methods for extracting starch from plant material are separators, decanters, hydrocyclones, spray dryers and fluid bed dryers.

[0184] In conjunction with the present invention, the term "starch-storing parts" is to be understood to mean such parts of a plant in which, in contrast to transitory leaf starch, starch is stored as a deposit for surviving for longer periods. Preferred starch-storing parts are tubers, storage roots, seeds or endosperm; particularly preferred are potato tubers or the endosperm of maize, wheat or rice plants.

[0185] Furthermore, the use of genetically modified plant cells according to the invention or genetically modified plants according to the invention for manufacturing a modified starch are the subject matter of the present invention.

[0186] The person skilled in the art knows that the characteristics of starch can be changed by thermal, chemical, enzymatic or mechanical derivation, for example. Derived starches are particularly suitable for different applications in the foodstuffs and/or non-foodstuffs sector. The starches according to the invention are better suited as a starting substance for the manufacture of derived starches than conventional starches. In the manufacture of derived starch, they are distinguished by better processing capability and lead to new products, as a modified starch is used as a new starting material for the derivation process.

[0187] Also disclosed is the manufacture of a derived starch, wherein modified starch according to the invention is derived retrospectively.

[0188] In conjunction with the present invention, the term "derived starch" is to be understood to mean a modified starch according to the invention, the characteristics of which have been retrospectively changed after isolation from vegetable cells with the help of chemical, enzymatic, thermal or mechanical methods.

[0189] The derived starch can be a starch that has been heat-treated and/or acid-treated.

[0190] The derived starches can be starch ethers, in particular starch alkyl ethers, O-allyl ethers, hydroxylalkyl ethers, O-carboxylmethyl ethers, nitrogen-containing starch ethers, phosphate-containing starch ethers or sulphur-containing starch ethers.

[0191] The derived starches can be cross-linked starches.

[0192] The derived starches can be starch graft polymers.

[0193] The derived starches can be oxidised starches.

[0194] The derived starches can be starch esters, in particular starch esters, which have been introduced into the starch using organic acids. These can be phosphate, nitrate, sulphate, xanthate, acetate or citrate starches.

[0195] The derived starches are suitable for different applications in the foodstuffs and/or non-foodstuffs sector. Methods for manufacturing derived starches according to the invention are known to the person skilled in the art and are adequately described in the general literature. An overview on the manufacture of derived starches can be found, for example, in Orthoefer (in Corn, Chemistry and Technology, 1987, eds. Watson und Ramstad, Chapter 16, 479-499).

Description of sequences

[0196] SEQ ID NO 1: Nucleic acid sequence containing the coding region of the 3'-area of a Class 3 branching enzyme from *Solanum tuberosum* (cv Désirée). This sequence is inserted in plasmid AN 46-196.

[0197] SEQ ID NO 2: Nucleic acid sequence containing the coding region of the 5'-area of a Class 3 branching enzyme from *Solanum tuberosum* (cv Désirée). This sequence is inserted in plasmid AN 47-196.

[0198] SEQ ID NO 3: Nucleic acid sequence containing the full coding region of a Class 3 branching enzyme from *Solanum tuberosum* (cv Désirée). This sequence is inserted in plasmid AN 49 and was deposited with the Deutsche Sammlung von Mikroorganismen und Zellkulturen GmbH, Mascheroder Weg 1b, 38124 Braunschweig, Germany, in accordance with the Budapest Treaty on 15th September 2003 under the number DSM 15926.

[0199] SEQ ID NO 4: Amino acid sequence coding a Class 3 branching enzyme from *Solanum tuberosum* (cv Désirée). This sequence can be derived from the nucleic acid sequence inserted in plasmid AN 49 or from the nucleic acid sequence described under SEQ ID NO 3.

[0200] SEQ ID NO 5: Nucleic acid sequence containing the full coding region of a Class 3 branching enzyme from *Solanum tuberosum* (cv Désirée). This sequence has been obtained by combining the nucleic acid sequences described under SEQ ID NO 1 and SEQ ID NO 2. This nucleic acid sequence constitutes an allelic variant of the nucleic acid sequence described under SEQ ID NO 3 coding a Class 3 branching enzyme.

[0201] SEQ ID NO 6: Amino acid sequence coding a Class 3 branching enzyme from *Solanum tuberosum* (cv Désirée). This sequence can be derived from the nucleic acid sequence described under SEQ ID NO 5 and constitutes an allelic variant of the amino acid sequence described under SEQ ID NO 4 coding a Class 3 branching enzyme

General methods

[0202] The following methods were used in the examples:

Demonstration of the activity of a Class 3 branching enzyme

[0203] The activity of a Class 3 branching enzyme was demonstrated with the help of non-denaturing gel electrophoresis as follows:

To isolate proteins from plants, the test material was ground with a pestle in liquid nitrogen, absorbed into an

extraction buffer (50 mM Na citrate, pH 6.5; 1 mM EDTA, 4 mM DTT) and, after centrifugation (10 min, 14.000 g, 4°C), was used directly for measurement of the protein content according to Bradford. Subsequently, 5 µg to 20 µg total protein extract was mixed with 4X loading buffer (20% glycerol, 125 mM Tris HCl, pH 6.8) and loaded onto a BE activity gel. The BE activity gel was made up as follows: 2.5 ml 30% acrylamide:0.8% bisacrylamide, 0.1 ml running buffer, 7.4 ml H₂O, 10% ammonium persulphate solution and 5 µl N,N,N',N'-tetramethylethylenediamine (TEMED). The running buffer (RB) was made up as follows: RB = 30.2 g Tris base, pH 8.0, 144 g glycine on 1 L H₂O. On completion of the gel run, each of the gels was incubated overnight at 37°C in 25 ml "phosphorylase buffer" (25 ml 1M Na citrate pH 7.0, 0.47 g glucose-1-phosphate, 12.5 mg AMP, 2.5 mg phosphorylase a/b'from "rabbit"). The gels were coloured with Lugol's solution.

Starch analysis

a) Determination of the amylose content and of the amylose/amylopectin ratio

[0204] Starch was isolated from potato plants by standard methods, and the amylose content and the amylose/amylopectin ratio was determined by the method described by Hovenkamp-Hermelink et al. (Potato Research 31, (1988), 241-246).

b) Determination of the phosphate content

[0205] In starch, the positions C2, C3 and C6 of the glucose units can be phosphorylated. To determine the C6-P content of starch, 50 mg of starch are hydrolysed for 4 h at 95°C in 500 µl of 0.7 M HCl. The samples are then centrifuged for 10 minutes at 15500xg and the supernatants are removed. 7 µl of the supernatants are mixed with 193 µl of imidazole buffer (100 mM imidazole, pH 7.4; 5 mM MgCl₂, 1 mM EDTA and 0.4 mM NAD). The measurement was carried out in a photometer at 340 nm. After the base absorption had been established, the enzyme reaction was started by addition of 2 units glucose-6-phosphate dehydrogenase (from *Leuconostoc mesenteroides*, Boehringer Mannheim). The change in absorption is directly proportional to the concentration of the G-6-P content of the starch.

[0206] The total phosphate content was determined by the method of Ames (Methods in Enzymology VIII, (1966), 115-118).

[0207] Approximately 50 mg of starch are treated with 30 µl of ethanolic magnesium nitrate solution and ashed for 3 hours at 500°C in a muffle oven. The residue is treated with 300 µl of 0.5 M hydrochloric acid and incubated for 30 minutes at 60°C. One aliquot is subsequently made up to 300 µl 0.5 M hydrochloric acid and this is added to a mixture of 100 µl of 10% ascorbic acid and 600 µl of 0.42% ammonium molybdate in 2 M sulphuric acid and incubated for 20 minutes at 45°C.

[0208] This is followed by a photometric determination at 820 nm with a phosphate calibration series as standard.

c) Determination of the viscosity characteristics by means of a Rapid Visco Analyser (RVA)

[0209] 2 g of starch (DM) are taken up in 25 ml of H₂O (VE-type water, conductivity of at least 15 mega ohm) and used for the analysis in a Rapid Visco Analyser Super3 (Newport Scientific Pty Ltd., Investmet Support Group, Warriewood NSW 2102, Australia). The apparatus is operated following the manufacturer's instructions. The viscosity values are indicated in Centipoise (cP) in accordance with the manufacturer's operating manual, which is incorporated into the description herewith by reference. To determine the viscosity of the aqueous starch solution, the starch suspension is first stirred for 10 seconds at 960 rpm and subsequently heated at 50°C at a stirring speed of 160 rpm, initially for a minute (step 1). The temperature was then raised from 50°C to 95°C at a heating rate of 12°C per minute (step 2). The temperature is held for 2.5 minutes at 95°C (step 3) and then cooled from 95°C to 50°C at 12°C per minute (step 4). In the last step (step 5), the temperature of 50°C is held for 2 minutes. The viscosity is determined during the entire duration.

[0210] After the programme has ended, the stirrer is removed and the beaker covered. The gelatinized starch is now available for the texture analysis after 24 hours incubation at room temperature.

[0211] The profile of the RVA analysis contains parameters which are shown for the comparison of different measurements and substances. In the context of the present invention, the following terms are to be understood as follows:

1. Maximum viscosity (RVA Max)

The maximum viscosity is understood as meaning the highest viscosity value, measured in cP, obtained in step 2 or 3 of the temperature profile.

2. Minimum viscosity (RVA Min)

The minimum viscosity is understood as meaning the lowest viscosity value, measured in cP, observed in the temperature profile after the maximum viscosity. Normally, this takes place in step 3 of the temperature profile.

3. Final viscosity (RVA Fin)

The final viscosity is understood as meaning the viscosity value, measured in cP, observed at the end of the measurement.

4. Setback (RVA Set)

What is known as the "setback" is calculated by subtracting the value of the final viscosity from that of the minimum occurring after the maximum viscosity in the curve.

5. Gelatinization temperature (RVA PT)

The gelatinization temperature is understood as meaning the point in time of the temperature profile where, for the first time, the viscosity increases drastically for a brief period.

d) Determination of the gel strength (Texture Analyser)

[0212] 2 g of starch (DM) are gelatinized in the RVA apparatus in 25 ml of an aqueous suspension (temperature programme: see item d) "Determination of the viscosity characteristics by means of a Rapid Visco Analyser (RVA)") and subsequently stored for 24 hours at room temperature in a sealed container. The samples are fixed under the probe (round piston with planar surface) of a Texture Analyser TA-XT2 from Stable Micro Systems (Surrey, UK) and the gel strength was determined using the following parameters:

- Test speed 0.5 mm/s
- Depth of penetration 7 mm
- Contact surface 113 mm²
- Pressure 2 g

e) Analysis of the side-chain distribution of the amylopectin by means of ion-exchange chromatography

[0213] To separate amylose and amylopectin, 200 mg of starch are dissolved in 50 ml reaction vessels, using 12 ml of 90% (v/v) DMSO in H₂O. After addition of 3 volumes of ethanol, the precipitate is separated by centrifugation for 10 minutes at about 1800xg at room temperature (RT). The pellet is then washed with 30 ml of ethanol, dried and dissolved in 40 ml of 1% (w/v) NaCl solution at 75°C. After the solution has cooled to 30°C, approximately 90 mg of thymol are added slowly, and this solution is incubated for at least 60 h at 30°C. The solution is then centrifuged for 30 minutes at 2000xg (RT). The supernatant is then treated with 3 volumes of ethanol, and the amylopectin which settles out is separated by centrifugation for 5 minutes at 2000xg (RT). The pellet (amylopectin) is then washed with ethanol and dried using acetone. By addition of DMSO to the pellet, one obtains a 1% solution, of which 200 µl are treated with 345 µl of water, 10 µl of 0.5 M sodium acetate (pH 3.5) and 5 µl of isoamylase (dilution 1:10; Megazyme) and incubated for about 16 hours at 37°C. A 1:5 aqueous dilution of this digest is subsequently filtered through a 0.2 µm filter, and 100 µl of the filtrate are analysed by ion chromatography (HPAEC-PAD, Dionex). Separation was performed using a PA-100 column (with suitable precolumn), while detection was performed amperometrically. The elution conditions were as follows:

Solution A - 0.15M NaOH

Solution B - 1 M sodium acetate in 0.15M NaOH

Table 1: Composition of the elution buffer for the side chain analysis of the amylopectin at different times during the HPAEC-PAD Dionex analysis. Between the times stated, the composition of the elution buffer changes in each case linearly.

t (min)	Solution A (%)	Solution B (%)
5	0	100
35	30	70
45	32	68
60	100	0
70	100	0
72	0	100
80	0	100

(continued)

t (min)	Solution A (%)	Solution B (%)
Stop		

[0214] The determination of the relative amount of short side chains in the total of all side chains is carried out via the determination of the percentage of a particular side chain in the total of all side chains. The total of all side chains is determined via the determination of the total area under the peaks which represent the polymerization degrees of DP 6 to 34 in the HPCL chromatogram.

[0215] The percentage of a particular side chain in the total of all side chains is determined via the determination of the ratio of the area under the peak which represents this side chain in the HPLC chromatogram to the total area. The programme Chromelion 6.20 Version 6.20 from Dionex, USA, was used for determining the peak areas.

f) Determination of the activity of the BEIII protein

[0216] This was carried out as specified in the example.

g) DSC-analysis ("Differential Scanning Calorimetry")

[0217] Investigations with the aid of DSC-analysis have been done by the method described by WO 01/19975. 10 mg starch treated with 30 µl H₂O (VE-type water, conductivity of at least 15 mega ohm) were sealed in stainless steel pans (volume 50 µl). The pan is heated from 20°C to 150°C at a rate of 10°C per minute in a Diamond DSC-instrument (Perkin Elmer). The programme Pyres from Perkin Elmer was used for determining the data.

Examples

Example 1

Cloning of a full-length sequence coding a Class 3 branching enzyme from *Solanum tuberosum*

[0218] The gene sequence coding for this Class 3 branching enzyme in *Solanum tuberosum* has not previously been described.

[0219] By sequence comparisons with different branching enzymes, a domain was identified, with the help of which EST databases were examined. In doing so, the EST TC73137 (TIGR database; http://www.tigr.org/tigr-scripts/tgi/tc_report.pl?tc=TC73137&species=potato) from potato was identified.

[0220] With the help of the primers B1_Asp (GAT GGG TAC CAG CAC TTC TAC TTG GCA GAG G) and B2_Sal (TCA AGT CGA CCA CAA CCA GTC CAT TTC TGG), a sequence from a tuber-specific cDNA bank from *Solanum tuberosum* (cv. Désirée) corresponding to this EST sequence was amplified. Attempts to use leaf-specific, "sink"-tissue-specific or "source"-tissue-specific cDNA banks as a template for the PCR reaction led to no amplification.

[0221] In order to amplify the whole coding sequence of the branching enzyme concerned, which up to now had also included unknown sequences, primers were manufactured, which were complementary to the ends of the previously known sequence and vector sequences of the cDNA banks concerned. With all the primer combinations for the amplification of a full-length sequence of a Class 3 branching enzyme used in this approach, it was not possible to amplify any further area. Hereupon, EST databases of tomato were examined again.

[0222] In this case, two ESTs from tomato were identified (TIGR database; BG127920 and TC130382), which either had a high homology to the amplification of the Class 3 branching enzyme from potato described above (TC130382) and (BG127920) respectively, or to the putative branching enzyme gene from arabidopsis (GenBank: GP|9294564|dbj|BAB02827.1).

[0223] Primers were now manufactured again in order to also amplify previously unknown sequences of the Class 3 branching enzyme. By means of PCR, the 3'-area of the Class 3 branching enzyme was amplified from a cDNA bank, made from tubers of *Solanum tuberosum* (cv. Désirée), with the primers KM2_Spe (5'-TCAAAGTAGTCACAACCAGTC-CATTTCTGG-3') and So_putE (5'-CACTTTAGAAGGTATCAGAGC-3'). The fragment with a size of ca. 1 kb that was obtained was cloned undirectedly in the pCR4-TOPO vector from invitrogen (product number: 45-0030). The plasmid produced was designated as AN 46-196. The sequence of the inserted fragments in the plasmid AN 46-196 is shown under SEQ ID NO 1.

[0224] The 5'-area was likewise amplified by means of PCR technology and using the primers So_put5' (5'-GTATT-TCTGCGAAGGAACGACC-3') and So_putA (5'-ACAATGCTCTCTCTGTCGG-3') from the same cDNA bank. The

fragment with a size of ca. 2 kb that was obtained was cloned undirectedly in the pCR4-TOPO vector from Invitrogen (product number: 45-0030). The plasmid produced was designated as AN 47-196. The sequence of the inserted fragments in the plasmid AN 47-196 is shown under SEQ ID NO 2.

[0225] Primers were now manufactured again in order to amplify a full-length sequence.

[0226] The following primers were used: SO_putA (AACAAATGCTCTCTCTGTCGG) and SO_putE (CACTTTAGAAG-GTATCAGAGC). A PCR product with an approximate size of 3.2 kb was obtained and was cloned in the pCR2.1 vector from invitrogen (product number: 45-0030). The plasmid obtained (filed under DSM 15926) was designated as AN 49. The sequence of the inserted fragments in the plasmid AN 49 is shown under SEQ ID NO 3.

Example 2

Information on vectors and plasmids

Information on vector AN 54-196

[0227] AN 54-196 is a derivative of the plasmid pBinB33-Hyg, to which was added a part sequence of the Class 3 branching enzyme gene as an "inverted repeat, (RNAi technology) under the control of the promoters of the patatin gene B33 from *Solanum tuberosum* (Rocha-Sosa et al., 1989). For this purpose, first of all, a PCR product with the primers B1_Asp (GAT GGG TAC CAG CAC TTC TAC TTG GCA GAG G) and B2_Sal (TCA AGT CGA CCA CAA CCA GTC CAT TTC TGG) from a tuber-specific cDNA bank from *Solanum tuberosum* (cv. Désirée) was amplified, as a result of which the sites Asp718 and SalI were added. The PCR product obtained (625 bp) was cloned in "antisense" orientation to the B33 promoter via these two sites. A second PCR fragment, which was amplified with the primers B3_Sal (GCT TGT CGA CGG GAG AAT TTT GTC CAG AGG) and B4_Sal (GAT CGT CGA CAG CAC TTC TAC TTG GCA GAG G) from a tuber-specific cDNA bank from *Solanum tuberosum* (cv. Désirée) and which is identical to the 301 bp of the first fragment, was cloned via the SalI site behind the first fragment, but in "sense" orientation to the B33 promoter. This arrangement is described as "inverted repeat" (RNAi technology).

Information on vector pBinB33-Hyg

[0228] Starting from the plasmid pBinB33, the *EcoRI-HindIII* fragment including the B33 promoter, a part of the polylinker, and the ocs terminator were cut out and spliced into the correspondingly cut vector pBIB-Hyg (Becker, 1990).

[0229] The plasmid pBinB33 was obtained by splicing the promoter of the patatin gene B33 from *Solanum tuberosum* (Rocha-Sosa et al., 1989) as a *DraI* fragment (nucleotide - 1512 - +14) into the vector pUC19 cut with *SstI*, the ends of which had been smoothed with the help of the T4 DNA polymerase. This resulted in the plasmid pUC19-833. The B33 promoter was cut out from this plasmid with *EcoRI* and *SmaI* and spliced into the correspondingly cut vector pBinAR. This resulted in the vegetable expression vector pBinB33.

[0230] The plasmid pBinAR is a derivative of the vector plasmid pBin19 (Bevan, 1984) and was constructed as follows:

[0231] A fragment of length 529 Bp, which included the nucleotides 6909-7437 of the 35S RNA promoter of the cauliflower mosaic virus (Pietrzak et al., 1986, Nucleic Acids Research 14, 5857-5868), was isolated as an *EcoRI/KpnI* fragment from the plasmid pDH51 (Pietrzak et al., 1986) and spliced between the *EcoRI* and *KpnI* sites of the polylinker from pUC18. This resulted in the plasmid pUC-35S.

[0232] With the help of the restriction endonucleases *HindIII* und *PvuII*, a fragment of length 192 Bp, which included the polyadenylation signal (3'-end) of the octopine synthase gene (gene 3) of the T-DNA of the Ti plasmid pTiACH5 (Gielen et al., 1984) (nucleotides 11749-11939) was isolated from the plasmid pAGV40 (Herrera-Estrella et al., 1983). After the addition of *SspI* linkers to the *PvuII* site, the fragment was spliced between the *SphI* and *HindIII* site from pUC18-35S. This resulted in the plasmid pA7.

[0233] The whole polylinker containing the 35S promoter and the ocs terminator with *EcoRI* and *HindIII* was cut out of pA7 and spliced into the correspondingly cut pBin19. This resulted in the vegetable expression vector pBinAR (Höfgen and Willmitzer, 1990).

Example 3

Genetically modified plants with reduced Class 3 branching enzyme activity

[0234] In order to produce transgenic potato plants, which have a reduced expression of a Class 3 branching enzyme gene, the T-DNA of the plasmid AN 54-196 was transferred into potato plants of the variety Désirée with the help of agrobacteria, as described in Rocha-Sosa et al. (EMBO J. 8, (1989), 23-29). The plants of the variety Désirée obtained by transformation with the plasmid AN 53-196 were designated as 369SO.

[0235] Analysis with the help of non-denaturising gel electrophoresis of protein extracts from tubers of wild type plant cells and/or protein extracts from genetically modified plants (396SO), showed that the genetically modified plant cells have a reduced activity of a Class 3 branching enzyme in comparison with protein extracts from tubers of wild type plant cells.

[0236] Additionally mRNA of tuber material was extracted with standard methods and applied to quantitative RT-PCR analysis. The analysis were performed with a PCR-instrument ABI Prism 7700 from Applied Biosystems using the primer St_BE-f2 (5'-TCA GGT CTA CAA GTT GAC CCG A-3'), St_BE-r2 (5'-GTA GAA CCT TCC CTT TTG TGT GA-3') and St_BE-Fam (5'-Fam-CAT GAT CAC TCT AGC AAT CAA AGT GCC-Tamra-3'). It could be shown that given plants showed reduced transcript in comparison with the corresponding wild type.

Example 4

Potato starch extraction process

[0237] All tubers of one line (0,3 to 0,7 kg) are processed jointly in a commercially available juice extractor (Multipress automatic MP80, Braun). The starch-containing fruit water is collected in a 1-l bucket (ratio bucket height: bucket diameter = approx. 1.1) containing 20 ml of tap water together with a spoon-ful (approx. 0,3-0,4 g) of sodium disulphite. The bucket is subsequently filled completely with tap water. After the starch has been allowed to settle for 2 hours (h), the supernatant is decanted off, the starch is resuspended in 1 l of tap water and poured over a sieve with a mesh size of 125 µm. After 2 h (starch has again settled at the bottom of the bucket), the aqueous supernatant is again decanted off. This wash step is repeated 3 more times so that the starch is resuspended a total of 5 times in fresh tap water. Thereafter, the starches are dried at 37°C to a water content of 12-17% and homogenized using a pestle and mortar. The starches are now available for analyses.

Example 5

Analysis of the starch from plants with reduced BEIII gene expression

[0238] The starch from various independent lines of plants named 369SO were isolated from potato tubers. The physico-chemical properties of this starch were subsequently analysed. The results of the characterization of the modified starches are shown in the following for an example of a selection of certain plant lines. The analyses were carried out by the methods described hereinabove.

a) RVA Analysis

[0239]

Table 2: Parameters of the RVA analysis of starch isolated from wild-type plants (cv. Desiree), plants with a reduced activity of a BEIII protein (369SO) in per cent based on data of starch of the wild type. The RVA analysis was carried out as described in general methods. N.d. = not determined.

	RVA Max (%)	RVA Min (%)	RVA Fin (%)	RVA Set (%)	RVA PT (%)	Gel strength
cv.Desiree	100	100	100	100	100	100
369SO048	91	64	90	N.d.	98	128
369SO050	84	84	89	112	98	127
369SO052	94	85	88	101	98	N.d.
369SO106	91	87	89	99	98	N.d.
369SO129	87	88	93	114	99	138

b) Analysis of the phosphate and Amylose content

[0240]

No.	Genotype	Phosphate in C6 (%)	Total phosphate in (%)	Amylose (%)	Amylose (% WT)
1	cv. Desiree	100,0	100,0	21,3	100,0
2	369SO048	72,8	84,8	20,8	97,7
3	369SO050	79,2	78,0	20,1	94,4
4	369SO052	84,8	83,2	19,6	92,0
5	369SO106	84,8	85,9	20,1	94,4
6	369SO129	80,8	81,2	20,2	94,8

Table 3: Phosphate and amylose contents of starch isolated from wild-type plants (cv. Desiree), plants with a reduced activity of BEIII protein (369SO). The phosphate contents in the C6 position of the glucose monomers and the total phosphate content of the starch are indicated in per cent based on starch from wild-type plants; amylose contents are indicated in per cent amylose based on the total amount of the starch, or in per cent based on the amylose content of starch from wild-type plants.

c) Analysis of side-chain distribution

[0241] The analysis of the side-chain distribution of the amylopectin was carried out as described above. The table which follows is a summary of the contributions of the individual peak areas:

Table 5: The table shows a summary of the contributions of the individual peak areas of the HPAEC chromatogram in per cent based on starch from wild-type plants.

Glucose units	cv. Desiree	369SO 048	369SO 050	369SO 052	369SO 106	369SO 129
dp 6	2,19	2,57	2,83	2,78	2,59	2,59
dp 7	1,69	1,76	1,84	1,85	1,85	1,73
dp 8	1,35	1,34	1,37	1,38	1,44	1,36
dp 9	2,26	2,27	2,31	2,32	2,42	2,31
dp 10	3,74	3,81	3,86	3,94	4,00	3,85
dp 11	5,13	5,23	5,30	5,45	5,37	5,30
dp 12	5,99	6,14	6,18	6,32	6,17	6,17
dp 13	6,40	6,53	6,54	6,63	6,48	6,63
dp 14	6,39	6,45	6,44	6,49	6,37	6,52
dp 15	6,11	6,14	6,12	6,15	6,05	6,09
dp 16	5,74	5,75	5,72	5,75	5,68	5,72
dp 17	5,37	5,35	5,35	5,35	5,30	5,35
dp 18	5,08	5,04	5,06	5,05	5,01	5,06
dp 19	4,89	4,86	4,88	4,84	4,83	4,86
dp 20	4,68	4,59	4,65	4,60	4,60	4,62
dp6	100	117,4	129,2	126,9	118,3	118,3

EP 1 687 417 B9

(continued)

	Glucose units	cv. Desiree	369SO 048	369SO 050	369SO 052	369SO 106	369SO 129
5	dp 7	100	104,1	108,9	109,5	109,5	102,4
	dp 8	100	99,3	101,5	102,2	106,7	100,7
	dp 9	100	100,7	102,4	102,9	107,3	102,4
10	dp 10	100	102,0	103,3	105,5	107,1	103,1
	dp 11	100	102,0	103,4	106,3	104,8	103,4
	dp 12	100	102,5	103,2	105,5	103,0	103,0
	dp 13	100	102,1	102,3	103,7	101,3	103,7
15	dp 14	100	100,9	100,8	101,6	99,7	102,0
	dp 15	100	100,5	100,2	100,7	99,0	99,7
	dp 16	100	100,3	99,7	100,3	99,0	99,7
20	dp 17	100	99,7	99,7	99,7	98,8	99,7
	dp 18	100	99,3	99,7	99,5	98,7	99,7
	dp 19	100	99,5	99,9	99,1	98,9	99,5
	dp 20	100	98,1	99,4	98,3	98,3	98,7
25	dp 21	100	99,5	99,1	98,0	98,4	98,6
	dp 22	100	98,8	99,0	97,6	98,0	98,0
	dp 23	100	98,8	97,7	96,2	98,3	98,8
30	dp 24	100	98,4	96,9	96,0	98,1	96,9
	dp 25	100	96,9	95,9	94,0	96,6	97,2
	dp 26	100	97,1	94,2	93,5	96,4	95,6
	dp 27	100	95,8	93,8	91,7	95,0	95,0
35	dp 28	100	96,1	92,3	91,3	95,2	93,7
	dp 29	100	97,2	92,0	90,3	95,5	94,9
	dp 30	100	94,0	91,4	89,4	93,4	93,4
40	dp 31	100	95,6	90,8	89,2	92,4	94,0
	dp 32	100	94,2	89,3	89,3	92,2	92,2
	dp 33	100	92,2	89,8	91,0	93,4	93,4
45	dp 34	100	91,9	88,9	90,4	93,3	91,9

d) Analysis of the amylopectin side chain distribution by means of gel permeation chromatography

[0242] Analysis of the amylopectin side chain distribution by means of gel permeation chromatography were additionally performed.

[0243] To separate amylose and amylopectin, 100 mg of starch are dissolved in 6 ml of 90% strength (v/v) DMSO with constant stirring. After addition of 3 volumes of ethanol, the precipitate is separated off by centrifugation for 10 minutes at 1800xg at room temperature. The pellet is subsequently washed with 30 ml of ethanol, dried and dissolved in 10 ml of 1% strength (w/v) NaCl solution at 60°C. After cooling the solution to 30°C, approximately 50 mg of thymol are added slowly, and this solution is incubated for 2 to 3 days at 30°C. The solution is subsequently centrifuged for 30 minutes at 2000xg at room temperature. The supernatant is treated with three volumes of ethanol, and the amylopectin which precipitates is separated off by centrifugation for 5 minutes at 2000xg at room temperature. The pellet (amylopectin) is washed with 10 ml of 70% strength (v/v) ethanol, centrifuged for 10 minutes at 2000xg at room temperature and then

dried using acetone.

[0244] 10 mg of amylopectin are subsequently stirred for 10 minutes at 70°C in 250 µl of 90% strength (v/v) DMSO. 375 µl of water at a temperature of 80°C are added to the solution until dissolution is complete.

[0245] 200 µl of this solution are treated with 300 µl of a 16.6 mM sodium acetate solution pH 3.5 and 2 µl of isoamylase (0.24 u/µl, Megazyme, Sydney, Australia) and the mixture is incubated for 15 hours at 37°C.

[0246] A 1:4 dilution of this aqueous isoamylase reaction mixture with DMSO, comprising 90 mM sodium nitrate, is subsequently filtered through a 0.2 µm filter, and 24 µl of the filtrate is analysed chromatographically. Separation was carried out with two columns connected in series, first a Gram PSS3000 (Polymer Standards Service, with suitable precolumn), followed by a Gram PSS100. Detection was by means of refraction index detector (RI 71, Shodex). The column was equilibrated with DMSO comprising 90 mM sodium nitrate. It was eluted with DMSO comprising 90 mM sodium nitrate at a flow rate of 0.7 ml/min over a period of 1 hour.

[0247] To correlate the elution volume with the molecular mass, the column used was calibrated with dextran standards. The dextrans used, their molecular mass and the elution volumes are shown in Table 6. Using the resulting calibration graph, the elution diagram was pictured as a molecular weight distribution.

[0248] The chromatograms obtained were further evaluated using the program Wingpc Version 6 from Polymer Standards Service GmbH, Mainz, Germany.

[0249] The total area under the line of the GPC chromatogram was divided into individual segments, each of which represent groups of side chains of different lengths. The chosen segments contained glucan chains with the following degree of polymerization (DP = number of glucose monomers within one side chain): DP<12, DP12-18, DP19-24, DP25-30, DP31-36, DP37-42, DP43-48, DP49-55, DP56-61 and DP62-123. To determine the molecular weight of the individual side chains, a molecular weight of 162 was assumed for glucose. The total area under the line in the GPC chromatogram was then set as 100%, and the percentage of the areas of the individual segments was calculated based on the percentage of the total area. Results obtained from this analysis are shown in Table 7.

Table 6: Calibration table.

elution volume [ml]	molar mass [D]	sample
18,76	401300	Dextran T670
19,41	276500	Dextran T410
20,49	196300	Dextran T270
21,35	123600	DextranT150
22,45	66700	Dextran T80
23,52	43500	Dextran T50
25,15	21400	Dextran T25
26,92	9890	Dextran T12
28,38	4440	Dextran T5
30,77	1080	Dextran T1

Table 7: Side chain profiles DP<12, DP 12 to 18, DP 19 to 24, DP 25 to 30, DP 31 to 36, DP 37 to 42, DP 43-48, DP 49 to 55, DP 56 to 61 and DP 62 to 123 for amylopectin isolated from wild-type plants (cv. Desiree) and from plants with a reduced activity of a BEIII protein (369SO).

degree of polymerisation	% total area					
	cv.Desiree	369 SO 48	369 SO 50	369 SO 52	369 SO 106	369 SO 129
<dp12	16,49	16,57	17,07	17,73	17,59	17,64
dp12-19	13,89	14,47	14,22	14,82	14,16	14,23
dp20-25	15,74	16,54	16,15	16,74	16,32	16,51
dp26-31	9,41	9,73	9,57	9,80	9,86	9,88
dp32-37	8,53	8,53	8,45	8,56	8,59	8,45

EP 1 687 417 B9

(continued)

degree of polymerisation	% total area					
	cv.Desiree	369 SO 48	369 SO 50	369 SO 52	369 SO 106	369 SO 129
dp38-43	6,82	6,67	6,57	6,63	6,58	6,44
dp44-49	6,05	5,91	5,81	5,83	5,79	5,72
dp50-56	4,88	4,78	4,71	4,66	4,70	4,67
dp57-62	4,26	4,15	4,10	3,98	4,09	4,10
dp63-123	13,92	12,66	13,35	11,25	12,31	12,38

Table 8: Side chain profiles DP<12, DP 12 to 18, DP 19 to 24, DP 25 to 30, DP 31 to 36, DP 37 to 42, DP 43-48, DP 49 to 55, DP 56 to 61 and DP 62 to 123 for amylopectin isolated from wild-type nts (cv. Desiree) and from plants with a reduced activity of a BEIII protein (369SO). The percentages indicate the modification of the individual side chain profiles based on amylopectin isolated from wild-type plants.

degree of polymerisation	% WT					
	cv.Desiree	369 SO 48	369 SO 50	369 SO 52	369 SO 106	369 SO 129
<dp12	100,00	100,47	103,53	107,53	106,69	106,96
dp12-19	100,00	104,13	102,37	106,68	101,90	102,40
dp20-25	100,00	105,11	102,62	106,32	103,69	104,87
dp26-31	100,00	103,34	101,67	104,09	104,81	104,92
dp32-37	100,00	100,01	99,05	100,38	100,73	99,04
dp38-43	100,00	97,74	96,40	97,23	96,54	94,48
dp44-49	100,00	97,68	96,00	96,27	95,76	94,48
dp50-56	100,00	97,90	96,45	95,57	96,26	95,78
dp57-62	100,00	97,36	96,07	93,44	95,91	96,13
dp63-123	100,00	90,95	95,89	80,82	88,41	88,89

e) DSC-analysis ("Differential Scanning Calorimetry")

[0250] Investigations with the aid of DSC-analysis ("Differential Scanning Calorimetry") have been done by the method described by WO 01/19975. Results obtained from this analysis are shown in Table 9.

Table 9: Parameters of the DSC analysis of starch isolated from wild-type plants (cv. Desiree), plants with a reduced activity of a BEIII protein (369SO) indicated in °C respectively J/g and in per cent based on data of starch of the wild type. The DSC analysis was carried out as described in general methods. T0 [°C] = peak onset, T Peak [°C] = Peak temperature, dH [J/g] = heat of_melting.

	T0 (°C)	T0 (%)	T Peak (°C)	T Peak (%)	dH (J/g)	dH (J/g)
cv.Desiree	64,84	100	68,09	100	20,31	100
369SO048	64,32	99,2	67,16	98,6	20,33	100,1
369SO050	63,35	97,7	66,75	98,0	20,63	101,6
369SO052	63,27	97,6	66,46	97,6	21,23	104,5
369SO106	63,77	98,3	66,96	98,3	21,42	105,5
369SO129	63,75	98,3	67,41	99,0	20,57	101,3

SEQUENCE LISTING

[0251]

5 <110> Bayer CropScience GmbH

 <120> Plants with reduced activity of a Class 3 branching enzyme

 <130> BCS 03-5004-PCT

10 <150> EP 03090325.62003

 <151> 2003-09-30

 <160> 6

15 <170> PatentIn version 3.1

 <210> 1

 <211> 1004

20 <212> DNA

 <213> Solanum tuberosum

 <400> 1

25 tcaaactagt cacaaccagt ccatttctgg aggtcgttcc ttcgcagaaa tactgattgg 60

 taactccttg gggaaatcct ccatacacca agagtcatta cttagaggct gtcggttaca 120

 caagatgatc agattaatta catctacaat tgggtggatc gcataacctca acttcattgg 180

30 caatgaattt ggtcacccaa agagagtaga gtttccaatg tcaagcaaca atttctcctt 240

 ttcactggct aaccgtcgct gggatctatt ggaagatggt gtacattatc aattgttctc 300

 atttgataag ggtatgatgg acttggataa aaatgggaga attttgtcca gaggtcttgc 360

35 caacattcac catgtcaatg atactaccat ggtgatttct tacttgagag gtcccaatct 420

 ctttgtgttc aactttcatc ctgtcaattc atatgaaaga tacattatag gtgtggaaga 480

 agctggagag tatcaagtca cattaaatac agatgaaaac aagtatgggt gtagaggact 540

40 acttggccat gatcagaata ttcaaagaac cattagtaga agagctgatg gaatgagatt 600

 ttgcttggaa gtgcctctgc caagtagaag tgctcagggt tacaagttga cccgaattct 660

 aagagcatga tcactctagt aatcaaagtg cctcatatga tgacacaaaa ggaaagggtc 720

45 tacattgccc ttactctgat caatattgac acctttccga ggtgagtttc tgtgattctt 780

 gagcagactg ttggctagtc aattatcatg aacttttgcc ttcagcatcc ggatagtcgc 840

50

 ttctcctgtg caatgagggc atggacgaat ttttttttgg cttgtcatgg gggtcataag 900

 catccgccag attaagattt cacaggcctc gagtaaaacc atcacttact ttaaggatac 960

55 acaaacacac caacgggggtg caggctctga taccttctaa agtg 1004

<210> 2
 <211> 2096
 <212> DNA
 <213> Solanum tuberosum

5

<400> 2

10

15

20

25

30

35

40

45

50

55

aacaatgctc	tctctgtcgg	attcaattcg	aatttcttca	ccattgagcg	attctcgtct	60
tagtttttcta	tctcaaaccg	gaagcagaac	cagtcgccag	cttaaatttg	ttcgcagccg	120
ccgggctcga	gtttcgaggt	gtagatgctc	agcaacggag	caaccgccac	cgcaacgacg	180
gaagcaacga	ccggagaagt	acaaacagtc	ggaggaaggg	aaaggaatcg	atcctgtttg	240
atttctcagc	aaatacggca	ttactcataa	agcgtttgct	caatttcttc	gtgaaagata	300
taaatcattg	aaggacttga	aggatgaaat	attgactcgt	catttcagtc	tcaaggagat	360
gtctactggg	tatgaattaa	tgggtatgca	tcgcaacata	caacatcgag	tggatttctt	420
ggaatgggct	ccagggtgctc	gctactgtgc	tctgattggg	gacttcaatg	gggtggtaac	480
aactggtaac	tgtgccagag	agggtcattt	tggatcatgac	gattatgggt	attggtttat	540
tattcttgaa	gataaattac	gtgaaggaga	agaacctgat	aaattgtatt	ttcaacagta	600
caattatgcg	gaggactatg	gtaaagggtga	cacgggtatt	accgtcgagg	aaatctttaa	660
aaaagcaaat	gatgagtatt	gggaacctgg	agaagatcgc	ttcattaaat	cacgttatga	720
gggtggcagca	aagttatatg	aggaaatggt	cggaccaa	at	ggacctcaaa	780
actagaagca	atgcctgatg	cagctacacg	atacaaaact	tggaaagagc	aacaaaaaga	840
ggatccggca	agcaatttgc	catcgtatga	tgtggtagat	agtggaaaag	aatatgatat	900
ttacaatatt	ataggtgatc	ctgaatcggt	taagaaattt	cgtatgaaac	agcctcctat	960
tgttacttgg	ttagaaacta	aaaaggggaag	gaaaggctgg	ttacagaaat	atatgcctgc	1020
tttacctcat	ggaagcaaat	acagggtgta	ttttaacaca	ccaaatgggc	ctcttgaacg	1080
agttcctgcg	tgggccaatt	ttgtcattcc	agatgcaggc	gggatggcat	tagcagtcca	1140
ttgggaacca	cctcctgaat	atgcttataa	atggaaacac	aagctaccag	tcaagcctaa	1200
gtccttgcgc	atatatgaat	gtcatgtttg	catctctggc	caggaaccaa	aagtttcatc	1260
tttcaatgat	tttatttagca	aggtccttcc	gcatgtaaaa	gaagctggat	acaatgcaat	1320
acaaattatt	ggagttgttg	agcacaagga	ttatttcact	gttggatata	gagtgaccaa	1380
tttttatgct	gttagtagcc	gttatggcac	accggatgac	ttcaagcgct	tggttgatga	1440
agcacatggg	cttggactgc	ttgtcttttt	ggagattgtg	cactcttatg	cagcagcaga	1500

	tgaaatggtt	gggttatctc	tttttgatgg	agcaaagat	tgctatttcc	acactggtaa	1560
	acgtggacac	cacaaattct	ggggcacacg	gatgttcaaa	tatggagatc	ttgatgttct	1620
5	gcactttctt	ctttcaaatc	tgaactgggtg	gggtggaggag	tatcatgtcg	atggcttcca	1680
	ttttcattcg	ctctcgtcca	tgttgtatac	gcataatgga	tttgcttcat	ttactgggtga	1740
	catggatgaa	tactgtaacc	aatatgttga	caaggaggcc	ttattgtacc	tcatattagc	1800
10	aaatgaagta	ttacatgctc	ttcatcctaa	tgtgatcacg	attgctgagg	atgcaactct	1860
	gtatcctgga	ctctgcgatc	caacatctca	aggtggactg	ggctttgatt	attttgccaa	1920
	tctttctgcc	tcagagatgt	ggcttgcatt	acttgaaaat	actcctgatc	atgaatggtg	1980
15	catgagtaag	attgttagca	cattagtggg	cgatagacaa	aatactgata	aaatgctttt	2040
	gtatgcagaa	aatcacaacc	agtccatttc	tggaggctcgt	tccttcgcag	aaatac	2096

20 <210> 3
 <211> 3204
 <212> DNA
 <213> Solanum tuberosum

```

25      <220>
      <221> CDS
      <222> (99)..(2804)
      <223>

```

<400> 3

	gaattgtaat	acgactcact	atagggcgaa	ttggggccctc	tagatgcatg	ctcgagcggc	60
	cgccagtgtg	atggatatct	gcagaattcg	gcttaaca	atg ctc tct ctg tcg gat	116	
					Met Leu Ser Leu Ser Asp		
35					1 5		
	tca att cga att tct tca cca ttg agc gat tct cgt ctt agt ttt cta	164					
	Ser Ile Arg Ile Ser Ser Pro Leu Ser Asp Ser Arg Leu Ser Phe Leu						
		10 15 20					
	tct caa acc gga agc aga acc agt cgc cag ctt aaa ttt gtt cgc agc	212					
40	Ser Gln Thr Gly Ser Arg Thr Ser Arg Gln Leu Lys Phe Val Arg Ser						
		25 30 35					
	cgc cgg gct cga gtt tcg agg tgt aga tgc tca gca acg gag caa ccg	260					
	Arg Arg Ala Arg Val Ser Arg Cys Arg Cys Ser Ala Thr Glu Gln Pro						
		40 45 50					
45	cca ccg caa cga cgg aag caa cga ccg gag aag tac aaa cag tcg gag	308					
	Pro Pro Gln Arg Arg Lys Gln Arg Pro Glu Lys Tyr Lys Gln Ser Glu						
		55 60 65 70					
	gaa gag aaa gga atc gat cct gtt gga ttt ctc agc aaa tac ggc att	356					
50	Glu Glu Lys Gly Ile Asp Pro Val Gly Phe Leu Ser Lys Tyr Gly Ile						
		75 80 85					

	act	cat	aaa	gcg	ttt	gct	caa	ttt	ctt	cgt	gaa	aga	tat	aaa	tca	ttg	404
	Thr	His	Lys	Ala	Phe	Ala	Gln	Phe	Leu	Arg	Glu	Arg	Tyr	Lys	Ser	Leu	
				90					95					100			
5	aag	gac	ttg	aag	gat	gaa	ata	ttg	act	cgt	cat	ttc	agt	ctc	aag	gag	452
	Lys	Asp	Leu	Lys	Asp	Glu	Ile	Leu	Thr	Arg	His	Phe	Ser	Leu	Lys	Glu	
			105					110					115				
10	atg	tct	act	ggg	tat	gaa	tta	atg	ggg	atg	cat	cgc	aac	ata	caa	cat	500
	Met	Ser	Thr	Gly	Tyr	Glu	Leu	Met	Gly	Met	His	Arg	Asn	Ile	Gln	His	
			120				125					130					
15	cga	gtg	gat	ttc	ttg	gaa	tgg	gct	cca	ggg	gct	cgc	tac	tgt	gct	ctg	548
	Arg	Val	Asp	Phe	Leu	Glu	Trp	Ala	Pro	Gly	Ala	Arg	Tyr	Cys	Ala	Leu	
	135					140					145					150	
20	att	ggg	gac	ttc	aat	ggg	tgg	tca	aca	act	ggg	aac	tgt	gcc	aga	gag	596
	Ile	Gly	Asp	Phe	Asn	Gly	Trp	Ser	Thr	Thr	Gly	Asn	Cys	Ala	Arg	Glu	
					155					160					165		
25	ggg	cat	ttt	ggg	cat	gac	gat	tat	ggg	tat	tgg	ttt	att	att	ctt	gaa	644
	Gly	His	Phe	Gly	His	Asp	Asp	Tyr	Gly	Tyr	Trp	Phe	Ile	Ile	Leu	Glu	
				170					175					180			
30	gat	aaa	tta	cgt	gaa	gga	gaa	gaa	cct	gat	aaa	ttg	tat	ttt	caa	cag	692
	Asp	Lys	Leu	Arg	Glu	Gly	Glu	Glu	Pro	Asp	Lys	Leu	Tyr	Phe	Gln	Gln	
			185					190					195				
35	tac	aat	tat	gcg	gag	gac	tat	gat	aaa	ggg	gac	acg	ggg	att	acc	gtc	740
	Tyr	Asn	Tyr	Ala	Glu	Asp	Tyr	Asp	Lys	Gly	Asp	Thr	Gly	Ile	Thr	Val	
		200					205					210					
40	gag	gaa	atc	ttt	aaa	aaa	gca	aat	gat	gag	tat	tgg	gaa	cct	gga	gaa	788
	Glu	Glu	Ile	Phe	Lys	Lys	Ala	Asn	Asp	Glu	Tyr	Trp	Glu	Pro	Gly	Glu	
	215					220					225					230	
45	gat	cgc	ttc	att	aaa	tca	cgt	tat	gag	gtg	gca	gca	aag	tta	tat	gag	836
	Asp	Arg	Phe	Ile	Lys	Ser	Arg	Tyr	Glu	Val	Ala	Ala	Lys	Leu	Tyr	Glu	
					235					240					245		
50	gaa	atg	ttc	gga	cca	aat	gga	cct	caa	aca	gaa	gag	gaa	cta	gaa	gca	884
	Glu	Met	Phe	Gly	Pro	Asn	Gly	Pro	Gln	Thr	Glu	Glu	Glu	Leu	Glu	Ala	
				250					255					260			
55	atg	cct	gat	gca	gct	aca	cga	tac	aaa	act	tgg	aaa	gag	caa	caa	aaa	932
	Met	Pro	Asp	Ala	Ala	Thr	Arg	Tyr	Lys	Thr	Trp	Lys	Glu	Gln	Gln	Lys	
			265					270					275				
60	aag	gat	ccg	gca	agc	aat	ttg	cca	tcg	tat	gat	gtg	gta	gat	agt	gga	980
	Lys	Asp	Pro	Ala	Ser	Asn	Leu	Pro	Ser	Tyr	Asp	Val	Val	Asp	Ser	Gly	
		280					285					290					
65	aaa	gaa	tat	gat	att	tac	aat	att	ata	ggg	gat	cct	gaa	tcg	ttt	aag	1028
	Lys	Glu	Tyr	Asp	Ile	Tyr	Asn	Ile	Ile	Gly	Asp	Pro	Glu	Ser	Phe	Lys	
	295					300					305					310	
70	aaa	ttt	cgt	atg	aaa	cag	cct	cct	att	gct	tac	tgg	tta	gaa	act	aaa	1076
	Lys	Phe	Arg	Met	Lys	Gln	Pro	Pro	Ile	Ala	Tyr	Trp	Leu	Glu	Thr	Lys	
					315					320					325		
75	aag	gga	agg	aaa	ggc	tgg	tta	cag	aaa	tat	atg	cct	gct	tta	cct	cat	1124
	Lys	Gly	Arg	Lys	Gly	Trp	Leu	Gln	Lys	Tyr	Met	Pro	Ala	Leu	Pro	His	
				330					335					340			
80	gga	agc	aaa	cac	agg	gtg	tat	ttt	aac	aca	cca	aat	ggg	cct	ctt	gaa	1172
	Gly	Ser	Lys	His	Arg	Val	Tyr	Phe	Asn	Thr	Pro	Asn	Gly	Pro	Leu	Glu	
			345					350					355				

	cga	gtt	cct	gcg	tgg	gcc	aat	ttt	gtc	att	cca	gat	gca	gac	ggg	atg	1220
	Arg	Val	Pro	Ala	Trp	Ala	Asn	Phe	Val	Ile	Pro	Asp	Ala	Asp	Gly	Met	
		360					365					370					
5	gca	tta	gca	gtc	cat	tgg	gaa	cca	cct	cct	gaa	tat	gct	tat	aaa	tgg	1268
	Ala	Leu	Ala	Val	His	Trp	Glu	Pro	Pro	Pro	Glu	Tyr	Ala	Tyr	Lys	Trp	
	375					380					385					390	
	aaa	cac	aag	cta	cca	gtc	aag	cct	aag	tcc	ttg	cgc	ata	tat	gaa	tgt	1316
	Lys	His	Lys	Leu	Pro	Val	Lys	Pro	Lys	Ser	Leu	Arg	Ile	Tyr	Glu	Cys	
10					395					400					405		
	cat	gtt	ggc	atc	tct	ggc	cag	gaa	cca	aaa	gtt	tca	tct	ttc	aat	gat	1364
	His	Val	Gly	Ile	Ser	Gly	Gln	Glu	Pro	Lys	Val	Ser	Ser	Phe	Asn	Asp	
				410					415					420			
15	ttt	att	agc	aag	gtc	ctt	ccg	cat	gta	aaa	gaa	gct	gga	tac	aat	gca	1412
	Phe	Ile	Ser	Lys	Val	Leu	Pro	His	Val	Lys	Glu	Ala	Gly	Tyr	Asn	Ala	
			425					430					435				
	acg	caa	att	att	gga	gtt	gtt	gag	cac	aag	gat	tat	ttc	act	gtt	gga	1460
	Thr	Gln	Ile	Ile	Gly	Val	Val	Glu	His	Lys	Asp	Tyr	Phe	Thr	Val	Gly	
20		440					445					450					
	tat	aga	gtg	acc	aat	ttt	tat	gct	gtt	agt	agc	cg	tat	ggc	aca	ccg	1508
	Tyr	Arg	Val	Thr	Asn	Phe	Tyr	Ala	Val	Ser	Ser	Arg	Tyr	Gly	Thr	Pro	
	455					460					465					470	
	gat	gac	ttc	aag	cg	ttg	gtt	gat	gaa	gca	cat	ggg	ctt	gga	ctg	ctt	1556
	Asp	Asp	Phe	Lys	Arg	Leu	Val	Asp	Glu	Ala	His	Gly	Leu	Gly	Leu	Leu	
25					475					480					485		
	gtc	ttt	ttg	gag	att	gtg	cac	tcc	tat	gca	gca	gca	gat	gaa	atg	gtt	1604
	Val	Phe	Leu	Glu	Ile	Val	His	Ser	Tyr	Ala	Ala	Ala	Asp	Glu	Met	Val	
				490					495					500			
30	ggg	tta	tct	ctt	ttt	gat	gga	gca	aat	gat	tgc	tat	ttc	cac	act	ggt	1652
	Gly	Leu	Ser	Leu	Phe	Asp	Gly	Ala	Asn	Asp	Cys	Tyr	Phe	His	Thr	Gly	
			505					510					515				
	aaa	cg	gga	cac	cac	aaa	ttc	tgg	ggc	aca	cg	atg	ttc	aaa	tat	gga	1700
	Lys	Arg	Gly	His	His	Lys	Phe	Trp	Gly	Thr	Arg	Met	Phe	Lys	Tyr	Gly	
35		520					525					530					
	gat	cct	gat	gtt	ctg	cac	ttt	ctt	ctt	tca	aat	ctg	aac	tgg	tgg	gtg	1748
	Asp	Pro	Asp	Val	Leu	His	Phe	Leu	Leu	Ser	Asn	Leu	Asn	Trp	Trp	Val	
	535					540					545					550	
40	gag	gag	tat	cat	gtc	gat	ggc	ttc	cat	ttt	cat	tcg	ctc	tcg	tcc	atg	1796
	Glu	Glu	Tyr	His	Val	Asp	Gly	Phe	His	Phe	His	Ser	Leu	Ser	Ser	Met	
					555					560					565		
	ttg	tat	acg	cat	aat	gga	ttt	gct	tca	ttt	act	ggt	gac	atg	gat	gaa	1844
	Leu	Tyr	Thr	His	Asn	Gly	Phe	Ala	Ser	Phe	Thr	Gly	Asp	Met	Asp	Glu	
45					570				575					580			
	tac	tgt	aac	caa	tat	gtt	gac	aag	gag	gcc	tta	ttg	tac	ctc	ata	tta	1892
	Tyr	Cys	Asn	Gln	Tyr	Val	Asp	Lys	Glu	Ala	Leu	Leu	Tyr	Leu	Ile	Leu	
			585					590					595				
50	gca	aat	gaa	gta	tta	cat	gct	ctt	cat	cct	aat	gtg	atc	acg	att	gct	1940
	Ala	Asn	Glu	Val	Leu	His	Ala	Leu	His	Pro	Asn	Val	Ile	Thr	Ile	Ala	
		600					605					610					
	gtg	gat	gca	act	ctg	tat	cct	gga	ctc	tgc	gat	cca	aca	tct	caa	ggt	1988
	Val	Asp	Ala	Thr	Leu	Tyr	Pro	Gly	Leu	Cys	Asp	Pro	Thr	Ser	Gln	Gly	
55		615				620				625						630	

		gga	ctg	ggc	ttt	gat	tat	ttt	gcc	aat	ctt	tct	gcc	tca	gag	atg	tgg	2036
		Gly	Leu	Gly	Phe	Asp 635	Tyr	Phe	Ala	Asn	Leu 640	Ser	Ala	Ser	Glu	Met 645	Trp	
5		ctt	gca	tta	ctt	gaa	aat	act	cct	gat	cat	gaa	tgg	tgc	atg	agt	aag	2084
		Leu	Ala	Leu	Leu 650	Glu	Asn	Thr	Pro	Asp 655	His	Glu	Trp	Cys	Met 660	Ser	Lys	
		att	gtt	agc	aca	tta	gtg	ggc	gat	aga	caa	aat	act	gat	aaa	atg	ctt	2132
10		Ile	Val	Ser 665	Thr	Leu	Val	Gly	Asp 670	Arg	Gln	Asn	Thr	Asp 675	Lys	Met	Leu	
		ttg	tat	gca	gaa	aat	cac	aac	cag	tcc	att	tct	gga	ggt	cgt	tcc	ttc	2180
		Leu	Tyr 680	Ala	Glu	Asn	His	Asn 685	Gln	Ser	Ile	Ser	Gly 690	Gly	Arg	Ser	Phe	
15		gca	gaa	ata	ctg	att	ggt	aac	tcc	ttg	ggg	aaa	tct	tcc	ata	tca	caa	2228
		Ala 695	Glu	Ile	Leu	Ile	Gly 700	Asn	Ser	Leu	Gly	Lys 705	Ser	Ser	Ile	Ser	Gln 710	
		gag	tca	tta	ctt	aga	ggc	tgc	tcg	tta	cac	aag	atg	atc	aga	tta	att	2276
20		Glu	Ser	Leu	Leu	Arg 715	Gly	Cys	Ser	Leu	His 720	Lys	Met	Ile	Arg	Leu 725	Ile	
		aca	tct	aca	att	ggt	ggt	cat	gca	tac	ctc	aac	ttc	atg	ggc	aat	gaa	2324
		Thr	Ser	Thr	Ile 730	Gly	Gly	His	Ala	Tyr 735	Leu	Asn	Phe	Met	Gly 740	Asn	Glu	
25		ttt	ggt	cac	cca	aag	aga	gta	gag	ttt	cca	atg	tca	agc	aac	aat	ttc	2372
		Phe	Gly	His 745	Pro	Lys	Arg	Val	Glu 750	Phe	Pro	Met	Ser	Ser 755	Asn	Asn	Phe	
		tcc	ttt	tca	ctg	gct	aac	cgt	cgc	tgg	gat	cta	ttg	gaa	gat	gtt	gta	2420
30		Ser	Phe 760	Ser	Leu	Ala	Asn	Arg 765	Arg	Trp	Asp	Leu	Leu 770	Glu	Asp	Val	Val	
		cat	tat	caa	tta	ttc	tca	ttt	gat	aag	gat	atg	atg	gac	ttg	gat	aaa	2468
		His 775	Tyr	Gln	Leu	Phe	Ser 780	Phe	Asp	Lys	Asp	Met 785	Met	Asp	Leu	Asp	Lys 790	
35		aat	ggg	aga	att	ttg	tcc	aga	ggt	ctt	gcc	aac	att	cac	cat	gtc	aat	2516
		Asn	Gly	Arg	Ile	Leu 795	Ser	Arg	Gly	Leu	Ala 800	Asn	Ile	His	His	Val 805	Asn	
		gat	act	acc	atg	gtg	att	tct	tac	ttg	aga	ggt	ccc	aat	ctc	ttt	gtg	2564
40		Asp	Thr	Thr	Met 810	Val	Ile	Ser	Tyr	Leu 815	Arg	Gly	Pro	Asn	Leu 820	Phe	Val	
		ttc	aac	ttt	cat	cct	gtc	aat	tca	tat	gaa	aga	tac	att	ata	ggt	gtg	2612
		Phe	Asn	Phe 825	His	Pro	Val	Asn	Ser 830	Tyr	Glu	Arg	Tyr	Ile 835	Ile	Gly	Val	
45		gaa	gaa	gct	gga	gag	tat	caa	gtc	aca	tta	aat	aca	gat	gaa	aac	aag	2660
		Glu	Glu 840	Ala	Gly	Glu	Tyr	Gln 845	Val	Thr	Leu	Asn	Thr 850	Asp	Glu	Asn	Lys	
		tat	ggt	ggt	aga	gga	cta	ctt	ggc	cat	gat	cag	aat	act	caa	aga	acc	2708
		Tyr 855	Gly	Gly	Arg	Gly	Leu 860	Leu	Gly	His	Asp	Gln 865	Asn	Thr	Gln	Arg	Thr 870	
50		att	agt	aga	aga	gct	gat	gga	atg	aga	ttt	tgc	ttg	gaa	gta	cct	ctg	2756
		Ile	Ser	Arg	Arg	Ala 875	Asp	Gly	Met	Arg	Phe 880	Cys	Leu	Glu	Val	Pro 885	Leu	
55		cca	agt	aga	agt	gct	cag	gtc	tac	aag	ttg	acc	cga	att	cta	aga	gca	2804
		Pro	Ser	Arg	Ser 890	Ala	Gln	Val	Tyr	Lys 895	Leu	Thr	Arg	Ile	Leu 900	Arg	Ala	

5	tgatcactct	agcaatcaaa	gtgcctcata	tgatcacaca	aaaggggaagg	ttctacattg	2864
	cccttatact	gaccaatatt	gtggcctttc	cgagggtgagt	ttctgtgatt	cttgagcaca	2924
	ggctgttggc	tagtcagtta	tcatgaactt	ttgccttcag	catctggata	agcgcttctc	2984
	ctgtgcaatg	agggcatgga	cgaaattttt	ttggttcgtc	atgggagtca	aaagcatctg	3044
10	ccagattaag	atttcacagg	cctcgagtaa	aaccatcact	tacttaggat	acacaaacac	3104
	atcaacgggg	tgcaggctct	gataccttct	aaagtgaagc	cgaattccag	cacactggcg	3164
	gccgttacta	gtggatccga	gctcggtacc	aagcttggcg			3204

15

<210> 4
<211> 902
<212> PRT
<213> Solanum tuberosum

20 <400> 4

25	Met 1	Leu	Ser	Leu 5	Asp	Ser	Ile	Arg 10	Ser	Ser	Pro	Leu	Ser 15	Asp		
	Ser	Arg	Leu	Ser 20	Phe	Leu	Ser	Gln 25	Thr	Gly	Ser	Arg	Thr 30	Arg	Gln	
30	Leu	Lys	Phe 35	Val	Arg	Ser	Arg	Arg 40	Ala	Arg	Val	Ser	Arg 45	Cys	Arg	Cys
	Ser	Ala 50	Thr	Glu	Gln	Pro	Pro 55	Pro	Gln	Arg	Arg	Lys 60	Gln	Arg	Pro	Glu
35	Lys 65	Tyr	Lys	Gln	Ser	Glu 70	Glu	Glu	Lys	Gly	Ile 75	Asp	Pro	Val	Gly	Phe 80
40	Leu	Ser	Lys	Tyr	Gly 85	Ile	Thr	His	Lys	Ala 90	Phe	Ala	Gln	Phe	Leu 95	Arg
	Glu	Arg	Tyr	Lys 100	Ser	Leu	Lys	Asp	Leu 105	Lys	Asp	Glu	Ile	Leu 110	Thr	Arg
45	His	Phe	Ser 115	Leu	Lys	Glu	Met	Ser 120	Thr	Gly	Tyr	Glu	Leu 125	Met	Gly	Met
	His	Arg 130	Asn	Ile	Gln	His	Arg 135	Val	Asp	Phe	Leu	Glu 140	Trp	Ala	Pro	Gly
50	Ala 145	Arg	Tyr	Cys	Ala	Leu 150	Ile	Gly	Asp	Phe	Asn 155	Gly	Trp	Ser	Thr	Thr 160

Gly Asn Cys Ala Arg Glu Gly His Phe Gly His Asp Asp Tyr Gly Tyr
 165 170 175
 5 Trp Phe Ile Ile Leu Glu Asp Lys Leu Arg Glu Gly Glu Glu Pro Asp
 180 185 190
 10 Lys Leu Tyr Phe Gln Gln Tyr Asn Tyr Ala Glu Asp Tyr Asp Lys Gly
 195 200 205
 Asp Thr Gly Ile Thr Val Glu Glu Ile Phe Lys Lys Ala Asn Asp Glu
 210 215 220
 15 Tyr Trp Glu Pro Gly Glu Asp Arg Phe Ile Lys Ser Arg Tyr Glu Val
 225 230 235 240
 20 Ala Ala Lys Leu Tyr Glu Glu Met Phe Gly Pro Asn Gly Pro Gln Thr
 245 250 255
 Glu Glu Glu Leu Glu Ala Met Pro Asp Ala Ala Thr Arg Tyr Lys Thr
 260 265 270
 25 Trp Lys Glu Gln Gln Lys Lys Asp Pro Ala Ser Asn Leu Pro Ser Tyr
 275 280 285
 30 Asp Val Val Asp Ser Gly Lys Glu Tyr Asp Ile Tyr Asn Ile Ile Gly
 290 295 300
 Asp Pro Glu Ser Phe Lys Lys Phe Arg Met Lys Gln Pro Pro Ile Ala
 305 310 315 320
 35 Tyr Trp Leu Glu Thr Lys Lys Gly Arg Lys Gly Trp Leu Gln Lys Tyr
 325 330 335
 Met Pro Ala Leu Pro His Gly Ser Lys His Arg Val Tyr Phe Asn Thr
 340 345 350
 40 Pro Asn Gly Pro Leu Glu Arg Val Pro Ala Trp Ala Asn Phe Val Ile
 355 360 365
 45 Pro Asp Ala Asp Gly Met Ala Leu Ala Val His Trp Glu Pro Pro Pro
 370 375 380
 Glu Tyr Ala Tyr Lys Trp Lys His Lys Leu Pro Val Lys Pro Lys Ser
 385 390 395 400
 50 Leu Arg Ile Tyr Glu Cys His Val Gly Ile Ser Gly Gln Glu Pro Lys
 405 410 415
 55 Val Ser Ser Phe Asn Asp Phe Ile Ser Lys Val Leu Pro His Val Lys
 420 425 430

Glu Ala Gly Tyr Asn Ala Thr Gln Ile Ile Gly Val Val Glu His Lys
 435 440 445
 5 Asp Tyr Phe Thr Val Gly Tyr Arg Val Thr Asn Phe Tyr Ala Val Ser
 450 455 460
 10 Ser Arg Tyr Gly Thr Pro Asp Asp Phe Lys Arg Leu Val Asp Glu Ala
 465 470 475 480
 His Gly Leu Gly Leu Leu Val Phe Leu Glu Ile Val His Ser Tyr Ala
 485 490 495
 15 Ala Ala Asp Glu Met Val Gly Leu Ser Leu Phe Asp Gly Ala Asn Asp
 500 505 510
 Cys Tyr Phe His Thr Gly Lys Arg Gly His His Lys Phe Trp Gly Thr
 515 520 525
 20 Arg Met Phe Lys Tyr Gly Asp Pro Asp Val Leu His Phe Leu Leu Ser
 530 535 540
 25 Asn Leu Asn Trp Trp Val Glu Glu Tyr His Val Asp Gly Phe His Phe
 545 550 555 560
 His Ser Leu Ser Ser Met Leu Tyr Thr His Asn Gly Phe Ala Ser Phe
 565 570 575
 30 Thr Gly Asp Met Asp Glu Tyr Cys Asn Gln Tyr Val Asp Lys Glu Ala
 580 585 590
 35 Leu Leu Tyr Leu Ile Leu Ala Asn Glu Val Leu His Ala Leu His Pro
 595 600 605
 Asn Val Ile Thr Ile Ala Val Asp Ala Thr Leu Tyr Pro Gly Leu Cys
 610 615 620
 40 Asp Pro Thr Ser Gln Gly Gly Leu Gly Phe Asp Tyr Phe Ala Asn Leu
 625 630 635 640
 45 Ser Ala Ser Glu Met Trp Leu Ala Leu Leu Glu Asn Thr Pro Asp His
 645 650 655
 Glu Trp Cys Met Ser Lys Ile Val Ser Thr Leu Val Gly Asp Arg Gln
 660 665 670
 50 Asn Thr Asp Lys Met Leu Leu Tyr Ala Glu Asn His Asn Gln Ser Ile
 675 680 685
 55 Ser Gly Gly Arg Ser Phe Ala Glu Ile Leu Ile Gly Asn Ser Leu Gly
 690 695 700

Lys Ser Ser Ile Ser Gln Glu Ser Leu Leu Arg Gly Cys Ser Leu His
705 710 715 720

Lys Met Ile Arg Leu Ile Thr Ser Thr Ile Gly Gly His Ala Tyr Leu
725 730 735

Asn Phe Met Gly Asn Glu Phe Gly His Pro Lys Arg Val Glu Phe Pro
740 745 750

Met Ser Ser Asn Asn Phe Ser Phe Ser Leu Ala Asn Arg Arg Trp Asp
755 760 765

Leu Leu Glu Asp Val Val His Tyr Gln Leu Phe Ser Phe Asp Lys Asp
770 775 780

Met Met Asp Leu Asp Lys Asn Gly Arg Ile Leu Ser Arg Gly Leu Ala
785 790 795 800

Asn Ile His His Val Asn Asp Thr Thr Met Val Ile Ser Tyr Leu Arg
805 810 815

Gly Pro Asn Leu Phe Val Phe Asn Phe His Pro Val Asn Ser Tyr Glu
820 825 830

Arg Tyr Ile Ile Gly Val Glu Glu Ala Gly Glu Tyr Gln Val Thr Leu
835 840 845

Asn Thr Asp Glu Asn Lys Tyr Gly Gly Arg Gly Leu Leu Gly His Asp
850 855 860

Gln Asn Thr Gln Arg Thr Ile Ser Arg Arg Ala Asp Gly Met Arg Phe
865 870 875 880

Cys Leu Glu Val Pro Leu Pro Ser Arg Ser Ala Gln Val Tyr Lys Leu
885 890 895

Thr Arg Ile Leu Arg Ala
900

<210> 5
<211> 3047
<212> DNA
<213> Solanum tuberosum

<220>
<221> CDS
<222> (5)..(2710)
<223>

<400> 5

	aaca Met 1	atg Leu	ctc Ser	tct Ser	ctg Leu 5	tcg Ser 5	gat Asp	tca Ser	att Ile	cga Arg 10	att Ile 10	tct Ser	tca Ser	cca Pro	ttg Leu 15	agc Ser 15	49
5	gat Asp	tct Ser	cgt Arg	ctt Leu	agt Ser 20	ttt Phe	cta Leu	tct Ser	caa Gln	acc Thr 25	gga Gly	agc Ser	aga Arg	acc Thr	agt Ser 30	cgc Arg	97
10	cag Gln	ctt Leu	aaa Lys	ttt Phe 35	gtt Val	cgc Arg	agc Ser	cgc Arg	cgg Arg 40	gct Ala	cga Arg	gtt Val	tcg Ser	agg Arg 45	tgt Cys	aga Arg	145
	tgc Cys	tca Ser	gca Ala 50	acg Thr	gag Glu	caa Gln	ccg Pro	cca Pro 55	ccg Pro	caa Gln	cga Arg	cgg Arg	aag Lys 60	caa Gln	cga Arg	ccg Pro	193
15	gag Glu 65	aag Lys	tac Tyr	aaa Lys	cag Gln	tcg Ser 70	gag Glu 70	gaa Glu	ggg Gly	aaa Lys	gga Gly	atc Ile 75	gat Asp	cct Pro	gtt Val	gga Gly	241
20	ttt Phe 80	ctc Leu	agc Ser	aaa Lys	tac Tyr	ggc Gly 85	att Ile	act Thr	cat His	aaa Lys	gcg Ala 90	ttt Phe	gct Ala	caa Gln	ttt Phe	ctt Leu 95	289
	cgt Arg	gaa Glu	aga Arg	tat Tyr	aaa Lys 100	tca Ser	ttg Leu	aag Lys	gac Asp	ttg Leu 105	aag Lys	gat Asp	gaa Glu	ata Ile	ttg Leu 110	act Thr	337
25	cgt Arg	cat His	ttc Phe	agt Ser 115	ctc Leu	aag Lys	gag Glu	atg Met	tct Ser 120	act Thr	ggg Gly	tat Tyr	gaa Glu	tta Leu 125	atg Met	ggt Gly	385
30	atg Met	cat His	cgc Arg 130	aac Asn	ata Ile	caa Gln	cat His	cga Arg 135	gtg Val	gat Asp	ttc Phe	ttg Leu	gaa Glu 140	tgg Trp	gct Ala	cca Pro	433
	ggt Gly 145	gct Ala	cgc Arg	tac Tyr	tgt Cys	gct Ala	ctg Leu 150	att Ile	ggt Gly	gac Asp	ttc Phe	aat Asn 155	ggg Gly	tgg Trp	tca Ser	aca Thr	481
35	act Thr 160	ggt Gly	aac Asn	tgt Cys	gcc Ala	aga Arg 165	gag Glu	ggt Gly	cat His	ttt Phe	ggt Gly 170	cat His	gac Asp	gat Asp	tat Tyr	ggg Gly 175	529
40	tat Tyr	tgg Trp	ttt Phe	att Ile 180	att Ile	ctt Leu	gaa Glu	gat Asp	aaa Lys	tta Leu 185	cgt Arg	gaa Glu	gga Gly	gaa Glu	gaa Glu 190	cct Pro	577
	gat Asp	aaa Lys	ttg Leu	tat Tyr 195	ttt Phe	caa Gln	cag Gln	tac Tyr	aat Asn 200	tat Tyr	gcg Ala	gag Glu	gac Asp	tat Tyr 205	ggt Gly	aaa Lys	625
45	ggt Gly	gac Asp	acg Thr 210	ggt Gly	att Ile	acc Thr	gtc Val	gag Glu 215	gaa Glu	atc Ile	ttt Phe	aaa Lys	aaa Lys 220	gca Ala	aat Asn	gat Asp	673
	gag Glu	tat Tyr 225	tgg Trp	gaa Glu	cct Pro	gga Gly	gaa Glu 230	gat Asp	cgc Arg	ttc Phe	att Ile	aaa Lys 235	tca Ser	cgt Arg	tat Tyr	gag Glu	721
50	gtg Val 240	gca Ala	gca Ala	aag Lys	tta Leu	tat Tyr 245	gag Glu	gaa Glu	atg Met	ttc Phe	gga Gly 250	cca Pro	aat Asn	gga Gly	cct Pro	caa Gln 255	769

	aca	gaa	gag	gaa	cta	gaa	gca	atg	cct	gat	gca	gct	aca	cga	tac	aaa	817
	Thr	Glu	Glu	Glu	Leu	Glu	Ala	Met	Pro	Asp	Ala	Ala	Thr	Arg	Tyr	Lys	
					260					265					270		
5	act	tgg	aaa	gag	caa	caa	aaa	gag	gat	ccg	gca	agc	aat	ttg	cca	tcg	865
	Thr	Trp	Lys	Glu	Gln	Gln	Lys	Glu	Asp	Pro	Ala	Ser	Asn	Leu	Pro	Ser	
				275					280					285			
	tat	gat	gtg	gta	gat	agt	gga	aaa	gaa	tat	gat	att	tac	aat	att	ata	913
10	Tyr	Asp	Val	Val	Asp	Ser	Gly	Lys	Glu	Tyr	Asp	Ile	Tyr	Asn	Ile	Ile	
			290					295					300				
	ggt	gat	cct	gaa	tcg	ttt	aag	aaa	ttt	cgt	atg	aaa	cag	cct	cct	att	961
	Gly	Asp	Pro	Glu	Ser	Phe	Lys	Lys	Phe	Arg	Met	Lys	Gln	Pro	Pro	Ile	
		305					310					315					
15	gct	tac	tgg	tta	gaa	act	aaa	aag	gga	agg	aaa	ggc	tgg	tta	cag	aaa	1009
	Ala	Tyr	Trp	Leu	Glu	Thr	Lys	Lys	Gly	Arg	Lys	Gly	Trp	Leu	Gln	Lys	
	320					325					330					335	
	tat	atg	cct	gct	tta	cct	cat	gga	agc	aaa	tac	agg	gtg	tat	ttt	aac	1057
20	Tyr	Met	Pro	Ala	Leu	Pro	His	Gly	Ser	Lys	Tyr	Arg	Val	Tyr	Phe	Asn	
					340					345					350		
	aca	cca	aat	ggg	cct	ctt	gaa	cga	ggt	cct	gcg	tgg	gcc	aat	ttt	gtc	1105
	Thr	Pro	Asn	Gly	Pro	Leu	Glu	Arg	Val	Pro	Ala	Trp	Ala	Asn	Phe	Val	
				355					360					365			
25	att	cca	gat	gca	ggc	ggg	atg	gca	tta	gca	gtc	cat	tgg	gaa	cca	cct	1153
	Ile	Pro	Asp	Ala	Gly	Gly	Met	Ala	Leu	Ala	Val	His	Trp	Glu	Pro	Pro	
			370					375					380				
	cct	gaa	tat	gct	tat	aaa	tgg	aaa	cac	aag	cta	cca	gtc	aag	cct	aag	1201
30	Pro	Glu	Tyr	Ala	Tyr	Lys	Trp	Lys	His	Lys	Leu	Pro	Val	Lys	Pro	Lys	
		385					390					395					
	tcc	ttg	cgc	ata	tat	gaa	tgt	cat	ggt	ggc	atc	tct	ggc	cag	gaa	cca	1249
	Ser	Leu	Arg	Ile	Tyr	Glu	Cys	His	Val	Gly	Ile	Ser	Gly	Gln	Glu	Pro	
	400					405					410					415	
	aaa	ggt	tca	tct	ttc	aat	gat	ttt	att	agc	aag	gtc	ctt	ccg	cat	gta	1297
35	Lys	Val	Ser	Ser	Phe	Asn	Asp	Phe	Ile	Ser	Lys	Val	Leu	Pro	His	Val	
					420					425					430		
	aaa	gaa	gct	gga	tac	aat	gca	ata	caa	att	att	gga	gtt	gtt	gag	cac	1345
	Lys	Glu	Ala	Gly	Tyr	Asn	Ala	Ile	Gln	Ile	Ile	Gly	Val	Val	Glu	His	
				435					440					445			
40	aag	gat	tat	ttc	act	gtt	gga	tat	aga	gtg	acc	aat	ttt	tat	gct	gtt	1393
	Lys	Asp	Tyr	Phe	Thr	Val	Gly	Tyr	Arg	Val	Thr	Asn	Phe	Tyr	Ala	Val	
			450					455					460				
	agt	agc	cgt	tat	ggc	aca	ccg	gat	gac	ttc	aag	cgc	ttg	gtt	gat	gaa	1441
45	Ser	Ser	Arg	Tyr	Gly	Thr	Pro	Asp	Asp	Phe	Lys	Arg	Leu	Val	Asp	Glu	
		465					470					475					
	gca	cat	ggg	ctt	gga	ctg	ctt	gtc	ttt	ttg	gag	att	gtg	cac	tct	tat	1489
	Ala	His	Gly	Leu	Gly	Leu	Leu	Val	Phe	Leu	Glu	Ile	Val	His	Ser	Tyr	
	480					485					490					495	
50	gca	gca	gca	gat	gaa	atg	gtt	ggg	tta	tct	ctt	ttt	gat	gga	gca	aat	1537
	Ala	Ala	Ala	Asp	Glu	Met	Val	Gly	Leu	Ser	Leu	Phe	Asp	Gly	Ala	Asn	
					500					505					510		
	gat	tgc	tat	ttc	cac	act	ggt	aaa	cgt	gga	cac	cac	aaa	ttc	tgg	ggc	1585
55	Asp	Cys	Tyr	Phe	His	Thr	Gly	Lys	Arg	Gly	His	His	Lys	Phe	Trp	Gly	
				515					520					525			

	aca	cgg	atg	ttc	aaa	tat	gga	gat	ctt	gat	ggt	ctg	cac	ttt	ctt	ctt	1633
	Thr	Arg	Met	Phe	Lys	Tyr	Gly	Asp	Leu	Asp	Val	Leu	His	Phe	Leu	Leu	
			530					535					540				
5	tca	aat	ctg	aac	tgg	tgg	gtg	gag	gag	tat	cat	gtc	gat	ggc	ttc	cat	1681
	Ser	Asn	Leu	Asn	Trp	Trp	Val	Glu	Glu	Tyr	His	Val	Asp	Gly	Phe	His	
		545					550					555					
10	ttt	cat	tcg	ctc	tcg	tcc	atg	ttg	tat	acg	cat	aat	gga	ttt	gct	tca	1729
	Phe	His	Ser	Leu	Ser	Ser	Met	Leu	Tyr	Thr	His	Asn	Gly	Phe	Ala	Ser	
	560					565					570					575	
15	ttt	act	ggt	gac	atg	gat	gaa	tac	tgt	aac	caa	tat	ggt	gac	aag	gag	1777
	Phe	Thr	Gly	Asp	Met	Asp	Glu	Tyr	Cys	Asn	Gln	Tyr	Val	Asp	Lys	Glu	
					580					585					590		
20	gcc	tta	ttg	tac	ctc	ata	tta	gca	aat	gaa	gta	tta	cat	gct	ctt	cat	1825
	Ala	Leu	Leu	Tyr	Leu	Ile	Leu	Ala	Asn	Glu	Val	Leu	His	Ala	Leu	His	
				595					600					605			
25	cct	aat	gtg	atc	acg	att	gct	gag	gat	gca	act	ctg	tat	cct	gga	ctc	1873
	Pro	Asn	Val	Ile	Thr	Ile	Ala	Glu	Asp	Ala	Thr	Leu	Tyr	Pro	Gly	Leu	
			610					615					620				
30	tgc	gat	cca	aca	tct	caa	ggt	gga	ctg	ggc	ttt	gat	tat	ttt	gcc	aat	1921
	Cys	Asp	Pro	Thr	Ser	Gln	Gly	Gly	Leu	Gly	Phe	Asp	Tyr	Phe	Ala	Asn	
		625					630					635					
35	ctt	tct	gcc	tca	gag	atg	tgg	ctt	gca	tta	ctt	gaa	aat	act	cct	gat	1969
	Leu	Ser	Ala	Ser	Glu	Met	Trp	Leu	Ala	Leu	Leu	Glu	Asn	Thr	Pro	Asp	
	640					645					650					655	
40	cat	gaa	tgg	tgc	atg	agt	aag	att	ggt	agc	aca	tta	gtg	ggc	gat	aga	2017
	His	Glu	Trp	Cys	Met	Ser	Lys	Ile	Val	Ser	Thr	Leu	Val	Gly	Asp	Arg	
					660					665					670		
45	caa	aat	act	gat	aaa	atg	ctt	ttg	tat	gca	gaa	aat	cac	aac	cag	tcc	2065
	Gln	Asn	Thr	Asp	Lys	Met	Leu	Leu	Tyr	Ala	Glu	Asn	His	Asn	Gln	Ser	
				675					680					685			
50	att	tct	gga	ggt	cgt	tcc	ttc	gca	gaa	ata	ctg	att	ggt	aac	tcc	ttg	2113
	Ile	Ser	Gly	Gly	Arg	Ser	Phe	Ala	Glu	Ile	Leu	Ile	Gly	Asn	Ser	Leu	
			690					695					700				
55	ggg	aaa	tcc	tcc	ata	tca	caa	gag	tca	tta	ctt	aga	ggc	tgc	tcg	tta	2161
	Gly	Lys	Ser	Ser	Ile	Ser	Gln	Glu	Ser	Leu	Leu	Arg	Gly	Cys	Ser	Leu	
		705					710					715					
60	cac	aag	atg	atc	aga	tta	att	aca	tct	aca	att	ggt	ggt	cat	gca	tac	2209
	His	Lys	Met	Ile	Arg	Leu	Ile	Thr	Ser	Thr	Ile	Gly	Gly	His	Ala	Tyr	
	720					725					730					735	
65	ctc	aac	ttc	atg	ggc	aat	gaa	ttt	ggt	cac	cca	aag	aga	gta	gag	ttt	2257
	Leu	Asn	Phe	Met	Gly	Asn	Glu	Phe	Gly	His	Pro	Lys	Arg	Val	Glu	Phe	
					740					745					750		
70	cca	atg	tca	agc	aac	aat	ttc	tcc	ttt	tca	ctg	gct	aac	cgt	cgc	tgg	2305
	Pro	Met	Ser	Ser	Asn	Asn	Phe	Ser	Phe	Ser	Leu	Ala	Asn	Arg	Arg	Trp	
					755				760					765			
75	gat	cta	ttg	gaa	gat	ggt	gta	cat	tat	caa	ttg	ttc	tca	ttt	gat	aag	2353
	Asp	Leu	Leu	Glu	Asp	Val	Val	His	Tyr	Gln	Leu	Phe	Ser	Phe	Asp	Lys	
			770					775					780				
80	ggt	atg	atg	gac	ttg	gat	aaa	aat	ggg	aga	att	ttg	tcc	aga	ggt	ctt	2401
	Gly	Met	Met	Asp	Leu	Asp	Lys	Asn	Gly	Arg	Ile	Leu	Ser	Arg	Gly	Leu	
		785					790					795					

	gcc aac att cac cat gtc aat gat act acc atg gtg att tct tac ttg	2449
	Ala Asn Ile His His Val Asn Asp Thr Thr Met Val Ile Ser Tyr Leu	
	800 805 810 815	
5	aga ggt ccc aat ctc ttt gtg ttc aac ttt cat cct gtc aat tca tat	2497
	Arg Gly Pro Asn Leu Phe Val Phe Asn Phe His Pro Val Asn Ser Tyr	
	820 825 830	
10	gaa aga tac att ata ggt gtg gaa gaa gct gga gag tat caa gtc aca	2545
	Glu Arg Tyr Ile Ile Gly Val Glu Glu Ala Gly Glu Tyr Gln Val Thr	
	835 840 845	
	tta aat aca gat gaa aac aag tat ggt ggt aga gga cta ctt ggc cat	2593
	Leu Asn Thr Asp Glu Asn Lys Tyr Gly Gly Arg Gly Leu Leu Gly His	
	850 855 860	
15	gat cag aat att caa aga acc att agt aga aga gct gat gga atg aga	2641
	Asp Gln Asn Ile Gln Arg Thr Ile Ser Arg Arg Ala Asp Gly Met Arg	
	865 870 875	
20	ttt tgc ttg gaa gtg cct ctg cca agt aga agt gct cag gtc tac aag	2689
	Phe Cys Leu Glu Val Pro Leu Pro Ser Arg Ser Ala Gln Val Tyr Lys	
	880 885 890 895	
	ttg acc cga att cta aga gca tgatcactct agtaatcaaa gtgcctcata	2740
	Leu Thr Arg Ile Leu Arg Ala	
	900	
25	tgatgacaca aaaggaaagg ttctacattg cccttacact gatcaatatt gacacctttc	2800
	cgagggtgagt ttctgtgatt cttgagcaga ctgttggtgcta gtcaattatc atgaactttt	2860
	gccttcagca tccggatagt cgcttctcct gtgcaatgag ggcattggacg aatttttttt	2920
30	tggcttgtca tgggggtcat aagcatccgc cagattaaga ttccacaggc ctcgagtaaa	2980
	accatcactt actttaagga tacacaaaca caccaacggg gtgcaggctc tgataccttc	3040
	taaagtg	3047
35	<210> 6	
	<211> 902	
	<212> PRT	
	<213> Solanum tuberosum	
40	<400> 6	
45	Met Leu Ser Leu Ser Asp Ser Ile Arg Ile Ser Ser Pro Leu Ser Asp	
	1 5 10 15	
	Ser Arg Leu Ser Phe Leu Ser Gln Thr Gly Ser Arg Thr Ser Arg Gln	
	20 25 30	
50	Leu Lys Phe Val Arg Ser Arg Arg Ala Arg Val Ser Arg Cys Arg Cys	
	35 40 45	
55	Ser Ala Thr Glu Gln Pro Pro Pro Gln Arg Arg Lys Gln Arg Pro Glu	
	50 55 60	

5

Lys Tyr Lys Gln Ser Glu Glu Gly Lys Gly Ile Asp Pro Val Gly Phe
65 70 75 80

10

Leu Ser Lys Tyr Gly Ile Thr His Lys Ala Phe Ala Gln Phe Leu Arg
85 90 95

15

Glu Arg Tyr Lys Ser Leu Lys Asp Leu Lys Asp Glu Ile Leu Thr Arg
100 105 110

His Phe Ser Leu Lys Glu Met Ser Thr Gly Tyr Glu Leu Met Gly Met
115 120 125

20

His Arg Asn Ile Gln His Arg Val Asp Phe Leu Glu Trp Ala Pro Gly
130 135 140

Ala Arg Tyr Cys Ala Leu Ile Gly Asp Phe Asn Gly Trp Ser Thr Thr
145 150 155 160

Gly Asn Cys Ala Arg Glu Gly His Phe Gly His Asp Asp Tyr Gly Tyr
165 170 175

25

Trp Phe Ile Ile Leu Glu Asp Lys Leu Arg Glu Gly Glu Glu Pro Asp
180 185 190

Lys Leu Tyr Phe Gln Gln Tyr Asn Tyr Ala Glu Asp Tyr Gly Lys Gly
195 200 205

30

Asp Thr Gly Ile Thr Val Glu Glu Ile Phe Lys Lys Ala Asn Asp Glu
210 215 220

35

Tyr Trp Glu Pro Gly Glu Asp Arg Phe Ile Lys Ser Arg Tyr Glu Val
225 230 235 240

Ala Ala Lys Leu Tyr Glu Glu Met Phe Gly Pro Asn Gly Pro Gln Thr
245 250 255

40

Glu Glu Glu Leu Glu Ala Met Pro Asp Ala Ala Thr Arg Tyr Lys Thr
260 265 270

45

Trp Lys Glu Gln Gln Lys Glu Asp Pro Ala Ser Asn Leu Pro Ser Tyr
275 280 285

Asp Val Val Asp Ser Gly Lys Glu Tyr Asp Ile Tyr Asn Ile Ile Gly
290 295 300

50

Asp Pro Glu Ser Phe Lys Lys Phe Arg Met Lys Gln Pro Pro Ile Ala
305 310 315 320

55

Tyr Trp Leu Glu Thr Lys Lys Gly Arg Lys Gly Trp Leu Gln Lys Tyr
325 330 335

Met Pro Ala Leu Pro His Gly Ser Lys Tyr Arg Val Tyr Phe Asn Thr
 340 345 350
 5 Pro Asn Gly Pro Leu Glu Arg Val Pro Ala Trp Ala Asn Phe Val Ile
 355 360 365
 10 Pro Asp Ala Gly Gly Met Ala Leu Ala Val His Trp Glu Pro Pro Pro
 370 375 380
 Glu Tyr Ala Tyr Lys Trp Lys His Lys Leu Pro Val Lys Pro Lys Ser
 385 390 395 400
 15 Leu Arg Ile Tyr Glu Cys His Val Gly Ile Ser Gly Gln Glu Pro Lys
 405 410 415
 Val Ser Ser Phe Asn Asp Phe Ile Ser Lys Val Leu Pro His Val Lys
 420 425 430
 20 Glu Ala Gly Tyr Asn Ala Ile Gln Ile Ile Gly Val Val Glu His Lys
 435 440 445
 Asp Tyr Phe Thr Val Gly Tyr Arg Val Thr Asn Phe Tyr Ala Val Ser
 450 455 460
 25 Ser Arg Tyr Gly Thr Pro Asp Asp Phe Lys Arg Leu Val Asp Glu Ala
 465 470 475 480
 30 His Gly Leu Gly Leu Leu Val Phe Leu Glu Ile Val His Ser Tyr Ala
 485 490 495
 Ala Ala Asp Glu Met Val Gly Leu Ser Leu Phe Asp Gly Ala Asn Asp
 500 505 510
 35 Cys Tyr Phe His Thr Gly Lys Arg Gly His His Lys Phe Trp Gly Thr
 515 520 525
 Arg Met Phe Lys Tyr Gly Asp Leu Asp Val Leu His Phe Leu Leu Ser
 530 535 540
 40 Asn Leu Asn Trp Trp Val Glu Glu Tyr His Val Asp Gly Phe His Phe
 545 550 555 560
 45 His Ser Leu Ser Ser Met Leu Tyr Thr His Asn Gly Phe Ala Ser Phe
 565 570 575
 Thr Gly Asp Met Asp Glu Tyr Cys Asn Gln Tyr Val Asp Lys Glu Ala
 580 585 590
 50 Leu Leu Tyr Leu Ile Leu Ala Asn Glu Val Leu His Ala Leu His Pro
 595 600 605
 55

5

Asn Val Ile Thr Ile Ala Glu Asp Ala Thr Leu Tyr Pro Gly Leu Cys
610 615 620

10

Asp Pro Thr Ser Gln Gly Gly Leu Gly Phe Asp Tyr Phe Ala Asn Leu
625 630 635 640

15

Ser Ala Ser Glu Met Trp Leu Ala Leu Leu Glu Asn Thr Pro Asp His
645 650 655

20

Glu Trp Cys Met Ser Lys Ile Val Ser Thr Leu Val Gly Asp Arg Gln
660 665 670

Asn Thr Asp Lys Met Leu Leu Tyr Ala Glu Asn His Asn Gln Ser Ile
675 680 685

Ser Gly Gly Arg Ser Phe Ala Glu Ile Leu Ile Gly Asn Ser Leu Gly
690 695 700

Lys Ser Ser Ile Ser Gln Glu Ser Leu Leu Arg Gly Cys Ser Leu His
705 710 715 720

25

Lys Met Ile Arg Leu Ile Thr Ser Thr Ile Gly Gly His Ala Tyr Leu
725 730 735

30

Asn Phe Met Gly Asn Glu Phe Gly His Pro Lys Arg Val Glu Phe Pro
740 745 750

Met Ser Ser Asn Asn Phe Ser Phe Ser Leu Ala Asn Arg Arg Trp Asp
755 760 765

35

Leu Leu Glu Asp Val Val His Tyr Gln Leu Phe Ser Phe Asp Lys Gly
770 775 780

Met Met Asp Leu Asp Lys Asn Gly Arg Ile Leu Ser Arg Gly Leu Ala
785 790 795 800

40

Asn Ile His His Val Asn Asp Thr Thr Met Val Ile Ser Tyr Leu Arg
805 810 815

45

Gly Pro Asn Leu Phe Val Phe Asn Phe His Pro Val Asn Ser Tyr Glu
820 825 830

Arg Tyr Ile Ile Gly Val Glu Glu Ala Gly Glu Tyr Gln Val Thr Leu
835 840 845

50

Asn Thr Asp Glu Asn Lys Tyr Gly Gly Arg Gly Leu Leu Gly His Asp
850 855 860

Gln Asn Ile Gln Arg Thr Ile Ser Arg Arg Ala Asp Gly Met Arg Phe
865 870 875 880

55

Cys Leu Glu Val Pro Leu Pro Ser Arg Ser Ala Gln Val Tyr Lys Leu
885 890 895

Thr Arg Ile Leu Arg Ala
900

Claims

1. Genetically modified plant cell, **characterised in that** it has a reduced activity of at least one Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4, in comparison with wild type plant cells that have not been genetically modified, that have been raised under the same cultivation conditions, and that have the same cultivation age, wherein the genetic modification consists in the introduction of at least one foreign recombinant nucleic acid molecule into the genome of the plant cell by transformation, wherein the said foreign recombinant nucleic acid molecule leads to a reduction of the activity of the class 3 branching enzyme, wherein the said foreign recombinant nucleic acid molecule is chosen from the group consisting of

- a) Nucleic acid molecules, which code a protein with the amino acid sequence given under Seq ID NO 4;
- b) Nucleic acid molecules, which code a protein, the amino acid sequence of which has an identity of at least 90% over the whole length of the coding region with the amino acid sequence given under Seq ID NO 4;
- c) Nucleic acid molecules, which include the nucleotide sequence shown under Seq ID NO 3 or a complimentary sequence;
- d) Nucleic acid molecules, the nucleic acid sequence of which has an identity of at least 90% over the whole length of the coding region with the nucleic acid sequences described under a) or c);
- e) Nucleic acid molecules, the nucleotide sequence of which deviates from the sequence of the nucleic acid molecules identified under a), b), c), or d) due to the degeneration of the genetic code; and
- f) Nucleic acid molecules, which represent fragments of the nucleic acid molecules identified under a) or c) having a minimum length of 21 base pairs and an identity of between 95% and 100% over the whole length of the coding region with the nucleic acid molecules identified under a) or c) and leading to a reduction of the activity of the class 3 branching enzyme,

and

wherein a reduced activity means a reduction in the expression of endogenous genes, which codes the Class 3 branching enzyme and/or a reduction in the quantity of the Class 3 branching enzyme protein in the cells and/or a reduction in the enzymatic activity of the Class 3 branching enzyme in the cells.

2. Genetically modified plant cell according to Claim 1, wherein the said foreign recombinant nucleic acid molecule is chosen from the group consisting of

- a) DNA molecules, which code at least one antisense RNA, which effects a reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4;
- b) DNA molecules, which by means of a co-suppression effect lead to the reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4;
- c) DNA molecules, which code at least one ribozyme, which splits specific transcripts of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4;
- d) DNA molecules, which simultaneously code at least one antisense RNA and at least one sense RNA, wherein

the said antisense RNA and the said sense RNA form a double-stranded RNA molecule, which effects a reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4 (RNAi technology);

e) Nucleic acid molecules introduced by means of in vivo mutagenesis, which lead to a mutation or an insertion of a heterologous sequence in at least one endogenous gene coding a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4, wherein the mutation or insertion effects a reduction in the expression of a gene coding a Class 3 branching enzyme or results in the synthesis of inactive Class 3 branching enzymes.

3. Genetically modified plant cell according to one of Claims 1 or 2, which synthesises a modified starch in comparison with corresponding wild type plant cells that have not been genetically modified.

4. Genetically modified plant containing genetically modified plant cells according to one of Claims 1 to 3.

5. Genetically modified plant according to Claim 4, which is a starch-storing plant.

6. Genetically modified plant according to Claim 5, which is a maize, rice, wheat, rye, oat, barley, cassava, potato, sago, mung bean, pea or sorghum plant.

7. Genetically modified plant according to Claim 5, which is a potato plant.

8. Propagation material of plants according to one of Claims 4 to 7, containing genetically modified plant cells according to one of Claims 1 to 3.

9. Harvestable plant parts of genetically modified plants according to one of Claims 4 to 7, containing genetically modified plant cells according to one of Claims 1 to 3.

10. Method for the manufacture of a genetically modified plant according to one of Claims 4 to 7, wherein

a) a plant cell is genetically modified by introduction of at least one foreign recombinant nucleic acid molecule into the genome of the plant cell by transformation, wherein the said foreign recombinant nucleic acid molecule is chosen from the group consisting of

- i) Nucleic acid molecules, which code a protein with the amino acid sequence given under Seq ID NO 4;
- ii) Nucleic acid molecules, which code a protein, the amino acid sequence of which has an identity of at least 90% over the whole length of the coding region with the amino acid sequence given under Seq ID NO 4;
- iii) Nucleic acid molecules, which include the nucleotide sequence shown under Seq ID NO 3 or a complementary sequence;
- iv) Nucleic acid molecules, the nucleic acid sequence of which has an identity of at least 90% over the whole length of the coding region with the nucleic acid sequences described under i) or iii);
- v) Nucleic acid molecules, the nucleotide sequence of which deviates from the sequence of the nucleic acid molecules identified under i), ii), iii), or iv) due to the degeneration of the genetic code; and
- vi) Nucleic acid molecules, which represent fragments of the nucleic acid molecules identified under i) or iii) having a minimum length of 21 base pairs and an identity of between 95% and 100% over the whole length of the coding region with the nucleic acid molecules identified under i) or iii),

wherein the presence or expression of said foreign recombinant nucleic acid molecule leads to a reduction of the activity of a class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4, in the cell, and

wherein a reduced activity means a reduction in the expression of endogenous genes, which codes the Class 3 branching enzyme and/or a reduction in the quantity of the Class 3 branching enzyme protein in the cells and/or a reduction in the enzymatic activity of the Class 3 branching enzyme in the cells in comparison with wild type plant cells that have not been genetically modified, that have been raised under the same cultivation conditions, and that have the same cultivation age;

b) a plant is regenerated from plant cells from Step a); and

c) if necessary, further plants are produced with the help of the plants according to Step b).

11. Method according to Claim 10, wherein the said foreign recombinant nucleic acid molecule is chosen from the group consisting of

- a) DNA molecules, which code at least one antisense RNA, which effects a reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4;
- b) DNA molecules, which by means of a co-suppression effect lead to the reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4;
- c) DNA molecules, which code at least one ribozyme, which splits specific transcripts of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4;
- d) DNA molecules, which simultaneously code at least one antisense RNA and at least one sense RNA, wherein the said antisense RNA and the said sense RNA form a double-stranded RNA molecule, which effects a reduction in the expression of at least one endogenous gene, which codes a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4 (RNAi technology);
- e) Nucleic acid molecules introduced by means of in vivo mutagenesis, which lead to a mutation or an insertion of a heterologous sequence in at least one endogenous gene coding a Class 3 branching enzyme having the amino acid sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4, wherein the mutation or insertion effects a reduction in the expression of a gene coding the Class 3 branching enzyme or results in the synthesis of inactive Class 3 branching enzymes.

12. Method according to one of Claims 10 or 11, wherein the genetically modified plant synthesises a modified starch in comparison with corresponding wild type plants that have not been genetically modified.

13. Nucleic acid molecule, coding for a protein with the enzymatic activity of a Class 3 branching enzyme catalysing a transglycosylation reaction, in which alpha-1,4 links of an alpha-1,4-glucan donor are hydrolysed and the thereby released alpha-1,4-glucan chains are transferred to an alpha-1,4-glucan acceptor chain and transformed into alpha-1,6-links, wherein a class 3 branching enzyme is **characterized in that** it has the amino acid Sequence of Seq ID NO 4, or an amino acid sequence having an identity of at least 90% over the whole length of the coding region with the sequence of Seq ID NO 4, and wherein the nucleic acid molecule is chosen from the group consisting of

- a) Nucleic acid molecules, which code a protein with the amino acid sequence given under Seq ID No. 4;
- b) Nucleic acid molecules, which code a protein, the sequence of which has an identity of at least 90% over the whole length of the coding region with the amino acid sequence given under Seq ID No. 4,
- c) Nucleic acid molecules, which include the nucleotide sequence shown under Seq ID No. 3 or a complimentary sequence;
- d) Nucleic acid molecules, the nucleotide sequence of which deviates from the sequence of the nucleic acid molecules identified under a) or c) due to the degeneration of the genetic code.

14. Nucleic acid molecule according to Claim 13, **characterized in that** it codes a Class 3 branching enzyme of potato.

15. Vector containing a nucleic acid molecule according to one of Claims 13 or 14.

16. Vector according to Claim 15, wherein the nucleic acid molecule is linked with regulatory sequences, which guarantee transcription into prokaryotic or eukaryotic cells.

17. Vector containing a foreign recombinant nucleic acid molecule defined as in Claim 2 under a), b), c) or d).

18. Host cell, which is genetically modified by transformation with a foreign recombinant nucleic acid molecule according to one of claims 13 or 14, or with a vector according to one of claims 15, 16 or 17, and which contains said nucleic

acid molecule or said vector.

19. Protein with the enzymatic activity of a Class 3 branching enzyme catalysing a transglycosylation reaction, in which alpha-1,4 links of an alpha-1,4-glucan donor are hydrolysed and the thereby released alpha-1,4-glucan chains are transferred to an alpha-1,4-glucan acceptor chain and transformed into alpha-1,6-links, wherein the protein is chosen from the group consisting of

- a) Proteins, which include the amino acid sequence specified under Seq ID No. 4, or
- b) Proteins, which have an identity of at least 90% over the whole length of the coding region with the amino acid sequence of the proteins identified under a).

20. Protein according to Claim 19, wherein the Class 3 branching enzyme is from a potato plant.

21. Method for the manufacture of a modified starch including the step of extracting the starch from a genetically modified plant cell according to one of Claims 1 to 3.

22. Method for the manufacture of a modified starch including the step of extracting the starch from a genetically modified plant according to one of Claims 4 to 7, and/or from starch-storing parts of such a plant.

23. Method for the manufacture of a modified starch including the step of extracting the starch from harvestable plant parts according to Claim 9.

24. Use of genetically modified plants according to one of Claims 4 to 7 for the manufacture of a modified starch.

Patentansprüche

1. Genetisch modifizierte Pflanzenzelle, **dadurch gekennzeichnet, dass** sie eine verringerte Aktivität mindestens eines Klasse 3-Verzweigungsenzyms, das die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat, im Vergleich zu entsprechenden Wildtyp-Pflanzenzellen aufweist, die nicht genetisch modifiziert wurden, die unter den gleichen Kulturbedingungen aufgezogen wurden, und die das gleiche Kulturalter haben, wobei die genetische Modifizierung aus der Einführung mindestens eines fremden rekombinanten Nukleinsäuremoleküls in das Genom der Pflanzenzelle durch Transformation besteht, wobei das besagte fremde rekombinante Nukleinsäuremolekül zu einer Verringerung der Aktivität des Klasse 3-Verzweigungsenzyms führt, wobei das besagte fremde rekombinante Nukleinsäuremolekül ausgewählt ist aus der Gruppe bestehend aus

- a) Nukleinsäuremolekülen, die ein Protein mit der unter Seq ID NO 4 angegebenen Aminosäuresequenz codieren;
- b) Nukleinsäuremolekülen, die ein Protein codieren, dessen Aminosäuresequenz eine Identität von mindestens 90% über die gesamte Länge der kodierenden Region zu der unter SEQ ID NO 4 angegebenen Aminosäuresequenz aufweist;
- c) Nukleinsäuremolekülen, die die unter Seq ID NO 3 dargestellte Nukleotidsequenz oder eine komplementäre Sequenz umfassen;
- d) Nukleinsäuremolekülen, deren Nukleinsäuresequenz zu den unter a) oder c) beschriebenen Nukleinsäuresequenzen eine Identität von mindestens 90% über die gesamte Länge der kodierenden Region aufweist;
- e) Nukleinsäuremolekülen, deren Nukleotidsequenz aufgrund der Degeneration des genetischen Codes von der Sequenz der unter a), b), c) oder d) genannten Nukleinsäuremoleküle abweicht; und
- f) Nukleinsäuremolekülen, die Fragmente der unter a) oder c) genannten Nukleinsäuremoleküle mit einer minimalen Länge von 21 Basenpaaren und einer Identität zwischen 95% und 100% über die gesamte Länge der kodierenden Region mit den unter a) oder c) genannten Nukleinsäuremolekülen darstellen, und die zu einer Verringerung der Aktivität des Klasse 3-Verzweigungsenzyms führen,

und

wobei eine verringerte Aktivität eine Verringerung der Expression endogener Gene, die das Klasse 3-Verzweigungsenzym codieren, und/oder eine Verringerung der Menge des Klasse 3-Verzweigungsenzymproteins in den Zellen und/oder eine Verringerung der enzymatischen Aktivität des Klasse 3-Verzweigungsenzyms in den Zellen bedeutet.

2. Genetisch modifizierte Pflanzenzelle nach Anspruch 1, wobei das besagte fremde rekombinante Nukleinsäuremolekül ausgewählt ist aus der Gruppe bestehend aus

a) DNA-Molekülen, die mindestens eine antisense-RNA codieren, welche eine Verringerung der Expression von mindestens einem endogenen Gen bewirkt, das ein Klasse 3-Verzweigungsenzym codiert, welches die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat;

b) DNA-Molekülen, die über einen Cosuppressionseffekt zur Verringerung der Expression von mindestens einem endogenen Gen führen, das ein Klasse 3-Verzweigungsenzym codiert, welches die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat;

c) DNA-Molekülen, die mindestens ein Ribozym codieren, das spezifisch Transkripte von mindestens einem endogenen Gen spaltet, das ein Klasse 3-Verzweigungsenzym codiert, welches die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat;

d) DNA-Molekülen, die simultan mindestens eine antisense-RNA und mindestens eine sense-RNA codieren, wobei die besagte antisense-RNA und die besagte sense-RNA ein doppelsträngiges RNA-Molekül ausbilden, das eine Verringerung der Expression von mindestens einem endogenen Gen bewirkt, das ein Klasse 3-Verzweigungsenzym codiert, welches die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat (RNAi Technologie);

e) Mittels in vivo-Mutagenese eingeführten Nukleinsäuremolekülen, die zu einer Mutation oder einer Insertion einer heterologen Sequenz in mindestens einem endogenen Gen führen, das ein Klasse 3-Verzweigungsenzym codiert, welches die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat, wobei die Mutation oder Insertion eine Verringerung der Expression eines Klasse 3-Verzweigungsenzym codierenden Gens bewirkt, oder die Synthese von inaktiven Klasse 3-Verzweigungsenzymen zur Folge hat.

3. Genetisch modifizierte Pflanzenzelle nach einem der Ansprüche 1 oder 2, die im Vergleich zu entsprechenden nicht genetisch modifizierten Wildtyp-Pflanzenzellen eine modifizierte Stärke synthetisiert.

4. Genetisch modifizierte Pflanze, enthaltend genetisch modifizierte Pflanzenzellen nach einem der Ansprüche 1 bis 3.

5. Genetisch modifizierte Pflanze nach Anspruch 4, die eine stärkespeichernde Pflanze ist.

6. Genetisch modifizierte Pflanze nach Anspruch 5, die eine Mais-, Reis-, Weizen-, Roggen-, Hafer-, Gersten-, Maniok-, Kartoffel-, Sago-, Mungbohnen-, Erbsen- oder Sorghum-Pflanze ist.

7. Genetisch modifizierte Pflanze nach Anspruch 5, die eine Kartoffelpflanze ist.

8. Vermehrungsmaterial von Pflanzen nach einem der Ansprüche 4 bis 7, enthaltend genetisch modifizierte Pflanzenzellen nach einem der Ansprüche 1 bis 3.

9. Erntebare Pflanzenteile von genetisch modifizierten Pflanzen nach einem der Ansprüche 4 bis 7, enthaltend genetisch modifizierte Pflanzenzellen nach einem der Ansprüche 1 bis 3.

10. Verfahren zur Herstellung einer genetisch modifizierten Pflanze nach einem der Ansprüche 4 bis 7, worin

a) eine Pflanzenzelle durch Einführung mindestens eines fremden rekombinanten Nukleinsäuremoleküls in das Genom der Pflanzenzelle mittels Transformation genetisch modifiziert wird, wobei das besagte fremde rekombinante Nukleinsäuremolekül ausgewählt ist aus der Gruppe bestehend aus

i) Nukleinsäuremolekülen, die ein Protein mit der unter Seq ID NO 4 angegebenen Aminosäuresequenz codieren;

ii) Nukleinsäuremolekülen, die ein Protein codieren, dessen Aminosäuresequenz eine Identität von mindestens 90% über die gesamte Länge der kodierenden Region zu der unter SEQ ID NO 4 angegebenen Aminosäuresequenz aufweist;

iii) Nukleinsäuremolekülen, die die unter Seq ID NO 3 dargestellte Nukleotidsequenz oder eine komple-

mentäre Sequenz umfassen;

iv) Nukleinsäuremolekülen, deren Nukleinsäuresequenz zu den unter i) oder iii) beschriebenen Nukleinsäuresequenzen eine Identität von mindestens 90% über die gesamte Länge der kodierenden Region aufweist;

v) Nukleinsäuremolekülen, deren Nukleotidsequenz aufgrund der Degeneration des genetischen Codes von der Sequenz der unter i), ii), iii) oder iv) genannten Nukleinsäuremoleküle abweicht; und

vi) Nukleinsäuremolekülen, die Fragmente der unter i) oder iii) genannten Nukleinsäuremoleküle darstellen, mit einer minimalen Länge von 21 Basenpaaren und einer Identität zwischen 95% und 100% über die gesamte Länge der kodierenden Region mit den unter i) oder iii) genannten Nukleinsäuremolekülen,

wobei die Anwesenheit oder Expression des besagten fremden rekombinanten Nukleinsäuremoleküls zu einer Verringerung der Aktivität eines Klasse 3-Verzweigungsenzyms in der Zelle führt, das die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat, und

wobei eine verringerte Aktivität eine Verringerung der Expression endogener Gene, die das Klasse 3-Verzweigungsenzym codieren, und/oder eine Verringerung der Menge des Klasse 3-Verzweigungsenzymproteins in den Zellen und/oder eine Verringerung der enzymatischen Aktivität des Klasse 3-Verzweigungsenzyms in den Zellen bedeutet, im Vergleich zu entsprechenden Wildtyp-Pflanzenzellen, die nicht genetisch modifiziert wurden, die unter den gleichen Kulturbedingungen aufgezogen wurden, und die das gleiche Kulturalter haben,

b) aus Pflanzenzellen von Schritt a) eine Pflanze regeneriert wird; und

c) gegebenenfalls weitere Pflanzen mit Hilfe der Pflanzen nach Schritt b) erzeugt werden.

11. Verfahren nach Anspruch 10, worin das besagte fremde rekombinante Nukleinsäuremolekül ausgewählt ist aus der Gruppe bestehend aus

a) DNA-Molekülen, die mindestens eine antisense-RNA codieren, welche eine Verringerung der Expression von mindestens einem endogenen Gen bewirkt, das ein Klasse 3-Verzweigungsenzym codiert, welches die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat;

b) DNA-Molekülen, die über einen Cosuppressionseffekt zur Verringerung der Expression von mindestens einem endogenen Gen führen, das ein Klasse 3-Verzweigungsenzym codiert, welches die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat;

c) DNA-Molekülen, die mindestens ein Ribozym codieren, das spezifisch Transkripte von mindestens einem endogenen Gen spaltet, das ein Klasse 3-Verzweigungsenzym codiert, welches die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat;

d) DNA-Molekülen, die simultan mindestens eine antisense-RNA und mindestens eine sense-RNA codieren, wobei die besagte antisense-RNA und die besagte sense-RNA ein doppelsträngiges RNA-Molekül ausbilden, das eine Verringerung der Expression von mindestens einem endogenen Gen bewirkt, das ein Klasse 3-Verzweigungsenzym codiert, welches die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat (RNAi Technologie);

e) Mittels in vivo-Mutagenese eingeführten Nukleinsäuremolekülen, die zu einer Mutation oder einer Insertion einer heterologen Sequenz in mindestens einem endogenen Gen führen, das ein Klasse 3-Verzweigungsenzym codiert, welches die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat, wobei die Mutation oder Insertion eine Verringerung der Expression eines Klasse 3-Verzweigungsenzym codierenden Gens bewirkt, oder die Synthese von inaktiven Klasse 3-Verzweigungsenzymen zur Folge hat.

12. Verfahren nach einem der Ansprüche 10 oder 11, wobei die genetisch modifizierte Pflanze im Vergleich zu entsprechenden nicht genetisch modifizierten Wildtyp-Pflanzen eine modifizierte Stärke synthetisiert.

13. Nukleinsäuremolekül codierend für ein Protein mit der enzymatischen Aktivität eines Klasse 3-Verzweigungsenzyms, welches eine Transglycosylierungsreaktion katalysiert, in der alpha-1,4-Verknüpfungen eines alpha-1,4-Glukandonnors hydrolysiert und die dabei freigesetzten alpha-1,4-Glukanketten auf eine alpha-1,4-Glukanakzeptorkette transferiert und in alpha-1,6-Verknüpfungen überführt werden, wobei ein Klasse 3-Verzweigungsenzym **dadurch gekennzeichnet ist, dass** es die Aminosäuresequenz der Seq ID NO 4 oder eine Aminosäuresequenz mit einer

Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der Sequenz der Seq ID NO 4 hat, und wobei das Nukleinsäuremolekül ausgewählt ist aus der Gruppe bestehend aus

- a) Nukleinsäuremolekülen, die ein Protein mit der unter Seq ID No. 4 angegebenen Aminosäuresequenz codieren;
- b) Nukleinsäuremolekülen, die ein Protein codieren, dessen Sequenz eine Identität von mindestens 90% über die gesamte Länge der kodierenden Region mit der unter SEQ ID No. 4 angegebenen Aminosäuresequenz aufweist;
- c) Nukleinsäuremolekülen, die die unter Seq ID No. 3 dargestellte Nukleotidsequenz oder eine komplementäre Sequenz umfassen;
- d) Nukleinsäuremolekülen, deren Nukleotidsequenz aufgrund der Degeneration des genetischen Codes von der Sequenz der unter a) oder c) genannten Nukleinsäuremoleküle abweicht.

14. Nukleinsäuremolekül nach Anspruch 13, **dadurch gekennzeichnet, dass** es ein Klasse 3-Verzweigungsenzym aus Kartoffel codiert.

15. Vektor enthaltend ein Nukleinsäuremolekül nach einem der Ansprüche 13 oder 14.

16. Vektor nach Anspruch 15, wobei das Nukleinsäuremolekül mit regulatorischen Sequenzen verknüpft ist, die die Transkription in prokaryontischen oder eukaryontischen Zellen gewährleisten.

17. Vektor enthaltend ein fremdes rekombinantes Nukleinsäuremolekül, definiert wie in Anspruch 2 unter a), b), c) oder d).

18. Wirtszelle, die durch Transformation mit einem fremden rekombinanten Nukleinsäuremolekül nach einem der Ansprüche 13 oder 14, oder mit einem Vektor nach einem der Ansprüche 15, 16 oder 17 genetisch modifiziert ist, und die das besagte Nukleinsäuremolekül oder den besagten Vektor enthält.

19. Protein mit der enzymatischen Aktivität eines Klasse 3-Verzweigungsenzyms, das eine Transglycosylierungsreaktion katalysiert, in der alpha-1,4-Verknüpfungen eines alpha-1,4-Glukandonors hydrolysiert und die dabei freigesetzten alpha-1,4-Glukanketten auf eine alpha-1,4-Glukanakzeptorkette transferiert und in alpha-1,6-Verknüpfungen überführt werden, wobei das Protein ausgewählt ist aus der Gruppe bestehend aus

- a) Proteinen, die die unter SEQ ID No. 4 angegebene Aminosäuresequenz umfassen, oder
- b) Proteinen, die zu der Aminosäuresequenz der unter a) genannten Proteine eine Identität von mindestens 90% über die gesamte Länge der kodierenden Region aufweisen.

20. Protein nach Anspruch 19, wobei das Klasse 3-Verzweigungsenzym aus einer Kartoffelpflanze stammt.

21. Verfahren zur Herstellung einer modifizierten Stärke, umfassend den Schritt der Extraktion der Stärke aus einer genetisch modifizierten Pflanzenzelle nach einem der Ansprüche 1 bis 3.

22. Verfahren zur Herstellung einer modifizierten Stärke, umfassend den Schritt der Extraktion der Stärke aus einer genetisch modifizierten Pflanze nach einem der Ansprüche 4 bis 7 und/oder aus stärke-speichernden Teilen einer solchen Pflanze.

23. Verfahren zur Herstellung einer modifizierten Stärke, umfassend den Schritt der Extraktion der Stärke aus erntebaren Pflanzenteilen nach Anspruch 9.

24. Verwendung von genetisch modifizierten Pflanzen nach einem der Ansprüche 4 bis 7 zur Herstellung einer modifizierten Stärke.

Revendications

1. Cellule végétale génétiquement modifiée, **caractérisée en ce qu'elle** a une activité réduite d'au moins une enzyme branchante de Classe 3 ayant la séquence d'acides aminés SEQ ID N°4, ou une séquence d'acides aminés ayant une identité d'au moins 90 %, sur toute sa longueur de la région codante, avec la séquence SEQ ID N°4, par comparaison avec des cellules végétales de type sauvage qui n'ont pas subi de modification génétique, qui ont été

cultivées dans les mêmes conditions de culture, et qui ont le même âge de culture,
 où la modification génétique consiste en l'introduction, par transformation, d'au moins une molécule d'acide nucléique
 recombinant étrangère dans le génome de la cellule végétale,
 où ladite molécule d'acide nucléique recombinant étrangère conduit à une réduction de l'activité de l'enzyme bran-
 5 chante de Classe 3,
 où ladite molécule d'acide nucléique recombinant étrangère est choisie dans le groupe consistant en :

- a) les molécules d'acide nucléique qui codent pour une protéine ayant la séquence d'acides aminés présentée
 dans SEQ ID N°4 ;
- 10 b) les molécules d'acide nucléique qui codent pour une protéine dont la séquence d'acides nucléiques a une
 identité d'au moins 90 %, sur toute sa longueur de la région codante, avec la séquence d'acides aminés
 présentée dans SEQ ID N°4 ;
- c) les molécules d'acide nucléique qui comprennent la séquence nucléotidique présentée dans SEQ ID N°3,
 ou une séquence complémentaire ;
- 15 d) les molécules d'acide nucléique dont la séquence d'acides nucléiques a une identité d'au moins 90 %, sur
 toute sa longueur de la région codante, avec les séquences d'acides nucléiques décrites en a) ou c) ;
- e) les molécules d'acide nucléique dont la séquence nucléotidique s'écarte de la séquence des molécules
 d'acides nucléiques identifiées en a), b), c) ou d), en raison de la dégénérescence du code génétique ; et
- 20 f) les molécules d'acide nucléique qui représentent des fragments des molécules d'acides nucléiques identifiées
 en a) ou c), ayant une longueur minimale de 21 paires de bases et une identité comprise entre 95 % et 100 %, sur
 toute leur longueur de la région codante, avec les molécules d'acides nucléiques identifiées en a) ou c), et
 conduisant à une réduction de l'activité de l'enzyme branchante de Classe 3,

et

25 où on entend par activité réduite une réduction de l'expression des gènes endogènes qui codent pour l'enzyme
 branchante de Classe 3 et/ou une réduction de la quantité de la protéine enzyme branchante de Classe 3 dans les
 cellules et/ou une réduction de l'activité enzymatique de l'enzyme branchante de Classe 3 dans les cellules.

2. Cellule végétale génétiquement modifiée selon la revendication 1, dans laquelle ladite molécule d'acide nucléique
 30 recombinant étrangère est choisie dans le groupe consistant en

- a) les molécules d'ADN qui codent pour au moins un ARN antisens, qui conduit à une réduction de l'expression
 d'au moins un gène endogène qui code pour une enzyme branchante de Classe 3 ayant la séquence d'acides
 aminés SEQ ID N°4 ou une séquence d'acides aminés ayant une identité d'au moins 90 %, sur toute sa longueur
 35 de la région codante, avec la séquence SEQ ID N°4 ;
- b) les molécules d'ADN qui, au moyen d'un effet de co-suppression, conduisent à la réduction de l'expression
 d'au moins un gène endogène qui code pour une enzyme branchante de Classe 3 ayant la séquence d'acides
 aminés SEQ ID N°4 ou une séquence d'acides aminés ayant une identité d'au moins 90 %, sur toute sa longueur
 de la région codante, avec la séquence SEQ ID N°4 ;
- 40 c) les molécules d'ADN qui codent pour au moins un ribozyme qui dissocie les produits de transcription spéci-
 fiques d'au moins un gène endogène qui code pour une enzyme branchante de Classe 3 ayant la séquence
 d'acides aminés SEQ ID N°4, ou une séquence d'acides aminés ayant une identité d'au moins 90 %, sur toute
 sa longueur de la région codante, avec la séquence SEQ ID N°4 ;
- d) les molécules d'ADN qui simultanément codent pour au moins un ARN antisens et au moins un ARN sens,
 45 ledit ARN antisens et ledit ARN sens formant une molécule d'ARN double brin, qui conduit à une réduction de
 l'expression d'au moins un gène endogène qui code pour une enzyme branchante de Classe 3 ayant la séquence
 d'acides aminés SEQ ID N°4 ou une séquence d'acides aminés ayant une identité d'au moins 90 %, sur toute
 sa longueur de la région codante, avec la séquence SEQ ID N°4 (technologie de l'ARNi) ;
- e) les molécules d'acide nucléique introduites par mutagenèse in vivo, qui conduisent à une mutation ou à une
 50 insertion d'une séquence hétérologue dans au moins un gène endogène codant pour une enzyme branchante
 de Classe 3 ayant la séquence d'acides aminés SEQ ID N°4, ou une séquence d'acides aminés ayant une
 identité d'au moins 90 %, sur toute sa longueur de la région codante, avec la séquence SEQ ID N°4, la mutation
 ou l'insertion effectuant une réduction de l'expression d'un gène codant pour une enzyme branchante de Classe
 3 ou conduisant à la synthèse d'enzymes branchantes de Classe 3 inactives.

3. Cellule végétale génétiquement modifiée selon l'une des revendications 1 ou 2, qui synthétise un amidon modifié
 par comparaison avec des cellules végétales de type sauvage correspondantes qui n'ont pas subi de modification
 génétique.

4. Plante génétiquement modifiée contenant des cellules végétales génétiquement modifiées selon l'une des revendications 1 à 3.

5. Plante génétiquement modifiée selon la revendication 4, qui est une plante amylacée.

6. Plante génétiquement modifiée selon la revendication 5, qui est une plante de maïs, de riz, de blé, de seigle, d'avoine, d'orge, de manioc, de pomme de terre, de sagou, de haricot mungo, de pois ou de sorgho.

7. Plante génétiquement modifiée selon la revendication 5, qui est une plante de pomme de terre.

8. Matériel de propagation de plantes selon l'une des revendications 4 à 7, contenant des cellules végétales génétiquement modifiées selon l'une des revendications 1 à 3.

9. Parties de plantes récoltables, de plantes génétiquement modifiées selon l'une des revendications 4 à 7, contenant des cellules végétales génétiquement modifiées selon l'une des revendications 1 à 3.

10. Procédé de fabrication d'une plante génétiquement modifiée selon l'une des revendications 4 à 7, dans lequel :

a) une cellule végétale est génétiquement modifiée par introduction, par transformation, d'au moins une molécule d'acide nucléique recombinant étrangère dans le génome de la cellule végétale, ladite molécule d'acide nucléique recombinant étrangère étant choisie dans le groupe consistant en :

i) les molécules d'acide nucléique qui codent pour une protéine ayant la séquence d'acides aminés présentée dans SEQ ID N°4 ;

ii) les molécules d'acide nucléique qui codent pour une protéine dont la séquence d'acides aminés a une identité d'au moins 90 %, sur toute sa longueur de la région codante, avec la séquence d'acides aminés présentée dans SEQ ID N°4 ;

iii) les molécules d'acide nucléique qui comprennent la séquence nucléotidique présentée dans SEQ ID N°3, ou une séquence complémentaire ;

iv) les molécules d'acide nucléique dont la séquence d'acides nucléiques a une identité d'au moins 90 %, sur toute sa longueur de la région codante, avec les séquences d'acides nucléiques décrites en i) ou iii) ;

v) les molécules d'acide nucléique dont la séquence nucléotidique s'écarte de la séquence des molécules d'acide nucléique identifiées en i), ii), iii) ou iv) en raison de la dégénérescence du code génétique ; et

vi) les molécules d'acide nucléique qui représentent des fragments des molécules d'acide nucléique identifiées en i) ou iii), ayant une longueur minimale de 21 paires de bases et une identité comprise entre 95 et 100 %, sur toute leur longueur de la région codante, avec les molécules d'acide nucléique identifiées en i) ou iii),

où la présence ou l'expression de ladite molécule d'acide nucléique recombinant étrangère conduit à une réduction de l'activité d'une enzyme branchante de Classe 3 ayant la séquence d'acides aminés SEQ ID N°4 ou une séquence d'acides aminés ayant une identité d'au moins 90 %, sur toute sa longueur de la région codante, avec la séquence SEQ ID N°4, dans la cellule, et

où on entend par activité réduite une réduction de l'expression de gènes endogènes qui codent pour l'enzyme branchante de Classe 3, et/ou une réduction de la quantité de la protéine enzyme branchante de Classe 3 dans les cellules, et/ou une réduction de l'activité enzymatique de l'enzyme branchante de Classe 3 dans les cellules, par comparaison avec des cellules végétales de type sauvage qui n'ont pas subi de modification génétique, qui ont été cultivées dans les mêmes conditions de culture et qui ont le même âge de culture ;

b) une plante est régénérée à partir des cellules végétales de l'étape a) ; et

c) si nécessaire, des plantes supplémentaires sont produites à l'aide des plantes selon l'étape b).

11. Procédé selon la revendication 10, dans lequel ladite molécule d'acide nucléique recombinant étrangère est choisie dans le groupe consistant en :

a) les molécules d'ADN qui codent pour au moins un ARN antisens qui conduit à une réduction de l'expression d'au moins un gène endogène qui code pour une enzyme branchante de Classe 3 ayant la séquence d'acides aminés SEQ ID N°4 ou une séquence d'acides aminés ayant une identité d'au moins 90 %, sur toute sa longueur de la région codante, avec la séquence SEQ ID N°4 ;

b) les molécules d'ADN qui, au moyen d'un effet de co-suppression, conduisent à la réduction de l'expression

d'au moins un gène endogène qui code pour une enzyme branchante de Classe 3 ayant la séquence d'acides aminés SEQ ID N°4 ou une séquence d'acides aminés ayant une identité d'au moins 90 %, sur toute sa longueur de la région codante, avec la séquence SEQ ID N°4 ;

c) les molécules d'ADN qui codent pour au moins un ribozyme qui dissocie les produits de transcription spécifiques d'au moins un gène endogène qui code pour une enzyme branchante de Classe 3 ayant la séquence d'acides aminés SEQ ID N°4, ou une séquence d'acides aminés ayant une identité d'au moins 90 %, sur toute sa longueur de la région codante, avec la séquence SEQ ID N°4 ;

d) les molécules d'ADN qui simultanément codent pour au moins un ARN antisens et au moins un ARN sens, ledit ARN antisens et ledit ARN sens formant une molécule d'ARN double brin, qui conduit à une réduction de l'expression d'au moins un gène endogène qui code pour une enzyme branchante de Classe 3 ayant la séquence d'acides aminés SEQ ID N°4 ou une séquence d'acides aminés ayant une identité d'au moins 90 %, sur toute sa longueur de la région codante, avec la séquence SEQ ID N°4 (technologie de l'ARNi) ;

e) les molécules d'acide nucléique introduites par mutagenèse in vivo, qui conduisent à une mutation ou à une insertion d'une séquence hétérologue dans au moins un gène endogène codant pour une enzyme branchante de Classe 3 ayant la séquence d'acides aminés SEQ ID N°4, ou une séquence d'acides aminés ayant une identité d'au moins 90 %, sur toute sa longueur de la région codante, avec la séquence SEQ ID N°4, la mutation ou l'insertion effectuant une réduction de l'expression d'un gène codant pour une enzyme branchante de Classe 3 ou conduisant à la synthèse d'enzymes branchantes de Classe 3 inactives.

12. Procédé selon l'une des revendications 10 ou 11, dans lequel la plante génétiquement modifiée synthétise un amidon modifié par comparaison avec les plantes de type sauvage correspondantes qui n'ont pas subi de modification génétique.

13. Molécule d'acide nucléique codant pour une protéine ayant l'activité enzymatique d'une enzyme branchante de Classe 3 catalysant une réaction de transglycosylation, dans laquelle des liaisons alpha-1,4 d'un donneur d'alpha-1,4-glucanne sont hydrolysées, et les chaînes d'alpha-1,4-glucanne ainsi libérées sont transférées à une chaîne acceptrice d'alpha-1,4-glucanne et transformées en liaisons alpha-1,6, une enzyme branchante de Classe 3 étant **caractérisée en ce qu'elle** a la séquence d'acides aminés SEQ ID N°4 ou une séquence d'acides aminés ayant une identité d'au moins 90 %, sur toute sa longueur de la région codante, avec la séquence SEQ ID N°4, la molécule d'acide nucléique étant choisie dans le groupe consistant en :

a) les molécules d'acide nucléique qui codent pour une protéine ayant la séquence d'acides aminés présentée dans SEQ ID N°4 ;

b) les molécules d'acide nucléique qui codent pour une protéine dont la séquence a une identité d'au moins 90 %, sur toute sa longueur de la région codante, avec la séquence d'acides aminés présentée dans SEQ ID N°4,

c) les molécules d'acide nucléique qui comprennent la séquence nucléotidique présentée dans SEQ ID N°3 ou une séquence complémentaire ;

d) les molécules d'acide nucléique dont la séquence nucléotidique s'écarte de la séquence des molécules d'acides nucléiques identifiés en a) ou c), en raison de la dégénérescence du code génétique.

14. Molécule d'acide nucléique selon la revendication 13, **caractérisée en ce qu'elle** code pour une enzyme branchante de Classe 3 de la pomme de terre.

15. Vecteur contenant une molécule d'acide nucléique selon l'une des revendications 13 ou 14.

16. Vecteur selon la revendication 15, dans lequel la molécule d'acide nucléique est liée à des séquences régulatrices, qui garantissent une transcription dans des cellules procaryotes ou eucaryotes.

17. Vecteur contenant une molécule d'acide nucléique recombinant étrangère définie dans la revendication 2 en a), b), c) ou d).

18. Cellule hôte qui est génétiquement modifiée par transformation avec une molécule d'acide nucléique recombinant étrangère selon l'une des revendications 13 ou 14, ou avec un vecteur selon l'une des revendications 15, 16 ou 17, et qui contient ladite molécule d'acide nucléique ou ledit vecteur.

19. Protéine ayant l'activité enzymatique d'une enzyme branchante de Classe 3, catalysant une réaction de transglycosylation, où des liaisons alpha-1,4 d'un donneur d'alpha-1,4-glucanne sont hydrolysées, et les chaînes d'alpha-1,4-glucanne ainsi libérées sont transférées à une chaîne acceptrice d'alpha-1,4-glucanne et transformées en des

liaisons alpha-1,6, la protéine étant choisie dans le groupe consistant en :

- a) les protéines qui comprennent la séquence d'acides aminés spécifiée en SEQ ID N°4, ou
- b) les protéines qui ont une identité d'au moins 90 %, sur toute leur longueur de la région codante, avec la séquence d'acides aminés des protéines identifiées en a).

20. Protéine selon la revendication 19, dans laquelle l'enzyme branchante de Classe 3 provient d'une plante de pomme de terre.

21. Procédé de fabrication d'un amidon modifié, comprenant l'étape d'extraction de l'amidon à partir d'une cellule végétale génétiquement modifiée selon l'une des revendications 1 à 3.

22. Procédé de fabrication d'un amidon modifié, comprenant l'étape d'extraction de l'amidon à partir d'une plante génétiquement modifiée selon l'une des revendications 4 à 7, et/ou de parties amylacées d'une telle plante.

23. Procédé de fabrication d'un amidon modifié, comprenant l'étape d'extraction de l'amidon à partir de parties de plantes récoltables selon la revendication 9.

24. Utilisation de plantes génétiquement modifiées selon l'une des revendications 4 à 7 pour la fabrication d'un amidon modifié.

SwissProt Acc No. or Entry Name	Amino acid No.	SwissProt Acc No. or Entry Name	Amino acid No.
APU_THETU	1251-1331	Q9XED2	101-191
GLGB_SYNY3	22-110	Q08131	137-227
P71095	39-130	GLGB_HUMAN	73-168
Q9RXB0	181-274	Q9V6K7	52-144
PULA_KLEPN	301-395	Q22137	53-147
P70983	1143-1238	Q9RM63	25-149
Q41386	205-298	ISOA_FLASP	36-163
O64454	202-295	ISOA_PSEAY	30-155
O69008	105-191	P73608	22-122
O34587	104-189	O04196	74-177
Q9XDB5	231-319	Q9SPT7	8-110
PULA_THEMA	223-311	Q41742	114-218
Q59319	206-300	GLGX_HAEIN	10-101
YIEL_ECOLI	41-123	Q9RNH5	20-117
Q9RX51	22-100	GLGX_ECOLI	9-104
O66936	24-116	Q9RXP5	13-108
Q59832	141-233	GLGX_MYCTU	24-119
GLGB_STRAU	160-252	Q9X947	18-113
GLGB_BUTFI	24-116	P72691	19-120
GLGB_AGRTU	130-223	P95868	17-117
Q9RQI5	134-226	O84046	11-108
GLGB_ECOLI	122-214	Q9Z8F5	11-108
GLGB_HAEIN	122-214	Q9ZVT2	232-335
GLGB_SYNY3	126-217	Q44528	2-83
GLGB_MYCTU	127-223	Q9X2G0	276-357
Q9RTB7	26-115	Q9X2G0	15-98
GLGB_BACSU	23-115	Q45643	46-114
Q59242	23-115	Q9X2G0	126-217
O84874	117-209	TREZ_ARTSQ	5-90
O49185	62-153	TREZ_MYCTU	2-68
GLGB_YEAST	59-153	Q55088	1-79
Q9Y8H3	47-147	Q53641	1-79

Table 1 Amino acid sequences, contained in the "seed alignment", that are used for producing the HMM for the Pfam isoamylase domain (PF 02922). The table gives the "accession" number (Acc No) or the name (Entry Name), under which the corresponding amino acid sequences are entered in the SwissProt database. Those sections of the amino acid sequences of the corresponding SwissProt entry, which are part of the "seed alignment" (amino acid No.), are also given.

SwissProt Acc No. or Entry Name	Amino acid No.	SwissProt Acc No. or Entry Name	Amino acid No.
AMYM_BACLI	137-479	CDG1_PAEMA	46-426
MALZ_ECOLI	128-522	CDGT_BACOH	44-420
APU_THESA	393-821	AMYB_PAEPO	751-1107
APU_THEET	390-820	AMYA_ASPOR	34-390
CDAS_THEET	136-494	AMY1_DEBOC	49-405
NEPU_BACST	139-497	AMY1_SACFI	40-396
AMYM_BACAD	139-497	AMY1_ECOLI	193-611
AMY2_DICTH	138-470	ISOA_PSEAY	209-652
MALT_AEDAE	29-425	AMY_BUTFI	126-520
MAL2_DROME	30-432	AMY_BACSU	41-383
MAL3_DROME	31-428	AMY_THECU	40-392
MAL1_DROME	35-420	AMY_STRHY	37-360
MAXS_YEAST	17-441	AMY_STRGR	35-372
MAYS_YEAST	22-446	AMY_ALTHA	28-373
MA3S_YEAST	21-443	AMYA_AERHY	26-369
TREC_ECOLI	15-414	AMYC_HUMAN	26-413
TREC_BACSU	16-418	AMYA_DROME	29-396
O16G_BACSP	11-420	AMY1_AERHY	22-379
O16G_BACCE	13-419	AMT4_PSESA	38-387
DEXB_STRMU	13-394	AMY2_ECOLI	12-402
AMY_BACME	44-406	AMY_BACLI	34-420
AMY3_DICTH	39-381	AMY_BACAM	34-422
AMY_STRLI	77-520	AMT6_BACS7	40-426
CDGT_KLEPN	47-463	AMY3_WHEAT	26-348
AMYM_BACST	46-430	AM3A_ORYSA	29-367
CDGT_BACST	47-425	AMYA_VIGMU	24-361
AMXR_BACS8	46-425	AM2A_ORYSA	23-366

Table 2 Amino acid sequences, contained in the "seed alignment", that are used for producing the HMM for the Pfam alpha-amylase domain (PF 00128). The table gives the "accession" number (Acc No) or the name (Entry Name), under which the corresponding amino acid sequences are entered in the SwissProt database. Those sections of the amino acid sequences of the corresponding SwissProt entry, which are part of the "seed alignment" (amino acid No.), are also given.

HMMEF R2.0 [2.3.1]

[illegible]

Table 3. Sheet 1/9

7	-1172	-4458	-2893	183	-1229	-4010	3316	-580	-1	-4467	-169	1206	-4102	-102	-67	428	1327	312	-4653	-3981	7
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10941	-11983	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	-427	-3201	-5058	-841	1372	-4749	-3587	346	-159	-603	-2400	-4198	1637	-1158	168	-1606	-1672	834	1850	2394	8
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-335	-10941	-2276	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	-554	121	1665	593	-4483	-1316	276	7	-1953	322	-3267	244	-1346	1174	-268	144	-340	-577	-4365	380	9
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-365	-10608	-2164	-894	-1115	-3823	-106	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	797	-3873	616	858	-4188	1176	-2048	-3935	-458	-1843	-2963	-2026	1626	-1590	99	164	-514	-1189	683	-15	10
-	-46	-10244	-5043	-894	-1115	-4637	-59	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
11	-14	-3841	1826	1314	-810	836	-2009	-1276	467	-1532	-2931	448	230	775	-2097	-2257	-855	-888	-4026	-3345	11
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1075	-10201	-931	-894	-1115	-1364	-709	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	-847	832	1648	-1300	-3762	-553	1139	-810	389	-1423	2049	1275	-3064	738	-253	-621	912	-3067	-3637	-2959	12
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-511	-9739	-1751	-894	-1115	-5168	-41	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	-2797	-4407	-1367	2261	-4735	892	-2276	-4550	-2156	-4468	-3642	1207	-3560	823	-2778	-2580	2401	-4063	-4646	-3831	13
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-305	-9232	-2404	-894	-1115	-5452	-33	.	.	.	.	.	.	.	.	.	.	.	.	.	
14	-98	1322	-3700	1196	-1379	-398	1869	1265	-2718	-141	1929	-2663	-3139	-2380	-2591	-2162	-1503	1517	-1876	-1529	14
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-80	-8931	-4097	-894	-1115	-5563	-31	.	.	.	.	.	.	.	.	.	.	.	.	.	
15	-1344	-2813	2298	288	602	-240	1306	-2880	499	-2828	-1903	1507	-2408	683	-1068	-1224	-1284	-289	-2998	-2315	15
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-139	-8846	-3483	-894	-1115	-4086	-88	.	.	.	.	.	.	.	.	.	.	.	.	.	
16	-1947	-2556	-4788	-5046	-5091	3282	-4399	-4858	-4947	-5141	-4214	-3556	477	-4449	-4699	816	-2415	335	-5331	-5237	16
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1391	-8903	-698	-894	-1115	-2384	-307	.	.	.	.	.	.	.	.	.	.	.	.	.	
17	1320	-2772	-1292	2128	-3091	-2427	-1158	-2783	864	-2816	-1944	-1122	1166	-728	-1233	-1401	-1440	802	-3046	-2410	17
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-5	-8803	-9845	-894	-1115	-1304	-749	.	.	.	.	.	.	.	.	.	.	.	.	.	
18	-165	-3738	1692	-454	-4041	-89	-1948	-3779	1272	-1513	-2833	353	-3378	-1495	-2044	-2196	459	2044	-3933	-3260	18
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10095	-11137	-894	-1115	-1909	-447	.	.	.	.	.	.	.	.	.	.	.	.	.	
19	500	-3988	418	2	4310	1492	-2148	-4060	805	-4005	-3078	1770	-1034	395	-585	203	-470	-1409	-4172	-266	19
-	-148	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-32	-10365	-5558	-894	-1115	-138	-3458	.	.	.	.	.	.	.	.	.	.	.	.	.	
20	-904	-4476	-607	-506	-1213	2552	-196	-696	627	-4492	-3565	-12	-360	186	-434	81	-490	-4098	-4659	-771	20
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10917	-11959	-894	-1115	-250	-2654	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 3, Sheet 2/9

2 1	-903	-3200	-5719	-5083	-433	-1893	-3792	860	-4678	-1338	-2403	-4567	-543	-4301	-4478	-4006	2145	2518	1631	512	21
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
2 2	-1902	-4488	-1380	-132	180	-4097	-526	406	-450	-4488	-3587	1974	-4189	-2312	1656	-1028	1578	714	-4694	444	22
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
2 3	-1835	-3207	-5724	-5089	3969	-2056	-3796	-432	-4684	-325	-2409	-4572	-4977	-4306	-1411	-1974	-3321	-410	-3659	1564	23
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
2 4	1377	1196	-1346	-2546	-4550	-4149	-2821	-1804	963	-2327	-3447	-2834	-1077	-2403	2409	501	896	-3897	-4578	531	24
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
2 5	-1482	-3277	-1253	931	-116	-5013	-3887	-1194	-4761	1669	-2465	-4654	-5058	-4386	-4568	-4099	-3396	2623	-3750	265	25
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
2 6	-7635	-6573	-7990	-1924	2064	-1893	-4102	-6546	-7815	-5859	-5949	-6513	-7759	-6639	-1618	-7150	-7486	-6697	5535	2570	26
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
2 7	2849	-4354	-5323	-4910	-5332	-4813	-4712	-4952	-1677	-1991	-4458	-1206	-5320	-4560	-4834	2037	97	-4553	392	-5256	27
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
2 8	-464	-4943	-3578	156	-5759	-1752	-3603	-5508	-1616	-5465	-4564	-3477	3730	-3175	-1215	697	-1675	-4961	-5617	-4985	28
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
2 9	-36	-4571	-945	163	-4892	336	2269	-2129	-74	-4587	-3661	2138	-4166	261	-1460	-822	1414	-682	-4755	700	29
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
3 0	3362	-5060	-3960	-1527	-6477	-2136	-4534	-6257	-4423	-6303	-5432	-1004	-811	-1072	-4921	178	-4321	-1832	-6500	-5893	30
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
3 1	-1049	-4555	148	1463	-4875	-4058	-2716	-993	1147	-2673	-863	-983	-4151	1892	1235	-590	1202	-788	-4739	-834	31
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
3 2	331	-4572	491	954	-1179	489	-470	-4643	352	-2337	-3661	1027	-1906	-33	1510	470	-638	-1807	122	-866	32
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
3 3	922	36	-7042	-6525	-4477	-6466	-5600	-626	-6240	-1110	-433	-6118	-6412	-5948	-2134	-5634	-4511	3460	-5365	-4988	33
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
3 4	619	-4558	-156	758	-499	-4076	-481	-1791	587	-2183	-3649	-2714	-4169	-413	962	1507	976	-1017	-4745	910	34
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-
3 5	-2161	-4635	-7592	-7120	-1252	-1604	-6387	540	-6901	2467	-3458	-6804	-6949	-6529	-6803	-6367	-5011	2356	-5892	-5607	35
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	-
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	-

Table 3, Sheet 3/9

3 6	557	2801	-1721	-4985	-388	-4905	-248	1189	140	248	-41	-4518	-4956	-1129	-1396	-1302	194	1652	-3666	-218	36
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	-501	-5277	1969	-2773	-5161	-5523	-4899	-5089	-4605	-1925	945	-4259	-3925	37
3 7	-924	-3659	-6262	-5655	-56	2370	-4436	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	-501	-5277	1969	-2773	-5161	-5523	-4899	-5089	-4605	-1925	945	-4259	-3925	37
3 8	-3164	-4080	2121	-411	1807	-919	-2937	-1027	-2644	-1377	-3222	-282	-198	-1254	-3095	914	-667	-1060	-4386	2201	38
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	-501	-5277	1969	-2773	-5161	-5523	-4899	-5089	-4605	-1925	945	-4259	-3925	37
3 9	-1317	-4571	1698	-44	3174	-452	570	-4642	414	-4587	-3660	-715	-4166	-2272	-1098	55	-637	-1613	-4755	-4072	39
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	-501	-5277	1969	-2773	-5161	-5523	-4899	-5089	-4605	-1925	945	-4259	-3925	37
4 0	584	-4574	362	369	-4895	-1946	-2733	-4646	367	-1673	-3664	3036	1201	-2273	-1400	-914	-302	-4196	-4758	-4075	40
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-74	-11023	-4329	-894	-1115	-701	-1378	-501	-5277	1969	-2773	-5161	-5523	-4899	-5089	-4605	-1925	945	-4259	-3925	37
4 1	-1777	-4504	1404	142	-4824	1166	1065	-4574	-2246	-2300	-3593	2273	194	-772	-215	-398	-459	-678	189	96	41
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1080	-10949	-926	-894	-1115	-2265	-337	-574	-2246	-2300	-3593	2273	194	-772	-215	-398	-459	-678	189	96	41
4 2	10	-3574	1431	899	-3894	1158	-1734	-3645	-50	-1313	-2663	1007	-267	-1275	-1822	504	735	-3195	-3757	-263	42
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-258	-9872	-2622	-894	-1115	-5207	-40	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
4 3	-1897	-3368	980	558	-3688	1508	642	-3438	-1111	-100	-2457	771	-226	1860	-284	-1778	-45	-979	-3552	-2869	43
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-786	-9617	-1256	-894	-1115	-5378	-35	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
4 4	-1320	-2790	642	-620	-3110	845	-953	-2859	1750	-2805	-1880	897	64	-494	447	644	269	-338	-2974	-2292	44
-	-145	-500	232	43	-381	398	105	-627	210	-466	-721	275	393	48	95	359	117	-370	-295	-246	
-	-4000	-1761	-638	-49	-4913	-5694	-28	-627	210	-466	-721	275	393	48	95	359	117	-370	-295	-246	
4 5	-1645	-3285	2437	-36	-3659	-1761	-1077	-3545	-1203	-3463	-2733	1962	2482	-734	-1954	-1382	-1715	-3025	-3646	-2736	46
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-624	-7357	-1535	-894	-1115	-407	-2026	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
4 6	-2743	-4200	-915	509	-4517	-3717	303	-4263	689	-1027	-3291	-2355	-1213	-385	645	-2625	-905	-1471	5255	-3708	47
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10608	-11650	-894	-1115	-3058	-185	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
4 7	-1155	-4079	2253	-120	-880	-3775	1342	-615	-2051	-2023	-3186	1492	960	383	-2546	-137	-2712	495	-4303	361	48
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10641	-11683	-894	-1115	-56	-4726	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
4 8	656	-4516	-1114	731	-1260	1230	465	-242	-98	-1569	-3612	-2734	461	159	-654	-1260	819	-242	1382	50	49
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	-501	-5277	1969	-2773	-5161	-5523	-4899	-5089	-4605	-1925	945	-4259	-3925	37
4 9	-3100	-4560	-1116	1388	96	-908	885	-119	-725	-1440	1409	536	-4169	1003	1235	22	807	-488	-4746	-4067	50
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	-501	-5277	1969	-2773	-5161	-5523	-4899	-5089	-4605	-1925	945	-4259	-3925	37

Table 3, Sheet 4/9

5 0	941	-115	-708	1773	-4860	-1149	-2738	-824	-1301	-2538	698	-1344	-4171	-814	930	554	1279	-254	-4739	-4062	51
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
5 1	-1	-11023	-12065	-894	-1115	-701	-1378	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	52
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	
5 2	-1952	-4573	-58	669	-4895	-4073	-2732	-4645	-493	-4589	-3663	-338	2995	1442	619	-833	-73	-260	-4757	-4074	53
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	
5 3	-1019	-3213	-1623	-1804	-243	-4921	-3789	-2702	-1610	1632	4259	-4550	-4971	-4279	-4465	-4004	-3320	-593	-3668	798	54
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	
5 4	-1227	-4571	654	1153	-4892	-1716	1453	-1841	1364	-4587	-3661	-2708	59	-40	903	-880	1286	260	-4755	34	55
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-404	-11023	-2038	-894	-1115	-701	-1378	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	
5 5	-2745	-4145	-2622	504	-415	-3731	392	-4166	1748	-594	-372	-768	1315	-1943	1913	493	-1052	-1625	-4347	183	56
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1381	-10620	-700	-894	-1115	-4109	-86	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	
5 6	-1634	-2867	129	-1035	-3099	918	-1317	-330	201	713	-1982	-1326	-2738	-894	930	1536	714	-2441	-3108	-2486	57
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1723	-9243	-524	-894	-1115	-4411	-69	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	
5 7	-1133	-2513	-524	1978	-2771	1477	-678	-2535	1066	-2508	-1648	-560	-2097	-257	-717	-1002	-1082	-2134	-2676	1915	58
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1253	-7810	-796	-894	-1115	-3061	-184	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	
5 8	-994	-1426	1440	-1034	-1461	-2223	-963	-1010	-885	-66	1503	-1180	-2299	-782	1512	-1199	1429	886	-1816	-1370	59
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-7	-8190	-9232	-894	-1115	-906	-1100	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	
5 9	-2441	-3911	36	615	-610	-1517	1889	-3980	1236	-227	-3000	1723	366	-1615	1057	-1067	-2380	479	-4095	-3413	60
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-78	-10278	-4270	-894	-1115	-1209	-817	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	
6 0	-272	-4175	1427	-249	-4496	825	-235	-923	391	-577	-3265	976	-3770	-602	1682	165	-1303	-978	-4359	-3676	61
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-81	-10580	-4214	-894	-1115	-1882	-456	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	
6 1	-713	-4275	2377	1673	-4595	133	-2427	-1328	-1103	-4291	-3366	-246	-1321	-1969	-2526	-881	1896	-3897	-4459	-3773	62
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10626	-11668	-894	-1115	-373	-2136	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	
6 2	-443	-4504	216	-81	1410	1699	-313	-4575	-1074	-4520	-3593	1620	-329	2	-304	636	-837	-4126	-4687	-209	63
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10947	-11990	-894	-1115	-198	-2966	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	
6 3	-1102	-4838	403	-2956	-707	3185	-502	-4688	-3155	-4786	-746	1368	-4754	-1258	-3682	-3660	-3684	-4391	-4953	421	64
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	1305	-703	332	-2575	364	-4775	-722	-67	-3740	41	1148	-3814	285	

Table 3, Sheet 5/9

6 4	-990	-3200	-5718	-5082	406	-4921	-3792	1807	-422	-810	-2403	-1483	-4371	-4300	-4477	-4005	105	2648	1942	674	65
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
6 5	-7684	-6590	-8044	-8406	1262	-7926	-4105	-6567	-7962	-5968	-5967	-6534	-7780	-6676	-7320	-7179	-7532	-6724	6021	1346	66
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-24	-11023	-5937	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
6 6	-1081	-39	-645	2092	-4866	-2001	3120	-4613	-2304	-4563	-3640	-2697	-4153	-2262	-312	1595	956	-1784	-4735	-4055	67
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10999	-12041	-894	-1115	-387	-2088	.	.	.	.	.	.	.	.	.	.	.	.	.	
6 7	1191	1498	-5739	-5104	-3173	-675	-3816	1715	-4700	1112	-209	-4589	-4992	-4323	-4500	-4028	-68	1675	1543	-3338	68
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
6 8	-607	-4400	-3047	467	2483	-4124	-415	-4347	-571	-2213	-3509	-1371	-4215	-707	-22	-411	1595	1122	-4629	1250	69
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
6 9	-1125	-3258	-5787	-5155	-3223	-430	-3875	1839	-1620	1905	-2463	-4642	-5043	-4379	-4556	-4083	-1271	2065	163	-3395	70
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
7 0	-1005	-4574	94	1232	-1268	-949	305	-4645	-597	-4590	-3663	-423	3130	-2273	-1334	-922	664	-4196	-4757	-4074	71
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-799	-11023	-1236	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
7 1	-1035	-3869	42	-553	-4190	2429	-2028	-3940	393	-1291	-2958	754	531	23	131	-774	-203	-1418	-4052	-3369	72
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1736	-10226	-517	-894	-1115	-3087	-181	.	.	.	.	.	.	.	.	.	.	.	.	.	
7 2	727	-2766	1622	-596	-3081	-2270	1180	-2828	1226	-563	-1858	1347	-2368	-480	-1030	1120	-1245	-2385	-2953	-2272	73
-	-148	-501	232	48	-382	397	104	-627	211	-467	-722	277	395	47	95	359	116	-368	-286	-250	
-	-3941	-523	-2066	-22	-6038	-5709	-28	.	.	.	.	.	.	.	.	.	.	.	.	.	
7 3	-2095	-3593	2287	-826	-4113	136	-1685	-3935	-1635	-3872	-3056	2772	865	-1307	-2288	-1905	989	-3409	-4061	-3243	75
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-6	-8385	-9427	-894	-1115	-5796	-26	.	.	.	.	.	.	.	.	.	.	.	.	.	
7 4	-3370	-3802	-3346	-3527	-5496	3620	-3660	-5604	777	-5453	-4841	-3488	-4255	-3494	-3154	-3491	-3663	-4841	-4854	-5028	76
-	-150	-501	234	42	-382	397	104	-627	211	-465	-722	276	393	44	95	363	118	-368	-286	-250	
-	-3549	-131	-9427	-22	-6038	-4725	-56	.	.	.	.	.	.	.	.	.	.	.	.	.	
7 5	-1261	2000	664	-2358	951	-2717	-1566	-733	-2084	267	-424	-2139	2442	-1824	-2112	228	-1206	633	-1672	-1309	78
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-6	-8531	-9573	-894	-1115	-263	-2585	.	.	.	.	.	.	.	.	.	.	.	.	.	
7 6	892	-4282	1991	467	-4556	495	-2583	504	-1276	-622	-3384	-162	-482	-2140	-2683	-213	284	-489	-4495	-845	79
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10819	-11861	-894	-1115	-92	-4010	.	.	.	.	.	.	.	.	.	.	.	.	.	
7 7	-874	-3305	-4976	-1454	194	-2338	-3621	1526	-983	1775	-2502	-1534	-110	-1436	-945	-1080	-1758	820	2649	-3384	80
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
7 8	-357	-4572	685	917	-4893	291	1424	-1497	1572	-2482	-3661	-1041	1991	-929	-2819	-661	172	-4194	-4755	-1177	81
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-536	-11023	-1691	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 3, Sheet 6/9

7 9	-660	139	903	1067	-4364	1116	2881	-1448	-444	-1437	-3153	877	1160	-1812	-2358	-2514	-2565	-571	-4253	-3580	82
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-351	-10488	-2216	-894	-1115	-3008	-192	-3887	-556	-1696	-2934	1660	-3471	-1588	-450	-830	-926	-3452	-4032	-3359	83
8 0	-1185	335	497	-1714	-4146	2833	-2042	-3887	-556	-1696	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-490	-10207	-1801	-894	-1115	-4876	-50	-3512	-1203	-3482	-2539	47	-3054	1533	-1710	1907	1572	-3068	-3635	-139	84
8 1	961	-3448	-1830	-230	-3765	-909	654	-3512	-1203	-3482	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2627	-9720	-257	-894	-1115	-5316	-37	-3062	1835	-3036	-2313	-1209	-2398	-964	-760	-1448	-1559	-2556	-2967	-2661	85
8 2	-1425	-2189	-1160	-1096	-3294	2933	-1286	-3062	1835	-3036	-721	274	393	44	95	358	120	-370	-295	-250	
-	-150	-501	232	42	-381	402	105	-621	209	-465	-721	274	393	44	95	358	120	-370	-295	-250	
-	-2273	-761	-2301	-1549	-603	-1681	-539	-3332	-1020	-3281	-2359	196	-2864	490	112	-1682	-253	-2887	-3453	-2771	89
8 3	77	-3267	-66	57	205	2688	-1433	-3332	-1020	-3281	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-3	-9452	-10494	-894	-1115	-1361	-711	-2156	-731	530	1415	-3416	-4131	1816	-3398	-1179	229	1180	1903	1485	90
8 4	627	582	-868	-3565	-2609	-4071	385	-2156	-731	530	1415	-3416	-4131	1816	-3398	-1179	229	1180	1903	1485	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10259	-11301	-894	-1115	-33	-5486	-4547	636	767	-3613	-779	-4180	238	1884	-541	-545	-490	-4716	1812	91
8 5	-998	-272	-1312	147	944	-4088	-2749	-4547	636	767	-3613	-779	-4180	238	1884	-541	-545	-490	-4716	1812	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	-4595	2534	-252	-347	-2720	-4173	-532	-337	-1539	-525	-1911	-4736	5	93
8 6	-4871	-522	-7273	-6801	-4006	-6725	-5389	401	-8490	-2106	-3511	-6303	-6834	-298	-6337	-5905	-4829	209	-4919	4584	92
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	-4595	2534	-252	-347	-2720	-4173	-532	-337	-1539	-525	-1911	-4736	5	
8 7	7	-4545	-2961	83	-4853	1479	-96	-4595	2534	-252	-347	-2720	-4173	-532	-337	-1539	-525	-1911	-4736	5	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	-4595	2534	-252	-347	-2720	-4173	-532	-337	-1539	-525	-1911	-4736	5	
8 8	-1905	-3714	-6172	-5598	2582	-5424	-3923	369	-837	-1692	-2896	-4990	-5458	-4757	-4969	-4518	-3857	-847	261	4039	94
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	-4595	2534	-252	-347	-2720	-4173	-532	-337	-1539	-525	-1911	-4736	5	
8 9	-491	-44	-3807	1600	-142	-4457	-3193	-179	356	-893	-442	-1006	-4533	-1131	2679	-2040	-1632	-273	-4076	53	95
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	-4595	2534	-252	-347	-2720	-4173	-532	-337	-1539	-525	-1911	-4736	53	
9 0	-381	192	-5979	-5354	1663	-5204	-4093	2161	-4960	280	1877	-4850	-5237	-4582	-4765	-4296	-3560	2082	-3938	236	96
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	-4595	2534	-252	-347	-2720	-4173	-532	-337	-1539	-525	-1911	-4736	53	
9 1	-1360	856	1256	-178	-448	-4116	2442	-140	738	-1771	-3532	-893	-4207	-601	1	-1669	1115	658	2043	-1166	97
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-52	-11023	-4840	-894	-1115	-701	-1378	-4595	2534	-252	-347	-2720	-4173	-532	-337	-1539	-525	-1911	-4736	53	
9 2	-1767	-4492	391	-332	-4797	2082	1139	-650	-2283	-2336	-3585	798	-1471	-2241	342	-592	898	872	-4684	-4011	98
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10972	-12014	-894	-1115	-256	-2623	-4595	2534	-252	-347	-2720	-4173	-532	-337	-1539	-525	-1911	-4736	53	
9 3	-166	-653	1178	-302	-1166	473	1013	-1718	-621	-4575	-3651	922	1911	-938	-89	-2982	-235	-1085	9	1464	99
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-23	-11023	-6015	-894	-1115	-701	-1378	-4595	2534	-252	-347	-2720	-4173	-532	-337	-1539	-525	-1911	-4736	53	

Table 3, Sheet 7/9

9 4	-17	-4552	1435	-686	585	753	1661	-4623	-482	-4568	-3641	1595	-510	-798	-1193	843	-1359	-4174	858	596	100
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1352	-11001	-718	-894	-1115	-1381	-699	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 5	990	-3393	-409	-208	-3713	-2897	1789	-3462	1102	-1191	-2483	165	1197	777	-1644	-519	-1862	-3014	3280	326	101
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-154	-9651	-3326	-894	-1115	-5359	-36	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 6	-2694	-4027	-1734	21	1263	-3320	986	-4084	-2097	-4037	-3279	170	3097	-1914	-2648	1632	-2888	-3687	-4239	-3490	102
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-212	-9501	-2885	-894	-1115	-5443	-34	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 7	590	-3111	230	1845	424	-2623	751	-3174	424	-3125	-2201	-1260	-2717	700	-1372	-1531	1287	-2730	-3297	1665	103
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1738	-9292	-517	-894	-1115	-5540	-31	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 8	763	-3278	2505	1841	-3526	-1860	-998	-3362	-969	-3273	-2473	1657	-2265	-619	-1653	-1329	-1592	-2876	-3460	-2597	104
-	-143	-505	238	38	-376	401	100	-629	210	-470	-726	274	388	42	90	364	117	-364	-289	-255	
-	-1546	-1217	-2137	-4002	-93	-2398	-303	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 9	924	1118	-1238	1857	-3128	-2357	-1016	-2870	1001	-799	-1912	420	-2450	1522	180	-1265	-1317	-447	-3010	-2336	122
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-8916	-9958	-894	-1115	-776	-1266	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 0	-4244	-5377	-645	-3281	-6758	3521	-4264	-8618	-4334	-6589	-5824	-3559	-5159	-467	-955	-491	-238	-5843	-6723	-5952	123
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1366	-10466	-710	-894	-1115	-4472	-67	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 1	-1545	-2628	-3	-1022	-2810	-2587	3746	-2470	-928	-66	1100	1005	-2677	1275	-1401	87	-1485	40	-2901	-2314	124
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-8104	-10146	-894	-1115	-4056	-89	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 2	-1738	-3101	318	-1072	-3394	-2715	-1350	-3113	293	-902	-2201	-1366	-2803	625	2944	-213	-1671	-2712	1867	1672	125
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-8260	-10302	-894	-1115	-3745	-112	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 3	-1830	1786	-1979	181	3110	-2914	-1599	-2494	187	-2661	-1872	348	-2999	382	-17	-1850	-1768	-184	-3033	1694	126
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-3	-9439	-10481	-894	-1115	-3895	-100	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 4	-486	-3147	2145	605	-3366	-2937	-1627	489	-1269	-3119	-2267	2387	-3039	-1211	-1759	-421	-1882	354	-3396	422	127
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-3	-9567	-10609	-894	-1115	-193	-2999	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 5	-1642	-4357	-2912	1666	-1270	-1006	1125	-809	-1170	-1665	-3460	317	1944	1076	-1285	-904	-1341	651	1747	-760	128
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-30	-10913	-5643	-894	-1115	-2658	-249	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 6	-1173	-4422	150	150	4731	-3955	-2614	874	758	-114	-3514	894	-4047	971	-224	68	369	-36	2895	-960	129
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10885	-11927	-894	-1115	-400	-2047	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 7	-3107	-192	-1522	-578	-1688	-1620	-372	-949	1499	-102	-430	1040	942	-2398	1137	-958	-317	885	-4527	579	130
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10996	-12038	-894	-1115	-1491	-634	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 8	-3341	-3194	1900	485	588	-4869	-297	-72	-4523	1289	-2395	-4458	-4921	-4178	-1295	-2058	-1548	979	2426	1188	131
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-21	-10996	-6189	-894	-1115	-363	-2168	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3, Sheet 8/9

10 9	-117	-4097	-3254	-1038	-4244	-4216	-2903	-119	1662	837	-3236	-2962	385	-851	1231	-865	302	1173	-4396	-3839	132
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11003	-12046	-894	-1115	-420	-1984	.	.	.	.	.	.	.	.	.	.	.	.	.	
11 0	1344	-4030	-1481	-678	-4152	-4269	-2964	1060	-984	1062	-3176	-1173	117	-2623	-546	-280	815	530	-4346	-540	133
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
11 1	-4562	-5414	3854	-4419	-7555	-1661	-5445	-7459	-5967	-7537	-6744	-4536	732	-5224	-6807	436	-1693	-6356	-7702	-7065	134
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
11 2	375	-4583	-3848	-1187	-4813	-4730	-3382	-1424	-2824	-4555	-3786	-3528	3834	-978	62	-3761	-1326	-4174	-4874	-1076	135
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
11 3	-4784	-428	-6779	-6355	582	-1779	-3987	-4061	-5937	-2040	53	634	-6164	-5379	-677	-5268	-4716	-4009	3313	4259	136
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-11023	-12065	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
11 4	3042	-4607	-6209	-6125	-6739	540	-5868	200	-6057	-6710	-5828	-1234	-5611	733	-6130	211	-764	-5531	-6964	-6720	137
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10994	-12036	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
11 5	-1554	-4254	-3118	-2567	1616	-4149	-141	-1803	2314	-2413	-3377	-165	956	-1065	1741	-3071	1002	-1581	-4514	-3916	138
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10994	-12036	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
11 6	1683	-4540	70	592	1140	57	-2707	-4608	-453	-2223	-3630	225	-4141	-1025	-156	165	-3012	-819	-4725	1981	139
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10994	-12036	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
11 7	435	976	-5691	-5055	1014	200	-3764	1242	-4650	303	-37	-4539	-4943	-323	-4450	-22	-536	1867	-3630	123	140
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10994	-12036	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
11 8	116	-4535	432	1251	-4851	-355	368	-1120	-2291	-4549	-3626	-417	-308	-474	-2798	926	847	1511	-4721	-101	141
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10731	-11773	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
11 9	89	40	704	-356	-4621	987	-259	-4370	321	-318	-718	-2448	-399	482	-193	844	-1010	1049	-4488	-3807	142
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10731	-11773	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
12 0	-2839	-4311	1556	-525	-4632	-1454	-2471	-4383	-368	-1184	-3401	2127	1394	-2011	2020	-74	-1349	-3933	793	-3812	143
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10731	-11773	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
12 1	-2838	-4293	113	-626	-544	1423	-2474	-4352	-2058	-2372	-3384	22	2430	131	-621	781	-851	451	-4481	-3803	144
-	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
-	.	.	.	.	.	.	.	.	0	.	.	.	.	.	.	.	.	.	.	.	

Table 3, Sheet 8/9

[illegible]

Table 4, Sheet 1/32

7	-1460	-4497	-7039	-6833	4401	-1492	-4848	-946	-6493	-1435	-3124	-5813	-6017	-5797	-6161	-4986	-4659	-3568	-4250	-3409	7
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	1015	-4092	-2467	1414	-4412	-3593	301	-4163	1059	-4107	425	1248	-3686	544	382	119	-68	-1924	-4275	1332	8
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-474	-10485	-1840	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	-798	-3710	1318	381	-4030	-3204	-1867	-3781	-229	-3725	-2800	1805	-3300	-1408	1149	-673	-500	-3332	4434	-3210	9
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10013	-11055	-894	-1115	-3804	-107	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	-754	-3691	95	139	-4012	2378	-1850	-3763	799	-3707	-2780	504	-3285	226	170	-222	-208	-3313	-3874	686	10
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-283	-10013	-2495	-894	-1115	-323	-2316	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	-2420	-3619	3319	-531	-3837	-1144	-2112	-3520	-1746	-919	-489	654	-3528	-1695	-2232	-35	-195	-922	-3868	-169	11
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-87	-10204	-4120	-894	-1115	-3240	-161	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	-1036	-3694	-489	-1650	-3978	-3303	-1866	-873	862	-3694	-2794	-232	2148	-1519	-889	1520	1384	-893	1820	-3242	12
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10119	-11161	-894	-1115	-3527	-131	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	-1310	-3777	1225	-400	-4097	-3280	-1939	-948	123	-916	-2866	1985	-671	-1479	669	1690	587	-3398	-3961	-3279	13
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10119	-11161	-894	-1115	-3527	-131	.	.	.	.	.	.	.	.	.	.	.	.	.	
14	-2309	669	102	248	-4055	1478	544	-181	276	-1468	-2841	2669	-3381	-463	-2039	-2195	-130	-963	-3940	-3266	14
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-166	-10119	-3211	-894	-1115	-3527	-131	.	.	.	.	.	.	.	.	.	.	.	.	.	
15	507	-4662	3087	-356	-4951	-3666	-2603	-4742	-2381	-4670	-3801	1868	-3945	102	-2869	458	-3056	-864	-4846	-4077	15
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-983	-9955	-1020	-894	-1115	-3928	-98	.	.	.	.	.	.	.	.	.	.	.	.	.	
16	-1432	-2900	-1279	454	-3222	-2404	849	-2970	551	-2915	-1990	1351	2468	970	43	-1313	329	-2523	-3081	822	16
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-224	-8976	-2818	-894	-1115	-4922	-48	.	.	.	.	.	.	.	.	.	.	.	.	.	
17	347	-2735	145	858	-3055	-1	-898	-2804	-479	-1002	-1825	-875	318	1050	656	1298	635	-2356	-2919	-2237	17
-	-150	-501	237	45	-381	400	105	-627	212	-467	-721	276	393	44	95	358	116	-370	-295	-250	
-	-3921	-996	-1208	-31	-5562	-5023	-45	.	.	.	.	.	.	.	.	.	.	.	.	.	
18	-806	-2136	-672	725	-2409	-1787	2069	-2122	-79	-2136	-1251	1334	-1889	-31	-576	1266	1192	187	-2362	-1714	18
-	-149	-500	232	42	-381	398	105	-623	211	-464	-721	275	393	45	97	359	117	-367	-295	-247	
-	-3106	-442	-2758	-37	-5313	-5259	-38	.	.	.	.	.	.	.	.	.	.	.	.	.	
19	-1101	-1851	-1203	-809	-1107	-2079	2497	-1776	-717	-1890	-1184	-983	2208	-661	-1099	1211	-1094	-1532	-1558	2020	19
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	98	359	117	-369	-294	-249	
-	-10	-7715	-8757	-894	-1115	-3229	-163	.	.	.	.	.	.	.	.	.	.	.	.	.	
20	456	-2091	880	-981	-1511	-2393	-977	-1843	-820	-1991	-1264	-1188	-2480	-787	1164	-1376	-1276	-1631	3621	2948	20
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-7	-8293	-9336	-894	-1115	-1105	-902	.	.	.	.	.	.	.	.	.	.	.	.	.	
21	-4548	-5007	-4752	-4756	-6164	3702	931	-6660	-3624	-6413	-5801	-4630	-5444	-4302	-411	-4656	-4785	-5961	-5743	-5570	21
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-923	-9690	-1085	-894	-1115	-4348	-73	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 2/32

22	740	-2742	752	-578	1125	-55	1540	-2808	674	-2756	-1832	332	-2345	-452	691	1244	-1216	-2362	-2927	-2247	24
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-158	-8772	-3303	-894	-1115	-5017	-45	.	.	.	.	.	.	.	.	.	.	.	.	.	
23	1093	-1981	783	-929	714	-2349	1735	-79	-817	-649	-1134	774	455	-742	-1242	-1294	1299	-1479	-2316	-1803	25
-	-148	-501	232	42	-374	397	104	-628	211	-465	-722	276	395	44	95	360	119	-371	-296	-248	
-	-3784	-111	-9662	-19	-6287	-5076	-43	.	.	.	.	.	.	.	.	.	.	.	.	.	
24	1491	-2213	1203	-932	-2512	145	-1141	-177	-842	-2307	-1499	-1168	508	-775	-1296	1473	-1252	-226	-2655	-2101	27
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-5	-8620	-9662	-894	-1115	-5076	-43	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	-1203	-2674	235	871	-2992	1087	-833	-2742	-420	-2689	-1765	853	-2264	1628	-929	525	1091	-2295	2230	-2175	28
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-5	-8620	-9662	-894	-1115	-5076	-43	.	.	.	.	.	.	.	.	.	.	.	.	.	
26	-1213	2805	793	588	121	632	-986	-1897	-694	-2062	1632	794	-2381	-630	-1146	-1229	64	-1647	-2434	1661	29
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-5	-8620	-9662	-894	-1115	-5076	-43	.	.	.	.	.	.	.	.	.	.	.	.	.	
27	339	2653	576	-652	-2518	-2231	1886	301	-556	-751	-1446	1155	-2320	-504	1181	294	-1135	-1876	-2586	-1989	30
-	-150	-501	235	44	-382	397	104	-624	211	-467	-722	276	394	44	95	360	121	-369	-296	-251	
-	-3784	-111	-9662	-19	-6287	-5076	-43	.	.	.	.	.	.	.	.	.	.	.	.	.	
28	-39	-2624	1833	352	-2924	-2171	-840	315	-433	-360	-1720	2015	-2269	1105	-939	-43	-1140	-2235	-2820	-2149	32
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1468	-8620	-653	-894	-1115	-5076	-43	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	-1168	-1761	-1657	-1066	-1714	1555	-762	-1800	-73	-1896	-1201	-1120	-2243	-520	2066	-1254	-1145	-1562	4088	-1308	33
-	-150	-501	239	44	-382	397	104	-627	209	-465	-722	276	395	44	95	358	116	-370	-282	-247	
-	-2331	-890	-1933	-1947	-433	-3740	-112	.	.	.	.	.	.	.	.	.	.	.	.	.	
30	-1006	-2546	1900	1847	-2841	-1663	-540	-2615	-266	-2550	-1674	-283	1442	-116	1044	-835	-972	-2160	-2724	-1985	38
-	-149	-500	234	44	-381	398	105	-627	211	-466	-721	278	393	45	95	359	117	-367	-295	-250	
-	-2612	-263	-8490	-45	-5016	-4191	-81	.	.	.	.	.	.	.	.	.	.	.	.	.	
31	-1276	-1857	-3073	-3276	-3951	-2079	-3114	-3699	-3291	-3965	-3211	-2515	3791	-3088	-3258	-1512	1591	-2799	-4068	-3935	40
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-10	-7741	-8783	-894	-1115	-5295	-37	.	.	.	.	.	.	.	.	.	.	.	.	.	
32	1795	-2196	-565	897	-2705	-1787	-749	-2424	-444	-2454	-1592	1798	-2035	-339	-950	-891	1554	-1990	-2685	-2033	41
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-567	-7741	-1643	-894	-1115	-4278	-76	.	.	.	.	.	.	.	.	.	.	.	.	.	
33	1019	-2549	1220	15	-2866	-1686	-602	-2639	-347	-2589	-1721	1280	-1848	2872	-909	-878	-1019	-2187	-2775	-2035	42
-	-146	-500	232	43	-381	398	105	-627	213	-466	-721	275	393	45	95	359	117	-370	-295	-244	
-	-2649	-255	-8527	-44	-5058	-5334	-36	.	.	.	.	.	.	.	.	.	.	.	.	.	
34	-842	-2187	1083	-73	-2870	1600	-538	-2418	-193	-2392	-1509	-373	-1867	-113	1666	1086	-836	-1956	-2579	-1901	44
-	-151	-502	235	41	-383	403	103	-629	211	-466	-723	273	396	43	94	357	121	-372	-297	-236	
-	-2649	-1232	-1269	-2921	-204	-4299	-75	.	.	.	.	.	.	.	.	.	.	.	.	.	
35	-468	-852	-1748	-1375	-1367	-1561	-1139	2029	-1215	-1183	-541	-1214	1812	-1077	-1420	1463	-613	-493	-1794	-1390	53
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-15	-7122	-8164	-894	-1115	-3735	-113	.	.	.	.	.	.	.	.	.	.	.	.	.	
36	844	-2120	-541	1228	-2414	-1688	-358	-2139	1304	-2120	-1225	1410	-1794	86	-407	-628	-674	-1730	3129	-1660	54
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-10	-7701	-8743	-894	-1115	-1998	-416	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 3/32

37	590	-1848	1080	-1680	-1869	-153	-1528	902	-1529	1445	-1028	-22	-313	-1404	-1840	-451	-1448	-1302	2063	-1818	55
-	-149	-500	233	43	-381	399	-99	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-8953	-9995	-894	-1115	-3914	-99	-3015	1777	-635	-2033	793	-2539	543	1810	54	-163	-2566	-3126	-2445	56
38	-1473	-2944	860	-772	-3266	-2446	1929	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-166	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-9047	-10089	-894	-1115	-3200	-166	-3095	1910	-87	975	38	-2673	-785	-1331	196	912	-2660	-3236	-2561	57
39	-1602	-3045	1094	301	197	-2580	1251	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-54	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-9230	-10272	-894	-1115	-4772	-54	-2337	-4407	-18	-3916	-4657	-5814	-4740	-5283	-5144	-5247	-4497	2202	3735	58
40	-360	-4540	-6105	-6279	3176	-5925	-2337	-4407	-18	-3916	-3879	-4657	-5814	-4740	-5283	-5144	-5247	-4497	2202	3735	
-	-149	-500	233	43	-381	399	106	-54	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-9230	-10272	-894	-1115	-4772	-54	-1531	-3416	-289	-1230	-3250	-3744	415	-3228	-2791	56	-1457	1895	950	59
41	-2207	3448	-4383	-3804	2865	-3703	2211	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-757	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-9230	-10272	-894	-1115	-1292	-757	1190	-3635	-2012	-1368	-3526	-3932	-3260	-3439	-2966	-823	489	2156	-2272	60
42	-2335	1113	-4673	-4038	-357	2872	413	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-1230	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-9881	-10903	-894	-1115	-802	-1230	-7798	-6977	-7616	-7095	-503	-6308	-6630	-6847	-5444	-5649	-6847	2842	-5752	61
43	-5229	-5553	-6123	-6490	-6106	3663	-6156	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-2023	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10248	-11290	-894	-1115	-2023	-408	-4154	-488	-1684	-3178	745	-3641	-108	-2336	-92	-85	-3703	-4266	-3575	62
44	-2800	-4083	3357	-1838	-4399	-187	346	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-3539	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10288	-11330	-894	-1115	-130	-3539	-5780	-7378	2298	-817	-6000	-7210	-6118	-6752	-6607	-6866	-5998	4461	1549	63
45	-7012	-5986	-7498	-7818	1401	-7363	936	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-1378	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-1675	1546	-4107	-3181	1061	-1010	2327	653	-349	-2558	-915	1561	1599	64
46	-940	-4092	196	-331	-4412	-3593	2252	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-701	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-5311	-434	-5236	-4372	905	-4479	-2731	-3537	-788	-1041	-4841	-5412	-4633	65
47	-3634	-5231	826	-129	-757	3120	-3144	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-1378	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-3058	-4207	705	-384	-852	-4500	-3831	-334	-1907	-2841	1462	-3190	-2848	66
48	-1108	-2725	-5245	-4610	-1161	-4452	-3325	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-1378	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-2217	-3684	539	730	-1442	-4369	-3405	-1052	-1332	1925	-2225	-3248	-2886	67
49	1260	-2803	-1772	-3941	-2771	-1277	-3144	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-1378	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-4164	197	-494	-694	1507	-3686	1818	-122	659	-916	-3714	-4276	-3593	68
50	-597	-4092	1714	1104	-4413	-3593	2252	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-1378	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-4174	3089	-4117	-3191	545	-3694	291	394	-607	-2567	-3724	-4284	-3602	69
51	-886	-4102	-1336	653	-4423	-1236	1004	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-1378	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-4174	3089	-4117	-3191	545	-3694	291	394	-607	-2567	-3724	-4284	-3602	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-4174	3089	-4117	-3191	545	-3694	291	394	-607	-2567	-3724	-4284	-3602	

Table 4, Sheet 4/32

52	78	2795	-428	-4242	-2710	-4389	145	695	-1076	2295	273	-3894	-4423	-49	-3835	-1877	-2804	-2167	866	-2850	70
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
53	-1	-10485	-11527	-894	-1115	-701	-1378	-1864	-912	-4108	-3181	840	699	-97	-851	-593	40	-714	-4275	-3593	71
-	117	-4092	2782	545	-4413	-1720	-2252	-1864	-912	-4108	-3181	840	699	-97	-851	-593	40	-714	-4275	-3593	
-	-150	-502	240	43	-383	401	103	-629	210	-468	-713	275	393	46	95	360	119	-372	-297	-252	
-	-583	-1590	-11527	-327	-2304	-701	-1378	-629	210	-468	-713	275	393	46	95	360	119	-372	-297	-252	
54	-2739	-3261	702	-1552	-1049	-1425	-591	-994	-2540	-1492	-2430	-1139	-4014	-872	-2913	-1575	-171	-1236	-3633	4195	74
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
55	-6061	-5426	-8423	-7836	174	-8240	-6742	2396	-7642	2680	-2238	-7944	-7194	-6330	-7081	-7629	-5889	-1773	897	-5384	75
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
56	917	-4094	-2468	-714	-4414	570	830	-4164	2745	-4109	-3183	74	-3689	928	-2342	-1596	52	-1108	-4277	-3595	76
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
57	-680	-4095	1980	794	-4416	741	-2254	-4167	145	-4111	-3184	1061	1224	435	-1051	378	-386	-3717	-4278	-3595	77
-	-150	-501	234	42	-381	399	110	-627	211	-467	-721	279	393	44	95	360	118	-370	-295	-250	
-	-31	-5599	-11527	-2807	-223	-701	-1378	-627	211	-467	-721	279	393	44	95	360	118	-370	-295	-250	
58	942	-2775	-1042	-4088	-2738	-4341	560	891	225	2098	2191	-1246	-4397	-3501	-3763	-3401	-1516	-2194	863	-2867	86
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
59	-4606	-5401	-3869	-4255	-7234	3748	-5181	-7338	-5436	-7311	-6805	-1046	-5670	-140	-5877	-4650	-4961	-6340	-7108	-6696	87
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
60	-1029	-2769	-5299	-1394	1996	-4510	-3389	2081	-4267	-2606	-132	-4156	-4557	-3893	-4070	-3598	-472	2155	-3252	2078	88
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
61	-239	-4233	1152	-2113	-4626	555	-2487	-4376	-694	-4333	-466	1252	-3879	-2038	-2610	-250	2930	-3919	-4510	-3828	89
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
62	2623	-2941	-4036	-3461	-2940	1140	1204	-2494	-3255	-2818	176	-3423	-4268	-533	-3437	-520	-151	348	-3379	69	90
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
63	-4777	-4256	-7476	-7167	-4920	-7349	-7445	3081	-7153	141	-3597	-7004	-7060	-7112	-7338	-6742	-170	2423	-6741	-6228	91
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
64	-6746	-5975	-6657	-528	-2190	-7063	-3585	-5892	-6009	-1756	-5291	-5711	-7002	1984	-5787	-6378	-6602	-6021	5623	2050	92
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
65	-5029	-4582	-7496	-6959	122	-7061	-6044	2298	-8715	2037	1808	-8732	-6641	-6001	-8450	-6294	-217	1290	-5182	-5137	93
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
66	-1269	1372	-5290	-4848	-4047	-4330	-4173	-3617	-4592	-1531	783	233	1518	-4323	-4625	2681	1511	-3381	-4485	-4145	94
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	

Table 4, Sheet 5/32

67	-1240	-4199	-5920	-6230	-6753	-4440	-5862	-6474	-6122	-6774	-5889	-5051	4130	509	-5963	-3825	-4047	-1240	-5953	-6836	95
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
68	108	-4085	-7124	-6741	434	-6661	-6322	2424	-6592	-3617	-3454	-6403	2571	-6423	-6620	-5945	-4483	1900	-5951	-5492	96
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
69	-1405	-2708	-5187	-4553	2792	-4420	-3289	-775	-4156	-639	-1911	1332	-4470	618	-3968	-303	-28	526	1665	2169	97
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
70	-662	-4092	1024	2245	-4413	-3593	326	-4164	1661	-2213	-44	-801	-352	799	-152	-1385	-537	-1818	-4276	-3593	98
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1356	-10485	-717	-894	-1115	-701	-1378														
71	-1559	1519	384	-879	-3251	-285	1083	-2981	-803	-2964	-2060	2667	-2633	2129	-1307	-1453	323	-183	-3163	-2498	99
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-188	-9133	-3052	-894	-1115	-4835	-51														
72	-1792	-1625	-3998	-3375	867	-3348	-2215	1966	893	1010	-718	-2943	-3380	1633	-2846	-2432	-1732	1248	-2099	-1765	100
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-91	-8949	-4075	-894	-1115	-4936	-48														
73	-1348	-2799	452	558	-238	-2321	1570	-2855	-570	-2811	-1891	1536	1707	-527	-1076	949	-90	-2416	-2988	1085	101
-	-147	-501	237	42	-382	399	104	-628	209	-467	-722	276	392	46	94	362	120	-371	-296	-251	
-	-4027	-346	-2721	-162	-3232	-4977	-47														
74	-1398	-1247	-3568	-2947	-1199	-2933	-1800	360	-2581	643	-435	2323	-2982	-2239	-2446	-2013	1170	862	3508	-1367	104
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-5	-8627	-9669	-894	-1115	-1469	-647														
75	-455	-2991	765	-1354	-3181	663	2621	-186	-1258	-2950	164	570	-190	-1204	-1733	489	1132	402	-3260	-2668	105
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-3	-9564	-10606	-894	-1115	-2824	-220														
76	1379	-3225	-70	-1368	-3461	700	-1655	437	-421	-1745	-2338	952	-899	334	-1766	-396	-801	1437	-3462	-2835	106
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-3	-8692	-10734	-894	-1115	-45	-5023														
77	448	-3860	-1339	-2058	-4084	78	-2337	-3769	-740	-3834	67	-2348	-3755	969	-2452	2571	-322	-28	-4106	1105	107
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
78	-1625	-4050	-839	-1940	-4352	1882	547	-1615	-903	-1959	-3144	-540	2730	248	-2358	-326	170	-1532	-4245	-3574	108
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-305	-10485	-2397	-894	-1115	-701	-1378														
79	-1428	-3831	469	208	-4152	596	99	-3903	-325	-1529	1961	1724	-888	1738	-2079	479	-568	-3453	-4014	648	109
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1921	-10182	-444	-894	-1115	-3323	-152														
80	372	-2330	-897	-354	-2616	-1985	1916	-2329	2146	-2336	-1448	798	-2082	-215	-725	692	-940	578	-2554	-1910	110
-	-150	-501	239	44	-377	400	104	-628	209	-467	-722	274	396	44	95	359	116	-371	-298	-251	
-	-2157	-369	-9309	-557	-1643	-3400	-144														
81	1078	-2294	1350	-648	300	-485	-900	-2151	-553	-2254	1556	1037	572	-499	-1029	66	-1123	-1846	-2562	1044	114
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-6	-8597	-9639	-894	-1115	-2793	-225														

Table 4, Sheet 6/32

82	-1461	-2933	984	-749	-3253	-139	1474	-3003	-675	-2949	-2024	1555	-2523	717	848	1813	-1401	-2555	-3117	586	115
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	4	-9004	-10046	-894	-1115	-1884	-456	-2923	-1198	-3004	861	669	892	1771	-1680	-1806	1403	888	-3289	1312	116
83	57	-3035	-1842	31	-3246	-482	-1560	-2923	-1198	-3004	861	669	892	1771	-1680	-1806	1403	888	-3289	1312	116
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-3	-9540	-10582	-894	-1115	-40	-5194	-	-	-	-	-	-	-	-	-	-	-	-	-	
84	873	-4137	291	-1124	-4446	1513	-306	-4191	-1910	-4148	-3231	-436	-3744	-845	-2419	1681	-2825	-971	3835	-3646	117
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
85	-4176	-4768	1829	-3445	-3695	-1300	-3742	-4659	-4308	-4801	-4205	894	-5163	-3872	-4784	-4205	-1573	-1321	3566	3879	118
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
86	-1132	-3799	-861	118	612	-712	4033	-3673	-2003	-1593	1397	819	-3773	-477	-2483	-2604	327	-3356	1896	-377	119
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
87	-1015	-4079	-928	-1940	-4392	2727	230	-4135	1129	-1785	-3172	-2248	340	-1811	835	-221	-2571	-1529	-4268	-3593	120
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
88	-7416	-6752	-7795	-8171	-4839	-302	-5966	-8217	-8274	-7590	-7577	-7492	-7408	-7730	-7762	-7573	-7664	-8017	-5332	4874	121
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
89	-4666	-5065	3020	-4360	-296	-5588	143	-4906	-4122	-4709	233	-4314	-5620	2387	-291	-4603	-4588	-4791	3763	68	122
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
90	-285	-2705	-5216	-4581	-2659	-1500	-3296	1800	-4177	411	509	-4088	1915	-1144	-3980	-3509	1879	303	1008	-2821	123
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
91	482	-3709	-2718	364	-791	-3717	285	-761	-549	-1726	-2840	-2438	-3805	801	1137	431	1253	665	-3990	1751	124
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
92	-4889	-6628	3602	-2998	-7225	-4711	-4283	-7248	-4767	-7097	-6541	1978	-5333	-3990	-5802	1074	-5057	-6580	-7280	-6167	125
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
93	-7029	-5996	-7530	-7846	2273	-7404	-3629	-269	-7412	804	-4944	-6040	-7227	-6136	-6780	-6653	-6877	-5902	2046	4054	126
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
94	-2620	1093	-168	384	997	-129	-2255	-4144	1727	-4095	-563	290	-3689	-278	687	-2503	688	-1293	-4268	2168	127
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-21	-10485	-6218	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
95	371	-4076	-317	1265	-4397	-1729	212	406	1377	7	-3165	586	-3669	1009	-234	493	-1214	-3698	-4259	-3576	128
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-63	-10466	-4571	-894	-1115	-1141	-872	-	-	-	-	-	-	-	-	-	-	-	-	-	
96	-843	191	-1277	-1657	1107	-438	-3165	2635	-3896	-389	-1867	-690	-235	-947	-3795	-3381	-212	1299	-3119	-2770	128
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-3167	-10404	-172	-894	-1115	-2010	-412	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 4, Sheet 7/32

97	-1053	-2634	1898	158	-2897	-1582	2013	-2899	-340	-2629	-1777	2478	-1882	1472	-923	-857	-1032	-2240	-2803	-2027	130
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-320	-7252	-2377	-894	-1115	-5364	-35	-	-	-	-	-	-	-	-	-	-	-	-	-	
98	-2259	-2673	-1597	-1655	-2974	-2426	-1778	-3343	-1247	-3149	-2741	-1799	-2844	4302	-1363	-2273	-2358	-3074	-2844	-2538	131
-	-149	-500	233	43	-381	398	105	-627	216	-466	-721	275	393	45	96	359	117	-370	-295	-250	
-	-2113	-387	-7991	-68	-4439	-5394	-35	-	-	-	-	-	-	-	-	-	-	-	-	-	
99	-2307	-2447	-3004	-3307	-4059	3719	-3189	-4433	-3631	-4384	-3905	-3019	-3114	-3435	-3496	-2545	-2690	-3694	-3457	-3941	133
-	-149	-500	233	43	-381	398	105	-627	210	-466	-721	275	393	45	96	360	121	-370	-295	-250	
-	-2113	-387	-7991	-68	-4439	-5394	-35	-	-	-	-	-	-	-	-	-	-	-	-	-	
100	-1622	-1179	-4160	-3786	-1612	-3872	-3506	2486	-3640	-485	-405	-3542	-3714	-3484	-3705	-3175	-1613	2883	-3068	-2632	135
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-17	-6949	-7991	-894	-1115	-343	-2240	-	-	-	-	-	-	-	-	-	-	-	-	-	
101	-2385	-3834	2901	-520	-4154	-3339	974	-3803	-1579	-3850	-204	1923	-753	415	106	-2246	-987	-3455	1778	207	136
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10186	-11228	-894	-1115	-94	-3985	-	-	-	-	-	-	-	-	-	-	-	-	-	
102	-1119	-4113	-534	989	-4433	180	-2271	-4184	-1854	-4129	-3203	-909	2651	-1812	111	685	1324	-3735	-4297	-399	137
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
103	-1031	-4076	-2475	234	131	-1570	2594	278	1057	-2352	-611	693	-914	1077	1767	-2504	-327	-3694	-4264	-398	138
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
104	-3766	-3535	-5916	-5401	2942	-840	-3425	-3059	-4991	656	248	-4706	-5245	-4509	-1239	-972	-3702	-2996	1011	3458	139
-	-143	-501	232	42	-382	399	105	-627	212	-467	-721	277	393	44	95	358	116	-370	-295	-245	
-	-42	-5149	-11527	-2670	-247	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
105	-8252	-7162	-8163	-8550	-8738	3865	-7830	-9779	-8750	-9145	-9067	-8451	-7614	-8612	-8185	-8693	-8516	-9303	-7448	-8752	147
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
106	-3611	276	1704	-4311	-6496	-1350	-4820	-6315	-4922	-6428	-5526	2043	-793	-4557	-5305	512	2942	-5291	-6593	-6141	148
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
107	-503	-4051	8	1036	-574	-2005	-2265	-1878	1377	260	2254	832	-3697	-1811	1077	-1552	93	-3663	737	-3574	149
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
108	1612	-4106	1904	1843	-4427	-858	-2263	-4178	-659	-4122	-695	-1031	-3697	1321	-2354	-197	-943	-3728	-4289	-3606	150
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
109	11	-4538	3047	1602	-4847	-3855	-2619	-4610	-288	-1877	-3642	-2482	-4021	1329	-2794	-2886	267	-4156	-4718	-4008	151
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
110	-2036	1220	-7421	-6835	3516	-6860	-5376	-2914	-6508	2094	660	-6481	-6457	-5667	-6141	-6041	-5012	-3551	403	-4244	152
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
111	-851	-4088	921	828	349	-3602	-2260	-604	2159	-989	-3179	-2240	-3695	1839	1456	-2510	-2566	-3708	-4273	-3595	153
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 4, Sheet 8/32

112	564	-4093	406	1072	-4414	-3593	231	-4165	466	-4109	-3182	1180	-3687	1276	947	1015	790	-3715	-4276	-3593	154
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
113	251	-5382	-8381	-7805	-3477	-8030	-8821	-2909	-7602	2757	3310	-7863	-7137	-6322	-7056	-7412	-5820	-1221	-5316	-5560	155
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
114	-305	1484	-5265	-4631	-2702	-4472	-3348	2502	-4229	-612	1448	-4118	-4520	-3853	-1047	-986	-987	2286	-3212	-2869	156
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
115	884	-4092	1870	-634	-4414	-786	843	-4164	304	-4108	-3182	505	-3686	896	434	1104	225	-1701	-4276	-3593	157
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
116	1572	-4092	-316	1390	-4413	-3593	-2252	-4164	1260	-1864	-3181	-565	-3686	-20	1256	-11	240	-709	-4275	-3593	158
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
117	2346	3387	-5358	-4725	741	-4568	-3442	-753	-4323	731	1479	-4215	-4607	-3938	-4122	-3656	-120	-1125	-3290	-2856	159
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
118	-2653	-4128	-124	-729	-778	-1262	4466	-4200	1226	-4143	-3218	354	-3715	446	-370	-1338	-2593	-3750	-4310	-3626	160
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
119	1456	-4094	122	1669	-4415	-398	-2253	-4166	901	-4110	-462	905	-3687	1166	-743	607	-2560	-3716	-4277	-3594	161
-	-149	-500	235	43	-381	398	105	-626	210	-466	-721	275	396	45	96	359	117	-369	-295	-250	
-	-35	-5386	-11527	-985	-1015	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
120	905	-3975	-3344	-2721	-4151	-4168	-455	-3757	1571	72	-3119	1224	-4233	-2376	2466	-3147	-3042	-301	-4211	1099	164
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
121	-4722	-6205	1052	-3086	-7197	3376	-4350	-7191	-4837	-7077	-6482	1612	-5315	-4063	-5831	-2007	-4937	-6437	-7269	-6213	165
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
122	-4922	-4389	-7600	-7267	-4589	-7480	-7387	3162	-7240	-1180	3054	-7139	-7096	-6988	-7325	-6879	-4801	1873	-6437	-6132	166
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
123	362	-4119	-1060	-1952	-4444	-3625	-196	-4190	3130	-1561	-3209	-437	-3717	274	1372	-1594	-2591	-3743	-4297	-879	167
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
124	-2157	1226	-6830	-6365	-616	-6361	-5648	2243	-6139	479	-3205	-6010	-6258	-5902	-6093	-5571	-1543	2891	-5359	-4952	168
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
125	-4973	-4556	-7390	-6825	-605	-6889	-5739	2833	-6544	187	2572	-6548	-6505	-5815	-6253	-6091	-4885	927	-4941	2516	169
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
126	790	-2711	-5231	-4595	719	-745	-3305	-173	-4190	1545	2374	-4079	-4482	-3812	-3990	-3518	-868	1788	-3169	-178	170
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 9/32

127	-8466	-7310	4232	-7396	-8700	-7098	-7495	-9750	-8307	-9096	-9042	-7636	-7557	-7951	-8076	-8688	-8607	-9400	-7444	-8581	171
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
128	1130	-2705	-5224	-4588	2004	-410	-3297	574	-4183	665	-213	-4072	-4476	-3806	-3983	-1769	-1213	2047	-3163	-324	172
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
129	-202	-4206	-7392	-7072	-4907	-7157	-7171	-452	-7025	-944	-3609	-6853	-6944	-6970	-7177	-8521	-1808	3649	-6601	-6084	173
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
130	-1570	-2728	-5251	-4616	2039	-4455	-3328	1709	-4212	-885	909	-4101	2203	-3835	-4013	-3541	-400	1465	-3192	427	174
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
131	-8077	-7138	-7637	-8023	-8516	-7075	-7642	-9658	-8487	-9057	-8951	4459	-7552	-8282	-8070	-8424	-8336	-9174	-7395	-8424	175
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
132	-8777	-7286	-8125	-8503	-8089	-7246	5476	-9783	-8678	-9076	-9078	-8509	-7683	-8576	-8145	-9272	-8931	-9493	-7256	-7887	176
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
133	-2889	2001	-4429	-3820	-2867	-4315	-3121	-831	117	-2749	3125	-3860	-4375	-3300	55	996	2538	-2318	-3326	-30	177
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-82	-10485	-4194	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
134	1475	-4014	-6380	-6508	-6579	1671	-5822	-6377	-6284	-6626	96	230	-5088	-5833	-6089	2399	828	-5159	-6797	-6703	178
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10404	-11446	-894	-1115	-243	-2687	.	.	.	.	.	.	.	.	.	.	.	.	.	
135	293	1078	1810	-245	-4380	493	-2259	-4123	-1843	-4081	-3161	-505	954	-1802	-643	621	742	-1825	140	1492	179
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
136	1323	-4092	1113	1711	450	746	-2252	-4164	-625	-4108	-3181	366	-3686	-7	-903	74	-1029	-1325	-4275	-3593	180
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
137	-1452	-108	1337	-1115	89	609	3017	-4133	-691	-2342	-3166	437	-3690	385	-2346	-1029	-91	-1321	-4263	560	181
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-82	-10485	-4194	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
138	1341	-3956	208	1481	-1210	685	-2203	-907	-923	-1650	-3053	-846	1318	-1753	-1129	-287	-699	-789	949	-3493	182
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-167	-10404	-3204	-894	-1115	-2010	-412	.	.	.	.	.	.	.	.	.	.	.	.	.	
139	459	-3868	-497	-1713	-4183	180	-2044	-3930	216	-3882	-2959	356	-480	-1587	-864	-328	887	-3487	4543	1218	183
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1744	-10239	-513	-894	-1115	-3097	-179	.	.	.	.	.	.	.	.	.	.	.	.	.	
140	50	-2754	884	2171	-3064	1269	-892	-2816	-510	-2766	-1855	-805	-2307	-443	864	-1150	-1225	-2372	-2942	750	184
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-475	-8501	-1848	-894	-1115	-5116	-42	.	.	.	.	.	.	.	.	.	.	.	.	.	
141	1353	-2588	1260	1130	-2871	-1952	-748	-2615	-426	-2593	2728	1416	-2136	-318	-960	-1014	-1103	-2193	-2795	-2097	185
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-8	-8034	-9077	-894	-1115	-5240	-39	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 10/32

142	-863	-2043	1060	-277	-2257	309	-555	640	1106	-2011	-1164	-564	-1971	1549	-670	-805	-803	1220	-2298	-1686	186
-	-149	-502	232	43	-379	399	103	-629	210	-462	-723	273	391	46	97	359	117	-372	-297	-231	
-	-3199	-370	-3094	-1784	-495	-825	-1200	.	.	.	.	.	.	.	.	.	.	.	.	.	
143	491	-2153	235	-3609	3508	-3761	-2613	-133	-3285	-666	-1354	-185	-3816	-2979	-3220	-417	-141	-259	-2606	-2253	195
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-9798	-10840	-894	-1115	-1601	-577	.	.	.	.	.	.	.	.	.	.	.	.	.	
144	-258	-3708	906	-613	-448	-3216	-1875	93	973	-3723	-2798	436	-770	2002	-91	459	-72	225	-3893	21	196
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10042	-11084	-894	-1115	-2093	-385	.	.	.	.	.	.	.	.	.	.	.	.	.	
145	-375	-3789	737	1980	-4108	-251	-1951	-293	784	-3804	-2878	-1928	1280	-1492	1139	-219	-2257	-688	-3973	-3291	197
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10133	-11175	-894	-1115	-1106	-901	.	.	.	.	.	.	.	.	.	.	.	.	.	
146	480	-2632	527	-3784	-431	222	279	180	-3505	-2487	-1830	-3562	-4203	-3244	-3529	1858	622	1238	-3077	885	198
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10298	-11340	-894	-1115	-135	-3484	.	.	.	.	.	.	.	.	.	.	.	.	.	
147	66	-3328	-871	-911	814	289	-299	-672	-1401	-140	-2491	1631	-3976	-2359	959	-2853	603	454	215	1373	199
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
148	735	-4092	-1124	488	-4413	652	-236	-4164	1639	-1722	628	-242	-297	265	-727	1141	-898	-1243	-4275	-3593	200
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-201	-10485	-2953	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
149	-456	-3914	1012	1114	-706	-460	-49	-3362	857	-788	-3004	1137	-711	-1622	-2170	1401	-2387	-486	-4099	-6	201
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10286	-11328	-894	-1115	-307	-2384	.	.	.	.	.	.	.	.	.	.	.	.	.	
150	606	-4057	257	-1902	-429	1035	-2233	-1749	1549	-1180	-3148	924	-639	-614	-1007	699	-297	-3676	-4244	763	202
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10459	-11501	-894	-1115	-1265	-776	.	.	.	.	.	.	.	.	.	.	.	.	.	
151	-673	-34	1484	597	-161	1273	-2230	-4136	447	-1755	-3156	-5	-3665	-1771	1407	-320	48	-3688	-4251	1094	203
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-446	-10459	-1915	-894	-1115	-1265	-776	.	.	.	.	.	.	.	.	.	.	.	.	.	
152	199	-3692	162	-47	-4013	-384	-1851	-3764	-225	-1337	-2781	2037	1163	852	-174	975	231	-3314	-3875	-3192	204
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-105	-10015	-3849	-894	-1115	-3789	-108	.	.	.	.	.	.	.	.	.	.	.	.	.	
153	-2161	-3339	-2140	-79	588	382	-1859	-3229	631	-369	-110	-1876	1995	978	-841	336	247	-452	-3592	151	205
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1289	-9912	-762	-894	-1115	-4011	-92	.	.	.	.	.	.	.	.	.	.	.	.	.	
154	356	-1278	-3028	1286	1786	-2793	-1624	727	-2150	-1132	-476	-2208	-2850	-1890	505	-1846	-1269	1038	-1721	1996	206
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-135	-8629	-3521	-894	-1115	-5073	-44	.	.	.	.	.	.	.	.	.	.	.	.	.	
155	414	-1974	2293	-781	775	-2242	-940	-179	-674	-1901	-1123	861	-2327	-605	819	-1181	70	-6	-2296	-1766	207
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-6	-8499	-9542	-894	-1115	-550	-1657	.	.	.	.	.	.	.	.	.	.	.	.	.	
156	-2293	-3722	-466	40	-4025	-3274	-1934	-10	877	-1250	-2816	1348	-3366	104	-2026	135	63	-3334	1226	3252	208
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10099	-11141	-894	-1115	-225	-2793	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 11/32

157	71	-4052	527	-350	-4383	1922	-2221	-4134	492	-4078	-3151	-872	457	-11	1582	374	-343	-3684	-4245	-3562	209
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10448	-11490	-894	-1115	-375	-2128	.	.	.	.	.	.	.	.	.	.	.	.	.	
158	-360	-4089	2756	-254	-716	-1508	-2253	-244	546	-4104	-3178	894	-3687	1057	-2341	-152	-92	-1229	-4273	-3591	210
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-71	-10485	-4400	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
159	-2856	579	-1074	-4338	1305	-253	-623	486	-404	-2566	-1920	-3930	-4423	-3647	-3866	-3446	-1205	-2136	3651	3644	211
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-40	-10415	-5247	-894	-1115	-1890	-454	.	.	.	.	.	.	.	.	.	.	.	.	.	
160	-540	1605	-1061	-671	939	-3507	288	-4021	-85	-3982	48	107	-940	1070	-131	-716	374	-1763	392	3076	212
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10377	-11419	-894	-1115	-2264	-337	.	.	.	.	.	.	.	.	.	.	.	.	.	
161	-1573	581	693	-3797	960	-1395	1129	2092	-3527	-400	-1911	610	-839	-716	-3570	467	-877	-22	-3157	799	213
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2181	-10377	-361	-894	-1115	-2264	-337	.	.	.	.	.	.	.	.	.	.	.	.	.	
162	591	-2360	-791	1402	867	352	-568	-2402	1092	-2368	-1454	-551	505	-114	1041	-819	-870	-1974	-2552	-1882	214
-	-144	-500	232	44	-381	399	106	-626	210	-467	-721	275	393	48	95	358	117	-370	-295	-250	
-	-3368	-539	-2219	-33	-5471	-1006	-994	.	.	.	.	.	.	.	.	.	.	.	.	.	
163	-3247	-3172	-5235	-4382	-2478	-573	-3019	-722	-2773	-91	-2102	-3944	-4583	-3265	811	-3721	-3190	-2563	5731	-2477	216
-	-150	-501	234	42	-375	397	110	-628	209	-467	-722	274	392	44	102	358	124	-371	-296	-246	
-	-397	-2618	-3688	-1648	-554	-2653	-250	.	.	.	.	.	.	.	.	.	.	.	.	.	
164	-660	-3339	-426	-1266	2742	387	1304	-3361	932	-1045	-2437	-1571	-720	-1136	1608	-579	-1878	-2946	-3540	-2876	221
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-288	-9660	-2475	-894	-1115	-1807	-485	.	.	.	.	.	.	.	.	.	.	.	.	.	
165	-2004	-3480	1563	403	-76	-2959	1157	-3551	141	-3496	-2571	-230	2752	890	-1730	-1881	209	-3102	-3663	-2978	222
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-3	-9688	-10730	-894	-1115	-3554	-128	.	.	.	.	.	.	.	.	.	.	.	.	.	
166	-569	-3357	-1920	-293	-3638	2536	-1680	736	-200	-3361	-2471	-1673	1374	-1239	-101	-749	-197	-2961	-3580	-2933	223
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-606	-9729	-1549	-894	-1115	-4297	-75	.	.	.	.	.	.	.	.	.	.	.	.	.	
167	-1580	-2399	277	-1234	-82	-690	-1385	-367	1980	-2323	-1548	-1474	-2771	-1054	1463	326	-1519	559	2038	396	224
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-426	-9127	-1978	-894	-1115	-4838	-51	.	.	.	.	.	.	.	.	.	.	.	.	.	
168	-1289	-1986	496	-1044	-2072	685	2322	17	295	441	-1144	-1261	-2512	-848	266	-18	-1228	-39	1726	583	225
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-285	-8707	-2500	-894	-1115	-5043	-44	.	.	.	.	.	.	.	.	.	.	.	.	.	
169	-1243	-2465	528	-585	-2734	991	-943	-2438	-611	-2497	-1644	1424	-2322	-531	-1111	1631	-1202	-44	-2759	1930	226
-	-149	-500	233	43	-376	400	105	-626	210	-466	-721	275	394	45	96	359	117	-369	-295	-250	
-	-554	-2243	-3213	-87	-4100	-5139	-42	.	.	.	.	.	.	.	.	.	.	.	.	.	
170	-1042	-2476	1476	677	476	-1980	-672	-2514	-280	-2483	-1575	2156	304	-223	-792	578	-984	-2086	-2670	878	228
-	-147	-501	234	47	-377	399	105	-627	210	-467	-721	276	393	44	95	358	116	-370	-295	-250	
-	-1964	-430	-9308	-29	-5634	-2593	-262	.	.	.	.	.	.	.	.	.	.	.	.	.	
171	-1350	-2795	-1208	579	-3104	-2328	1428	708	253	-2806	-1887	385	1812	1242	-1078	-146	735	-2411	-2985	934	230
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-163	-8878	-3259	-894	-1115	-1580	-587	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 12/32

172	545	-3282	-343	277	-3601	2235	-1448	-342	-123	-1030	-2372	209	-2882	1554	84	-1696	-1754	-2903	-3467	-2785	231
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-3	-9510	-10552	-894	-1115	-729	-1333	.	.	.	.	.	.	.	.	.	.	.	.	.	
173	274	-3822	826	-190	-796	1173	-1982	-3893	86	-3838	-2911	2270	-1235	-364	-2070	-54	776	-604	-4005	-3323	232
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-2	-10171	-11213	-894	-1115	-804	-1227	.	.	.	.	.	.	.	.	.	.	.	.	.	
174	-2513	1292	212	-964	108	58	-204	-3970	-813	425	-3029	68	1475	-215	510	-1474	182	-1248	-4130	2118	233
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-2	-10357	-11399	-894	-1115	-543	-1673	.	.	.	.	.	.	.	.	.	.	.	.	.	
175	-416	-4012	932	231	959	-3576	662	72	-267	-909	-440	-720	-3669	396	-221	602	685	-1669	-4209	1883	234
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-2	-10450	-11492	-894	-1115	-382	-2104	.	.	.	.	.	.	.	.	.	.	.	.	.	
176	-1215	-4092	757	-28	-512	-1236	1865	-4163	-668	-4107	-3181	1312	1610	717	-2340	1339	-277	-721	297	-3592	235
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
177	87	-451	1936	-199	-4411	-955	-2252	-1208	293	-2357	-3180	-74	2452	-319	-161	-313	-2558	-3713	845	-3592	236
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-72	-10485	-4386	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
178	-145	1548	-3360	-2796	1809	-439	-2689	-2692	-218	-154	-2265	1208	-1550	-985	-2982	856	1668	-2547	481	-4	237
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-2	-10415	-11457	-894	-1115	-1898	-451	.	.	.	.	.	.	.	.	.	.	.	.	.	
179	-122	1368	1509	-1860	-4342	96	52	-265	-105	-4039	-3114	2707	94	-696	-349	-2440	-261	-3645	-4209	-203	238
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-42	-10415	-5163	-894	-1115	-1898	-451	.	.	.	.	.	.	.	.	.	.	.	.	.	
180	-2642	-3153	-1026	-1101	1324	-1900	32	-1152	677	-745	784	-410	-3922	-2357	-2825	-687	-2582	-2623	4898	1322	239
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-2	-10374	-11416	-894	-1115	-2289	-330	.	.	.	.	.	.	.	.	.	.	.	.	.	
181	-2526	290	89	488	-4278	1000	1233	922	665	-1018	-3062	1359	-3597	-1708	776	-30	-2465	-805	-4160	232	240
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-333	-10374	-2283	-894	-1115	-2289	-330	.	.	.	.	.	.	.	.	.	.	.	.	.	
182	-486	-3710	307	-1543	1206	240	1404	-3778	-220	-3725	-2800	-183	954	-233	-475	1714	-951	-3331	1938	-108	241
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-1263	-10043	-780	-894	-1115	-3733	-113	.	.	.	.	.	.	.	.	.	.	.	.	.	
183	-1728	-2015	-2481	-1929	867	-374	3226	-1618	374	-113	-1203	1516	-3040	-1614	-2041	-1971	-1666	-1490	2626	1901	242
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-1036	-8785	-971	-894	-1115	-5012	-45	.	.	.	.	.	.	.	.	.	.	.	.	.	
184	-1792	2872	-2132	-1434	-2813	-2585	3935	-2650	2194	-2624	-1910	-1481	-2710	-700	-125	-1793	-1706	-2378	-2606	-2177	243
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-10	-7758	-8800	-894	-1115	-5292	-37	.	.	.	.	.	.	.	.	.	.	.	.	.	
185	-1177	2374	-3256	-2703	3010	-2639	2355	-451	-2327	-789	-222	-2183	-2704	-1948	-2179	-1740	-1131	1288	-914	-197	244
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-10	-7758	-8800	-894	-1115	-3526	-131	.	.	.	.	.	.	.	.	.	.	.	.	.	
186	-1135	-2630	1948	-304	-2942	-1997	1333	-2701	768	-2643	-1732	1169	818	-289	-889	1444	-1033	-2249	-2813	-2111	245
.	-150	-501	232	43	-379	402	105	-627	210	-467	-711	274	393	44	95	360	118	-370	-295	-250	
.	-3365	-343	-3129	-29	-5656	-4371	-71	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 13/32

187	71	-903	-3098	-2485	-875	30	-1413	2394	-2140	-763	-115	-2097	426	-1816	-2039	-1607	316	695	2758	-1021	247
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-8	-8161	-9204	-894	-1115	-774	-1269	.	.	.	.	.	.	.	.	.	.	.	.	.	
188	-1031	2075	760	69	17	-3494	1783	405	-184	366	-1824	-270	-3569	-2080	-2529	-255	-721	296	-3039	1888	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-9900	-10942	-894	-1115	-1667	-545	.	.	.	.	.	.	.	.	.	.	.	.	.	
189	-2286	1049	-894	-184	2378	629	514	-3744	-593	-1488	-2803	1385	-3360	-360	377	-1247	34	-1479	2959	-3234	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10090	-11132	-894	-1115	-2048	-399	.	.	.	.	.	.	.	.	.	.	.	.	.	
190	-1217	811	2503	-2484	-2988	1605	-2436	221	-2347	-2837	-106	-2639	-3773	-2242	775	407	-339	-2411	1221	-2875	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10171	-11214	-894	-1115	-645	-1472	.	.	.	.	.	.	.	.	.	.	.	.	.	
191	-2536	-3936	188	534	-4226	2096	-119	1393	-938	-1731	-3033	462	-896	1150	-2278	-2430	-2475	-1263	881	426	
-	-149	-500	233	43	-381	399	106	-628	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10381	-11423	-894	-1115	-558	-1640	.	.	.	.	.	.	.	.	.	.	.	.	.	
192	-675	-4067	-740	-205	-4387	-679	-2227	-1138	-571	-4083	-3156	998	988	-447	-2315	1892	1918	-1321	-4250	-413	
-	-149	-500	233	43	-381	399	106	-628	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10456	-11498	-894	-1115	-414	-2003	.	.	.	.	.	.	.	.	.	.	.	.	.	
193	947	-4090	1608	-1919	-4410	-1328	-2252	-4160	-472	-2033	1183	1953	-126	1413	877	-571	-1387	-1544	-4274	-3592	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
194	-2997	-3142	-128	-3498	1171	-1186	-3014	-2699	-1015	-2999	-2334	-3482	-116	-3116	-337	-3351	-2936	-285	4853	2849	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
195	-2619	1393	-46	1043	-654	-353	946	-633	-686	-1611	-3178	1221	-3687	419	-500	1339	1105	-3710	-4273	-674	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-61	-10485	-4628	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
196	-2602	-3745	2499	-2049	-644	-3634	-2309	-3617	-204	-2136	-2868	1352	-3723	-1902	84	-179	22	-1164	2619	2144	
-	-149	-504	231	40	-371	404	105	-613	215	-470	-725	273	392	43	102	355	115	-373	-299	-247	
-	-2772	-2761	-502	-2375	-309	-1765	-503	.	.	.	.	.	.	.	.	.	.	.	.	.	
197	-1540	-2503	1918	-1033	-2697	1705	-1283	-2387	-937	-2524	-1733	-1285	-2656	-925	1509	-1533	-1505	251	3157	-2255	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-5	-8661	-9703	-894	-1115	-77	-4268	.	.	.	.	.	.	.	.	.	.	.	.	.	
198	23	1340	2073	-120	-843	-3569	888	-636	-151	-1214	-3123	1018	-3662	-1774	392	28	501	-3644	-4222	901	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10448	-11490	-894	-1115	-375	-2128	.	.	.	.	.	.	.	.	.	.	.	.	.	
199	-461	-290	619	1991	117	681	-2279	-4015	-1876	-4007	-433	551	-352	-289	-2376	-1119	342	-1236	2947	-768	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
200	-715	-4068	669	1304	678	-3599	297	-1256	241	-1157	-458	1822	-3692	787	-979	-1397	537	-1719	1920	-456	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
201	255	-3362	-3081	-2524	-3437	1545	-2591	-3036	-2404	-2096	-2524	-1211	-915	-494	1309	276	1032	1460	1107	-294	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-372	-10485	-2142	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 14/32

202	-1167	-3767	1430	-92	-4085	1090	-1937	744	-370	-1505	-2857	-799	-3371	2171	-20	-727	-2242	-3387	2596	-82	274
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-296	-10115	-2438	-894	-1115	-3540	-130														
203	-923	-3533	351	1521	-174	-647	604	-3605	-128	-3549	-2622	1763	-3126	1841	-106	-427	903	-3155	-3716	-3033	275
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-756	-9821	-1297	-894	-1115	-2698	-241														
204	-1724	-2850	301	742	1449	-339	-1422	-2710	-1096	-624	-1979	399	-2828	-1027	-1580	-103	-1666	-2402	-3095	3340	276
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-9215	-10257	-894	-1115	-2964	-198														
205	-468	1610	-19	-4425	2001	-4615	-2413	-2723	-4132	-2869	-2368	895	-4637	-3667	-4029	-3714	-3264	-2664	1981	3892	277
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-190	-9401	-3038	-894	-1115	-2877	-211														
206	-2272	-2368	-3736	-3458	-2327	1779	-2737	-2113	-3311	2182	-1785	133	-3786	-3050	-3320	-2695	807	-1983	-2837	1349	278
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-181	-9392	-3102	-894	-1115	-3606	-124														
207	-379	-3074	896	-979	-3371	379	3695	-3105	-894	-3080	-2170	989	-2735	-852	307	-1551	142	-2684	1764	545	279
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-3	-9286	-10338	-894	-1115	-653	-1458														
208	-98	2770	198	-891	-987	-15	429	-3536	-280	508	404	-2045	-758	1464	-285	-2285	18	-1520	-3845	1525	280
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10156	-11198	-894	-1115	-691	-1394														
209	-494	-3983	1162	689	2729	627	-2163	-4043	-1747	-3997	-3075	1162	-3596	-1705	-60	57	-512	-1245	-4172	-3493	281
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10369	-11411	-894	-1115	-655	-1454														
210	-190	-222	222	-1870	962	-1463	-307	-641	-1194	1539	311	-3876	-4392	-1052	-3814	-103	-586	456	1616	1529	282
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10445	-11487	-894	-1115	-1507	-626														
211	643	-3274	580	-1132	981	-423	-2591	-1324	992	-154	-2439	-659	-659	-2344	-2823	-138	-2632	1464	387	933	283
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10445	-11487	-894	-1115	-1507	-626														
212	-19	-4057	510	431	-699	1974	-2216	-4129	639	-4073	757	-564	-3651	16	176	1016	-699	-3679	-4240	-3558	284
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10445	-11487	-894	-1115	-1507	-626														
213	-355	-3235	-5099	-1194	-2927	-4831	-3651	-2497	-4185	2474	2254	-4298	-4853	2186	-4129	-3927	-3287	-2567	-3603	423	285
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10445	-11487	-894	-1115	-359	-2184														
214	1739	-3082	-182	-3038	-3102	-1439	-2838	-922	-2878	-1755	-2270	-3124	3169	-2744	-1266	-450	-2728	-1518	-3492	-302	286
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
215	-4651	464	3855	-3094	-6927	-4683	-4206	-6772	710	-6721	-6082	256	-5270	-3898	-4984	-4424	-4816	-1142	-6886	-5983	287
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
216	-5461	-4986	-7698	-7163	1022	-7248	-5483	1643	-6862	2782	-2327	-6796	-6720	-5898	-6445	-6466	-5335	-654	967	-980	288
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														

Table 4, Sheet 15/32

217	-1455	-4071	2159	-1938	-4380	-1778	-2266	-1255	495	-4082	-440	3227	-3699	-1810	-517	-651	-2568	-3687	797	-3587	289
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-2256	-4087	-71	-193	-4017	-955	885	-3946	-1878	2462	-2176	3158	2080	
218	-2908	-2760	-5076	-4455	-19	-4433	2308	-2256	-4087	-71	-193	-4017	-955	885	-3946	-1878	2462	-2176	-369	-294	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-2256	-4087	-71	-193	-4017	-955	885	-3946	-1878	2462	-2176	3158	2080	
219	-858	-4092	844	2089	-4413	396	-2251	-1840	-158	-116	-3181	619	-3686	723	545	-490	-536	-3714	-4275	-264	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-86	-10485	-4122	-894	-1115	-701	-1378	-2256	-4087	-71	-193	-4017	-955	885	-3946	-1878	2462	-2176	3158	2080	
220	-2590	432	-492	-968	-4379	-3554	1588	-4127	-279	-4072	54	3577	-3651	-1757	-653	839	-2529	-3680	-4239	-3559	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10400	-11442	-894	-1115	-235	-2731	-4201	-639	-4146	-3220	971	2711	-1826	-2379	-300	1292	-3751	880	-3629	
221	-1507	-4130	30	874	-4450	300	-2284	-4201	-639	-4146	-3220	971	2711	-1826	-2379	-300	1292	-3751	880	-3629	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-2256	-4087	-71	-193	-4017	-955	885	-3946	-1878	2462	-2176	3158	2080	
222	260	-4092	726	1607	-4412	-513	-2252	-4163	92	-2472	-413	-306	-1618	771	-1255	-13	188	257	-4275	1832	
-	-147	-502	234	43	-383	397	103	-625	209	-466	-723	280	393	43	93	360	116	-366	-281	-246	
-	-236	-3650	-3805	-2588	-262	-701	-1378	-2256	-4087	-71	-193	-4017	-955	885	-3946	-1878	2462	-2176	3158	2080	
223	-44	1317	-6066	-5505	1402	-5405	-4429	230	-5173	-839	-2606	-5054	-5394	-4849	-5031	-4538	-445	3184	-4243	-3877	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10378	-11420	-894	-1115	-623	-1511	-4201	-639	-4146	-3220	971	2711	-1826	-2379	-300	1292	-3751	880	-3629	
224	65	-2865	-4164	-3574	-2846	-4213	-3013	614	-1463	-2725	460	-3487	-4274	2287	2202	-714	-2751	1420	-3297	1201	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10450	-11492	-894	-1115	-384	-2097	-4201	-639	-4146	-3220	971	2711	-1826	-2379	-300	1292	-3751	880	-3629	
225	-651	-4093	1469	319	-4414	-125	-2252	-992	1025	-4109	-3182	1775	-3686	1796	695	210	-1255	-3715	-4276	-3593	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-2256	-4087	-71	-193	-4017	-955	885	-3946	-1878	2462	-2176	3158	2080	
226	338	-4091	-1137	2053	-4412	-1356	1269	-4162	366	-1668	113	354	-3686	678	408	-2500	-519	-587	-4275	1757	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-2256	-4087	-71	-193	-4017	-955	885	-3946	-1878	2462	-2176	3158	2080	
227	-1252	-2706	-1848	-4573	971	-4423	-3293	2094	-1151	939	2195	-273	-4473	-626	-3976	-3507	-1544	517	417	1633	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-2256	-4087	-71	-193	-4017	-955	885	-3946	-1878	2462	-2176	3158	2080	
228	806	-3111	-3504	-1085	-486	-4035	-2787	-228	1468	680	245	-1261	-1626	-1024	-237	-679	-463	149	-3509	2186	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-2256	-4087	-71	-193	-4017	-955	885	-3946	-1878	2462	-2176	3158	2080	
229	-60	-4091	2196	907	-4411	-1776	-2252	-1262	1126	-996	-3180	1611	-3686	-1792	309	-1480	88	-3713	-4275	-357	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-601	-10485	-1557	-894	-1115	-701	-1378	-2256	-4087	-71	-193	-4017	-955	885	-3946	-1878	2462	-2176	3158	2080	
230	130	-3300	320	1169	473	-864	-1863	-3174	-1511	-3265	-2425	-1883	-3276	-1457	-1991	670	-325	-2858	4062	2148	
-	-147	-501	234	44	-381	398	111	-627	212	-467	-721	275	393	44	95	360	116	-370	-295	-250	
-	-116	-3705	-10929	-1545	-608	-55	-4734	-3174	-1511	-3265	-2425	-1883	-3276	-1457	-1991	670	-325	-2858	4062	2148	
231	880	-2705	-5219	-1393	-497	-146	-3297	1273	-4179	1109	2050	-4070	-4475	-3803	-3981	-319	-856	1575	-3163	-2821	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-2256	-4087	-71	-193	-4017	-955	885	-3946	-1878	2462	-2176	3158	2080	

Table 4, Sheet 16/32

232	727	-57	-1515	-3685	-2832	-68	-3067	1080	799	359	1459	1063	-4314	-3227	-1673	-82	-1530	871	-3293	-301	316
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-25	-10485	-5900	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
233	-345	-4072	1466	25	-4393	-131	1146	-4144	1820	-4088	-3161	77	-3665	415	805	-1371	-33	-3694	3083	-3572	
-	-150	-501	234	42	-382	399	104	-628	209	-465	-722	274	395	44	97	358	121	-371	-296	-240	
-	-40	-5208	-11503	-3012	-191	-446	-1911	.	.	.	.	.	.	.	.	.	.	.	.	.	
234	-3098	557	-5412	-4796	2467	-4633	1098	-2384	-4390	1748	408	-4253	-4674	-3991	-113	-3721	-3037	-908	-3157	2811	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
235	-440	-2770	-4991	-4354	-2731	-4413	-3255	134	119	-429	-1971	-3962	-4464	-1018	73	-3489	-1348	621	5347	-2874	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
236	518	-2762	-8	-4162	-1014	-233	-3201	1185	-3847	1655	858	446	-4409	-1240	-1731	15	-797	-383	-3212	-256	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-352	-10485	-2213	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
237	-2321	-3792	2018	1012	-4112	4	-1953	-3862	532	-740	381	1728	-3388	-1494	1351	-730	-2260	-3414	841	-3293	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-92	-10135	-4037	-894	-1115	-1267	-775	.	.	.	.	.	.	.	.	.	.	.	.	.	
238	-250	-3844	749	681	-4165	569	1082	-3915	1250	-2157	458	-1981	-495	607	655	-2252	491	-3466	1014	1304	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-500	-10197	-1775	-894	-1115	-3266	-158	.	.	.	.	.	.	.	.	.	.	.	.	.	
239	-2222	-2815	-28	-2116	41	3002	-2197	-2568	-2074	-2812	-2078	-563	-315	-1959	-2465	200	-2200	-465	1650	-2767	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2227	-9699	-349	-894	-1115	-4336	-73	.	.	.	.	.	.	.	.	.	.	.	.	.	
240	-690	-1030	-1347	667	-1112	1526	-775	-536	-770	-926	2421	-983	-2034	-651	-1069	-950	-658	1348	-1510	-1082	
-	-149	-500	234	45	-381	398	105	-627	211	-465	-721	276	393	48	98	359	117	-370	-295	-250	
-	-2648	-650	-2300	-749	-1304	-3702	-115	.	.	.	.	.	.	.	.	.	.	.	.	.	
241	-1684	-3381	2298	2247	-3628	-1975	-1105	-3463	-1067	-3374	-2571	1229	-2376	-724	-1746	-1436	1284	-2978	-3559	-2700	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-265	-7722	-2618	-894	-1115	-1685	-547	.	.	.	.	.	.	.	.	.	.	.	.	.	
242	-498	-1527	-664	-3408	1644	-3248	-2119	1205	-3003	1436	1589	-2893	-3297	-2626	-2804	-2332	-1641	927	2073	992	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-9095	-10137	-894	-1115	-3824	-106	.	.	.	.	.	.	.	.	.	.	.	.	.	
243	-241	-4561	1267	-1550	-5048	2995	-2504	-4899	-2536	-4814	-4030	545	-3695	1178	-3239	-874	-3044	-4358	-5001	-4130	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-9182	-10224	-894	-1115	-89	-4060	.	.	.	.	.	.	.	.	.	.	.	.	.	
244	707	529	-5359	-4732	472	-4578	76	2402	-4335	-790	262	-4224	-4618	-3963	-4141	-3668	-2943	2418	-3322	-2979	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-36	-10450	-5378	-894	-1115	-1420	-675	.	.	.	.	.	.	.	.	.	.	.	.	.	
245	108	-5784	3750	-2898	-6561	-553	-3961	-6451	-304	-6372	-5641	-3250	-5036	-3629	-4889	-171	-4468	-5826	-8560	-844	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10415	-11458	-894	-1115	-267	-2564	.	.	.	.	.	.	.	.	.	.	.	.	.	
246	-882	-4791	-7040	-7394	-6930	3753	-6508	-7307	-7247	-7441	-6597	-5861	-5815	-6771	-6872	-4523	-4737	-6054	933	-8891	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 17/32

247	-6543	-5722	-7433	-7597	3802	-7222	-3668	494	-7173	255	-4495	-5988	-7055	-748	-6609	-6447	-6415	-5422	3771	92	342
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	98	359	117	-369	-294	-249	
.	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
248	-6705	-6597	-7597	-6711	-7409	-6618	-5618	-7674	-4419	-7152	33	-6439	-6902	-5393	4226	-6812	-6659	-7468	-6649	-6845	343
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
249	-5076	-4650	-7488	-6907	1609	-6991	-5853	2609	-1344	1676	2141	-6665	-6557	-5839	-6306	-6189	-4979	445	-4988	-4973	344
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
250	-7293	-7123	4192	-5905	-7868	-6589	-6618	-8745	-7289	-1940	-8114	-6217	-7106	-6709	-7576	-7234	-7475	-8427	-7251	-7548	345
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
251	2483	-2715	-5223	-4589	961	-4433	154	-752	-4186	-1198	-1919	-4078	-4484	-3812	-3990	-1105	1109	1651	-3176	-2833	346
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
252	2379	-2938	-5404	-2004	-2980	-1281	-3615	714	-4438	-2819	193	-4299	-4697	-4079	-4268	-903	-3050	2448	-3509	-3164	347
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
253	-2633	-4104	-1140	-1930	-4426	-1114	195	-4175	3070	-2035	-3193	1385	362	-1802	351	-251	-868	-3726	-4286	-3605	348
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
254	-2885	-2752	-4977	201	73	530	4521	-2250	-4009	-482	1252	-3982	-4455	-3677	-3896	-1731	-2826	-727	-3185	141	349
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
255	-2988	-2788	-5317	-4683	-582	-1479	-3399	2480	-4281	4	2830	-4171	-988	-3900	-4081	-3612	-2908	1493	-3254	1837	350
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
256	502	-4092	1261	-53	263	-72	-2252	-4163	-166	-4108	-3181	-601	1215	-609	-740	1631	-2558	-3714	1322	641	351
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
257	411	-4077	-106	1023	584	-3597	1678	-1191	1718	-390	8	262	1013	-704	-2346	-1133	-1329	-3696	-4265	-940	352
.	-150	-501	236	43	-379	398	108	-623	209	-468	-722	274	396	44	96	360	116	-366	-296	-251	
.	-5649	-1702	-572	-15	-6554	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
258	-411	1839	2192	748	-3114	-2333	-896	-2857	-582	-2816	-1898	-973	1512	1354	242	-1244	-1299	-445	-2995	-2319	354
.	-146	-506	264	43	-375	397	100	-637	194	-479	-736	283	414	28	89	355	113	-372	-288	-222	
.	-2874	-213	-9917	-4062	-89	-4972	-47	.	.	.	.	.	.	.	.	.	.	.	.	.	
259	-1416	-2774	1429	-736	-3035	-2386	1075	242	-666	-2768	-1878	2745	-111	-622	569	-1317	-1357	-2372	-2977	1327	382
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-5	-8875	-9917	-894	-1115	-3296	-155	.	.	.	.	.	.	.	.	.	.	.	.	.	
260	513	1170	-192	-1660	-2115	2157	-1598	778	-1527	-1967	-1252	1387	-2915	-1416	-1874	-1807	-99	-1536	-2462	897	383
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-4	-9078	-10121	-894	-1115	-85	-4123	.	.	.	.	.	.	.	.	.	.	.	.	.	
261	557	-4061	-56	474	-4382	1288	-175	-4132	-1802	-2004	-3150	-494	1458	382	-564	756	-301	-3683	796	988	384
.	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
.	-2	-10450	-11492	-894	-1115	-384	-2097	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 18/32

262	-1153	-2879	1150	-3594	2837	-1439	-292	319	-1519	-1069	-439	-1257	-4293	-3162	1061	-768	-1281	-807	2822	-274	385
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
263	122	-2720	-1621	-4453	-1028	-539	-3269	1036	-4078	1050	-1922	-802	-4456	1084	-3927	-838	-1339	403	3926	595	386
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
264	-233	-4093	-707	-1918	-4414	-3594	2926	-4165	1899	-4109	-3182	-744	114	1144	1484	-362	548	-1876	-4276	-3593	387
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
265	499	-4092	580	1661	-4413	-1745	436	708	417	-4108	-3181	205	-1007	934	-2339	753	-672	-258	-4275	-3593	388
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
266	-2891	-2717	-5233	-4599	3037	-4438	-3300	752	-4194	142	283	-889	-4487	-1135	-3994	-1378	-2832	-1132	3346	2415	389
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
267	-503	-3183	-1037	-1492	-3218	-3985	813	306	55	370	2307	-1113	-1033	-2549	1152	-2960	1259	340	884	892	390
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
268	-159	-4092	1289	912	-4413	-955	1047	-4164	313	-4108	-431	-380	-45	1806	-1132	850	246	-1172	-4276	-386	391
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
269	1274	-4093	1238	1709	-4414	-1956	1673	-4165	1186	-4109	-3182	745	-3686	-736	397	-1517	-2558	-1728	-4276	-674	392
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
270	407	-2709	-5213	-4578	-2664	-4428	-3299	1337	-4178	982	2698	-4069	-20	294	-3981	-61	-775	1488	-3168	-2826	393
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
271	85	-4092	262	-1918	-4414	199	975	-4164	1815	-4108	-3182	2049	361	-319	167	-1030	-407	-3714	-4276	1098	394
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-144	-10485	-3406	-894	-1115	-701	-1378	-	-	-	-	-	-	-	-	-	-	-	-	-	
272	1241	-3970	462	1296	-4291	-189	-2129	-4042	-267	-3986	-3059	1664	178	821	69	334	-577	-3592	-4153	-3470	395
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-284	-10342	-2489	-894	-1115	-2532	-274	-	-	-	-	-	-	-	-	-	-	-	-	-	
273	625	-2676	-1177	670	-171	85	-80	494	232	-329	-1859	-2778	-3779	-2399	-2817	-2704	1049	628	-3084	2108	396
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-226	-10060	-2793	-894	-1115	-3890	-116	-	-	-	-	-	-	-	-	-	-	-	-	-	
274	73	-2503	-1066	-2471	-21	-892	538	-115	1235	-326	890	829	-3575	-2174	-2598	443	794	938	-2908	-180	397
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-717	-9836	-1356	-894	-1115	-1412	-84	-	-	-	-	-	-	-	-	-	-	-	-	-	
275	-80	-2978	1132	1325	1194	-2498	-1158	-3038	794	122	-2069	-1136	-50	-700	870	-265	-98	-2597	-3166	-2487	398
-	-143	-506	231	44	-380	395	104	-628	221	-467	-713	277	393	41	93	356	114	-368	-264	-255	
-	-1944	-436	-10165	-1835	-475	-4841	-51	-	-	-	-	-	-	-	-	-	-	-	-	-	
276	-356	-2494	1117	-163	-2635	1340	-1339	-366	-1043	-2432	785	-1402	-2734	-980	-1496	1458	735	305	-2800	-2250	410
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-9123	-10165	-894	-1115	-2882	-210	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 4, Sheet 19/32

277	-1905	-3358	239	-1142	-3665	1869	1510	-3416	-1072	-3364	-2456	-1452	597	1163	1325	-1780	-1846	-2980	-3528	2375	411
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-3	-9346	-10389	-894	-1115	-972	-1028	.	.	.	.	.	.	.	.	.	.	.	.	.	
278	-1093	-3703	369	430	-4024	-1118	890	-3775	1641	-3719	-2792	-1839	1981	426	570	691	-2169	-3325	-3886	896	412
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10028	-11070	-894	-1115	-950	-1052	.	.	.	.	.	.	.	.	.	.	.	.	.	
279	-976	-3912	1701	1575	-1111	505	-2074	-3981	326	-3927	-3001	430	1566	-1615	-2163	50	-2380	-1765	2039	-3413	413
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10276	-11318	-894	-1115	-124	-3599	.	.	.	.	.	.	.	.	.	.	.	.	.	
280	429	71	-1863	-1322	834	-1166	-3269	893	-4078	448	1507	-4006	129	-3728	692	-364	215	1285	-3175	-2830	414
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
281	-781	-2711	-348	-907	3229	-4417	185	-1048	-4136	-1108	2103	-4042	-774	-3771	-3958	-3498	-2816	-1046	990	2512	415
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-31	-10485	-5610	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
282	-561	1323	-5196	-4560	109	-4398	-3270	1605	-4155	304	1757	-1446	-4448	-643	-3955	-1828	1924	1040	1341	-208	416
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10455	-11498	-894	-1115	-412	-2008	.	.	.	.	.	.	.	.	.	.	.	.	.	
283	-2959	-2779	-5308	-4674	2352	-4516	-3390	290	-1723	239	207	-4162	-4560	-3892	-4072	-3602	-218	2596	-3246	1386	417
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
284	968	-6618	158	-1335	-6920	3180	4075	-8860	-4391	-2189	-6095	-3269	-5218	1419	-5293	-4432	-4868	-6301	-6934	-5886	418
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
285	-5864	-7026	-3549	3932	-7732	-5502	-5139	-8036	-5596	-7778	-7325	-1213	-6088	-4906	-6414	-5553	-6009	-7450	-7315	-6874	419
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
286	-242	-2704	-5221	-4585	-167	-4425	101	1435	-1886	-274	1375	-1502	-862	-3804	-3881	-3509	-1307	2210	2926	1326	420
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
287	-1781	-2711	-1661	-4530	1589	-1110	-349	1399	-4138	-298	-1913	-4043	-1510	-3772	-750	-532	-2816	-795	4640	1422	421
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
288	162	-4088	1418	-714	-4408	1367	2467	-1843	205	-758	-3178	-1104	-3687	1361	-2341	175	-841	-1726	-4273	-915	422
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2847	-10485	-217	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
289	-732	-1200	-2291	-1892	-2006	1184	-1642	1572	-1739	-1880	-1160	-1621	-2261	-1561	-1945	1858	1564	-1213	-2374	-1999	423
-	-148	-503	235	42	-383	402	103	-627	211	-468	-718	278	395	44	93	358	115	-372	-297	-237	
-	-518	-1741	-8690	-3476	-136	-327	-2302	.	.	.	.	.	.	.	.	.	.	.	.	.	
290	588	-3859	1096	-225	-4178	1819	-2025	-3928	-1608	-1941	-166	712	-3459	1765	-1027	-635	580	-1514	-4044	-3362	436
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-86	-10220	-4136	-894	-1115	-3177	-169	.	.	.	.	.	.	.	.	.	.	.	.	.	
291	1059	-3784	1830	-152	-4111	1055	-1969	-3859	-1553	-1911	-2887	1208	141	-1511	-2060	518	446	-1623	-3983	-3302	437
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2561	-10136	-269	-894	-1115	-3476	-136	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 20/32

292	2610	-1342	-2763	-2644	-3503	678	-2484	-3255	-2594	-3468	-2570	-1940	1729	-2326	-2723	888	-1095	-2280	-3694	-3427	438
-	-149	-500	232	43	-381	401	112	-627	210	-467	-721	277	393	46	95	359	117	-370	-295	-250	
-	-2750	-236	-8628	-41	-5171	-3546	-129	.	.	.	.	.	.	.	.	.	.	.	.	.	
293	136	-1631	-1527	-976	-1899	-2091	-1003	-1496	-753	473	-976	-1123	-2267	-730	2059	773	1741	-1268	-2155	-1683	440
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-8	-8080	-9122	-894	-1115	-68	-4437	.	.	.	.	.	.	.	.	.	.	.	.	.	
294	-1186	-4051	1864	-401	-4367	1750	1129	-4115	-1805	-1498	-531	719	-1394	238	-2311	105	645	-940	-4237	-642	441
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-164	-10448	-3225	-894	-1115	-375	-2128	.	.	.	.	.	.	.	.	.	.	.	.	.	
295	272	-3956	702	2234	-4277	227	-2115	-4027	-957	-1001	-3045	-3	557	-604	-561	575	-12	-3578	-4139	-3456	442
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-203	-10326	-2940	-894	-1115	-1827	-478	.	.	.	.	.	.	.	.	.	.	.	.	.	
296	611	-2883	1048	-416	-2916	-1167	1492	-325	-2390	448	-2058	-2673	610	-2278	25	-2681	-266	512	2653	960	443
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10157	-11199	-894	-1115	-2297	-328	.	.	.	.	.	.	.	.	.	.	.	.	.	
297	801	1079	-172	312	-880	-3954	-2752	341	149	668	538	-3189	-4017	593	-3195	-416	-86	1089	-3087	43	444
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10204	-11246	-894	-1115	-1942	-435	.	.	.	.	.	.	.	.	.	.	.	.	.	
298	4	-3898	-149	88	-4219	-1463	-2058	-1582	892	-570	-2987	1038	-689	819	2246	21	-2365	-3520	981	-288	445
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10260	-11303	-894	-1115	-596	-1564	.	.	.	.	.	.	.	.	.	.	.	.	.	
299	-1397	-3038	-928	-2901	-504	1085	-2736	-1186	449	263	-2218	-3006	603	-867	-554	39	187	1072	2048	1040	446
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10415	-11457	-894	-1115	-267	-2567	.	.	.	.	.	.	.	.	.	.	.	.	.	
300	-1177	-3356	1832	-2532	-3429	237	-2595	-1214	-833	294	-293	-727	-137	844	-2813	-3	-2659	548	952	2051	447
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
301	1114	-4085	594	798	-654	-1917	-2254	-1463	282	-1404	452	-505	-766	1139	-304	-19	1081	-1324	-4271	-341	448
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-60	-10485	-4636	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
302	-833	-4031	173	-1079	1188	-1064	-2204	-1235	-116	-4045	-3121	191	76	462	-1170	-203	439	-3650	963	3212	449
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10426	-11468	-894	-1115	-294	-2438	.	.	.	.	.	.	.	.	.	.	.	.	.	
303	433	-3984	420	767	-1222	-3624	176	-318	-1888	-905	-3086	906	728	486	104	-2535	1437	350	-4197	-350	450
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
304	328	1309	-281	-282	-4353	1769	1890	-649	-1024	-1741	-3145	1134	-3697	-1811	-765	556	-1304	-1729	-4245	852	451
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
305	-1216	-4032	-9	-1118	-745	942	-350	-1689	82	-1244	-3128	691	-136	-328	962	-2518	133	148	1628	2241	452
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
306	-136	-3415	-3012	-2457	1283	719	1555	-3109	-39	-867	1993	942	-900	-629	-2757	458	350	-1139	-3759	1213	453
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 21/32

307	819	-4092	1457	1573	-4413	-662	414	-1864	-1832	-2123	-3181	760	-1408	664	-1015	939	267	-3714	-4275	-3593	454
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
308	-1	-10485	-11527	-894	-1115	-701	-1378	-1012	-4178	1118	251	1098	-4474	-3801	-3979	460	-356	1357	2000	1529	455
-	32	-2705	-5217	-4581	-906	41	-3295	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-71	-10485	-4400	-894	-1115	-701	-1378	-1403	-611	-2296	157	1235	1056	1352	-2280	294	1338	-601	-4212	-3531	456
309	142	-4028	108	874	-4348	-1341	-2192	-1403	-611	-2296	157	1235	1056	1352	-2280	294	1338	-601	-4212	-3531	456
-	-150	-501	234	42	-382	398	105	-627	209	-467	-721	277	393	48	95	360	119	-368	-295	-245	
-	-1126	-2403	-1503	-26	-5804	-267	-2567	-627	209	-467	-721	277	393	48	95	360	119	-368	-295	-245	
310	-734	-2610	-2963	-495	1059	104	638	-322	-795	-1373	2904	-622	-3585	-2126	-392	916	69	-154	-3006	1234	458
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-9894	-10936	-894	-1115	-3026	-189	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
311	-694	-2235	-4645	-4015	-2191	1013	-2798	1221	-3631	1102	1518	-641	-3982	-3272	851	-1354	282	1211	-2692	-2347	459
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-9944	-10986	-894	-1115	-617	-1523	-40	-357	532	2046	142	-1479	-3268	-3551	-537	249	-2072	-3096	-75	460
312	-1055	-2651	-613	-3810	3055	-4167	-3000	-40	-357	532	2046	142	-1479	-3268	-3551	-537	249	-2072	-3096	-75	460
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10321	-11363	-894	-1115	-149	-3351	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
313	-467	-4167	2491	1181	-4487	-185	-2314	-4239	-1805	-4183	-3258	1531	-3743	456	-609	712	63	-3789	-4350	-3663	461
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-537	-4204	-55	-1932	-851	-4499	-3826	-4005	-3535	-2845	1077	1010	672	462
314	-1259	-2730	-148	-4608	3644	-4450	-3303	-537	-4204	-55	-1932	-851	-4499	-3826	-4005	-3535	-2845	1077	1010	672	462
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
315	-2622	-4063	394	-68	-350	-1402	503	-985	397	-162	-3155	-2242	1822	-427	553	536	286	-976	-4254	1241	463
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
316	-2746	-3224	1186	-2730	185	347	2505	-2850	-2594	1342	93	441	-4036	-2491	-1349	-1197	-6	-2691	-3603	1960	464
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
317	-203	-3318	-3142	-2584	2102	-381	1857	-1378	-11	-870	526	951	-3981	863	548	-279	-780	-1647	833	1040	465
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
318	216	-4079	1226	-6	883	984	-2256	-1835	141	-1227	-19	-2234	-136	269	384	-215	438	-3697	-4266	588	466
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
319	388	-3951	165	-986	573	-3634	-246	1134	885	-125	-3056	-396	-3725	158	-758	-9	727	662	-4172	-1068	467
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
320	346	551	529	-2498	-181	207	603	1285	-574	1197	-542	-1146	-3947	232	341	-1167	-2655	-2889	-3732	493	468
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
321	-41	-4088	-2468	-4	-4408	111	1186	-1261	400	-2211	-237	732	-883	1891	1097	-102	-291	-1544	-4273	1406	469
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	

Table 4, Sheet 22/32

322	507	-4092	449	641	-4414	575	44	-4164	1050	-4108	-3181	1550	546	-720	-205	534	-202	-1228	-4276	-3593	470
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
323	1505	-2743	-4902	-1789	1303	-1982	-3231	-70	-3946	275	-1944	-363	129	-1121	-3855	20	400	1440	-3195	-283	471
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
324	-1181	-3995	572	-1044	2076	58	605	-1596	57	-562	-3095	-2274	-3713	478	213	1242	-1331	509	-4205	-1010	472
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-861	-10485	-1042	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
325	54	-3258	916	-1144	-3561	794	-1470	532	-168	-1378	-2352	55	-2902	791	1381	518	-666	322	-3452	-2781	473
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1288	-9527	-763	-894	-1115	-4529	-64	.	.	.	.	.	.	.	.	.	.	.	.	.	
326	-1841	-2600	-1835	-2154	-4644	1586	-2893	-4556	-3135	-4654	-3836	2243	3218	-2685	-3520	-1961	-2222	-3536	-4706	-4269	474
-	-149	-500	232	43	-372	398	105	-627	210	-466	-714	277	393	45	95	359	117	-370	-295	-250	
-	-3410	-1305	-996	-53	-4787	-1602	-576	.	.	.	.	.	.	.	.	.	.	.	.	.	
327	-1431	891	-42	1025	456	1017	-1064	-2967	-646	-2914	-1989	2083	-2498	1034	692	218	-1370	-2520	-3084	-2402	476
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-8991	-10033	-894	-1115	-4118	-86	.	.	.	.	.	.	.	.	.	.	.	.	.	
328	-355	-1974	-2372	-1796	2376	-2890	-1625	-1567	1866	-1854	1506	675	-2961	-1491	383	-1881	-1570	1115	-2366	-1940	477
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-9057	-10099	-894	-1115	-2560	-268	.	.	.	.	.	.	.	.	.	.	.	.	.	
329	-1797	-2342	-415	287	2146	-1027	-1712	-51	-142	-441	-1509	-1885	-3066	709	-1954	-458	155	-585	3483	743	478
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-3	-9370	-10413	-894	-1115	-925	-1079	.	.	.	.	.	.	.	.	.	.	.	.	.	
330	176	-3702	-92	-245	-920	-1338	-1891	146	745	-1033	-231	832	-3324	1918	751	425	-935	-626	-3891	12	479
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-41	-10054	-5194	-894	-1115	-2687	-243	.	.	.	.	.	.	.	.	.	.	.	.	.	
331	-2358	-2946	488	-965	-3010	1948	775	-389	-803	672	921	-883	-3613	-2003	-2483	-296	-51	-1063	773	1369	480
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10061	-11103	-894	-1115	-1687	-537	.	.	.	.	.	.	.	.	.	.	.	.	.	
332	-225	-3817	367	-10	-624	1049	412	-814	1051	-3829	-2908	1912	-3434	-1544	-2091	14	446	5	-4005	-591	481
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-178	-10186	-3115	-894	-1115	-3306	-154	.	.	.	.	.	.	.	.	.	.	.	.	.	
333	-2215	-3689	592	-269	-4010	-257	-1848	-3760	489	-56	-2778	781	1787	-206	-283	1184	857	-3311	-3872	-3189	482
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-157	-10010	-3296	-894	-1115	-3810	-107	.	.	.	.	.	.	.	.	.	.	.	.	.	
334	-1053	451	-173	368	985	-582	-1891	623	-1580	-3052	-2247	-1944	-988	2031	471	86	-2075	-1017	2776	1210	483
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-9856	-10898	-894	-1115	-3279	-157	.	.	.	.	.	.	.	.	.	.	.	.	.	
335	-2120	-3592	1872	-676	-3913	-343	-1752	-3664	159	-823	613	947	-3187	752	658	1133	969	-3214	-3776	-3093	484
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2547	-9895	-273	-894	-1115	-4043	-90	.	.	.	.	.	.	.	.	.	.	.	.	.	
336	-796	-2121	-552	-63	-2376	-1691	-301	-2144	1349	-2097	-1233	2085	-1798	2049	-91	-685	-720	-1755	-2222	1482	485
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-697	-7361	-1408	-894	-1115	-4530	-64	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 23/32

337	997	-1241	-578	-133	-1517	-1399	-332	-1234	-83	-1405	-619	1518	-1603	-5	-515	1020	-399	-944	-1722	1779	486
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
338	-17	-6997	-8039	-894	-1115	-4345	-73														
-	-813	-1193	-2517	-2345	-1917	-1837	-1987	1819	-2146	-1614	-1167	-1892	-2390	-2008	-2230	2830	-1076	-631	-2498	-2045	487
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-13	-7341	-8383	-894	-1115	-3330	-151														
339	-927	2366	1639	-228	-2602	-1871	-568	-2325	861	-2315	-1422	-531	-1988	1344	-650	-823	1925	-1917	-2518	-1861	488
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-8	-8030	-9072	-894	-1115	-177	-3112														
340	1374	-2592	-5077	-4443	-124	-1761	-3175	-215	-4045	926	3415	-659	-1379	-3673	15	-988	-784	-456	1250	-2707	489
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10357	-11399	-894	-1115	-178	-3103														
341	689	-4072	-1127	-1928	-4384	267	-2258	64	1359	-759	-3164	775	-1426	250	1455	313	-2560	-1811	-4261	1229	490
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
342	-60	-4092	1793	555	-4413	-721	591	-4164	866	-942	-3181	766	-3686	1529	137	-1018	189	-3714	415	58	491
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
343	-2877	521	-228	-4579	1897	-1418	-3294	630	-1972	2065	336	-4067	-1693	-1394	-3978	-1988	-1133	-260	984	733	492
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
344	1114	-3970	600	-1986	-1332	-3628	-2293	-3951	1865	-1722	14	1176	-3720	-798	-921	-102	-163	500	-4186	1177	493
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
345	152	-4092	1011	793	-4413	-721	591	-4164	866	-942	-3181	766	-3686	1529	137	-1018	189	-3714	415	58	491
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
346	-218	-2875	-4193	-3609	-142	-1211	-323	115	-123	-219	2818	279	-949	-1143	504	97	-293	-61	2641	338	495
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
347	71	-2705	-5213	-4578	495	657	-3294	1948	-1135	616	1591	-4067	-1693	-3799	-1274	-1209	587	-343	990	585	496
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-63	-10485	-4576	-894	-1115	-701	-1378														
348	388	-4039	1017	598	-4360	-547	971	-1236	-306	-1981	871	1250	108	791	-1067	631	642	-3661	-4222	-3539	497
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10423	-11466	-894	-1115	-1793	-491														
349	-1398	-4039	1347	-135	-4360	1020	1623	-1212	777	-371	-3128	55	-3633	489	-321	861	-557	-3661	-4222	379	498
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10423	-11466	-894	-1115	-287	-2470														
350	-2724	-3331	-141	-323	272	-574	-2612	-786	-1221	-688	1421	-1323	-3974	125	-182	-1029	643	802	4091	546	499
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														
351	623	-3456	-2964	-82	-57	615	-2532	245	-308	327	533	-572	-3911	2001	-57	-1306	-932	-531	-3791	681	500
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378														

Table 4, Sheet 24/32

352	-156	-4088	25	301	1032	748	486	-4157	319	-991	690	-11	-3687	-39	-1267	1019	341	-3709	258	879	501
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
353	386	-4061	421	-302	231	438	-2261	-4109	188	-549	1388	60	-3694	-71	552	426	-337	-783	1504	789	502
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
354	-879	1409	-4984	-1583	-578	-465	1302	-627	-886	449	1708	-3959	1019	-3674	-391	-214	-226	-420	139	2373	503
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-25	-10485	-5900	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
355	-1603	-4071	789	-90	-4392	-438	525	-4142	-667	-4087	1182	151	2162	-213	-573	1170	360	-1328	353	-654	504
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-78	-10461	-4264	-894	-1115	-1234	-799	.	.	.	.	.	.	.	.	.	.	.	.	.	
356	164	-4006	1385	874	-4327	15	930	-4077	-92	-633	-3095	1912	-795	-668	-2253	633	-2472	-3628	-4189	918	505
-	-148	-501	232	42	-382	398	105	-627	211	-467	-721	276	395	51	95	359	120	-370	-295	-250	
-	-2406	-2237	-739	-24	-5935	-502	-1768	.	.	.	.	.	.	.	.	.	.	.	.	.	
357	1136	-3077	193	959	-3392	-16	-1254	-3138	-838	-3090	-2168	-1232	-210	698	362	-1502	1125	1299	-3264	-2585	507
-	-149	-500	235	43	-381	398	105	-627	210	-466	-721	278	393	45	96	359	117	-370	-280	-250	
-	-285	-2486	-10292	-60	-4624	-1155	-860	.	.	.	.	.	.	.	.	.	.	.	.	.	
358	-701	-3609	1115	-1443	-88	-14	299	-1392	895	-3624	-2699	1357	799	704	-164	-915	153	837	-3794	-3113	509
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-9922	-10964	-894	-1115	-1613	-571	.	.	.	.	.	.	.	.	.	.	.	.	.	
359	-1231	884	947	1343	1375	199	-1959	-1477	-501	-939	-2788	-729	-3388	932	-61	-647	-291	-1379	1301	949	510
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10112	-11154	-894	-1115	-79	-4227	.	.	.	.	.	.	.	.	.	.	.	.	.	
360	-422	-4082	-177	-744	-4399	-3596	812	-1474	1670	-1007	-3172	1163	-3889	-635	940	-409	-349	259	3343	-879	511
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
361	2063	-3835	-284	-2073	-4049	-3672	-2345	-3729	-1980	256	1615	1147	-3762	1155	-721	539	-297	-1175	-4086	-3475	512
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
362	-83	-2706	-5208	-4573	1133	57	-3293	500	-4171	-12	480	508	-4473	-3797	-1508	-985	358	2404	-3163	-2821	513
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
363	-2922	-2751	-5249	-4619	-2714	-4471	-3353	366	-4221	-66	-1957	1891	-4523	-3850	-4031	-463	2587	1278	2337	-2881	514
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
364	-6591	-5749	-7397	-7594	3911	-7189	-3596	-5428	-7161	426	-4871	-5931	-7055	-729	-6595	-6411	-6467	69	2012	1759	515
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
365	-1388	-3732	-6389	-5783	-175	-5697	-4594	1828	-5425	1541	186	-5350	-5603	-4940	-5204	-4820	-3937	2430	2285	-3993	516
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
366	-1199	728	2819	1540	-4376	1163	-2266	-1160	-1852	-4079	-3161	-230	-3698	-1810	-909	-1034	-1084	-1474	-4260	-3585	517
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 25/32

367	-3525	-4145	-6117	-6472	-6811	-4397	-6004	-6617	-6593	-6893	-5938	3991	-5207	-6045	-6340	1494	-990	-1177	-7031	-6952	518
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
368	-8351	-7039	-8010	-8359	-4914	-7245	5446	-8380	-8236	-7682	-7739	-7788	-7602	-7853	-7738	-8455	-8411	-8363	437	-4466	519
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
369	-5713	-7209	4171	-1139	-7691	-5309	-4876	-7880	-5377	-7635	-7175	-4028	-5899	-4617	-6337	-5333	-5830	-7322	-7358	-6716	520
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
370	-2724	-3336	-3119	-2562	-3404	-1240	-2610	-941	-2438	-1922	2315	1570	-1231	2033	-868	-637	2484	-1128	-3694	-3212	521
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-36	-10485	-5377	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
371	-192	-4062	-600	735	-4383	533	-2221	-4133	-171	-4078	1177	830	1627	1762	-623	64	-2528	-849	-4245	550	522
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-125	-10450	-3599	-894	-1115	-1420	-675	.	.	.	.	.	.	.	.	.	.	.	.	.	
372	-1141	-3709	-4623	-4041	-4379	-4271	-3670	-3967	-3223	-4210	265	-3864	529	-3489	3785	-1709	105	-3678	-4619	-118	523
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1658	-10326	-551	-894	-1115	-2638	-253	.	.	.	.	.	.	.	.	.	.	.	.	.	
373	82	-2585	-1301	254	-2969	1681	-1268	1213	-960	-2739	-1898	2254	-2584	-871	-1448	403	-1457	-2290	-3024	-2414	524
-	-149	-500	233	43	-381	401	105	-626	210	-466	-721	275	394	45	96	359	117	-369	-295	-250	
-	-1076	-2568	-1486	-91	-4030	-5056	-44	.	.	.	.	.	.	.	.	.	.	.	.	.	
374	-1367	-2757	-684	762	-3061	-2109	3698	-2796	-450	-2756	-1901	-755	-2306	1644	-881	-1230	1816	-2389	-2927	-2269	526
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-8	-8039	-9081	-894	-1115	-4127	-85	.	.	.	.	.	.	.	.	.	.	.	.	.	
375	1394	-1810	-3140	-2842	1387	2255	-2607	-2887	-2712	-3150	-2350	-2340	1262	-2491	-2885	894	-1555	-2316	-3527	-3183	527
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-7	-8232	-9274	-894	-1115	-3538	-130	.	.	.	.	.	.	.	.	.	.	.	.	.	
376	849	-1609	-3510	-3089	-1549	1636	-2112	-1290	-2796	2090	-970	-2625	-3110	-2498	-2731	-2012	-1618	-1193	-2101	1259	528
-	-150	-501	232	44	-382	401	105	-627	214	-467	-721	274	393	48	97	358	116	-370	-295	-250	
-	-1693	-536	-9575	-26	-5789	-2879	-211	.	.	.	.	.	.	.	.	.	.	.	.	.	
377	-226	-3139	1871	1010	-3451	1305	-1240	-3212	-871	-3152	-2238	1334	134	921	-1397	81	-1585	-2757	-3321	-2616	530
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-8935	-9977	-894	-1115	-86	-4118	.	.	.	.	.	.	.	.	.	.	.	.	.	
378	-809	-2678	397	-4494	2346	529	-3251	1288	-4103	-791	89	-897	-4434	-3738	-3925	880	-2783	1385	-3135	-2791	531
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10447	-11489	-894	-1115	-369	-2148	.	.	.	.	.	.	.	.	.	.	.	.	.	
379	562	-3868	-462	-775	-69	-236	-422	-464	-709	1303	473	-855	-1549	127	-937	83	468	-107	-4111	-249	532
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
380	-743	-3978	-1125	-92	-111	-3625	-2289	-874	-1891	-3974	-3082	-613	-987	1020	-679	1753	2083	394	850	-3542	533
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
381	-962	658	-514	224	10	-4134	1018	-475	-3061	495	-333	-3271	-4202	431	2132	-150	-986	738	-3403	395	534
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 26/32

382	268	2114	-4241	20	1894	-630	232	-2390	-3421	223	1430	762	-4307	17	-3539	-3281	1630	-2291	377	-815	533
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	1076	-705	-3711	-2881	-246	-3791	-531	-2512	755	-2599	-3301	3597	561	
383	-86	-3754	-986	-2134	-253	2389	-2380	-1076	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	1076	-705	-3711	-2881	-246	-3791	-531	-2512	755	-2599	-3301	3597	561	
384	237	-4070	1550	-54	-92	1244	-2259	-4124	785	-1746	725	167	902	-1802	-59	-911	-2560	-1720	353	-177	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-72	-10485	-4386	-894	-1115	-701	-1378	1076	-705	-3711	-2881	-246	-3791	-531	-2512	755	-2599	-3301	3597	561	
385	-63	-4028	2080	-1002	334	-1340	-117	-1612	739	-1661	-3118	1729	-1558	34	-1142	84	229	-611	-4213	-3531	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10415	-11457	-894	-1115	-1898	-451	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	
386	-773	-4031	-704	-52	-4352	698	-2190	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-881	-10415	-11133	-894	-1115	-1898	-451	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	
387	741	-3304	1598	-1134	-3623	-614	-1467	-3373	-107	-1031	-2393	849	1064	-1008	474	1233	-55	-2925	-3488	-2806	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1176	-9537	-847	-894	-1115	-4520	-64	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	
388	-1675	-3241	2685	911	-3524	547	-1205	-3308	-982	-68	-2368	673	-2559	1497	-1539	-1496	-1645	-2848	-3420	-2662	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-893	-8368	-1126	-894	-1115	-5157	-41	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	
389	1055	-1975	-432	972	-2289	-1557	-243	-2015	1436	-1999	-1100	-219	560	202	-320	-492	1175	-1600	-2198	-1539	
-	-151	-505	234	40	-386	407	100	-632	205	-471	-715	279	393	51	90	364	119	-375	-269	-243	
-	-2651	-632	-2354	-3521	-132	-4314	-74	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	
390	3077	-1244	-3035	-3163	-3572	-1512	-2789	-3308	-3117	-3599	-2716	-2079	-2284	-2759	-3042	1540	-1074	-2263	-3808	-3620	
-	-147	-500	232	45	-381	398	105	-627	212	-466	-721	277	393	45	95	359	117	-370	-295	-250	
-	-2640	-257	-8518	-44	-5048	-2662	-248	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	
391	837	-2471	292	1046	-2759	-2064	-726	-2487	1705	-2473	1101	-712	-2156	-277	373	-974	-1017	396	-2674	1075	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-6	-8461	-9503	-894	-1115	-5129	-42	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	
392	-3113	-2830	1818	-4013	1528	-4239	-1573	-2480	-3727	986	-2078	186	-4225	-3165	-3598	-3353	-3036	-2449	2248	3302	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-6	-8461	-9503	-894	-1115	-5129	-42	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	
393	1024	-2812	841	-685	-3146	-2343	-988	-2875	723	-2815	975	-982	-2432	1215	2615	-1268	-1317	-2443	-2971	-2324	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-5	-8715	-9758	-894	-1115	-5040	-45	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	
394	-1389	-2365	-1493	1183	-2536	-2440	-1087	640	869	-2303	-1500	-1174	-2521	995	809	-1382	-1321	1849	2205	-2088	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-5	-8715	-9758	-894	-1115	-5040	-45	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	
395	-252	-2857	465	727	-3176	-2365	-1023	659	1621	-2872	-1947	-1002	844	1191	1114	-1272	-1330	-2478	2000	-2361	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-8936	-9978	-894	-1115	-533	-1694	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	
396	835	-3773	288	-1664	-570	-3328	-71	-3812	1798	672	321	-1971	-3421	504	1116	821	-2286	-3385	-3968	-3297	
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10162	-11204	-894	-1115	-608	-1540	201	967	-4047	-3120	312	1382	1007	1503	529	-2497	-1484	-4214	-3532	

Table 4, Sheet 27/32

397	823	-3170	-879	-864	-3221	-1232	-2575	1277	-838	530	-193	-865	-3925	-2353	-177	-750	-116	986	-3543	1959	576
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10384	-11426	-894	-1115	-2206	-353	.	.	.	.	.	.	.	.	.	.	.	.	.	
398	-2534	-3999	1738	-525	-4317	-3509	-2167	-7	2491	-1778	797	-2145	-29	-526	1325	-1394	-495	-3619	-4184	-3503	577
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10384	-11426	-894	-1115	-699	-1380	.	.	.	.	.	.	.	.	.	.	.	.	.	
399	-258	-2854	-4113	-3531	-2836	-1419	106	-1220	-3309	2276	2476	66	-4253	1410	-3454	-795	-758	-2284	-3287	-2908	578
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10447	-11489	-894	-1115	-389	-2148	.	.	.	.	.	.	.	.	.	.	.	.	.	
400	2748	75	-1809	-4507	-2673	1064	-3284	-415	-4122	585	-1920	-4034	-4466	-750	-3952	-3486	-2818	-566	-3175	-681	579
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
401	1007	-2722	-5068	-4442	-260	-922	-3266	-1143	-4070	417	924	1587	-4454	-862	-171	-6	-784	-314	1884	2319	580
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
402	2091	-2826	-4410	-350	-2798	-765	-3108	886	-1305	-185	571	-1268	-4343	-3320	-3627	-142	257	1282	-3267	-2900	581
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
403	-316	-2736	-5254	-4620	2973	-4458	-3317	833	-4215	1354	-1929	-4102	-4507	-3835	-4014	-1749	-2851	505	890	1856	582
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
404	-2877	-2707	-5197	-688	-2661	-4422	-3292	2104	-4164	1293	2607	-4060	-4472	1015	-3972	-762	653	-558	870	-503	583
-	-149	-500	233	43	-381	399	106	-826	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
405	-102	-249	-5221	-4585	1419	-4427	1872	-67	-4181	2348	1741	-1301	-4477	-259	-3983	-3512	-2821	-1289	-3164	-2822	584
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
406	1121	-2789	-4966	-4359	-2774	272	-3299	-1241	-4015	817	573	-3967	-4463	-3894	-1461	860	2532	-2226	-3266	-2918	585
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
407	-1162	504	-5204	-4569	278	-1169	2392	-705	-4168	978	1453	-1329	-4472	-3794	1338	1072	-2817	-857	2168	578	586
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
408	-197	-4091	834	483	-4411	-3593	-2252	-1792	-929	-1839	-3180	-524	2750	-56	1482	-663	-287	-1727	-4274	-3592	587
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1579	-10485	-590	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
409	108	-1882	-2115	-1557	277	1324	-1460	-1493	-1415	-235	-1061	540	-2792	356	-1750	116	-1418	-1344	-2264	2967	588
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-8910	-9952	-894	-1115	-29	-5332	.	.	.	.	.	.	.	.	.	.	.	.	.	
410	-1283	-4239	-1531	-5491	-6763	3626	-5627	-6578	-6019	-6793	-5871	-4784	-5195	-5548	-437	-1285	-4041	-1415	-6951	-6754	589
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
411	-611	-2728	-5019	-4396	-875	-4395	-346	1500	-4034	-2578	475	986	-4447	-712	-1081	19	2168	1067	847	877	590
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 28/32

412	-463	-3750	-5545	-5211	-4778	-1375	-4850	-4375	-1470	-1705	-3960	-4554	3885	-4708	-5002	-885	-483	-587	-5170	-4852	591
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
413	-406	2352	-733	-3127	323	-4097	-2866	504	-467	159	-2214	-493	-1071	794	174	-46	-1380	1009	-3440	1877	592
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
414	-4702	-4203	-7370	-7027	262	-7166	-7004	3284	-6982	-3594	268	-6819	-6917	-6860	-7081	-6511	232	2105	-6428	-5951	593
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
415	-7127	-6045	-7502	-7856	2309	-7386	-309	-6013	-7401	-5320	1996	-5995	-7240	-538	-6768	-6634	-6976	-6169	-2816	4339	594
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
416	-1722	-4302	-3604	-3359	-4183	-1214	-3510	-4733	-3410	-4822	-4070	-46	-4701	1972	-3807	1462	-3584	-4336	1026	3906	595
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
417	-1586	-4606	633	-4189	-6820	3298	-4973	-6677	-5288	-6784	-5927	-4169	-38	-4749	-53	525	-4212	-5578	-6941	-6442	596
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
418	-2645	-4116	2070	1528	-1241	-3611	1940	-4185	-1860	-4131	-3206	-2247	-65	1591	-747	-2525	1067	-3737	-4300	1627	597
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
419	-2625	-4031	-1060	3238	-618	-1292	-2271	-4056	-681	-1825	1023	-542	-3702	-1821	-285	-1370	-1030	-1215	-4231	-936	598
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
420	-1034	-2720	-5079	-1279	1571	-1417	58	1638	-4078	-417	905	-844	-4456	2001	-3927	-491	-2813	-331	2033	1810	599
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
421	-2907	-4290	618	-962	-4563	2854	664	-4291	-2183	-1667	-3405	-2448	-1378	-2104	-2699	49	404	-3889	-4504	1570	600
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-50	-10485	-4914	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
422	-474	598	-1486	-1922	308	-114	-3056	-1113	-3495	-4	3600	-1012	-4294	413	445	-1247	-830	-1236	2604	382	601
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10437	-11479	-894	-1115	-328	-2299	.	.	.	.	.	.	.	.	.	.	.	.	.	
423	238	-4087	1128	-891	-4406	-367	177	-1155	-238	-2200	-225	301	111	-578	-2341	744	2247	-1726	-4272	-3591	602
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-125	-10485	-3606	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
424	-1091	-3993	833	-617	75	2430	-131	-4063	-51	-4009	-3083	1846	-3587	-162	-2243	-2402	-424	-3615	-4177	638	603
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10362	-11404	-894	-1115	-2391	-305	.	.	.	.	.	.	.	.	.	.	.	.	.	
425	-376	-3984	1222	-100	601	1631	-153	-4054	326	-4000	-3073	48	-568	613	-2233	-580	-473	500	-4168	393	604
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-30	-10362	-5880	-894	-1115	-2391	-305	.	.	.	.	.	.	.	.	.	.	.	.	.	
426	127	-3961	870	-877	-4283	489	-166	-4033	1214	-3977	113	1373	475	-558	533	-106	-314	-3583	1977	258	605
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1169	-10334	-851	-894	-1115	-2590	-262	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 29/32

427	-459	-1653	-3572	-408	1776	1540	-2061	1132	-2685	-1506	970	-2687	-708	-294	-2642	-256	-1675	773	-2101	863	606
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-408	-9169	-2033	-894	-1115	-3333	-151	.	.	.	.	.	.	.	.	.	.	.	.	.	
428	-1483	-2965	465	1104	-3283	736	-1106	-3037	263	-2980	-2058	1862	689	-650	-1217	452	1160	-2586	-3148	-2458	607
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-309	-8946	-2391	-894	-1115	-4938	-48	.	.	.	.	.	.	.	.	.	.	.	.	.	
429	-1303	1409	1671	-648	-2928	-2279	-929	-2639	778	-2635	-1750	-940	-2373	-489	967	834	-1240	-2248	3918	-2204	608
-	-149	-501	233	44	-378	400	104	-628	212	-468	-722	277	394	47	94	358	117	-369	-296	-251	
-	-1363	-713	-9685	-784	-1254	-4263	-77	.	.	.	.	.	.	.	.	.	.	.	.	.	
430	-1378	-1464	1505	-149	-1448	-383	-1564	2094	-1845	353	-656	-2001	191	-1651	-2009	-1790	-1319	496	1890	-1511	612
-	-148	-501	233	47	-382	400	104	-628	209	-467	-722	276	392	44	94	358	122	-369	-296	-251	
-	-3892	-196	-4066	-18	-6308	-4205	-80	.	.	.	.	.	.	.	.	.	.	.	.	.	
431	-1247	-2712	176	907	-3030	460	-881	-2778	772	-2727	930	-858	-2315	649	651	1202	-1186	972	-2898	-2217	614
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-5	-8729	-9771	-894	-1115	-997	-1003	.	.	.	.	.	.	.	.	.	.	.	.	.	
432	-1003	-2598	3026	-2324	-66	-1180	-2211	-860	-2179	-1281	-1775	-2452	1008	33	-2508	-2445	-552	-2055	-2890	1948	615
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-9851	-10893	-894	-1115	-2850	-250	.	.	.	.	.	.	.	.	.	.	.	.	.	
433	-4259	-6085	168	-389	-6338	-1353	-3437	-6205	-1184	-6026	-5374	-2764	3905	-3099	443	-3918	-4304	-5704	-6158	-5251	616
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2578	-9938	-266	-894	-1115	-3963	-96	.	.	.	.	.	.	.	.	.	.	.	.	.	
434	-767	-1577	-1043	-1067	-3143	1519	-1529	-2894	-1441	-3025	-2184	3091	-2118	-1234	-1831	-873	1385	-2164	-3243	-2736	617
-	-150	-502	232	42	-383	400	112	-623	209	-468	-723	278	394	43	93	358	118	-362	-297	-252	
-	-2537	-712	-2204	-2592	-262	-5349	-36	.	.	.	.	.	.	.	.	.	.	.	.	.	
435	-516	-984	-1115	-725	-1277	-1618	-728	1389	-611	-1043	-403	2411	-1864	-536	-925	-734	1361	-304	-1662	-1201	627
-	-149	-500	233	43	-378	398	105	-624	210	-466	-721	277	394	45	96	359	117	-370	-295	-250	
-	-2189	-746	-2440	-82	-4184	-3801	-107	.	.	.	.	.	.	.	.	.	.	.	.	.	
436	-842	-1512	-1081	-942	-2142	956	-1175	-1815	-1028	-2033	3596	2383	-2133	-939	-1362	-970	-987	-1484	-2412	-1909	629
-	-149	-500	232	43	-377	398	110	-627	210	-466	-721	277	395	45	95	360	117	-370	-295	-250	
-	-2587	-268	-8465	-46	-4987	-434	-1945	.	.	.	.	.	.	.	.	.	.	.	.	.	
437	667	22	2713	-265	492	-1542	-1977	-915	-345	-705	-2762	766	-3404	-320	-2078	-912	-2257	-3252	-3874	750	631
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	384	45	96	359	117	-369	-294	-249	
-	-2	-10119	-11161	-894	-1115	-2057	-397	.	.	.	.	.	.	.	.	.	.	.	.	.	
438	163	2158	-139	334	-3981	-1132	428	681	-1645	-1918	-2818	2472	-3467	59	-2142	214	-946	312	-3932	-3284	632
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10192	-11234	-894	-1115	-2369	-311	.	.	.	.	.	.	.	.	.	.	.	.	.	
439	-2407	3398	-136	1040	-4126	-1288	-2049	-3861	-1638	-267	-2922	-2032	-3481	-62	2733	-1148	-976	-3437	-4023	-448	633
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10227	-11269	-894	-1115	-2362	-312	.	.	.	.	.	.	.	.	.	.	.	.	.	
440	-191	1100	-2291	1293	-977	303	-2067	945	786	-3856	-2944	281	-3499	486	540	-213	700	-1038	-4045	-712	634
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10255	-11297	-894	-1115	-3026	-189	.	.	.	.	.	.	.	.	.	.	.	.	.	
441	458	1520	-130	-1724	-4201	839	-2056	-3948	280	54	1209	449	-187	-122	606	683	410	-3504	-4070	-3390	635
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-186	-10255	-3060	-894	-1115	-1934	-438	.	.	.	.	.	.	.	.	.	.	.	.	.	

Table 4, Sheet 30/32

442	-848	-3504	1165	-27	589	-713	-2036	-749	-1675	-434	2480	2087	-3452	-1624	-577	196	365	-3065	-3759	-3152	636
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
443	189	-3751	-781	227	-4059	-151	-1947	-1353	-1532	-3762	1222	908	1881	683	871	-1188	-1039	-1510	2049	1195	637
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10119	-11162	-894	-1115	-1708	-527	-	-	-	-	-	-	-	-	-	-	-	-	-	
444	-54	-2472	-1427	-4321	1165	248	-3054	-952	-3923	18	1178	-3820	-823	-908	-3734	-3268	33	-515	4459	1654	638
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10222	-11264	-894	-1115	-1427	-671	-	-	-	-	-	-	-	-	-	-	-	-	-	
445	-818	-3941	624	13	779	-979	-146	-1114	967	-1627	-3030	1286	-1468	599	716	1074	-503	-723	-4124	-3442	639
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-50	-10311	-4899	-894	-1115	-2734	-235	-	-	-	-	-	-	-	-	-	-	-	-	-	
446	812	2734	1602	985	-1033	170	424	-1653	-1827	-3541	-2708	-2203	275	-1774	-488	-369	-2401	-1049	1707	227	640
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10262	-11304	-894	-1115	-2217	-350	-	-	-	-	-	-	-	-	-	-	-	-	-	
447	-1344	-3417	267	1427	889	-3595	-2287	749	-113	-505	855	-506	-3681	-585	-2447	-520	832	-1416	-3725	2123	641
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10269	-11331	-894	-1115	-1655	-551	-	-	-	-	-	-	-	-	-	-	-	-	-	
448	497	-3964	-282	-89	28	-3485	2394	-4035	896	-3980	-3053	1233	744	1063	609	-1403	-812	-804	-4147	670	642
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-117	-10337	-3698	-894	-1115	-2571	-266	-	-	-	-	-	-	-	-	-	-	-	-	-	
449	446	-3864	535	716	-4185	-1034	-2025	-1451	913	-292	-235	-738	-3460	1106	1382	-483	982	-3486	-4048	-640	643
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-618	-10222	-1525	-894	-1115	-3170	-170	-	-	-	-	-	-	-	-	-	-	-	-	-	
450	-1976	-3458	2309	892	-3776	-61	-1599	-3530	-283	-3473	-2550	1526	-3027	-1143	698	602	739	-3079	-3640	-2951	644
-	-147	-509	242	49	-387	396	105	-633	214	-473	-701	274	385	42	94	360	125	-378	-261	-244	
-	-1274	-1480	-2132	-3030	-188	-4446	-68	-	-	-	-	-	-	-	-	-	-	-	-	-	
451	-159	-1691	-3708	-3099	1577	-3286	-2133	-73	715	120	910	-2784	-3340	-2483	-488	1106	1793	-78	-2141	-1787	659
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-4	-9234	-10276	-894	-1115	-3750	-111	-	-	-	-	-	-	-	-	-	-	-	-	-	
452	246	1159	372	1702	318	-2656	-1318	-3058	-814	-648	512	994	-26	-871	477	-444	700	-2851	-3255	-2595	660
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-3	-8312	-10354	-894	-1115	-881	-1019	-	-	-	-	-	-	-	-	-	-	-	-	-	
453	1069	-2335	-4412	1	26	-3947	-2797	183	41	1807	224	-3463	-4001	-710	-3405	-1428	-885	-1752	2785	402	661
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10014	-11056	-894	-1115	-2224	-347	-	-	-	-	-	-	-	-	-	-	-	-	-	
454	277	-3251	-2499	-1946	1305	-1730	1022	590	824	-1777	-2394	-2198	-1131	140	1402	-451	-2280	-2769	-3560	2663	662
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-210	-10101	-2891	-894	-1115	-524	-1716	-	-	-	-	-	-	-	-	-	-	-	-	-	
455	-950	-3858	39	480	-4178	-1336	-267	-277	612	-244	-4	227	37	2036	179	175	205	-383	-4041	-3359	663
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10214	-11256	-894	-1115	-932	-1071	-	-	-	-	-	-	-	-	-	-	-	-	-	
456	728	-3966	-624	909	812	-1165	597	-542	105	-358	-3057	-137	-831	1711	170	-2393	-962	-527	-4154	853	664
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10357	-11399	-894	-1115	-2427	-297	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 4, Sheet 31/32

457	66	-2591	-5105	-4470	-188	-1573	-3183	2992	-1564	377	-1794	-3956	-4361	-3689	-3867	-107	-2705	805	-3049	493	665
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10357	-11399	-894	-1115	-2427	-297	.	.	.	.	.	.	.	.	.	.	.	.	.	
458	771	-3980	870	-586	-4301	-3482	-2141	-250	2057	-2375	-115	-992	-830	1327	-298	497	102	-3602	-4164	-721	666
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10357	-11399	-894	-1115	-2427	-297	.	.	.	.	.	.	.	.	.	.	.	.	.	
459	824	-3981	-2356	-648	-4302	981	-2141	-4052	1359	-3997	-3070	753	459	-578	667	926	246	-3603	956	-564	667
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-2	-10357	-11399	-894	-1115	-178	-3104	.	.	.	.	.	.	.	.	.	.	.	.	.	
460	-262	504	-5193	-4559	-2662	-1787	-3291	-193	-4160	1812	2808	-4058	-4471	-44	1634	-1315	-2817	405	-3165	-2822	668
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
461	608	-3114	1889	-2842	-3135	-1460	-2791	1522	-2790	-416	-2294	1311	-4111	-449	-3103	-610	-373	1203	-3513	-3084	669
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
462	1064	-4092	352	-287	-4413	692	1287	-4164	-609	-518	-3181	810	565	-79	69	879	-1440	-3714	-4275	333	670
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
463	1044	-2707	-5195	-1784	2589	-2059	-3291	959	-1193	1067	-1910	-4058	-4471	-3790	-3971	-646	-403	212	1583	-2821	671
-	-149	-500	233	43	-381	399	106	-626	210	-466	-720	275	394	45	96	359	117	-369	-294	-249	
-	-1	-10485	-11527	-894	-1115	-701	-1378	.	.	.	.	.	.	.	.	.	.	.	.	.	
464	-5309	-5869	-6219	-1531	-6756	-5764	2106	-1505	-2098	-5643	8	-4432	-5670	-483	3918	-5184	-4930	-5825	-5467	-5419	672
-	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	.	.	.	.	.	.	.	.	0	.	.	.	.	.	.	.	.	.	.	.	.

Table 4, Sheet 32/32

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- WO 9914314 A [0012]
- EP 120516 A [0052]
- WO 9506128 A [0053]
- EP 0513849 A [0053]
- EP 0465875 A [0053]
- EP 0292435 A [0053]
- WO 9704112 A [0066]
- WO 9704113 A [0066]
- WO 9837213 A [0066]
- WO 9837214 A [0066]
- EP 0321201 B1 [0068]
- WO 9953050 A1 [0071]
- WO 9515972 A [0080]
- WO 9307279 A [0158]
- WO 0119975 A [0217] [0250]
- EP 0309032562003 A [0251]

Non-patent literature cited in the description

- **Hizukuri ; Takagi.** *Carbohydr. Res.*, 1984, vol. 134, 1-10 [0004]
- **Takeda et al.** *Carbohydr. Res.*, 1984, vol. 132, 83-92 [0004]
- **Voet ; Voet.** *Biochemistry.* John Wiley & Sons, 1990 [0005]
- **Burton et al.** *Plant Journal*, 1995, vol. 7, 3-15 [0008]
- **Mizuno et al.** *Plant Cell Physiol.*, 2001, vol. 42 (4), 349-357 [0008]
- **Smith-White ; Preiss.** *Plant Molecular Biology Reporter*, 1994, vol. 12, 67-71 [0009] [0010] [0012]
- *Plant Molecular Biology Reporter*, 1994, vol. 12, 67-71 [0009]
- **Larsson et al.** *Plant Mol. Biol.*, 1998, vol. 37, 505-511 [0009]
- **Svensson.** *Plant Molecular Biology*, 1994, vol. 25, 141-157 [0013]
- **Jespersen et al.** *Biochem J.*, 1991, vol. 280, 51-55 [0013]
- **Baba et al.** *Biochem. Biophys. Res. Commun.*, 1991, vol. 181 (1), 87-94 [0013]
- **Kuriki et al.** *J. of Protein Chemistry*, 1996, vol. 15 (3), 305-313 [0013]
- **Stindard et al.** *Plant Cell*, 1993, vol. 5, 1555-1566 [0015]
- **Boyer ; Preiss.** *Biochem. Biophys. Res. Commun.*, 1978, vol. 80, 169-175 [0015]
- **Mizuno et al.** *J. Biol. Chem.*, 1993, vol. 268, 19084-19091 [0015]
- **Smith.** *Planta*, 1988, vol. 175, 270-279 [0015]
- **Bhattacharyya et al.** *Cell*, 1990, vol. 60, 115-122 [0015]
- **Kossmann et al.** *Mol Gen Genet*, 1991, vol. 230, 39-44 [0016]
- **Safford et al.** *Carbohydrate Polymers*, 1998, vol. 35, 155-168 [0016]
- **Jobling et al.** *The Plant Journal*, 1999, 18 [0016]
- **Schwall et al.** *Nature Biotechnology*, 2000, vol. 18, 551-554 [0016]
- **Jobling et al.** *Nature Biotechnology*, 2003, vol. 21, 77-80 [0016]
- **Kimihiko et al.** *Analytical Biochemistry*, 1980, vol. 108, 16-24 [0030]
- **Kiel et al.** *Mol. Gen. Genet*, 1987, vol. 207, 294-301 [0031] [0143]
- **Buettcher et al.** *Biochem. Biophys. Acta*, 1999, vol. 1432, 406-412 [0031]
- **Almstrupp et al.** *Analytical Biochemistry*, 2000, vol. 286, 297-300 [0032]
- **Guan ; Preiss.** *Plant Physiol.*, 1993, vol. 102, 1269-1273 [0033]
- **Kuriki et al.** *J. of Protein Chemistry*, 1996, vol. 15, 305-313 [0033]
- **Batemann et al.** *Nucleic Acids Research*, 2002, vol. 30, 276-280 [0039]
- **Durbin et al.** *Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids.* Cambridge University Press, 1998 [0040]
- **Thompson et al.** *Nucleic Acids Research*, 1994, vol. 22, 4673-4680 [0042] [0149]
- **Hoekema.** *The Binary Plant Vector System Offset-drukkerij.* Kanters B.V, 1985 [0052]
- **Fraley et al.** *Crit. Rev. Plant Sci.*, vol. 4, 1-46 [0052]
- **An et al.** *EMBO J.*, 1985, vol. 4, 277-287 [0052]
- **Rocha-Sosa et al.** *EMBO J.*, 1989, vol. 8, 29-33 [0052]
- **Chan et al.** *Plant Mol. Biol.*, 1993, vol. 22, 491-506 [0053]
- **Hiei et al.** *Plant J.*, 1994, vol. 6, 271-282 [0053]
- **Deng et al.** *Science in China*, 1990, vol. 33, 28-34 [0053]
- **Wilmink et al.** *Plant Cell Reports*, 1992, vol. 11, 76-80 [0053]

- **May et al.** *Bio/Technology*, 1995, vol. 13, 486-492 [0053]
- **Conner ; Domisse.** *Int. J. Plant Sci.*, 1992, vol. 153, 550-555 [0053]
- **Ritchie et al.** *Transgenic Res.*, 1993, vol. 2, 252-265 [0053]
- **Wan ; Lemaux.** *Plant Physiol.*, 1994, vol. 104, 37-48 [0053]
- **Vasil et al.** *Bio/Technology*, 1993, vol. 11, 1553-1558 [0053]
- **Ritala et al.** *Plant Mol. Biol.*, 1994, vol. 24, 317-325 [0053]
- **Spencer et al.** *Theor. Appl. Genet.*, 1990, vol. 79, 625-631 [0053]
- **Fromm et al.** *Biotechnology*, 1990, vol. 8, 833-844 [0053]
- **Kamm et al.** *Plant Cell*, 1990, vol. 2, 603-618 [0053]
- **Kozziel et al.** *Biotechnology*, 1993, vol. 11, 194-200 [0053]
- **Moroc et al.** *Theor. Appl. Genet*, 1990, vol. 80, 721-726 [0053]
- **Krens et al.** *Nature*, 1982, vol. 296, 72-74 [0054]
- **Nehra et al.** *Plant J.*, 1994, vol. 5, 285-297 [0054]
- **Mette et al.** *EMBO J.*, 2000, vol. 19, 5194-5201 [0061] [0073] [0076]
- **Jorgensen.** *Trends Biotechnol.*, 1990, vol. 8, 340-344 [0067]
- **Niebel et al.** *Curr. Top. Microbiol. Immunol.*, 1995, vol. 197, 91-103 [0067]
- **Flavell et al.** *Curr. Top. Microbiol. Immunol.*, 1995, vol. 197, 43-46 [0067]
- **Palaqui ; Vaucheret.** *Plant. Mol. Biol.*, 1995, vol. 29, 149-159 [0067]
- **Vaucheret et al.** *Mol. Gen. Genet*, 1995, vol. 248, 311-317 [0067]
- **de Borne et al.** *Mol. Gen. Genet*, 1994, vol. 243, 613-621 [0067]
- **Feyter et al.** *Mol. Gen. Genet*, 1996, vol. 250, 329-338 [0068]
- **Waterhouse et al.** *Proc. Natl. Acad. Sci. USA*, 1998, vol. 95, 13959-13964 [0071]
- **Wang ; Waterhouse.** *Plant Mol. Biol.*, 2000, vol. 43, 67-82 [0071]
- **Singh et al.** *Biochemical Society Transactions*, 2000, vol. 28, 925-927 [0071]
- **Liu et al.** *Biochemical Society Transactions*, 2000, vol. 28, 927-929 [0071]
- **Smith et al.** *Nature*, 2000, vol. 407, 319-320 [0071]
- **Nap, J-P et al.** *6th International Congress of Plant Molecular Biology*, 18 June 2000, S7-27 [0071]
- **Kipp, P.B. et al.** *Poster Session at the "5th International Congress of Plant Molecular Biology*, 21 September 1997 [0080]
- **R. A. Dixon ; C.J. Arntzen.** *Metabolic Engineering in Transgenic Plants* [0080]
- **TIBTECH**, 1997, vol. 15, 441-447 [0080]
- **Kren et al.** *Hepatology*, 1997, vol. 25, 1462-1468 [0080]
- **Cole-Strauss et al.** *Science*, 1996, vol. 273, 1386-1389 [0080]
- **Beetham et al.** *PNAS*, 1999, vol. 96, 8774-8778 [0080]
- **Plant Cell Culture Protocols.** Humana Press, 1999 [0118]
- **Sambrook et al.** *Molecular Cloning, A Laboratory Manual.* Cold Spring Harbor Laboratory Press, 1989 [0140]
- **Sambrook et al.** *Molecular Cloning, A Laboratory Manual.* Cold Spring Harbor Laboratory Press, 1989 [0142]
- **Guan et al.** *Proc. Natl. Acad. Sci.*, 1995, vol. 92, 964-967 [0143]
- *Methods in Enzymology*, 1987, vol. 153, 383-516 [0155]
- **Bitter et al.** *Methods in Enzymology*, 1987, vol. 153, 516-544 [0155]
- **Rocha-Sosa et al.** *EMBO J.*, 1989, vol. 8, 23-29 [0158] [0234]
- **Stockhaus et al.** *Proc. Natl. Acad. Sci. USA*, 1987, vol. 84, 7943-7947 [0158]
- **Stockhaus et al.** *EMBO J.*, 1989, vol. 8, 2445-2451 [0158]
- **Pedersen et al.** *Cell*, 1982, vol. 29, 1015-1026 [0158]
- **Quatroccio et al.** *Plant Mol. Biol.*, 1990, vol. 15, 81-93 [0158]
- **Leisy et al.** *Plant Mol. Biol.*, 1990, vol. 14, 41-50 [0158]
- **Zheng et al.** *Plant J.*, 1993, vol. 4, 357-366 [0158]
- **Yoshihara et al.** *FEBS Lett.*, 1996, vol. 383, 213-218 [0158]
- **Werr et al.** *EMBO J.*, 1985, vol. 4, 1373-1380 [0158]
- **Fiedler et al.** *Plant Mol. Biol.*, 1993, vol. 22, 669-679 [0158]
- **Bäumlein et al.** *Mol. Gen. Genet*, 1991, vol. 225, 459-467 [0158]
- **Gielen et al.** *EMBO J.*, 1989, vol. 8, 23-29 [0159]
- **Schlegel.** *Allgemeine Mikrobiologie.* Georg Thieme Verlag, 1985, 1-2 [0166]
- **Starch: Chemistry and Technology.** Academic Press Inc. London Ltd, 1994 [0183]
- **Maize and Sorghum Starches.** Watson, 412-468 [0183]
- **Tapioca, Arrowroot and Sago Starches.** Corbishley and Miller, 469-479 [0183]
- **Potato starch.** Mitch, 479-490 [0183]
- **Wheat starch.** Knight and Oson, 491-506 [0183]
- **Rice starch.** Rohmer and Klem, 507-528 [0183]
- **Eckhoff et al.** *Maize starch. Cereal Chem.*, 1996, vol. 73, 54-57 [0183]
- **Orthoefer.** *Corn, Chemistry and Technology.* 1987, 479-499 [0195]
- **Hovenkamp-Hermelink et al.** *Potato Research*, 1988, vol. 31, 241-246 [0204]
- *Methods in Enzymology*, 1966, vol. VIII, 115-118 [0206]

- **Pietrzak et al.** *Nucleic Acids Research*, 1986, vol. 14, 5857-5868 **[0231]**