

Europäisches Patentamt European Patent Office

Office européen des brevets



EP 1 727 394 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

29.11.2006 Bulletin 2006/48

(51) Int Cl.:

H04R 25/00 (2006.01)

(11)

H02J 7/00 (2006.01)

(21) Application number: 05104490.7

(22) Date of filing: 25.05.2005

(84) Designated Contracting States:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU MC NL PL PT RO SE SI SK TR Designated Extension States:

AL BA HR LV MK YU

(71) Applicant: OTICON A/S 2765 Smørum (DK)

(72) Inventors:

- Danielsen, Finn DK-2900 Hellerup (DK)
- Andersen, Marinus DK-2900 Hellerup (DK)

(54) Method and apparatus for current management in a battery powered audio device

(57) The invention relates to a method of current management in a battery powered audio device. According to the invention the method comprises the following steps:

a- comparing the actual supply voltage from the battery with a fixed reference voltage,

b- generating a control signal whenever the supply voltage is below the reference voltage,

c- use the control signal to reduce the load current in the battery powered device, whereby the supply voltage from the battery will increase,

d- repeat steps a,b and c whenever the supply voltage is below the reference voltage, and register the rate at which the sequence of steps are repeated, and

e- activate an AGC to decrease the output level whenever repetition rate of the a,b and c steps is above a predetermined level.




Fig. 2

15

20

25

30

40

45

1

Description

AREA OF THE INVENTION

[0001] One of the characteristics of the batteries used in hearing aids is the relatively high internal impedance for this type of voltage source. Furthermore during the life time of the battery this impedance increases. To give an example for a 675 battery the internal impedance may for a fresh battery start at 1-2 Ohm (at 100 Hz) and increase to perhaps 10 Ohm at the end of the lifetime. Another and even worse problem is related to the most common battery type for hearing aids: Zinc-air batteries wherein one of the active ingredients for operation is oxygen from the air. The amount of air needed is dependent of the current supplied from the battery and if a certain current limit is exceeded the airflow through the inlets of the battery becomes insufficient and as a result the battery voltage starts to drop. To make it worse this current limit is not the same for different battery manufacturers and is also a function of time. Any audio device depending on battery power will have the above problem in more or less severe grade.

BACKGROUND OF THE INVENTION

[0002] For hearing aids especially within the power category the above weaknesses presents a major problem as the high sound levels produced by these hearing aids result in high current consumption from the battery. If the maximum current consumption from the hearing aid is being limited to a conservative magnitude in order to avoid problems with battery voltage drop, the maximum sound pressure level that the hearing aid can supply will be clearly below the needs for some of the hearing impaired. Increasing the maximum current on the other hand will lead to another problem: if the battery voltage is below a certain limit, the settings of the hearing aid can not be guarantied and this results in a reset of the digital control circuit during which the hearing aid is inoperative. In other words some type of control within the hearing aid is needed that will allow us to take advantage of the high current which zinc-air batteries can deliver, but on the other hand restricts the current demand from the hearing aid if the battery voltage starts to drop.

[0003] A prior art system is described in published WO application No. DK03/00636. The prior art battery management system (BMS) uses a voltage detector to monitor the battery voltage as shown in fig. 1. If this voltage goes down to a predefined voltage (called bat. Low or $V_{reference}$), the detector forwards a control signal $V_{control}$. This signal is used to mute the output to the receiver which again will reduce the current drain from the battery thereby bringing the battery voltage up again combined with an un-mute of the signal. This scheme is repeated as many times as necessary in order to prevent the battery voltage from going down to the reset voltage of the hearing aid.

[0004] In the described prior art battery management system, advantage is taken of the class D amplifier used in the system. For a digital hearing aid with another type of output amplifier like a PCM amplifier this prior art scheme will not work due to audible side effects. According to the invention a system for battery management is provided, which can be used with a PCM amplifier without side effects detrimental to the sound quality.

SUMMARY OF THE INVENTION

[0005] According to the invention a method of current management in a battery powered audio device is provided whereby the method comprising the following steps:

a- comparing the actual supply voltage from the battery with a fixed reference voltage,

b- generating a control signal whenever the supply voltage is below the reference voltage,

c- use the control signal to reduce the load current in the battery powered device, whereby the supply voltage from the battery will increase,

d- repeat steps a,b and c whenever the supply voltage is below the reference voltage, and register the rate at which the sequence of steps are repeated, and

e- activate an AGC to decrease the output level whenever repetition rate of the a,b and c steps is above a predetermined level.

[0006] The c- step above is prone to audible side-effects, as the only way of securing fast reduction in the current consumption is temporarily disconnect the largest current consuming unit, namely the receiver. Such repeated muting of the receiver becomes audible after a short time as a metallic sound. The invention takes advantage of the fact, that the human hearing mechanism is unable to detect this metallic sound if the duration of the signal is in the order of some few milliseconds. According to the invention the sequence of actions a,b and c are carried out when the reference voltage is to low. If the sequence is carried out more than a predefined number of times within a given timeframe, an output reduction using an AGC system is activated. This will reduce the output level ex. by 1 dB and thereby lower the current consumption. If the sequence a,b and c is still active and its rate exceeds the limit, the output reduction by way of the AGC is increased and so forth until the battery voltage is above the battery low limit. The a,b and c sequence may cause an audible side effect, especially if it is carried out over prolonged time. This is avoided by the invention in that the AGC takes over the reduction in output and current consumption. When the output reduction is handled by the AGC it will not lead to the same kind of audible side effects, and it may happen less obtrusive for the user. The advantage of the invention is that the a,b an c sequence is very fast and reacts imme-

10

diately to decreasing supply voltage, and before the a,b and c sequence becomes audible the AGC will take over and reduce the power consumption in a less obtrusive way.

[0007] The c- step above is usually a mute function, whereby the current supply to the receiver is temporarily cut off, but other ways securing a fast reduction in current consumption are possible.

[0008] According to the invention the AGC system is activated to return the sound level in increments to the starting point whenever the repetition rate of steps a,b and c has remained below a certain limit for a predetermined time after reduction of the sound level output. In this situation the detector changes it's control signal, and the AGC compressor settings will begin to return to normal again in small discrete steps. Compared to the attack situation - which will happen rapidly within a few milliseconds - this regeneration is considerably slower.

[0009] In a further embodiment of the invention a warning signal is provided for the user whenever the output power reduction caused by the AGC reaches a predetermined level, in order to signal that the battery has reached its end of life. Thus, the user has time to change the battery before the audio device is automatically turned off or before resetting of the audio signal processing is effected. This is especially advantageous when the device is a hearing aid. As an example, assume that the range of the AGC reduction is restricted to ex. 6 dB. If this reduction in MPO and current consumption is not enough - meaning that the mute system starts to become active above a certain limit - this indicates that the battery is approaching it's end of life and a beep sequence is emitted telling the user, that it is time to change the battery.

[0010] The invention may provide independent AGC systems in a number of channels. Preferably the invention is implemented in 8 channels. The advantage of having the system implemented in more channels is that the AGC's may act independently in the various channels. Thus larger steps of output reduction may be provided for some channels, typically for the low frequency channels.

BRIEF DESCRIPTION OF THE DRAWINGS

[0011]

Fig. 1 is a system diagram of a prior art BMS. Fig. 2 shows a diagram of the system according to the invention.

DESCRIPTION OF A PREFERRED EMBODIMENT

[0012] The prior art system indicated by the diagram of fig. 1 functions in the following way: the load current I_{load} in the receiver is transformed to a current $I_{battery}$ taken from the battery. This current will generate a voltage loss due to the internal resistance R_{intern} and/or

due to lack of air within the battery. If the supply voltage V_{supply} goes below a reference voltage $V_{\text{reference}}$, the comparator will now change its output state thereby generating a control signal V_{control} . This control signal V_{control} is used to reduce the load current I_{load} from the output amplifier - ex. by temporarily disconnecting the load or receiver - or muting the receiver, then current taken from the battery I_{battery} will decrease and V_{supply} will go up above $V_{\text{reference}}$. This in turn will change the output of the comparator and return the output amplifier to normal operation.

[0013] This sequence will be repeated as many times as necessary in order to prevent V_{supply} to go far below $V_{\text{reference}}$.

[0014] Due to the repetition of the sequence, this system can be considered to be a sampled system. By the use of a fast comparator the repetition frequency can be very much higher than twice the highest audio frequency of interest and thereby any harmful side effects on the audio quality will remain small. This is the case for a class D output amplifier, but for other types of output amplifiers the system may give rise to audible side effect like a metallic ringing.

[0015] According to the present invention, this is avoided by the use of an AGC system in combination with the above prior art system, such that the number of mutes experienced within a given time frame is kept below an upper limit. In fig. 2 a system according to the invention is shown. This system comprises the same elements as the prior art system, but with the addition of the counter and the AGC. Here the Counter determines the rate of mutes. This may be done by counting the number of mutes in consecutive time frames. When the mute rate or number of mutes in a time frame exceeds a predetermined level, the AGC of each channel is activated to reduce the output level. This output level reduction will cause the current consumption to decrease, and possibly the battery voltage will start to rise. If the battery voltage remains low, further mutes will be generated, and if the mute rate again exceeds the predetermined level, a further control signal is generated to the AGC which will result in a further decrease in the output level.

[0016] If the AGC remains activated due to high mute rates for a longer time, and causing the AGC to reduce the output level by a predefined limit amount, this indicates that the battery has reached its end of life, and in this event a warning signal is provided for the user of the audible device. The limit amount could be 6 db.

[0017] If no new high mute rates are observed for a predetermined time, the AGC is instructed to increase the output level. This increase in output level has a long time constant where as the reaction to high mute rates is very fast.

Claims

1. Method of current management in a battery powered

40

5

10

20

30

40

audio device, the method comprising the following steps:

a- comparing the actual supply voltage from the battery with a fixed reference voltage, b- generating a control signal whenever the supply voltage is below the reference voltage, c- use the control signal to reduce the load current in the battery powered device, whereby the supply voltage from the battery will increase, d- repeat steps a,b and c as long as the supply voltage is below the reference voltage, and register the rate at which the sequence of steps are repeated, and

e- activate an AGC to decrease the output level whenever repetition rate of the a,b and c steps is above a predetermined level.

- 2. Method according to claim 1 wherein the AGC system is activated to increase the sound level in increments whenever the repetition rate of steps a,b and c has remained below a certain limit for a predetermined time after reduction of the sound level output.
- 3. Method as claimed in claim 1 or 2, wherein a warning signal is provided for the user whenever the output power reduction caused by the AGC reaches a predetermined level, in order to signal that the battery has reached its end of life.
- **4.** Method as claimed in any of the above claims, wherein independent AGC systems are provided in a number of channels.
- 5. Method as claimed in claim 2, wherein the time constant for activation of the AGC due to observed high mute rate is small and where the time constant for returning the AGC to the starting point due to observed low mute rate is big.
- 6. Battery powered audio device with a battery which provides a supply voltage, a signal processing part and a receiver, whereby the signal processing device is adapted for generating a fixed reference voltage and where a comparator is provided for comparing the supply voltage with the reference voltage, and where means are provided for delivering a first control signal to the device whenever the supply voltage is below the reference voltage, and where the signal processing part has means for temporarily cutting the supply voltage to the receiver whenever a first control signal is generated, and whereby further a counter is provided which is adapted to count the number of first control signals within a given time frame and wherein the counter is adapted to deliver a second control signal to an AGC unit whenever the counted number of first control signals within a time frame exceeds a predefined number.

- 7. A battery powered audio device as claimed in claim 6, where the device is an output amplifier in a hearing aid, and where the comparing means are arranged to conduct the comparing at a repetition frequency, which is above the highest audio frequency of the hearing aid.
- **8.** A battery powered audio device as claimed in claim 6, where the battery is a zinc-air battery.

/




Fig. 1 (prior art)




Fig. 2



EUROPEAN SEARCH REPORT

Application Number EP 05 10 4490

	DOCUMENTS CONSID	ERED TO B	E RELEVANT					
Category	Citation of document with ir of relevant passa		appropriate,		levant claim	CLASSIFICATION OF THE APPLICATION (Int.CI.7)		
D,A	WO 2004/034073 A (CFINN) 22 April 2004 * the whole documer	(2004-04-	DANIELSEN, 22)	1-8		H04R25/00 H02J7/00		
A	US 6 453 051 B1 (KI 17 September 2002 (* the whole documer	(2002-09-17		1-8				
A	US 5 838 807 A (ANE 17 November 1998 (1 * the whole documer	L998-11-17)	AL)	1-8				
						TECHNICAL FIELDS SEARCHED (Int.CI.7) H04R H02J		
	The present search report has	been drawn up fo	r all claims					
	Place of search		f completion of the search			Examiner		
Munich			12 September 2005			Mapp, G		
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document			T : theory or princip E : earlier patent do after the filing da D : document cited L : document cited	nvention hed on, or				

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 05 10 4490

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

12-09-2005

Patent document cited in search report	Publication date	Patent family member(s)			Publication date	
WO 2004034073	3 A	22-04-2004	AU WO EP	2003266933 2004034073 1552319	A1	04-05-2004 22-04-2004 13-07-2005
US 6453051	В1	17-09-2002	US US	6320969 2002159613		20-11-2001 31-10-2002
US 5838807	A	17-11-1998	AU DE DE DK EP WO	05015010	D1 T2 T3 A1	07-05-1997 18-04-2002 12-09-2002 21-05-2002 05-08-1998 24-04-1997

FORM P0459

© For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

EP 1 727 394 A1

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

WO DK0300636 A [0003]