



(11) **EP 1 736 128 B1**

(12) **EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention of the grant of the patent:  
**26.03.2008 Bulletin 2008/13**

(51) Int Cl.:  
**A61H 1/00 (2006.01) A61H 15/00 (2006.01)**

(21) Application number: **05013617.5**

(22) Date of filing: **23.06.2005**

(54) **Massage bed**

Massagebett

Lit de massage

(84) Designated Contracting States:  
**BE DE ES FR IT NL**

(43) Date of publication of application:  
**27.12.2006 Bulletin 2006/52**

(73) Proprietor: **CIAR S.P.A.**  
**61100 Pesaro (IT)**

(72) Inventor: **Carrera, Massimo**  
**61010 Tavullia (IT)**

(74) Representative: **Tetzner, Michael et al**  
**Anwaltskanzlei Dr. Tetzner**  
**Van-Gogh-Strasse 3**  
**81479 München (DE)**

(56) References cited:  
**DE-A1- 10 025 109 GB-A- 2 123 298**  
**US-A- 3 675 644 US-B1- 6 190 338**

**EP 1 736 128 B1**

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

## Description

**[0001]** The invention relates to a massage bed with a frame, a mattress and a massage device.

**[0002]** Massage devices in the form of items of furniture for sitting and/or reclining are known in the art in the most varied designs. Usually in the region of the back rest a height-adjustable massage device is provided which can carry out kneading, tapping and/or stroking massages.

**[0003]** Even when the massage device is switched off, the massage elements are in many cases perceptible in an unpleasant manner to a person sitting or lying on the massage chair, so that the furniture for sitting and/or reclining can only be used for massage.

**[0004]** GB-A-2 123 298 on which the two-part Form of claim 1 is based, DE-A-100 25 109 and US-A-3,675,644 disclose massage beds with a mattress and a massage device. There is the possibility to remove a mattress part in order to carry out a massage.

**[0005]** The object of the invention, therefore, is to provide a massage bed which offers a high level of comfort even when the massage device is not used and makes very simple and uncomplicated handling possible.

**[0006]** This object is achieved according to the invention by the features of Claim 1.

**[0007]** The massage bed according to the invention basically comprises a frame, a mattress and a massage device. The mattress has a removable mattress part and in order to carry out a massage on a person lying on the mattress - after removal of the mattress part - the massage device can be moved from a rest position into the region of the removed mattress part. Furthermore, the removable mattress part and the massage device are retained on a common displacement mechanism.

**[0008]** This massage bed on the one hand makes a high-quality massage possible and on the other hand offers the greatest possible comfort to the person lying on the mattress when the massage device is in the rest position. The common displacement mechanism makes a very simple and uncomplicated handling possible.

**[0009]** In a first preferred embodiment the removable mattress part and the massage device are retained so as to be rotatable about a common axis. In this case for example the removable mattress part and the massage device are fixed on two opposing sides of a rotatable mounting, the massage device being movable by rotation of the mounting from the rest position into the region of the removed mattress part.

**[0010]** In another embodiment of the invention the removable mattress part can be lowered and can be moved under the remaining mattress. For this purpose the removable mattress part and the massage device are for example retained on a common displacement mechanism, wherein the displacement mechanism comprises a movable slide. The removable mattress part and the massage device can be disposed with a lifting means in each case on the slide.

**[0011]** The massage device itself comprises one or a plurality of massage elements, for example massage rollers, which can be driven by one or a plurality of motors in order to carry out a massage.

5 **[0012]** Further advantages and variants of the invention are explained in greater detail below with reference to two embodiments.

**[0013]** In the drawings:

10 Figure 1 shows a three-dimensional representation of the massage bed according to the invention,

Figure 2 shows a three-dimensional cross-sectional representation of the massage bed according to a first embodiment,

15 Figure 3 shows a three-dimensional cross-sectional representation of the massage bed according to the first embodiment with the mattress part lowered,

20 Figure 4 shows a three-dimensional cross-sectional representation of the massage bed according to the first embodiment with the mattress part pushed under the remaining mattress,

25 Figure 5 shows a three-dimensional cross-sectional representation of the massage bed according to the first embodiment with the massage device moved into the region of the removed mattress part,

30 Figure 6 shows a cross-sectional representation of the massage bed according to a second embodiment in which the massage device is in the rest position,

35 Figure 7 shows a cross-sectional representation of the massage bed according to the second embodiment in which the removable mattress part and the massage device are in a rotated intermediate position, and

40 **[0014]** Figure 8 shows a cross-sectional representation of the massage bed according to the second embodiment in which the massage device is in the operating position.

45 **[0015]** The massage bed illustrated in Figure 1 and Figure 2 basically comprises a frame 1, a mattress 2 and a massage device 3. The mattress has a removable mattress part 2a which is retained together with the massage device 3 on a common displacement mechanism 4.

50 **[0016]** The displacement mechanism 4 shown in Figure 2 to Figure 5 is formed by a displacement device which comprises guide rails 40 which extend between two lateral frame parts 1a, 1b of the frame 1. Furthermore a slide 41 is provided which is movable on the guide rails 40. Both the removable mattress part 2a and the massage device 3 are each disposed on the slide 41 with a lifting means 42, 43 respectively.

55 **[0017]** The removable mattress part 2a and the mas-

sage device 3 are movable perpendicular and parallel to the plane of the mattress 1, wherein a first drive motor 44 is provided for the displacement parallel to the plane of the mattress, a second drive motor 45 is provided for the vertical displacement of the mattress part 2a and a third drive motor 46 is provided for the vertical displacement of the massage device 3.

**[0018]** In the position shown in Figure 1 and Figure 2 the massage device is in its rest position. In order that the massage device can pass from the rest position according to Figure 2 into the operating position according to Figure 5, first of all the removable mattress part 2a is lowered by means of the second drive motor 45 (Figure 3). Then by means of the first drive motor 44 the slide is moved in the direction of the arrow 5 so that the removable mattress part 2a is pushed under the remaining mattress 1 and at the same time the massage device is moved under the opening produced in the mattress. Then the third drive motor 46 is actuated which moves the massage device 3 vertically upwards into the region of the previously removed mattress part. In this operating position the desired massage can take place.

**[0019]** A second embodiment of the massage bed according to Figure 1 is illustrated in Figures 6 to 8. Here the common displacement mechanism 6 is formed by a rotating means, the removable mattress part 2a and the massage device 3 being retained so as to be rotatable about a common axis 61. Here the removable mattress part 2a and the massage device 3 are fixed on two opposing sides of a rotatable mounting 62, the massage device being movable by rotation of the mounting 62 from the rest position into the region of the removed mattress part. At the same time the removable mattress part is rotatable downwards. The sequence of the rotation is illustrated in Figure 6 to Figure 8.

**[0020]** The massage device 3 has in the usual way one or a plurality of massage elements, for example massage rollers, which can be driven by one or a plurality of motors in order to carry out a massage.

**[0021]** In the rest position of the massage device the full comfort of the mattress 1 is available. In order to carry out the massage the massage device is merely moved (pushed or rotated) into the region of the removable mattress part. Thus in the rest position the massage device does not exert any unwanted pressure on the person lying on the mattress. On the other hand the effect of the massage in the operating position is not damped by the mattress, so that a direct and effective massage can take place.

## Claims

1. Massage bed with a frame (1), a mattress (2) and a massage device (3), wherein the mattress has a removable mattress part (2a) and in order to carry out a massage on a person lying on the mattress - after removal of the mattress part - the massage device

(3) can be moved from a rest position into the region of the removed mattress part, **characterised in that** the removable mattress part (2a) and the massage device (3) are retained on a common displacement mechanism (4, 6).

2. Massage bed as claimed in Claim 1, **characterised in that** the removable mattress part (2a) and the massage device (3) are retained so as to be rotatable about a common axis (61).

3. Massage bed as claimed in Claim 1, **characterised in that** the removable mattress part (2a) and the massage device (3) are fixed on two opposing sides of a rotatable mounting (62), the massage device being movable by rotation of the mounting from the rest position into the region of the removed mattress part.

4. Massage bed as claimed in Claim 1, **characterised in that** the removable mattress part (2a) can be lowered and can be moved under the remaining mattress (3).

5. Massage bed as claimed in Claim 1, **characterised in that** the common displacement mechanism comprises guide rails (40) which extend between two lateral frame parts (1a, 1b) of the frame and furthermore a slide (41) is provided which is movable on the guide rails (40).

6. Massage bed as claimed in Claim 1, **characterised in that** the common displacement mechanism comprises a movable slide (41).

7. Massage bed as claimed in Claim 6, **characterised in that** the removable mattress part (2a) and the massage device (3) are each disposed on the slide (41) with a lifting means (42, 43).

8. Massage bed as claimed in Claim 1, **characterised in that** the removable mattress part (2a) and the massage device (3) are movable perpendicular and parallel to the plane of the mattress (1), wherein a first drive motor (44) is provided for the displacement parallel to the plane of the mattress, a second drive motor (45) is provided for the perpendicular displacement of the mattress part (2a) and a third drive motor (46) is provided for the perpendicular displacement of the massage device (3).

9. Massage bed as claimed in Claim 1, **characterised in that** the massage device (1) comprises one or a plurality of massage elements which can be driven by way of one or a plurality of motors in order to carry out a massage.

## Patentansprüche

1. Massagebett mit einem Rahmen (1), einer Matratze (2) und einer Massagevorrichtung (3), wobei die Matratze ein entfernbares Matratzenteil (2a) aufweist und, um an einer auf der Matratze liegenden Person eine Massage auszuführen, die Massagevorrichtung (3) - nach Entfernen des Matratzenteils - von einer Ruheposition in den Bereich des entfernten Matratzenteils bewegt werden kann, **dadurch gekennzeichnet, dass** das entfernbare Matratzenteil (2a) und die Massagevorrichtung (3) auf einem gemeinsamen Verstellmechanismus (4, 6) befestigt sind.
2. Massagebett nach Anspruch 1, **dadurch gekennzeichnet, dass** das entfernbare Matratzenteil (2a) und die Massagevorrichtung (3) so befestigt sind, dass sie um eine gemeinsame Achse (61) drehbar sind.
3. Massagebett nach Anspruch 1, **dadurch gekennzeichnet, dass** das entfernbare Matratzenteil (2a) und die Massagevorrichtung (3) auf zwei gegenüber befindlichen Seiten einer drehbaren Halterung (62) fixiert sind, wobei die Massagevorrichtung durch Drehen der Halterung aus der Ruheposition in den Bereich des entfernten Matratzenteils beweglich ist.
4. Massagebett nach Anspruch 1, **dadurch gekennzeichnet, dass** das entfernbare Matratzenteil (2a) und die Massagevorrichtung (3) abgesenkt werden kann und unter die übrige Matratze (2) bewegt werden kann.
5. Massagebett nach Anspruch 1, **dadurch gekennzeichnet, dass** der gemeinsame Verstellmechanismus Führungsschienen (40) umfasst, die sich zwischen zwei seitlichen Rahmenteilen (1a, 1b) des Rahmens erstrecken, und darüber hinaus ein Schlitten (41) vorgesehen ist, der auf den Führungsschienen (40) beweglich ist.
6. Massagebett nach Anspruch 1, **dadurch gekennzeichnet, dass** der gemeinsame Verstellmechanismus einen beweglichen Schlitten (41) umfasst.
7. Massagebett nach Anspruch 6, **dadurch gekennzeichnet, dass** das entfernbare Matratzenteil (2a) und die Massagevorrichtung (3) jeweils auf einem Schlitten (41) mit einem Hebeelement (42, 43) angeordnet sind.
8. Massagebett nach Anspruch 1, **dadurch gekennzeichnet, dass** das entfernbare Matratzenteil (2a) und die Massagevorrichtung (3) senkrecht und parallel zur Ebene der Matratze (2) beweglich sind, wobei ein erster Antriebsmotor (44) zum Verschieben

parallel zur Ebene der Matratze vorgesehen ist, ein zweiter Antriebsmotor (45) zum senkrechten Verschieben des Matratzenteils (2a) vorgesehen ist und ein dritter Antriebsmotor (46) für die senkrechte Verschiebung der Massagevorrichtung (3) vorgesehen ist.

9. Massagebett nach Anspruch 1, **dadurch gekennzeichnet, dass** die Massagevorrichtung (3) ein oder eine Vielzahl von Massageelementen umfasst, die durch einen oder eine Vielzahl von Motoren angetrieben werden können, um eine Massage auszuführen.

## Revendications

1. Lit de massage avec un encadrement (1), un matelas (2) et un dispositif de massage (3), où le matelas présente une partie de matelas amovible (2a) et, pour exécuter un massage sur une personne reposant sur le matelas - après le retrait de la partie de matelas - , le dispositif de massage (3) peut être amené d'une position de repos dans la région de la partie de matelas retirée, **caractérisé en ce que** la partie de matelas amovible (2a) et le dispositif de massage (3) sont retenus sur un mécanisme de déplacement commun (4, 6).
2. Lit de massage selon la revendication 1, **caractérisé en ce que** la partie de matelas amovible (2a) et le dispositif de massage (3) sont retenus pour pouvoir tourner autour d'un axe commun (61).
3. Lit de massage selon la revendication 1, **caractérisé en ce que** la partie de matelas amovible (2a) et le dispositif de massage (3) sont fixés sur deux côtés opposés d'un montage rotatif (62), le dispositif de massage étant déplaçable par la rotation du montage de la position de repos dans la région de la partie de matelas retirée.
4. Lit de massage selon la revendication 1, **caractérisé en ce que** la partie de matelas amovible (2a) peut être abaissée et peut être amenée sous le matelas restant (3).
5. Lit de massage selon la revendication 1, **caractérisé en ce que** le mécanisme de déplacement commun comprend des rails de guidage (40) qui s'étendent entre deux parties d'encadrement latérales (1a, 1b) de l'encadrement, et en outre une glissière (41) est prévue qui est déplaçable sur les rails de guidage (40).
6. Lit de massage selon la revendication 1, **caractérisé en ce que** le mécanisme de déplacement commun comprend une glissière mobile (41).

7. Lit de massage selon la revendication 6, **caractérisé en ce que** la partie de matelas amovible (2a) et le dispositif de massage (3) sont disposés chacun sur la glissière (41) avec un moyen de levage (42, 43). 5
8. Lit de massage selon la revendication 1, **caractérisé en ce que** la partie de matelas amovible (2a) et le dispositif de massage (3) sont déplaçables perpendiculairement et parallèlement au plan du matelas (1), où un premier moteur d'entraînement (44) est prévu pour le déplacement parallèlement au plan du matelas, un deuxième moteur d'entraînement (45) est prévu pour le déplacement perpendiculaire de la partie de matelas (2a), et un troisième moteur d'entraînement (46) est prévu pour le déplacement perpendiculaire du dispositif de massage (3). 10 15
9. Lit de massage selon la revendication 1, **caractérisé en ce que** le dispositif de massage (1) comprend un ou plusieurs éléments de massage qui peuvent être entraînés par un ou plusieurs moteurs pour exécuter un massage. 20

25

30

35

40

45

50

55




Fig 1




Fig 2




Fig 3




Fig 4




Fig 5




Fig 6




Fig 7




Fig 8

**REFERENCES CITED IN THE DESCRIPTION**

*This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.*

**Patent documents cited in the description**

- GB 2123298 A [0004]
- DE 10025109 A [0004]
- US 3675644 A [0004]