

(19)



(11)

EP 1 741 470 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

10.01.2007 Bulletin 2007/02

(51) Int Cl.:

A61Q 5/06 ^(2006.01)

(21) Application number: **05012717.4**

(22) Date of filing: **14.06.2005**

(84) Designated Contracting States:

**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IS IT LI LT LU MC NL PL PT RO SE SI SK TR**

Designated Extension States:

AL BA HR LV MK YU

(72) Inventors:

- **Bräutigam, Ina**
64297 Darmstadt (DE)
- **Hermes, Frank**
64342 Seeheim-Jugenheim (DE)

(71) Applicant: **KPSS-Kao Professional Salon Services**

GmbH

64297 Darmstadt (DE)

(54) **Cosmetic composition**

(57) Present invention is on styling composition comprising at least one film forming polymer, at least one polyol at a concentration of 5% by weight or higher and polyacryoldimethyltaurate and/or its salts. The compo-

sition of the present invention improves curl retention, curl separation, shine and manageability of hair.

EP 1 741 470 A1

Description

[0001] The present invention is related to a hair styling compositions with improved curl retention, curl separation, shine and manageability effects.

[0002] Styling compositions have been known for decades. They are used after usual hair conditioning cycle to give hair better and long lasting hold, to improve hair volume or simply to fix the hair so that the hair does not move naturally.

[0003] Although the extensive studies available in the prior art, improvements are still needed especially in obtaining long lasting curly appearance, better shine and easy to manageable hair.

[0004] The inventors of the present invention has found out surprisingly that a hair styling composition based on a film forming polymer and comprising furthermore at least 5% by weight of the total composition a polyol and an anionic polymer, polyacryloyl dimethyl taurate and/or its salts improves the curl retention and curl separation, gives hair excellent shine and hair is easily stylable - improved managability.

[0005] The term curl separation means that curls appears in a tidy way with waves. In a hair streak with no curl separation curls can not be clearly identified.

[0006] Further object of the present invention is the use of a composition comprising at least one film forming polymer, at least 5% by weight of the total composition a polyol and an anionic polymer, polyacryloyl dimethyl taurate and/or its salts for improving curl retention, curl separation, shine and managability of hair

[0007] Still further object of the present invention is a process for improving shine, manageability and curl retention of curly hair characterised in that on a shampooed and towel dried hair a composition comprising at least one film forming polymer, at least 5% by weight of the total composition a polyol and an anionic polymer, polyacryloyl dimethyl taurate and/or its salts is applied and the hair is air-dried or dried with electrical hair drier.

[0008] WO 2004/063228 A1 discloses compositions with the anionic polymer polyacryloyl dimethyl taurate and its sodium salts. The compositions disclosed therein are mainly in the skin care compositions and no styling compositions have been included.

[0009] The compositions of the present invention comprise at least one film forming polymer. The polymer is selected from the anionic, non-ionic, cationic and/or amphoteric or zwitterionic ones. The most preferred ones are the non-ionic and anionic types. The presence of the other types is possible in combination with the non-ionic ones.

[0010] Non-ionic polymers are selected from the ones soluble in water and/or alcohol and/or in alcohol water mixtures, at any ratio. Under the definition of soluble in alcohol and alcohol water mixture, it should be understood that the polymer is soluble in lower alcohols such as ethanol, n-propanol or isopropanol and in their mixtures with water, at any ratio

[0011] Suitable non-ionic polymer is first of all vinylpyrrolidone polymers either homopolymers or copolymers with, especially, vinylacetate. Those are known with the trade name "Luviskol" as homopolymers Luviskol K 30, K 60 or K 90 as well copolymers Luviskol VA 55, VA 64 from BASF AG.

[0012] Natural non-ionic polymers are as well suitable for the composition of the present invention. Those are such as cellulose, chitosan, guar gum, neutralised shellac and their derivatives.

[0013] As amphoteric polymers which can be used alone or in mixture with at least one additional cationic and/or nonionic polymer, reference is here made in particular to copolymers of N-octyl acrylamide, (meth)acrylic acid and tert.-butyl aminoethyl methacrylate of the type "Amphomer®"; copolymers from methacryloyl ethyl betaine and alkyl methacrylates of the type "Yukaformer®", e.g.. the butyl methacrylate copolymer "Yukaformer® Am75"; copolymers from monomers containing carboxyl groups and sulfonic groups, e.g.. (meth)acrylic acid and itaconic acid, with monomers such as mono- or dialkyl aminoalkyl (meth)acrylates or mono- or dialkyl aminoalkyl (meth)acrylamides containing basic groups, in particular amino groups; copolymers from N-octyl acrylamide, methyl methacrylate, hydroxypropyl methacrylate, N-tert-butyl aminoethyl - methacrylate and acrylic acid, as well as the copolymers known from US-A 3,927,199.

[0014] Anionic polymers may as well be contained in compositions of the present invention. Suitable ones are vinyl alkyl ether, in particular methyl vinyl ether/maleic acid copolymers, obtained by hydrolysis of vinyl ether/maleic anhydride copolymers, distributed under the trade name "Gantrez® AN or ES". These polymers may also be partly esterified, as for example, "Gantrez® ES 225" or "ES 435", the ethyl ester of an ethyl vinyl ether/maleic acid copolymer, or the butyl or isobutyl ester thereof.

[0015] Further useful anionic polymers are in particular vinyl acetate/crotonic acid or vinyl acetate/vinyl neodecanoate/crotonic acid copolymers of the type "Resyn®"; sodium acrylate/vinyl alcohol copolymers of the type "Hydagen® F", sodium polystyrene sulfonate, e.g.. "Flexan® 130"; ethyl acrylate/acrylic acid/N-tert.-butyl acrylamide copolymers of the type "Ultrapol®"; vinyl pyrrolidone/vinyl acetate/itaconic acid copolymers, acrylic acid/acrylamide copolymers or the sodium salts thereof of the type "Reten®"; etc.

[0016] Composition of the present invention may comprise cationic polymers as conditioning agents. Those are cationic cellulose type polymers know as Polymer JR type from Amerchol such as Polyquaternium 10 or cationic guar gum known with trade name Jaguar from Rhône-Poulenc and chemically for example Guar hydroxypropyl trimonium chloride. Furthermore. chitosan and chitin can also be included in the compositions as cationic natural polymers.

[0017] Furthermore, those cationic polymers known with their CTFA category name Polyquaternium may as well be

added into the compositions of the present invention. Typical examples of those are Polyquaternium 6, Polyquaternium 7, Polyquaternium 10, Polyquaternium 11, Polyquaternium 16, Polyquaternium 22 and Polyquaternium 28, Polyquaternium 30, Polyquaternium 37, Polyquaternium 36, Polyquaternium 46.

[0018] As well those polymers known with their CTFA category name Quaternium can as well be suitable. Those are for example Quaternium-8, Quaternium-14, Quaternium-15, Quaternium-18, Quaternium-22, Quaternium-24, Quaternium-26, Quaternium-27, Quaternium-30, Quaternium-33, Quaternium-53, Quaternium-60, Quaternium-61, Quaternium-72, Quaternium-78, Quaternium-80, Quaternium-81, Quaternium-81, Quaternium-82, Quaternium-83 and Quaternium-84.

[0019] In this context, reference is also made to the cationic polymers disclosed in DE 25 21 960, 28 11 010, 30 44 738 and 32 17 059, as well as to the products described in EP-A 337 354 on pages 3 to 7, It is also possible to use mixtures of various cationic polymers.

[0020] The cationic polymers also include the quaternized products of graft polymers from organopolysiloxanes and polyethyl oxazolines described in EP-A 524 612 and EP-A 640 643.

[0021] Concentration of polymers of anionic, cationic, non-ionic and/or amphoteric or zwitterionic character is in the range of 0.1 - 15%, preferably 0.5 - 12.5% and most preferably 1 - 10% by weight, calculated to the total composition.


[0022] The composition of the present invention comprises at least one polyol at a concentration of 5% or more, preferably 7.5% or more and more preferably 10% or more by weight calculated to the total concentration. Maximum concentration of at least one polyol is preferably 30% and more preferably 25% by weight calculated to total composition. The most preferred ones are glycerine, propylene glycols, butylene glycol and hexylene glycol. Further suitable one is sorbitol. It is also the preferred embodiment of the present invention that the compositions comprise at least two different polyols such as glycerine together with propylene or hexylene or butylene glycols.

[0023] The anionic polymer of taurate type is the third component of the inventive composition. The polymer is commercially available from Lamberti spa under the trade name Viscolam AT 100/P and is an admixture with hydrogenated polydecene and trideceth -10. Concentration of the taurate type of anionic polymer, polyacryloyldimethyl taurate, is in the range of 0.1 to 10%, preferably 0.5 to 7.5% and more preferably 0.5 to 5% and most preferably 1 to 5% by weight calculated to total composition.


[0024] The styling compositions according to the present invention may comprise at least one silicone oil as the fourth essential component. Preferred silicone oils are known with their INCI name as dimethicone, dimethiconol, cyclomethicone and phenyltrimethicone. Commercially, they are available from various companies for example Dow Corning with the known DC series, Wacker Chemie and Toray silicones. All commercially available non volatile silicones are suitable in the compositions of the present invention. Examples to those are DC 200 series, DC1401, DC 1403, DC 1501 and DC 1503. Concentration of silicone oils in the compositions of the present invention is typically between 1 to 20% by weight calculated to total composition. Volatile silicone oils can as well be contained in the hair treatment compositions in mixture with nonvolatile silicone oils within the scope of the present invention with the condition that their content should not exceed 1/4, preferably 1/10 of the nonvolatile silicone oil content of the composition.

[0025] Cationic silicones known with INCI name as amodimethicone can as well be contained in the compositions of the present invention. Commercially it is available under the trade name DC 949 in emulsified form in mixture with a nonionic surfactant and a cationic surfactant.


[0026] Cationic surfactants may as well be incorporated into the styling compositions of the present invention. The cationic surfactants useful in the compositions are according to the general formula below:



where R_8 is a saturated or unsaturated, branched or non-branched alkyl chain with 8-22 C atoms or




where R_{12} is saturated or unsaturated, branched or non-branched alkyl chain with 7-21 C atoms and n has typical value of 0 - 4 or




where R_{13} is saturated or unsaturated, branched or non-branched alkyl chain with 7-21 C atoms and n has typical value of 0 - 4. and

R_9 is a hydrogen, lower alkyl chain with 1 to 4 carbon atoms, saturated or unsaturated, branched or non-branched alkyl chain with 8-22 C atoms or



where R_{12} is saturated or unsaturated, branched or non-branched alkyl chain with 7-21 C atoms and n has typical value of 0 - 4 or



where R_{13} is saturated or unsaturated, branched or non-branched alkyl chain with 7-21 C atoms and n has typical value of 0 - 4. and

R_{10} and R_{11} are independent from each other H or lower alkyl chain with 1 to 4 carbon atoms, and X is chloride, bromide or methosulfate.

[0027] It should be noted that quaternary ammonium compounds with single alkyl chain are preferred. Suitable cationic surfactants and or conditioning agents are, for example, long-chain quaternary ammonium compounds which can be used alone or in admixture with one another, such as cetyl trimethyl ammonium chloride, myristoyl trimethyl ammonium chloride, trimethyl cetyl ammonium bromide, stearyl trimethyl ammonium chloride, dimethyl stearyl ammonium chloride, dimethyl dihydrogenated tallow ammonium chloride, stearyl trimonium chloride, dipalmitoyl dimonium chloride, distearyl dimethyl ammonium chloride, stearamidopropyl trimonium chloride and dioleylethyl dimethyl ammonium methosulfate, etc..

[0028] From the above quaternary ammonium compounds disclosed with the general formula, especially preferred as hair conditioning agents are those compounds known *per se* and are on the market, for example, under the trade names "Schercoquat®", "Dehyquart® F30" and "Tetranyl®". Use of these compounds, the so-called "esterquats", in hair care compositions is described, for example, in WO-A 93/107 48, WO-A 92/068 99 and WO-A 94/166 77, wherein, however, there is no reference made to the combinations according to the present invention and the advantageous properties thereof.

[0029] Again from the above quaternary ammonium compounds disclosed with the general formula, especially preferred as conditioning ingredient are these compounds known *per se* and on the market, for example, under the trade name "INCROQUAT® HO" or "OCS". Those compounds are known with a general ingredient category under "amidoquat" in the cosmetic industry.

[0030] Concentration of at least one cationic surfactant of the above general formula is in the range of 0.01 to 2%, preferably 0.05 to 1.5% by weight and more preferably 0.1 to 1% by weight calculated to total composition.

[0031] Composition of the present invention comprises one or more natural and/or synthetic oil and/or mineral oil at a concentration of 0.1 % to 15%, preferably 0.5 to 10% and most preferably 1.5 to 7.5% by weight calculated to total composition. Suitable natural oils are such as avocado oil, coconut oil, palm oil, sesame oil, peanut oil, whale oil, sunflower oil, almond oil, peach kernel oil, wheat germ oil, macadamia nut oil, night primrose oil, jojoba oil, castor oil, or also olive oil, soya oil, and the derivatives thereof. Mineral oils such as paraffin oil and petrolatum are suitably contained within the scope of the present invention. It should as well be noted that hair treatment compositions can contain mixture of one or more natural oils and mineral oil.

[0032] Further, suitable synthetic oil components are in particular fatty alcohol fatty acid esters such as isopropyl myristate, palmitate, stearate and isostearate, oleyl oleate, isocetyl stearate, hexyl laurate, dibutyl adipate, dioctyl adipate, myristyl myristate, oleyl erucate, polyethylene glycol and polyglyceryl fatty acid esters, cetyl palmitate, etc..

[0033] The compositions according to the invention may also comprise further agents, such as protein hydrolyzates and polypeptides, e.g. keratin hydrolyzates, collagen hydrolyzates of the type "Nutrilan®" or elastin hydrolyzates, as well as, in particular vegetable, optionally cationized protein hydrolyzates, for example "Gludrin®".

[0034] Additional natural plant extracts can as well form part of the compositions of the present invention. Those are incorporated usually in an amount of about 0.01 % to about 5 %, preferably 0.05 % to 3.5 %, in particular 0.1 % to 2 % by weight, calculated as dry residue thereof to the total composition. Suitable aqueous (e.g. steam-distilled) alcoholic or hydro-alcoholic plant extracts known *per se* are in particular extracts from leaves, fruits, blossoms, roots, rinds or stems of aloe, pineapple, artichoke, arnica, avocado, valerian, bamboo, henbane, birch, stinging nettle, echinacea, ivy, wild angelica, gentian, ferns, pine needles, silver weed, ginseng, broom, oat, rose hip, hamamelis, hay flowers, elderberry, hop, coltsfoot, currants, chamomile, carrots, chestnuts, clover, burr root, coconut, cornflower, lime blossom, lily of the valley, marine algae, balm, mistletoe, passion flower, ratanhia, marigold, rosemary, horse chestnut, pink hawthorn, sage, horsetail, yarrow, primrose, nettle, thyme, walnut, wine leaves, white hawthorn, etc.

[0035] Suitable trade products are, for example, the various "Extrapon®" products, "Herbasol^R", "Sedaplant^R" and "Hexaplant^R". Extracts and the preparation thereof are also described in "Hagers Handbuch der pharmazeutischen Praxis". 4th Ed..

[0036] The hair treatment compositions may contain one or more organic solvents within the scope of the invention, such as ethanol, propanol, isopropanol, benzyl alcohol, benzyloxyethanol, alkylene carbonates such as ethylene carbonate and propylene carbonate, phenoxyethanol, butanol, isobutanol, cyclohexane, cyclohexanol, ethylenecarbonate, ethyleneglycol monoethylether, ethylene glycol monobutyl ether, ethylene glycol monophenyl ether, 1-phenylethylalcohol, 2-phenylethylalcohol, o-methoxyphenol.

[0037] Compositions of the present invention may contain UV filters either for stabilization of the product colour or for protection of hair from environmental influences such as loss of elasticity, loss of hair colour (bleaching effect of sun light). The UV-absorbing substance is preferably selected from the following compounds: 4-Aminobenzoic acid and the esters and salts thereof, 2-phenyl benzimidazole-5-sulfonic acid and the alkali and amine salts thereof, 4-dimethyl aminobenzoic acid and the esters and salts thereof, cinnamic acid and the esters and salts thereof, 4-methoxycinnamic acid and the esters and salts thereof, salicylic acid and the esters and salts thereof, 2,4-dihydroxybenzophenone, 2,2', 4,4'-tetrahydroxy- benzophenone, 2-hydroxy-4-methoxybenzophenone and its 5-sulfonic acid or the sodium salt thereof, 2,2'-dihydroxy-4,4'-dimethoxybenzophenone, 2-hydroxy-5-chlorobenzophenone, 2,2'-dihydroxy-4-methoxybenzophenone, 2,2'-dihydroxy-4,4'-dimethoxy-5,5'-disulfobenzo-phenone or the sodium salt thereof, 2-hydroxy-4-octyloxybenzophenone, 2-hydroxy-4-methoxy-4'-methylbenzophenone, 3-benzyl-idenecampher, 3-(4'-sulfo)-benzyl-idenebornane-2-one and the salts thereof and/or 3-(4'-methyl benzylidene)-DL-campher.

[0038] The preferred amount of the UV-absorber ranges from about 0.01 % to 1 % by weight, calculated to the total composition. Attention should be paid to the stability and appearance especially when using UV filter as salts, e.g. anionic UV filter salts.

[0039] Compositions of the present invention can be applied onto hair either by spraying or by rubbing into hair with fingers. In the case that the compositions are intended to be applied by spraying, it is the preferred embodiment of the present invention that it comprises organic solvent at a concentration of maximum 65% by weight calculated to total composition. The preferred organic solvent is ethanol. The preferred lowest concentration is 40% by weight calculated to total composition. The compositions thus obtained show viscosity values lower than 1000 mPa.s., preferably lower than 500 mPa.s, typically between 50 and 250 mPa.s. measured at room temperature with a Brookfield viscosimeter with a suitable spindle and rotation speed, for example Spindle 1 at 25 rpm.

[0040] The compositions can also be in the form of a thickened gel. These compositions comprise preferably organic solvents at a concentration with a maximum of 45%, preferably 30% and more preferably 20% by weight calculated to total composition. The viscosity of these compositions is above 1,000 mPa.s measured with a Brookfield viscosimeter at 20°C with a suitable spindle and rotation speed, for example spindle 5 at 10 rpm. Viscosity values are preferably in the range of 5000 to 50000 mPa.s, more preferably 7500 to 40000 mPa.s and most preferably 10000 to 30000 mPa.s.

[0041] pH of the compositions vary between 3 to 9, preferably 4 to 8 and more preferably 5 to 8 measured at room temperature.

[0042] The following examples are to illustrate the invention and non-limiting.

Example 1

[0043]

		% by weight		
		A	B	C
VP/VA Copolymer		5	5	5
Glycerin		-	10	10
Propylene glycol		-	10	10
Viscolam AT 100 P		-	-	2
Ethanol		50	50	50
Aminomethylpropanol		q.s. to pH 6.00		
Water		to 100		

[0044] The compositions A and B are not in accordance with the invention and for comparative purposes. The composition C is according to the invention and has a viscosity of 150 mPa.s measured at 20°C with the above mentioned method.

[0045] The above compositions were tested in a laboratory test for their curl retention and curl separation ability. It

EP 1 741 470 A1

was found out that the composition C in accordance of the present invention showed the best curl retention and curl separation ability.

[0046] In a further test, the compositions A and B were compared to composition C in a half side test with female volunteers having curly hair. For this purpose, the hair of the volunteers was washed with a regular commercially available shampoo and subsequently approximately 3 g of the test compositions were applied onto each side of the hair by spraying from a bottle equipped with a pump spray (the amount given is for per half side). Hair dressers were asked to evaluate curl appearance, curl separation, shine and hair manageability.

[0047] In the first test, composition A vs C, in all cases the appearance of the curls (curl retention and curl separation), shine and manageability were found to be much better at the side treated with inventive composition C.

[0048] In the second test composition B vs C, the curl appearance (curl retention and curl separation) was found to be in 50% of the cases much better for the side tested with composition C and in the remaining 50% the side treated with composition C was judged to be better than the composition B. Shine was observed to be better in 70% of the cases for the side treated with the inventive composition and manageability was as well judged to be better in 70% of the case with the inventive composition.

[0049] From the above results the conclusion is clear that the inventive composition improves curl retention, curl separation and shine and manageability of hair.

[0050] Similar results were obtained with the examples below.

Example 2

[0051]

VPNA Copolymer	5
Glycerin	10
Propylene glycol	10
Viscolam AT 100 P	3
DC 1503 fluid	2
Cetrimonium chloride	0.1
Aminomethylpropanol	q.s. to pH 6.8
Fragrance, preservative	q.s
Water	to 100

[0052] Viscosity of the composition was 18000 as measured at 20°C with the above method.

Example 3 - spayable

[0053]

VP/VA Copolymer	10
Glycerin	5
Propylene glycol	10
Viscolam AT 100 P	2
Ethanol	55
Isopropylpalmitate	3
Cetrimonium chloride	0.1
Aminomethylpropanol	q.s. to pH 6.8
Fragrance, preservative	q.s
Water	to 100

[0054] Viscosity of the composition is 125 mPa. S. measured with the method given above at 20°C.

Example 4

[0055]

EP 1 741 470 A1

	VPNA Copolymer	7.5
	Glycerin	10
5	Propylene glycol	5
	Viscolam AT 100 P	2
	Olive oil	3
	Cetrimonium chloride	0.1
	Benzophenone-3	0.1
10	Aminomethylpropanol	q.s. to pH 6.2
	Fragrance, preservative	q.s
	Water	to 100

15 **[0056]** Viscosity of the composition is 25000 mPa. S. measured with the method given above at 20°C.

Claims

- 20 1. Composition for hair **characterised in that** it comprises at least one film forming polymer, at least one polyol at a concentration of more than 5% by weight calculated to total composition and polyacryloyl dimethyl taurate and/or its salts.
- 25 2. Composition according to claim 1 **characterised in that** it comprises at least one film forming polymer at a concentration of 0.1 to 15% by weight calculated to total composition.
- 30 3. Composition according to claims 1 and 2 **characterised in that** it comprises polyacryloyl dimethyl taurate and/or its salts at a concentration of 0.1 to 10% by weight calculated to total composition.
- 35 4. Composition according to claims 1 to 3 **characterised in that** it comprises two or more polyols at a concentration of 5% or more calculated to total composition.
5. Composition according to any of the preceding claims **characterised in that** it comprises at least one silicone oil.
6. Composition according to any of the preceding claims **characterised in that** it comprises at least one cationic surfactant at a concentration of 0.01 to 2% by weight calculated to total composition..
7. Composition according to any of the preceding claims **characterised in that** it comprises natural and/or synthetic and/or mineral oil.
- 40 8. Composition according to claim 7 **characterised in that** it comprises at least one fatty alcohol fatty acid esters as a synthetic oil component
9. Composition according to any of the preceding claims **characterised in that** it comprises at least one UV filter.
- 45 10. Composition according to any of the preceding claims **characterised in that** it comprises organic solvent at a concentration of maximum 65% by weight calculated to total composition.
11. Composition according to any of the preceding claims **characterised in that** it has a pH between 3 and 9.
- 50 12. Use of composition according to any of the preceding claims for improving curl retention, curl separation, manageability and shine of hair.
- 55 13. Process for improving shine, manageability and curl retention and curl separation of curly hair **characterised in that** on a shampooed and towel dried hair a composition according to any of the claims 1 to 11 is applied and the hair is air-dried or dried with electrical hair drier.



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 05 01 2717

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	EP 0 521 666 A (CALGON CORPORATION) 7 January 1993 (1993-01-07) * claims; examples 10,11 *	1-13	A61K7/11
D,A	WO 2004/063228 A (LAMBERTI SPA; POLOTTI, GIANMARCO; BENETTI, ARIANNA; FEDERICI, FRANCO;) 29 July 2004 (2004-07-29) * claims; examples *	1	
A	US 6 468 549 B1 (DUPUIS CHRISTINE ET AL) 22 October 2002 (2002-10-22) * column 7, lines 21-29; example 6 *	1-13	
A	US 5 620 684 A (DUPUIS ET AL) 15 April 1997 (1997-04-15) * claims; examples 4,6 *	1-13	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			A61K
Place of search		Date of completion of the search	Examiner
Berlin		14 October 2005	Boeker, R
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

1
EPO FORM 1503 (03.82) (P04.C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 05 01 2717

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

14-10-2005

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0521666	A	07-01-1993	AT 160933 T	15-12-1997
			AU 1863692 A	07-01-1993
			CA 2072185 A1	29-12-1992
			DE 69223459 D1	22-01-1998
			DE 69223459 T2	20-05-1998
			DK 521666 T3	24-08-1998
			ES 2109317 T3	16-01-1998
			GR 3025721 T3	31-03-1998
			JP 2061051 C	10-06-1996
			JP 5246828 A	24-09-1993
			JP 7088289 B	27-09-1995
			KR 249284 B1	01-04-2000
			MX 9203489 A1	01-03-1993
			NZ 243273 A	24-02-1995
			PH 31167 A	20-03-1998
			US 5609862 A	11-03-1997
			ZA 9204752 A	24-02-1993
WO 2004063228	A	29-07-2004	AU 2003299256 A1	10-08-2004
			EP 1581563 A1	05-10-2005
US 6468549	B1	22-10-2002	AT 189117 T	15-02-2000
			BR 9702539 A	29-09-1998
			CA 2209430 A1	28-12-1997
			DE 69701205 D1	02-03-2000
			DE 69701205 T2	31-05-2000
			EP 0815845 A1	07-01-1998
			ES 2144831 T3	16-06-2000
			FR 2750326 A1	02-01-1998
			JP 2941234 B2	25-08-1999
			JP 10067616 A	10-03-1998
			KR 251980 B1	01-07-2000
			PL 320776 A1	05-01-1998
			RU 2167642 C2	27-05-2001
US 5620684	A	15-04-1997	NONE	

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- WO 2004063228 A1 [0008]
- US 3927199 A [0013]
- DE 2521960 [0019]
- DE 2811010 [0019]
- DE 3044738 [0019]
- DE 3217059 [0019]
- EP 337354 A [0019]
- EP 524612 A [0020]
- EP 640643 A [0020]
- WO 9310748 A [0028]
- WO 9206899 A [0028]
- WO 9416677 A [0028]