



(11) **EP 1 811 585 A8**

(12) **CORRECTED EUROPEAN PATENT APPLICATION**

published in accordance with Art. 158(3) EPC

Note: Bibliography reflects the latest situation

(15) Correction information:

Corrected version no 1 (W1 A1)

Bibliography INID code(s) 72

(51) Int Cl.:

H01L 51/00 (2006.01)

(48) Corrigendum issued on:

10.10.2007 Bulletin 2007/41

(86) International application number:

PCT/JP2005/016749

(43) Date of publication:

25.07.2007 Bulletin 2007/30

(87) International publication number:

WO 2006/051649 (18.05.2006 Gazette 2006/20)

(21) Application number: **05782401.3**

(22) Date of filing: **12.09.2005**

(84) Designated Contracting States:

**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI
SK TR**

• **ITO, Mitsunori**

Sodegaura-shi, Chiba 2990293 (JP)

• **KAWAMURA, Hisayuki**

Sodegaura-shi, Chiba 2990293 (JP)

(30) Priority: **10.11.2004 JP 2004327019**

(71) Applicant: **IDEMITSU KOSAN CO., LTD.**

Tokyo 100-8321 (JP)

(74) Representative: **Gille Hrabal Struck Neidlein Prop
Roos**

Patentanwälte

Brucknerstrasse 20

40593 Düsseldorf (DE)

(72) Inventors:

• **FUNAHASHI, Masakazu**

Sodegaura-shi, Chiba 2990293 (JP)

(54) **ORGANIC ELECTROLUMINESCENT ELEMENT**

(57) An organic electroluminescence device exhibiting an excellent heat resistance, a prolonged lifetime and a great efficiency of light emission and generating a light emission ranging from blue light to red light. The organic electroluminescence device comprising one or more thin-film layers which comprises at least a light emitting

layer and are interposed between a cathode and an anode, wherein the light emitting layer comprises an amine compound with a specific structure and a fluorene-based compound with a specific structure.

EP 1 811 585 A8