



(11) **EP 1 848 021 A8**

(12) **CORRECTED EUROPEAN PATENT APPLICATION**

Note: Bibliography reflects the latest situation

(15) Correction information:

Corrected version no 1 (W1 A1)

Bibliography INID code(s) 72

(51) Int Cl.:

H01J 31/12 (2006.01)

H01J 29/86 (2006.01)

(48) Corrigendum issued on:

09.01.2008 Bulletin 2008/02

(43) Date of publication:

24.10.2007 Bulletin 2007/43

(21) Application number: **07106560.1**

(22) Date of filing: **20.04.2007**

(84) Designated Contracting States:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE SI SK TR

Designated Extension States:

AL BA HR MK YU

(30) Priority: **20.04.2006 KR 20060035821**

(71) Applicant: **Samsung SDI Co., Ltd.**

Suwon-si

Gyeonggi-do (KR)

(72) Inventors:

- **Chang, Dong-Su**
Samsung SDI Co., Ltd.
Yongin-gu, Kyunggi-do (KR)

- **Lee, Jae-Hoon,**
Samsung SDI Co., Ltd.
Yongin-gu, Kyunggi-do (KR)
- **Seon, Hyeong-Rae,**
Samsung SDI Co., Ltd.
Yongin-gu, Kyunggi-do (KR)
- **Lee, Jae-Young,**
Samsung SDI Co., Ltd.
Yongin-gu, Kyunggi-do (KR)

(74) Representative: **Hengelhaupt, Jürgen et al**
Gulde Hengelhaupt Ziebig & Schneider
Wallstrasse 58/59
10179 Berlin (DE)

(54) **Vacuum envelope and electron emission display using vacuum envelope**

(57) A vacuum envelope and an electron emission display having the vacuum envelope are provided. The vacuum envelope includes a first substrate (2) and a second substrate (4) facing the first substrate. A side member (6) is disposed at peripheries of the first substrate and the second substrate. A first spacer (81) is disposed between the first substrate and the second substrate at an active area (A) of the vacuum envelope, and a second spacer (82) is disposed between the first substrate and the second substrate at a non-active area (NA) of the vacuum envelope, the non-active area surrounding the active area. A height (H1) of the first spacer is greater than a height (H2) of the second spacer.

FIG. 1




FIG. 2

