

(19)



(11)

EP 1 929 889 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

11.06.2008 Bulletin 2008/24

(51) Int Cl.:

A41B 9/06 (2006.01)

(21) Application number: **07114789.6**

(22) Date of filing: **22.08.2007**

(84) Designated Contracting States:

**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE
SI SK TR**

Designated Extension States:

AL BA HR MK RS

(30) Priority: **15.06.2007 CN 200720152351 U**

23.08.2006 TW 95214962 U

(71) Applicant: **Chang-Mei, Lin**

**Yilan City, Yilan County
260 (TW)**

(72) Inventor: **Chang-Mei, Lin**

**Yilan City, Yilan County
260 (TW)**

(74) Representative: **Bucher, Ralf Christian**

**Patentanwalt Dipl.-Ing.
Alte Landstrasse 23
85521 Ottobrunn (DE)**

(54) Underwear for easily taking off

(57) The present invention proposes an underwear for easily taking off, comprising: a main body has a shoulder part and a frame part; a first joint unit is located on the shoulder part; a second joint unit is located on the

frame part; thereby, the main body may be taken on by connecting the first joint unit and the second joint unit, and may be taken off by disconnecting the first joint unit and the second joint unit.




Fig. 2

Description

FIELD OF THE INVENTION

[0001] The present invention relates to underwear, particularly to underwear for easily taking off.

BACKGROUND OF THE INVENTION

[0002] For the underwear market at present, there are many types of style. People always wear underwear on the body for the personal hygiene and health. It is known to change underwear after sweating can prevent from catching a cold.

[0003] The prior underwear usually caps from the head to the body. It may then be coupled with jackets. If people take a sport on the outdoor and sweat, one may need to take off his underwear. The general public is not an appropriate occasion to take off the jacket and then take off his underwear. And in public places one appears the naked body rather unsightly. Some of the students making movements or doing sports often make the underwear wet by sweating off. If their underwear is not taken off from their bodies, they may probably catch a cold after going home. Above all, one can't stand the cold to take off his jacket and then take off his underwear during the winter.

[0004] Since known underwear is not easy to change and take off in the prior designs, most students or kids must change or take off their underwear in the toilet or a secret place. If there is no place for changing the underwear, people must stand the uncomfortable from the wet underwear, even the wet underwear will result in that the people catch a cold.

[0005] In another aspect, for a long-term patient, one always lies on a bed and is inconvenient to get out of there; thereby, the change of the underwear is not easy.

SUMMARY OF THE INVENTION

[0006] An objective of the present invention is to provide underwear easy to take off.

[0007] Another objective of the present invention is to provide underwear that is manufactured inexpensively.

BRIEF DESCRIPTION OF THE INVENTION

[0008] According to the present invention, an underwear for easily taking off comprises: a main body has a shoulder part and a frame part; a first joint unit is located on the shoulder part; a second joint unit is located on the frame part; thereby, the main body may be taken on by connecting the first joint unit and the second joint unit, and may be taken off by disconnecting the first joint unit and the second joint unit.

[0009] In accordance with one aspect of the present invention, the first joint unit is a pair of Velcro®; and the second joint unit is comprises a pair of Velcro®.

[0010] In accordance with one aspect of the present invention, the first joint unit is comprises a pair of ribbons; and the second joint unit is comprises a pair of ribbons.

[0011] In accordance with one aspect of the present invention, the first joint unit is comprises a pair of buttons; and the second joint unit is comprises a pair of buttons.

BRIEF DESCRIPTION OF THE DRAWINGS

[0012] The present invention may best be understood through the following description with reference to the accompanying drawings, in which:

Fig.1 illustrates underwear according to the present invention;

Fig.2 illustrates underwear unfolded according to the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0013] Fig.1 illustrates underwear according to the present invention. There are a main body 11, several joint units 12, 13, 14, 15, 16 which are located on the shoulder part 1 A and the frame part 1 B. The joint units 12, 13 are attached to the shoulder part 1 A, and the joint units 14, 15, 16 are attached to the frame part 1 B of the main body 11. Certainly, the locations of joint units are not limited to those locations in Fig. 1. They may be designed on any locations for easily taking off. Each of joint parts may be a pair of Velcro®, a pair of ribbons, or a pair of buttons.

[0014] Fig.2 illustrates underwear unfolded according to the present invention. The main body 21 of the underwear can be taken off as a piece of cloth by releasing five pairs (24, 29), (23, 30), (22, 31), (28, 25) and (26, 27) of joint units. Certainly, the main body 11 of the underwear can be taken on the body by connecting five pairs (24, 29), (23, 30), (23, 31), (28, 25) and (26, 27) of joint units.

[0015] If people do sport on the outdoor and sweat, one can release the underwear from body easily anywhere, even at public places. If students take movements or do sport to make the underwear wet, their underwear can quickly taken off from their bodies to prevent from cold. In the winter, one can take off underwear directly and doesn't stand the cold to take off his jacket.

[0016] Due to the underwear according present invention is easy to take off, students or kids can change or take off their underwear anywhere. It is very convenient and useful to students, exerciser, and long-term patients.

[0017] To sum up, the present invention improves the conventional technique by the designs of joint units around the underwear. The advantages are as follows:

1. The underwear is convenient to take off from the body anywhere.
2. The underwear is manufactured easily and inex-

pensively.

[0018] While the invention has been described in terms of what are presently considered to be the most practical and preferred embodiments, it is to be understood that the invention need not be limited to the disclosed embodiment. On the contrary, it is intended to cover various modifications and similar arrangements included within the spirit and scope of the appended claims which are to be accorded with the broadest interpretation so as to encompass all such modifications and similar structures.

Claims

1. An underwear for easily taking off, comprising:

a main body (11) having a shoulder part (1 A) and a frame part (1 B);
a first joint unit (12, 13) located on said shoulder part (1 A);
a second joint unit (14, 15, 16) located on said frame part (1 B);
thereby, said main body (11) being taken on by connecting said first joint unit (12, 13) and said second joint unit (14, 15, 16), and being taken off by disconnecting said first joint unit (12, 13) and said second joint unit (14, 15, 16).

2. An underwear according to claim 1, wherein:

said first joint unit (12, 13) is a pair of Velcro®;
and
said second joint (14, 15, 16) unit is a pair of Velcro®.

3. An underwear according to claim 1, wherein:

said first joint unit (12, 13) is a pair of ribbons; and
said second joint unit (14, 15, 16) is a pair of ribbons.

4. An underwear according to claim 1, wherein:

said first joint unit (12, 13) is a pair of buttons; and
said second joint unit (14, 15, 16) is a pair of buttons.




Fig. 1




Fig. 2