



(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
03.12.2008 Bulletin 2008/49

(51) Int Cl.:
E03F 5/02 (2006.01)

(43) Date of publication A2:
19.11.2008 Bulletin 2008/47

(21) Application number: **08425284.0**

(22) Date of filing: **23.04.2008**

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR
Designated Extension States:
AL BA MK RS

(71) Applicant: **Ravanini, Nicola**
46047 Porto Mantovano (MN) (IT)

(72) Inventor: **Ravanini, Nicola**
46047 Porto Mantovano (MN) (IT)

(74) Representative: **Petazzi, Guido**
c/o Malgarini Ing. Lucia,
Via Divisione Acqui, 6
46044 Goito (MN) (IT)

(30) Priority: **24.04.2007 IT MN20070018**

(54) **Overflow pit with adjustable channel**

(57) The present invention relates to an overflow pit with adjustable channel.

The pit is constituted of an external structure (2) comprising an inlet opening (3) envisaged to house one end of an inlet conduit (30), a first outlet hole (4) envisaged to house one end of an overflow conduit (40) and a second hole (5) envisaged to house one end of an outlet conduit (50) in which the opening (3) and the first hole (4) feature runoff surfaces at the same height, while the second hole (5) is housed below the first hole (4), a chute (6) is located between the opening (3) and the second hole (5) and envisaged to mutually connect, in a uniform fashion, the opening (3) and the second hole (5). The structure comprises furthermore: a connection between the opening (3) and the first hole (4) obtained by means of a channel (7), which is essentially composed of a blade (70) and a couple of lateral walls (71) laid out in a mutually parallel fashion; a couple of containment bulkheads (9), laid out in a mutually parallel fashion and externally to the lateral walls (71); a shaped collar (10) located in proximity to the opening (3), immediately after the inlet conduit (30); and adjustment elements which adjust the channel (7) to reduce the rate of the flow which runs from the inlet conduit to the outlet conduit through the chute (6) and allow the blade (70) to be raised or lowered, varying its position according to the rate of the flow that has to reach the outlet conduit and the rate of the flow that has to reach the overflow conduit.




FIG.1



EUROPEAN SEARCH REPORT

Application Number
EP 08 42 5284

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
A	WO 97/06872 A (HART JOHN MICHAEL [GB]) 27 February 1997 (1997-02-27) * figures *	1	INV. E03F5/02
A	----- US 2005/056587 A1 (ALLEN VAIKKO P [US] ET AL ALLEN II VAIKKO P [US] ET AL) 17 March 2005 (2005-03-17) * figures *		
A	----- US 6 062 767 A (KIZHNERMAN SAMUIL [US] ET AL) 16 May 2000 (2000-05-16) * figures *		

			TECHNICAL FIELDS SEARCHED (IPC)
			E03F
The present search report has been drawn up for all claims			
Place of search Munich		Date of completion of the search 9 October 2008	Examiner Isailovski, Marko
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

1
EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 08 42 5284

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

09-10-2008

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
WO 9706872	A	27-02-1997	AT	198163 T	15-01-2001
			AU	714763 B2	13-01-2000
			AU	6749296 A	12-03-1997
			DE	69611310 D1	25-01-2001
			DE	69611310 T2	23-08-2001
			EP	0871529 A1	21-10-1998
			US	6132626 A	17-10-2000

US 2005056587	A1	17-03-2005	AU	2004273864 A1	31-03-2005
			CA	2539178 A1	31-03-2005
			EP	1667779 A1	14-06-2006
			NZ	545994 A	31-07-2008
			US	2005145562 A1	07-07-2005
			US	2005145555 A1	07-07-2005
			WO	2005028068 A1	31-03-2005

US 6062767	A	16-05-2000	NONE		
