



(12) **CORRECTED EUROPEAN PATENT APPLICATION**

(15) Correction information:
Corrected version no 1 (W1 A2)
Bibliography INID code(s) 74

(51) Int Cl.:
H04W 8/26 (2009.01) **H04W 40/00** (2009.01)
H04W 80/04 (2009.01)

(48) Corrigendum issued on:
08.04.2009 Bulletin 2009/15

(43) Date of publication:
04.03.2009 Bulletin 2009/10

(21) Application number: **08020526.3**

(22) Date of filing: **04.02.2004**

(84) Designated Contracting States:
DE GB

(30) Priority: **05.02.2003 JP 2003028539**

(62) Document number(s) of the earlier application(s) in accordance with Art. 76 EPC:
04002428.3 / 1 445 898

(71) Applicant: **NTT DoCoMo, Inc.**
Chiyoda-ku
Tokyo 100-6150 (JP)

(72) Inventors:
• **Suzuki, Toshihiro**
Tokyo (JP)
• **Hiyama, Satoshi**
Tokyo (JP)

• **Yamashita, Masashi**
Tokyo (JP)
• **Igarashi, Ken**
Tokyo (JP)
• **Hirata, Shoichi**
Tokyo (JP)

(74) Representative: **HOFFMANN EITLE**
Patent- und Rechtsanwälte
Arabellastrasse 4
81925 München (DE)

Remarks:

This application was filed on 26-11-2008 as a divisional application to the application mentioned under INID code 62.

(54) **Mobile communication control system, network management server, mobile node, access node and anchor node**

(57) A network management server (NCPF) includes an address manager and an address assignment direction transmitter. The address manager manages a first address, a second address and a third address of the destination mobile terminals (MT) in accordance with address assignment information received from a mobile node. The address assignment direction transmitter transmits address assignment directions for directing a source access node to manage the first address and the second address of the destination mobile terminal (MT), and to transmit an address assignment direction for directing a destination access node (AN) to manage the second address and the third address of the destination mobile terminal.

