



(11) **EP 2 068 198 A8**

(12) **CORRECTED EUROPEAN PATENT APPLICATION**

(15) Correction information:
Corrected version no 1 (W1 A1)
Corrections, see
Bibliography INID code(s) 84

(51) Int Cl.:
G03G 9/08 ^(2006.01)

(48) Corrigendum issued on:
30.06.2010 Bulletin 2010/26

(43) Date of publication:
10.06.2009 Bulletin 2009/24

(21) Application number: **09156955.8**

(22) Date of filing: **11.07.2006**

(84) Designated Contracting States:
DE ES FR GB IT NL

(30) Priority: **13.07.2005 JP 2005204898**

(62) Document number(s) of the earlier application(s) in
accordance with Art. 76 EPC:
06014351.8 / 1 744 221

(27) Previously filed application:
11.07.2006 EP 06014351

(71) Applicant: **Ricoh Company, Ltd.**
Tokyo 143-8555 (JP)

(72) Inventors:
• **Tanaka, Chiaki**
Tokyo 143-8555 (JP)
• **Ishii, Masayuki**
Tokyo 143-8555 (JP)

(74) Representative: **Barz, Peter**
Patentanwalt
Kaiserplatz 2
80803 München (DE)

Remarks:

This application was filed on 31-03-2009 as a
divisional application to the application mentioned
under INID code 62.

(54) **Toner, production process for the same, and image forming method**

(57) A toner production process in which at least rad-
ically polymerizable monomers are polymerized in at
least one of a supercritical fluid and a subcritical fluid to
thereby produce toner particles, wherein a polymer of

the radically polymerizable monomers is insoluble in at
least one of the supercritical fluid and the subcritical fluid.

EP 2 068 198 A8