



(12) **CORRECTED EUROPEAN PATENT APPLICATION**

(15) Correction information:
Corrected version no 1 (W1 A1)
Corrections, see
Bibliography INID code(s) 84

(51) Int Cl.:
B26B 21/44 (2006.01) **B26B 21/40 (2006.01)**
B26B 21/22 (2006.01)

(48) Corrigendum issued on:
02.06.2010 Bulletin 2010/22

(43) Date of publication:
21.04.2010 Bulletin 2010/16

(21) Application number: **10152601.0**

(22) Date of filing: **24.03.2003**

(84) Designated Contracting States:
DE FR GB

(30) Priority: **24.04.2002 US 375844**
21.08.2002 US 405185

(62) Document number(s) of the earlier application(s) in accordance with Art. 76 EPC:
07103906.9 / 1 839 821
03747177.8 / 1 501 661

(71) Applicant: **EVEREADY BATTERY COMPANY, INC.**
Westlake,
Ohio 44145 (US)

(72) Inventors:
• **Coffin, David Charles**
Hamden, CT 06517 (US)
• **Foster, Brian William**
Trumbull, CT 06611 (US)

(74) Representative: **von Kreisler Selting Werner**
Deichmannhaus am Dom
Bahnhofsvorplatz 1
50667 Köln (DE)

Remarks:
This application was filed on 04-02-2010 as a divisional application to the application mentioned under INID code 62.

(54) **Razor assembly**

(57) A razor assembly is provided that includes a razor cartridge (12) with one or more razor blades, a shaving aid body (14), a handle (16), and a linkage (18) pivotally connected to the handle. The linkage (18) is connected to the razor cartridge (12) and the shaving aid body (14) in a manner such that the razor cartridge and the shaving aid body are moveable relative to the handle. Movement of one of the razor cartridge or the shaving aid body in a first direction causes the other of the razor cartridge or the shaving aid body to move in a second direction substantially opposite the first direction. As a result, the positions of the shaving aid body and the razor cartridge are continuously adjusted to maintain the contact surface (15) of the shaving aid body approximately co-planar with the cutting edges of the razor blades within the razor cartridge.




FIG. 28