



(11) **EP 2 287 006 A8**

(12) **CORRECTED EUROPEAN PATENT APPLICATION**

(15) Correction information:

Corrected version no 1 (W1 A1)

Corrections, see

Bibliography INID code(s) 71

(51) Int Cl.:

B41J 29/377 (2006.01)

(48) Corrigendum issued on:

14.09.2011 Bulletin 2011/37

(43) Date of publication:

23.02.2011 Bulletin 2011/08

(21) Application number: **10190108.0**

(22) Date of filing: **20.12.2007**

(84) Designated Contracting States:

**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IS IT LI LT LU LV MC MT NL PL PT RO SE
SI SK TR**

(30) Priority: **22.12.2006 US 871701 P**

(62) Document number(s) of the earlier application(s) in
accordance with Art. 76 EPC:

07865940.6 / 2 094 489

(71) Applicant: **Fujifilm Dimatix, Inc.**

Lebanon, NH 03766 (US)

(72) Inventors:

- **von Essen, Kevin**
San Jose, CA 95118 (US)
- **Higginson, John A.**
Santa Clara, CA 95051 (US)
- **Bibl, Andreas**
Los Altos, CA 94024 (US)

- **Gardner, Deane A.**
Cupertino, CA 95014-1079 (US)
- **Rocchio, Michael**
Hayward, CA 94541 (US)
- **Deming, Stephen R.**
San Jose, CA 95127 (US)
- **West, Daniel Alan**
Los Gatos, CA 95032 (US)

(74) Representative: **Peterreins, Frank**
Fish & Richardson P.C.
Highlight Business Towers
Mies-van-der-Rohe-Strasse 8
80807 München (DE)

Remarks:

This application was filed on 05-11-2010 as a
divisional application to the application mentioned
under INID code 62.

(54) **Adjustable mount printhead assembly**

(57) In the field of an ink jet printer with multiple print-heads, it can be necessary to precisely position nozzles relative to a substrate, where the nozzles are included in the printheads. It can be difficult to achieve a precision printing, unless the nozzles are precisely aligned relative to one another, if multiple printheads are used to print contemporaneously. A mounting assembly for a print-head assembly includes one or more active direction mounts, which can control the position of the printhead in one or more directions. It can allow dynamic nozzle and drop placement adjustment in one or more directions.




FIG. 2B

EP 2 287 006 A8