



(12) **CORRECTED EUROPEAN PATENT APPLICATION**

(15) Correction information:
Corrected version no 1 (W1 A3)
Corrections, see
Bibliography INID code(s) 72

(51) Int Cl.:
G03G 15/08 (2006.01)

(48) Corrigendum issued on:
31.07.2013 Bulletin 2013/31

(88) Date of publication A3:
24.10.2012 Bulletin 2012/43

(43) Date of publication A2:
04.05.2011 Bulletin 2011/18

(21) Application number: **10013900.5**

(22) Date of filing: **22.10.2010**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR
Designated Extension States:
BA ME

(71) Applicant: **Brother Kogyo Kabushiki Kaisha**
Nagoya, Aichi 467-8561 (JP)

(72) Inventor: **Sato, Shougo**
Nagoya, Aichi 467-8562 (JP)

(74) Representative: **Kuhnen & Wacker**
Patent- und Rechtsanwaltsbüro
Prinz-Ludwig-Strasse 40A
85354 Freising (DE)

(30) Priority: **30.10.2009 JP 2009250500**

(54) **Developer unit for an image forming apparatus**

(57) A developer unit for an image forming apparatus is provided. The developer unit includes a developer device with a developer agent carrier and a developer agent supplier, and a developer agent container, which contains the developer agent and is arranged in a lower position with respect to the developer device. The developer agent container is formed to have a fitting wall, which is curved inward at a position to be adjacent to the developer device. The fitting wall is formed to have a feeding opening and a collecting opening. The developer unit is further provided with a first conveyor, which is rotated about a rotation axis to sweep an inner surface of the developer agent container and convey the developer agent toward the feeding opening, and a second conveyor, which is arranged along the developer agent supplier and conveys the developer agent toward the collecting opening.




FIG. 4