# 

## (11) **EP 2 336 669 A3**

(12)

#### **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3: 30.07.2014 Bulletin 2014/31

(51) Int Cl.: **F24H 4/04** (2006.01)

(43) Date of publication A2: **22.06.2011 Bulletin 2011/25** 

(21) Application number: 10192556.8

(22) Date of filing: 25.11.2010

(84) Designated Contracting States:

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR Designated Extension States:

BA ME

(30) Priority: 09.12.2009 JP 2009279169


(71) Applicant: Panasonic Corporation Kadoma-shi Osaka 571-8501 (JP) (72) Inventors:

- Wada, Katsuhiro Osaka 540-6207 (JP)
- Andou, Toshiaki
   Osaka 540-6207 (JP)
- Nakatani, Kazuhito Osaka 540-6207 (JP)
- (74) Representative: Eisenführ Speiser
  Patentanwälte Rechtsanwälte PartGmbB
  Postfach 31 02 60
  80102 München (DE)

#### (54) Heat pump hot water supply apparatus

(57)A heat pump hot water supply apparatus comprising a heat pump unit 1 having a water refrigerant heat exchanger 3 which heats low temperature water, a hot water reservoir tank unit 10 having a hot water reservoir tank in which high temperature water heated by the water refrigerant heat exchanger 3 is stored, a water pipe 13 which sends low temperature water in a lower portion of the hot water reservoir tank to the water refrigerant heat exchanger 3, and a boiling pipe 12 which sends high temperature water heated by the water refrigerant heat exchanger 3 to an upper portion of the hot water reservoir tank, wherein the heat pump unit 1 is placed on a ceiling surface of the hot water reservoir tank unit 10, and the boiling pipe 12 is shorter than the water pipe 13. The heat pump hot water supply apparatus can be installed in an environment having a small installation space such as a detached house or an apartment in an urban area. A radiation loss from a connecting pipe can be reduced, material cost of the connecting pipe can be reduced, and the number of man-hours of a piping operation at the site of installation can be reduced.

Fig.1





### **EUROPEAN SEARCH REPORT**

Application Number

EP 10 19 2556

I					
Category	Citation of document with ir of relevant pass	dication, where appropriate, ages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)	
X	CO LTD) 30 April 20	ATSUSHITA ELECTRIC IND 04 (2004-04-30) , [0022], [0026] - 3 *	1-4,6,7	INV. F24H4/04	
(	US 4 363 221 A (SIN 14 December 1982 (1 * column 10, line 6 figure 3 *		1-4,6,7		
(	JP 2009 204253 A (MCORP) 10 September * paragraphs [0007] figure 1 *		1,2,4-7		
X	8 December 2005 (20		1,2,6,7		
				TECHNICAL FIELDS SEARCHED (IPC)	
				F24H	
	The present search report has I	peen drawn up for all claims			
	Place of search	Date of completion of the search		Examiner	
	Munich	20 June 2014	Sch	waiger, Bernd	
X : parti Y : parti docu A : tech	ATEGORY OF CITED DOCUMENTS cularly relevant if taken alone cularly relevant if combined with another of the same category nological background written disclosure	L : document cited for	the application other reasons	shed on, or	

#### ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 10 19 2556

5

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

20-06-2014

1	0	

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
JP 2004132670	Α	30-04-2004	NONE		
US 4363221	Α	14-12-1982	NONE		
JP 2009204253	Α	10-09-2009	NONE		
JP 2005337695	Α	08-12-2005	NONE		

20

15

25

30

35

40

45

50

55

FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82