



(11) **EP 2 350 030 B9**

(12) **CORRECTED EUROPEAN PATENT SPECIFICATION**

(15) Correction information:
Corrected version no 1 (W1 B1)
Corrections, see
Description Paragraph(s) 3, 9

(51) Int Cl.:
C07D 239/91 ^(2006.01) **C07D 413/12** ^(2006.01)
A61K 31/422 ^(2006.01) **A61K 31/517** ^(2006.01)
A61P 35/00 ^(2006.01)

(48) Corrigendum issued on:
26.10.2016 Bulletin 2016/43

(86) International application number:
PCT/IN2009/000490

(45) Date of publication and mention
of the grant of the patent:
20.04.2016 Bulletin 2016/16

(87) International publication number:
WO 2010/058417 (27.05.2010 Gazette 2010/21)

(21) Application number: **09749198.9**

(22) Date of filing: **08.09.2009**

(54) **ISOXAZOLE/ISOXAZOLINE/COMBRETASTATIN LINKED DIHYDROQUINAZOLINONE HYBRIDS AS POTENTIAL ANTICANCER AGENTS AND PROCESS FOR THE PREPARATION THEREOF**

HYBRIDE AUS MITEINANDER VERBUNDENEN DIHYDROQUINAZOLINON UND ISOXAZOL, ISOXAZOLIN ODER COMBRETASTATIN ALS MÖGLICHE KREBSMITTEL UND VERFAHREN ZU IHRER HERSTELLUNG

HYBRIDES DIHYDROQUINAZOLINONE-ISOXAZOLE/ISOXAZOLINE/COMBRÉSTATATINE COMME AGENTS ANTICANCÉREUX POTENTIELS, ET PROCÉDÉ DE PRÉPARATION ASSOCIÉ

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

• **VISWANATH, Arutia**
Andhra Pradesh (IN)

(30) Priority: **19.11.2008 IN DE26022008**

(74) Representative: **Awapatent AB**
P.O. Box 5117
200 71 Malmö (SE)

(43) Date of publication of application:
03.08.2011 Bulletin 2011/31

(56) References cited:
WO-A1-95/20567

(73) Proprietor: **Council Of Scientific & Industrial Research**
New Delhi 110 001 (IN)

• **HAMEL E ET AL: "ANTITUMOR 2,3-DIHYDRO-2-(ARYL)-4(1H)-QUINAZOLINONE DERIVATIVES INTERACTIONS WITH TUBULIN" BIOCHEMICAL PHARMACOLOGY, PERGAMON, OXFORD, GB LNKD-DOI:10.1016/0006-2952(95)02156-6, vol. 51, no. 1, 1 January 1996 (1996-01-01), pages 53-59, XP001134930 ISSN: 0006-2952 cited in the application**

(72) Inventors:
• **KAMAL, Ahmed**
Andhra Pradesh (IN)
• **BHARATHI, Earla, Vijaya**
Andhra Pradesh (IN)
• **REDDY, Jonnala, Surendranadha**
Andhra Pradesh (IN)
• **DASTAGIRI, Dudekula**
Andhra Pradesh (IN)

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

EP 2 350 030 B9

- KAFFY J ET AL: "Isoxazole-type derivatives related to combretastatin A-4, synthesis and biological evaluation" BIOORGANIC & MEDICINAL CHEMISTRY, PERGAMON, GB LNKD- DOI:10.1016/J.BMC.2006.02.001, vol. 14, no. 12, 15 June 2006 (2006-06-15) , pages 4067-4077, XP025133308 ISSN: 0968-0896 [retrieved on 2006-06-15] cited in the application
- GIAN CESARE TRON ET AL.: "Medicinal chemistry of Combretastatin A4: Present and future directions" JOURNAL OF MEDICINAL CHEMISTRY., vol. 49, no. 11, 1 June 2006 (2006-06-01), pages 3033-3044, XP002576330 USAMERICAN CHEMICAL SOCIETY. WASHINGTON. ISSN: 0022-2623 cited in the application
- SIMONI D ET AL: "Heterocyclic and phenyl double-bond-locked combretastatin analogues possessing potent apoptosis-inducing activity in HL60 and in MDR cell lines" JOURNAL OF MEDICINAL CHEMISTRY, AMERICAN CHEMICAL SOCIETY, WASHINGTON, US LNKD- DOI:10.1021/JM049622B, vol. 48, no. 3, 10 February 2005 (2005-02-10), pages 723-736, XP002504622 ISSN: 0022-2623 cited in the application
- KAMAL A ET AL: "Synthesis and biological activity of fluoroquinolone-pyrrolo[2,1-c][1,4]benzodiazepine conjugates" BIOORGANIC & MEDICINAL CHEMISTRY, PERGAMON, GB LNKD- DOI:10.1016/J.BMC.2005.01.010, vol. 13, no. 6, 15 March 2005 (2005-03-15) , pages 2021-2029, XP004759003 ISSN: 0968-0896
- KAMAL A ET AL: "Design, Synthesis, and Evaluation of New Non-Crosslinking Pyrrolobenzodiazepine Dimers with Efficient DNA Binding Ability and Potent Antitumor Activity" JOURNAL OF MEDICINAL CHEMISTRY, AMERICAN CHEMICAL SOCIETY, WASHINGTON, US LNKD- DOI:10.1021/JM020124H, vol. 45, 1 January 2002 (2002-01-01), pages 4679-4688, XP002249808 ISSN: 0022-2623


Remarks:

The file contains technical information submitted after the application was filed and not included in this specification

Description




FIELD OF THE INVENTION

5 **[0001]** The present invention relates to Isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids as anticancer agents. Particularly, the present invention relates to Isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids of general formula A.



Formula A

20 Where in G =



50 $R_2 = 2-OCH_3$ and $R_3 = 6-OCH_3$ or 6-H


$X = H, Cl, CH_3, OCH_3$

[0002] More particularly the present invention relates to 2-[4-(5-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy Phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one, 2-[4-(5-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one; 2-(4-(5-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxy-phenyl) isoxazol-3-yl)phenoxy)pentyloxy)-3-methoxy-phenyl)-2,3-dihydroquinazolin-4(1H)-one, 2-(4-(5-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxy phenyl) isoxazol-5-yl)phenoxy)pentyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one, (Z)-2-(4-(5-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy)pentyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one with aliphatic chain length variations useful as anticancer(antitumour) agents. The structural formulae of these isoxazole/isoxazoline/combretastatin-dihydroquina-

zolinone hybrids is given below.

5


10



n = 1-9

15

20




25

n = 1-9

30


35



n = 1-9

40

45




50

n = 1-9

55

5

10



n = 1-9

BACKGROUND OF THE INVENTION

15

20


25

30

35


[0003] Inhibition of tubulin polymerization is the target of many antitumoural agents known as antimetabolic agents or spindle poisons. Colchicines, podophyllo-toxins and combretastatins are representative examples of compounds that inhibit microtubule assembly by binding to tubulin. 2-Aryl- and 2-styrylquinazolin-4(3H)-ones (SQZ) and 2,3-dihydro-2-aryl-4-quinazolinones (DHPQ) are compounds that possess this common structural feature for an effective interaction with tubulin. The antitumor activities of 2,3-dihydro-2-aryl-4-quinazolinones (DHPQZ) were reported around 1970 (Yale HL, Kalkstein M. Substituted 2,3-dihydro-4(1H)-quinazolinones, a new class of inhibitors of cell multiplication. *J Med Chem* 1967 10, 334-336, Neil, G. L.; Li, L. H.; Buskirk, H. H.; Moxley, T. E. *Cancer Chemother.* 1972, 56, 163-173. and Hamel, E.; Lin, C. M.; Plowman, J.; Wang, H. K.; Lee, K. H.; Paull, K. D. Antitumor 2,3-dihydro-2-(aryl)-4(1H)-quinazolinone derivatives. Interactions with tubulin. *Biochem. Pharmacol.* 1996, 51, 53-59). A more recent reevaluation of this type of compound by NCI against human tumor cell lines reconfirmed that, like colchicine, they are effective inhibitors of tubulin polymerization. Many isoxazole, isoxazoline type moieties related to combretastatin A-4 showed potential biological properties particularly anticancer activity (Simoni, D.; Grisolia, G.; Giannini, G.; Roberti, M.; Rondanin, R.; Piccagli, L.; Baruchello, R.; Rossi, M.; Romagnoli, R.; Invidiata, F. P.; Grimaudo, S.; Jung, M.K.; Hamel, E.; Gebbia, N.; Crosta, L.; Abbadessa, V.; DiCristina, A.; Dusonchet, L.; Meli, M.; Tolomeo, M. *J. Med. Chem.* 2005, 48, 723, Julia Kaffy, a Rene'e Pontikis, a, * Danie'le Carrez, b Alain Croisy, Claude Monnereta and Jean-Claude Florent. *Bioorg. Med. Chem.* 2006, 14, 4067-4077, Gian Cesare Tron, Tracy Piralì, Giovanni Sorba, Francesca pagliai, Sara Buasacca and Armado A. Genazzani. *J. Med. Chem.* 2006, 49, 3033-3044. and Tracey Piralì, Sara Buasacca, Lorena Beltrami, Daniela Imovilli, Francesca Palai, Gianluca Migilio, Alberto Massrotti, Luisella Verotta, Gian Cesare Tron, Giovanni Sorba, and Armado A. Genazzani. *J. Med. Chem.* 2006, 49, 5372-5376). Some of the heterocyclic bridged Combretastatins showed an attractive profile cytotoxicity and were able to induce apoptosis at lower concentrations.

40




45

50



55




OBJECTIVES OF THE INVENTION

[0004] The main objective of the present invention is to provide novel isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids useful as antitumour agents.

[0005] Yet another object of this invention is to provide a process for the preparation of novel isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids


SUMMARY OF THE INVENTION

[0006] Accordingly the present invention provides a novel isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids of general




Formula A


formulae A
Where in G =



or






or




$R_2 = 2-OCH_3$ and $R_3 = 6-OCH_3$ or 6-H

$X = H, Cl, CH_3, OCH_3$


[0007] In an embodiment of the present invention the novel isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids of formulae A is represented by the compounds of general formulae **3a-i to 6a-i**, **7a-i to 10a-i**, **12a-i to 15a-i**, **16a-i to 19a-i**, **21a-i to 24a-i**, **25a-i to 28a-i**, **30a-i to 33a-i**, **34a-i to 37a-i** and **39a-i to 42a-i**, **43a-i to 46a-i**.



$n = 1-9$



$n = 1-9$



$n = 1-9$

[0008] In yet another embodiment the isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids are represented by the group of the following compounds:

- 2-[3-Methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**3a**)
 2-[3-Methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**3b**)
 2-[3-Methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**3c**)
 2-[3-Methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**3d**)
 2-[3-Methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**3e**)
 2-[3-Methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**3f**)
 2-[3-Methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**3g**)
 2-[3-Methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**3h**)
 2-[3-Methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**3i**)
 6-Chloro-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**4a**)
 6-Chloro-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**4b**)
 6-Chloro-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**4c**)
 6-Chloro-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**4d**)
 6-Chloro-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**4e**)
 6-Chloro-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**4f**)
 6-Chloro-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**4g**)
 6-Chloro-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**4h**)
 6-Chloro-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**4i**)
 6-Methyl 2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**5a**)
 6-Methyl 2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**5b**)
 6-Methyl 2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**5c**)
 6-Methyl 2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**5d**)

- 6-Methyl 2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-hexyloxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**5e**)
- 6-Methyl 2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**5f**)
- 5 6-Methyl 2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-octoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**5g**)
- 6-Methyl 2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**5h**)
- 10 6-Methyl-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**5i**)
- 6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**6a**)
- 6-Methoxy-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**6b**)
- 15 6-Methoxy-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**6c**)
- 6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**6d**)
- 20 6-Methoxy-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**6e**)
- 6-Methoxy-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**6f**)
- 6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**6g**)
- 25 6-Methoxy-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**6h**)
- 6-Methoxy-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**6i**)
- 30 2-[4-(2-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydroisoxazol-3-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**7a**)
- 2-[4-(3-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydroisoxazol-3-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**7b**)
- 2-[4-(4-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydroisoxazol-3-yl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**7c**)
- 35 2-[4-(5-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydroisoxazol-3-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**7d**)
- 2-[4-(6-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydroisoxazol-3-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**7e**)
- 2-[4-(7-12,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydroisoxazol-3-yl]-phenoxy)-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**7f**)
- 40 2-[4-(8-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydroisoxazol-3-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**7g**)
- 2-[4-(9-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydroisoxazol-3-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**7h**)
- 45 2-[4-(10-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro isoxazol-3-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro 1H-quinazolin-4-one (**7i**)
- 6-Chloro-2-[4-(2-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**8a**)
- 50 6-Chloro-2-[4-(3-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**8b**)
- 6-Chloro-2-[4-(4-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**8c**)
- 6-Chloro-2-[4-(5-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro 1H-quinazolin-4-one (**8d**)
- 55 6-Chloro-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**8e**)
- 6-Chloro-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**8f**)

- 6-Chloro-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(8g)
- 6-Chloro-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(8h)
- 5 6-Chloro-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(8i)
- 6-Methyl-2-[4-(2-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(9a)
- 10 6-Methyl-2-[4-(3-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(9b)
- 6-Methyl-2-[4-(4-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(9c)
- 6-Methyl-2-[4-(5-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydroisoxazol-3-yl]-phenoxy]-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(9d)
- 15 6-Methyl-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(9e)
- 6-Methyl-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(9f)
- 6-Methyl-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(9g)
- 20 6-Methyl-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(9h)
- 6-Methyl-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(9i)
- 25 6-Methoxy-2-[4-(2-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10a)
- 6-Methoxy-2-[4-(3-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10b)
- 30 6-Methoxy-2-[4-(4-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10c)
- 6-Methoxy-2-[4-(5-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10d)
- 35 6-Methoxy-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10e)
- 6-Methoxy-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10f)
- 6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10g)
- 40 6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10h)
- 6-Methoxy-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy]-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10i)
- 2-[3-Methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy]-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12a)
- 45 2-[3-Methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy]-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12b)
- 2-[3-Methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy]-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12c)
- 2-[3-Methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy]-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12d)
- 50 2-[3-Methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy]-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12e)
- 2-[3-Methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy]-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12f)
- 55 2-[3-Methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy]-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12g)
- 2-[3-Methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy]-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12h)

- 6-Methoxy-2-[4-(5-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(**19d**)
- 6-Methoxy-2-[4-(6-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(**19e**)
- 5 6-Methoxy-2-[4-(7-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(**19f**)
- 6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(**19g**)
- 10 6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(**19h**)
- 6-Methoxy-2-[4-(10-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(**19i**)
- 2-(3-methoxy-4-(2-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl) phenoxy)ethoxy)phenyl)-2,3-dihydro-quinazolin-4(1H)-one(**21a**)
- 15 2-(3-methoxy-4-(3-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl) phenoxy)propoxy)phenyl)-2,3-dihydro-quinazolin-4(1H)-one(**21b**)
- 2-(3-methoxy-4-(4-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl) phenoxy)butoxy)phenyl)-2,3-dihydro-quinazolin-4(1H)-one(**21c**)
- 2-(3-methoxy-4-(5-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl) phenoxy)pentyloxy)phenyl)-2,3-dihydro-quinazolin-4(1H)-one(**21d**)
- 20 2-(3-methoxy-4-(6-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl) phenoxy)hexyloxy)phenyl)-2,3-dihydro-quinazolin-4(1H)-one(**21e**)
- 2-(3-methoxy-4-(7-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl) phenoxy)heptyloxy)phenyl)-2,3-dihydro-quinazolin-4(1H)-one(**21f**)
- 25 2-(3-methoxy-4-(8-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl) phenoxy)octyloxy)phenyl)-2,3-dihydro-quinazolin-4(1H)-one(**21g**)
- 2-(3-methoxy-4-(9-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl) phenoxy)nonyloxy)phenyl)-2,3-dihydro-quinazolin-4(1H)-one(**21h**)
- 2-(3-methoxy-4-(10-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl) phenoxy)decyloxy)phenyl)-2,3-dihydro-quinazolin-4(1H)-one(**21i**)
- 30 6-Chloro-2-[3-methoxy-4-(2-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22a**)
- 6-Chloro-2-[3-methoxy-4-(3-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22b**)
- 35 6-Chloro-2-[3-methoxy-4-(4-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-butyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22c**)
- 6-Chloro-2-[3-methoxy-4-(5-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22d**)
- 6-Chloro-2-[3-methoxy-4-(6-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22e**)
- 40 6-Chloro-2-[3-methoxy-4-(7-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22f**)
- 6-Chloro-2-[3-methoxy-4-(8-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22g**)
- 45 6-Chloro-2-[3-methoxy-4-(9-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22h**)
- 6-Chloro-2-[3-methoxy-4-(10-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22i**)
- 6-Methyl-2-[3-methoxy-4-(2-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23a**)
- 50 6-Methyl-2-[3-methoxy-4-(3-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23b**)
- 6-Methyl-2-[3-methoxy-4-(4-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-butyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23c**)
- 55 6-Methyl-2-[3-methoxy-4-(5-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23d**)
- 6-Methyl-2-[3-methoxy-4-(6-(2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23e**)

- 6-Methyl-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23f**)
- 6-Methyl-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23g**)
- 5 6-Methyl-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23h**)
- 6-Methyl-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23i**)
- 10 6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24a**)
- 6-Methoxy-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24b**)
- 6-Methoxy-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-butyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24c**)
- 15 6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24d**)
- 6-Methoxy-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24e**)
- 6-Methoxy-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24f**)
- 20 6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24g**)
- 6-Methoxy-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24h**)
- 25 6-Methoxy-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24i**)
- 2-(4-(2-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) ethoxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25a**)
- 2-(4-(3-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) propoxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25b**)
- 30 2-(4-(4-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) butoxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25c**)
- 2-(4-(5-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) pentyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25d**)
- 35 2-(4-(6-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) hexyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25e**)
- 2-(4-(7-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) heptyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25f**)
- 2-(4-(8-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) octyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25g**)
- 40 2-(4-(7-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) heptyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25f**)
- 2-(4-(8-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) octyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25g**)
- 45 2-(4-(9-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) nonyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25h**)
- 2-(4-(10-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) decyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25i**)
- 50 6-Chloro-2-[4-(2-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**26a**)
- 6-Chloro-2-[4-(3-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1 H-quinazolin-4-one(**26b**)
- 6-Chloro-2-[4-(4-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**26c**)
- 55 6-Chloro-2-[4-(5-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**26d**)
- 6-Chloro-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1 H-quinazolin-4-one(**26e**)

- 6-Chloro-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(26f)
- 6-Chloro-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(26g)
- 5 6-Chloro-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(26h)
- 6-Chloro-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(26i)
- 10 6-Methyl-2-[4-(2-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(27a)
- 6-Methyl-2-[4-(3-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(27b)
- 6-Methyl-2-[4-(4-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(27c)
- 15 6-Methyl-2-[4-(5-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(27d)
- 6-Methyl-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(27e)
- 6-Methyl-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(27f)
- 20 6-Methyl-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(27g)
- 6-Methyl-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(27h)
- 25 6-Methyl-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(27i)
- 6-Methoxy-2-[4-(2-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(28a)
- 6-Methoxy-2-[4-(3-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(28b)
- 30 6-Methoxy-2-[4-(4-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(28c)
- 6-Methoxy-2-[4-(5-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(28d)
- 35 6-Methoxy-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(28e)
- 6-Methoxy-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(28f)
- 6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(28g)
- 40 6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(28h)
- 6-Methoxy-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(28i)
- 45 2-(3-methoxy-4-(2-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl) phenoxy)ethoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30a)
- 2-(3-methoxy-4-(3-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl) phenoxy)propoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30b)
- 50 2-(3-methoxy-4-(4-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl) phenoxy)butoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30c)
- 2-(3-methoxy-4-(5-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl) phenoxy)pentyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30d)
- 2-(3-methoxy-4-(6-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl) phenoxy)hexyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30e)
- 55 2-(3-methoxy-4-(7-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl) phenoxy)heptyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30f)
- 2-(3-methoxy-4-(8-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl) phenoxy)octyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30g)

- 2-(3-methoxy-4-(9-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl) phenoxy)nonyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30h)
- 2-(3-methoxy-4-(10-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl) phenoxy)decyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30i)
- 5 6-Chloro-2-[3-methoxy-4-(2-(12-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31a)
- 6-Chloro-2-[3-methoxy-4-(3-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31b)
- 10 6-Chloro-2-[3-methoxy-4-(4-(12-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31c)
- 6-Chloro-2-[3-methoxy-4-(5-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31d)
- 6-Chloro-2-[3-methoxy-4-(6-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31e)
- 15 6-Chloro-2-[3-methoxy-4-(7-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31f)
- 6-Chloro-2-[3-methoxy-4-(8-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31g)
- 6-Chloro-2-[3-methoxy-4-(9-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31h)
- 20 6-Chloro-2-[3-methoxy-4-(10-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31i)
- 6-Methyl-2-[3-methoxy-4-(2-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32a)
- 25 6-Methyl-2-[3-methoxy-4-(3-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32b)
- 6-Methyl-2-[3-methoxy-4-(4-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32c)
- 30 6-Methyl-2-[3-methoxy-4-(5-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32d)
- 6-Methyl-2-[3-methoxy-4-(6-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32e)
- 6-Methyl-2-[3-methoxy-4-(7-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32f)
- 35 6-Methyl-2-[3-methoxy-4-(8-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32g)
- 6-Methyl-2-[3-methoxy-4-(9-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32h)
- 6-Methyl-2-[3-methoxy-4-(10-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32i)
- 40 6-Methoxy-2-[3-methoxy-4-(2-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33a)
- 6-Methoxy-2-[3-methoxy-4-(3-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33b)
- 45 6-Methoxy-2-[3-methoxy-4-(4-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33c)
- 6-Methoxy-2-[3-methoxy-4-(5-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33d)
- 50 6-Methoxy-2-[3-methoxy-4-(6-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33e)
- 6-Methoxy-2-[3-methoxy-4-(7-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33f)
- 6-Methoxy-2-[3-methoxy-4-(8-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33g)
- 55 6-Methoxy-2-[3-methoxy-4-(9-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33h)
- 6-Methoxy-2-[3-methoxy-4-(10-(2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33i)

- 2-(4-(2-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy) ethoxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34a)
- 2-(4-(3-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy) propoxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34b)
- 5 2-(4-(4-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy) butoxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34c)
- 2-(4-(5-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy) pentyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34d)
- 10 2-(4-(6-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy) hexyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34e)
- 2-(4-(7-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy) heptyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34f)
- 2-(4-(8-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy) octyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34g)
- 15 2-(4-(9-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy) nonyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34h)
- 2-(4-(10-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy) decyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34i)
- 20 6-Chloro-2-[4-(2-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(35a)
- 6-Chloro-2-[4-(3-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(35b)
- 6-Chloro-2-[4-(4-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-butyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(35c)
- 25 6-Chloro-2-[4-(5-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(35d)
- 6-Chloro-2-[4-(6-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(35e)
- 30 6-Chloro-2-[4-(7-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(35f)
- 6-Chloro-2-[4-(8-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(35g)
- 6-Chloro-2-[4-(9-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(35h)
- 35 6-Chloro-2-[10-(4-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(35i)
- 6-Methyl-2-[4-(2-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36a)
- 40 6-Methyl-2-[4-(3-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36b)
- 6-Methyl-2-[4-(4-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-butyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36c)
- 6-Methyl-2-[4-(5-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36d)
- 45 6-Methyl-2-[4-(6-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36e)
- 6-Methyl-2-[4-(7-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36f)
- 6-Methyl-2-[4-(8-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36g)
- 50 6-Methyl-2-[4-(9-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36h)
- 6-Methyl-2-[10-(4-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36i)
- 55 6-Methoxy-2-[4-(2-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37a)
- 6-Methoxy-2-[4-(3-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37b)

- 6-Methoxy-2-[4-(4-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-butyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37c)
- 6-Methoxy-2-[4-(5-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37d)
- 5 6-Methoxy-2-[4-(6-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37e)
- 6-Methoxy-2-[4-(7-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37f)
- 10 6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37g)
- 6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37h)
- 6-Methoxy-2-[10-(4-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37i)
- 15 (Z)-2-(3-methoxy-4-(2-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) ethoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39a)
- (Z)-2-(3-methoxy-4-(3-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) propoxy) phenyl)-2,3-dihydroquinazolin-4(1H)-one(39b)
- (Z)-2-(3-methoxy-4-(4-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) butoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39c)
- 20 (Z)-2-(3-methoxy-4-(5-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) pentyloxy) phenyl)-2,3-dihydroquinazolin-4(1H)-one(39d)
- (Z)-2-(3-methoxy-4-(6-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) hexyloxy) phenyl)-2,3-dihydroquinazolin-4(1H)-one(39e)
- 25 (Z)-2-(3-methoxy-4-(7-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) heptyloxy) phenyl)-2,3-dihydroquinazolin-4(1H)-one(39f)
- (Z)-2-(3-methoxy-4-(8-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) octyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39g)
- (Z)-2-(3-methoxy-4-(9-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) nonyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39h)
- 30 (Z)-2-(3-methoxy-4-(10-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) decyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39i)
- 6-Chloro-2-[3-methoxy-4-(2-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40a)
- 35 6-Chloro-2-[3-Methoxy-4-(3-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40b)
- 6-Chloro-2-[3-Methoxy-4-(4-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40c)
- 6-Chloro-2-[3-methoxy-4-(5-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40d)
- 40 6-Chloro-2-[3-Methoxy-4-(6-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40e)
- 6-Chloro-2-[3-Methoxy-4-(7-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40f)
- 45 6-Chloro-2-[3-methoxy-4-(8-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40g)
- 6-Chloro-2-[3-Methoxy-4-(9-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40h)
- 6-Chloro-2-[3-Methoxy-4-(10-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40i)
- 50 6-Methyl-2-[3-methoxy-4-(2-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41a)
- 6-Methyl-2-[3-Methoxy-4-(3-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41b)
- 55 6-Methyl-2-[3-Methoxy-4-(4-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41c)
- 6-Methyl-2-[3-methoxy-4-(5-(2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl] -phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41d)

- 6-Methyl-2-[3-Methoxy-4-(6-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(41e)**
- 6-Methyl-2-[3-Methoxy-4-(7-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(41f)**
- 5 6-Methyl-2-[3-methoxy-4-(8-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(41g)**
- 6-Methyl-2-[3-Methoxy-4-(9-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(41h)**
- 10 6-Methyl-2-[3-Methoxy-4-(10-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(41i)**
- 6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(42a)**
- 6-Methoxy-2-[3-Methoxy-4-(3-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(42b)**
- 15 6-Methoxy-2-[3-Methoxy-4-(4-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(42c)**
- 6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(42d)**
- 20 6-Methoxy-2-[3-Methoxy-4-(6-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(42e)**
- 6-Methoxy-2-[3-Methoxy-4-(7-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(42f)**
- 6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(42g)**
- 25 6-Methoxy-2-[3-Methoxy-4-(9-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(42h)**
- 6-Methoxy-2-[3-Methoxy-4-(10-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(42i)**
- 30 (Z)-2-(4-(2-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) ethoxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one**(43a)**
- (Z)-2-(4-(3-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) propoxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one**(43b)**
- (Z)-2-(4-(4-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) butoxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one**(43c)**
- 35 (Z)-2-(4-(5-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) pentyloxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one**(43d)**
- (Z)-2-(4-(6-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) hexyloxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one**(43e)**
- (Z)-2-(4-(7-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) heptyloxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one**(43f)**
- 40 (Z)-2-(4-(8-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) octyloxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one**(43g)**
- (Z)-2-(4-(9-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) nonyloxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one**(43h)**
- 45 (Z)-2-(4-(10-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) decyloxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one**(43i)**
- 6-Chloro-2-[4-(2-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(44a)**
- 50 6-Chloro-2-[4-(3-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(44b)**
- 6-Chloro-2-[4-(4-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(44c)**
- 6-Chloro-2-[4-(5-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(44d)**
- 55 6-Chloro-2-[4-(6-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(44e)**
- 6-Chloro-2-[4-(7-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one**(44f)**












- 6-Chloro-2-[4-(8-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(44g)
- 6-Chloro-2-[4-(9-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(44h)
- 5 6-Chloro-2-[4-(10-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(44i)
- 6-Methyl-2-[4-(2-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(45a)
- 10 6-Methyl-2-[4-(3-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(45b)
- 6-Methyl-2-[4-(4-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(45c)
- 6-Methyl-2-[4-(5-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(45d)
- 15 6-Methyl-2-[4-(6-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(45e)
- 6-Methyl-2-[4-(7-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(45f)
- 6-Methyl-2-[4-(8-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(45g)
- 20 6-Methyl-2-[4-(9-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(45h)
- 6-Methyl-2-[4-(10-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(45i)
- 25 6-Methoxy-2-[4-(2-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(46a)
- 6-Methoxy-2-[4-(3-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(46b)
- 30 6-Methoxy-2-[4-(4-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(46c)
- 6-Methoxy-2-[4-(5-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(46d)
- 6-Methoxy-2-[4-(6-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(46e)
- 35 6-Methoxy-2-[4-(7-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(46f)
- 6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(46g)
- 6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(46h)
- 40 6-Methoxy-2-[4-(10-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(46i)

[0009] The present invention further provides a process for preparation of novel isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids of general formulae **3a-i to 6a-i**, **7a-i to 10a-i**, **12a-i to 15a-i**, **16a-i to 19a-i**, **21a-i to 24a-i**, **25a-i to 28a-i**, **30a-i to 33a-i**, **34a-i to 37a-i** and **39a-i to 42a-i**, **43a-i to 46a-i**.

which comprises

Reacting 2-[4-(n-Bromo-alkyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one of formula **2**

with the compounds of formulae **1a**, **1b**, **11a**, **11b**, **20a**, **20b**, **29a**, **29b**, **38a**, **38b** respectively in an aprotic water miscible organic solvent, in the presence of anhydrous mild inorganic base, under room temperature for a period of about 48 hrs, followed by the removal of inorganic base by filtration and evaporating the organic solvent to obtain the resultant crude product and purifying it by column chromatography to obtain the desired products of formulae **3a-i to 6a-i**, **7a-i to 10a-i**, **12a-i to 15a-i**, **16a-i to 19a-i**, **21a-i to 24a-i**, **25a-i to 28a-i**, **30a-i to 33a-i**, **34a-i to 37a-i** and **39a-i to 42a-i**, **43a-i to 46a-i** respectively.



DETAILED DESCRIPTION OF THE INVENTION

50 **[0010]** The precursor dihydroquinazolinone of formula **2**, has been prepared using literature method (Mann-Jen Hour,† Li-Jiau Huang,† Sheng-Chu Kuo,* ,† Yi Xia,‡ Kenneth Bastow,§ Yuka Nakanishi,§ Ernest Hamel,| and Kuo-Hsiung Lee*,‡, J. Med. Chem. 2000, 43, 4479-4487). The precursors isoxazoles, isoxazolines and combretastatins of formulae **1(a&b)**, **11(a&b)**, **20(a&b)**, **29(a&b)** and **38(a&b)** have been prepared using literature methods (Julia kaffy, Renee Pontikis, Daniele Carrez, Alain Croisy, Claude Monneret and Jean-Claude Florent. Bioorg. Med. Chem. 2006, 14, 4067-4077, Simoni, D.; Grisolia, G.; Giannini, G.; Roberti, M.; Rondanin, R.; Piccagli, L.; Baruchello, R.; Rossi, M.; Romagnoli, R.; Invidiata, F. P.; Grimaudo, S.; Jung, M.K.; Hamel, E.; Gebbia, N.; Crosta, L.; Abbadessa, V.; DiCristina, A.; Dusonchet, L.; Meli, M.; Tolomeo, M. J. Med. Chem. 2005, 48, 723)

55 **[0011]** These new analogues of isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids have shown

EP 2 350 030 B9

promising anticancer activity in various cell lines. The molecules synthesized are of immense biological significance. This resulted in design and synthesis of new congeners as illustrated in schemes 1-5 which comprise:

[0012] The ether linkage between dihydroquinazolinone of formula **2** and isoxazole/isoxazoline/combretastatins of formulae **1(a&b)**, **11(a&b)**, **20(a&b)**, **29(a&b)** and **38(a&b)**

- 5
1. Stirring the reaction mixtures at a temperature of 35 °c for 30 h.
 2. Synthesis of isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids
 3. Purification by column chromatography using different solvents like ethyl acetate, hexane, dichloromethane and methanol.
- 10

15

20

25

30

35



40

45

50

55



scheme-1



Reagents and conditions i) $\text{NH}_2\text{OH}\cdot\text{HCl}$, NaHCO_3 , CH_3OH , H_2O ; ii) $\text{CH}_3\text{P}(\text{Ph})_3^+\text{Br}^-$, KOTBu , THF ;
 iii) NaOCl , Et_3N , DCM ; iv) TBAF , THF ; v) PTSA , DMA ; vi) $\text{Br}(\text{CH}_2)_n\text{Br}$, K_2CO_3 , DMF ; vii) **2**, K_2CO_3 , DMF .

55 **OTBDMS=Tertiary Butyl Dimethyl Silyloxy**


scheme-3



Reagents and conditions i) $\text{NH}_2\text{OH}\cdot\text{HCl}$, NaHCO_3 , CH_3OH , H_2O ; ii) (a) CBr_4 , PPh_3 , DCM ; (b) $n\text{-BuLi}$, THF , -78°C ; iii) NaOCl , Et_3N , DCM ; iv) TBAF , THF ; v) PTSA , DMA ; vi) $\text{Br}(\text{CH}_2)_n\text{Br}$, K_2CO_3 , DMF ; vii) **2**, K_2CO_3 , DMF .

OTBDMS=Tertiary Butyl Dimethyl Silyloxy

scheme-5



OTBDMS=Tertiary Butyl Dimethyl Silyloxy

[0013] The following examples are given by way of illustration and therefore should not be construed to the present limit of the scope of invention.

Example 1

2-[3-Methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**3d**)

[0014] 2-Methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenol(**1a**) (359.37 mg, 1.0 mmol) in DMF (20 mL) was added anhydrous potassium carbonate (690 mg, 5.0 mmol) and 2-[4-(5-Bromo-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**2d**) (419.31 mg, 1.0 mmol). The reaction mixture was stirred at a temperature of 30 °c for 30 h and the reaction was monitored by TLC using ethyl acetate-hexane (6:4) as a solvent system. Then to this ice is added and extracted with ethyl acetate. The solvent was evaporated under vacuum to afford the crude product. This was further purified by column chromatography using ethyl acetate: hexane (6:4) as a solvent system to obtain the pure product (**3d**) (557mg, 80% yield).

[0015] ¹H NMR (CDCl₃): □ □ □ 1.70-1.80 (m, 2H), 1.89-2.02 (m, 4H), 3.69-3.82 (dd, 1H, *J* = 10.7 Hz, *J* = 16.4 Hz), 3.84 (s, 6H), 3.87 (s, 3H), 3.92 (s, 3H), 3.94 (s, 3H), 4.02-4.08 (t, 2H, *J* = 5.Hz), 4.10-4.16 (t, 2H, *J* = 6.4 Hz), 4.39-4.42 (bs, NH), 5.63-5.73 (t, 1H, *J* = 10.1 Hz, *J* = 9.2 Hz), 5.77 (s, 1H), 6.57-6.61 (d, 1H, *J* = 7.9 Hz), 6.63 (s, 1H) 6.76-6.79 (d, 1H, *J* = 8.1 Hz), 6.82-6.85 (d, 1H, *J* = 7.7 Hz) 6.88 (s, 2H), 6.90 (s, 1H), 6.94-6.97 (d, 1H, *J* = 7.7 Hz), 7.18-7.21 (m, 2H), 7.22-7.29 (dd, 1H, *J* = 7.5 Hz *J*=15.2Hz), 7.82-7.87 (dd, 1H, *J* = 7.74 Hz *J* = 7.55 Hz) FABMS:698.75 (M+H)⁺.

Example 2

2-[4-(5-(2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**7d**)

[0016] 2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenol (**1b**) (389.15 mg, 1.0 mmol) in DMF (20 mL) was added anhydrous potassium carbonate (690 mg, 5.0 mmol) and 2-[4-(5-Bromo-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**2d**) (419.31 mg, 1.0 mmol). The reaction mixture was stirred at a temperature of 30 °c for 30 h and the reaction was monitored by TLC using ethyl acetate-hexane (6:4) as a solvent system. Then to this ice is added and extracted with ethyl acetate. The solvent was evaporated under vacuum to afford the crude product. This was further purified by column chromatography using ethyl acetate: hexane (6:4) as a solvent system to obtain the pure product (**7d**) (583 mg, 80% yield).

[0017] ¹H NMR (CDCl₃): □ □ □ 1.70-1.80 (m, 2H), 1.89-2.02 (m, 4H), 3.69-3.82 (dd, 1H, *J* = 10.7 Hz, *J* = 16.4 Hz), 3.84 (s, 6H), 3.87 (s, 3H), 3.92 (s, 3H), 3.94 (s, 3H), 4.02-4.08 (t, 2H, *J* = 5.Hz), 4.10-4.16 (t, 2H, *J* = 6.4 Hz), 4.39-4.42 (bs, NH), 5.63-5.73 (t, 1H, *J* = 10.1 Hz, *J* = 9.2 Hz), 5.77 (s, 1H), 6.62 (s, 2H), 6.82-6.85 (d, 1H, *J* = 7.7 Hz) 6.88 (s, 2H), 6.90 (s, 1H), 6.94-6.97 (d, 1H, *J* = 7.7 Hz), 7.18-7.21 (m, 2H), 7.22-7.29 (dd, 1H, *J* = 7.5 Hz *J*=15.2Hz), 7.82-7.92 (dd, 1H, *J* = 7.74 Hz *J* = 7.55 Hz) FABMS:728.78M+H)⁺.

Example 3

2-[3-Methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**12d**)

[0018] 2-Methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]phenol(**11a**) (359.37 mg, 1.0 mmol) in DMF (20 mL) was added anhydrous potassium carbonate (690 mg, 5.0 mmol) and 2-[4-(5-Bromo-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**2d**) (419.31 mg, 1.0 mmol). The reaction mixture was stirred at a temperature of 30 °c for 30 h and the reaction was monitored by TLC using ethyl acetate-hexane (6:4) as a solvent system. Then to this ice is added and extracted with ethyl acetate. The solvent was evaporated under vacuum to afford the crude product. This was further purified by column chromatography using ethyl acetate: hexane (6:4) as a solvent system to obtain the pure product (**12d**) (546mg, 80% yield).

[0019] ¹H NMR (CDCl₃): □ □ □ 1.70-1.80 (m, 2H), 1.89-2.02 (m, 4H), 3.69-3.82 (dd, 1H, *J* = 10.7 Hz, *J* = 16.4 Hz), 3.84 (s, 6H), 3.87 (s, 3H), 3.92 (s, 3H), 3.94 (s, 3H), 4.02-4.08 (t, 2H, *J* = 5.Hz), 4.10-4.16 (t, 2H, *J* = 6.4 Hz), 4.39-4.42 (bs, NH), 5.63-5.73 (t, 1H, *J* = 10.1 Hz, *J* = 9.2 Hz), 5.77 (s, 1H), 6.57-6.61 (d, 1H, *J* = 7.9 Hz), 6.63 (s, 1H) 6.76-6.79 (d, 1H, *J* = 8.1 Hz), 6.82-6.85 (d, 1H, *J* = 7.7 Hz) 6.88 (s, 2H), 6.90 (s, 1H), 6.94-6.97 (d, 1H, *J* = 7.7 Hz), 7.18-7.21 (m, 2H), 7.22-7.29 (dd, 1H, *J* = 7.5 Hz *J*=15.2Hz), 7.82-7.87 (dd, 1H, *J* = 7.74 Hz *J* = 7.55 Hz) FABMS:698.75 (M+H)⁺.

Example 4

2-[4-(5-(2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**16d**)

[0020] 2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenol (**11b**) (389.40 mg, 1.0 mmol) in DMF (20 mL) was added anhydrous potassium carbonate (690 mg, 5.0 mmol) and 2-[4-(5-Bromo-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**2d**) (419.31 mg, 1.0 mmol). The reaction mixture was stirred at a temperature of 30 °C for 30 h and the reaction was monitored by TLC using ethyl acetate-hexane (6:4) as a solvent system. Then to this ice is added and extracted with ethyl acetate. The solvent was evaporated under vacuum to afford the crude product. This was further purified by column chromatography using ethyl acetate: hexane (6:4) as a solvent system to obtain the pure product (**16d**) (570mg, 80% yield).

[0021] ¹H NMR (CDCl₃): □ □ □ 1.70-1.80 (m, 2H), 1.89-2.02 (m, 4H), 3.69-3.82 (dd, 1H, *J* = 10.7 Hz, *J* = 16.4 Hz), 3.84 (s, 6H), 3.87 (s, 3H), 3.92 (s, 3H), 3.94 (s, 3H), 4.02-4.08 (t, 2H, *J* = 5.5 Hz), 4.10-4.16 (t, 2H, *J* = 6.4 Hz), 4.39-4.42 (bs, NH), 5.63-5.73 (t, 1H, *J* = 10.1 Hz, *J* = 9.2 Hz), 5.77 (s, 1H), 6.62 (s, 2H), 6.82-6.85 (d, 1H, *J* = 7.7 Hz) 6.88 (s, 2H), 6.90 (s, 1H), 6.94-6.97 (d, 1H, *J* = 7.7 Hz), 7.18-7.21 (m, 2H), 7.22-7.29 (dd, 1H, *J* = 7.5 Hz *J* = 15.2 Hz), 7.82-7.92 (dd, 1H, *J* = 7.74 Hz *J* = 7.55 Hz) FABMS:728.80 (M+H)⁺.

Example 5

2-(3-methoxy-4-(5-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy)pentyloxy)phenyl)-2,3-dihydro-quinazolin-4(1H)-one (**21d**)

[0022] 2-methoxy-5-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl)phenol (**20a**) (357.36 mg 1.0 mmol) in DMF (20 mL) was added anhydrous potassium carbonate (690 mg, 5.0 mmol) and 2-[4-(5-Bromo-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**2d**) (419.29 mg, 1.0 mmol). The reaction mixture was stirred at a temperature of 30 °C for 30 h and the reaction was monitored by TLC using ethyl acetate-hexane (6:4) as a solvent system. Then to this ice is added and extracted with ethyl acetate. The solvent was evaporated under vacuum to afford the crude product. This was further purified by column chromatography using ethyl acetate: hexane (6:4) as a solvent system to obtain the pure product (**21d**) (546mg, 80% yield).

[0023] ¹H NMR (CDCl₃): □ □ □ 1.70-1.80 (m, 2H), 1.89-2.02 (m, 4H), 3.84 (s, 6H), 3.87 (s, 3H), 3.92 (s, 3H), 3.94 (s, 3H), 4.02-4.08 (t, 2H, *J* = 5.5 Hz), 4.10-4.16 (t, 2H, *J* = 6.4 Hz), 4.39-4.42 (bs, NH), 6.04 (s, 1H), 6.57-6.61 (d, 1H, *J* = 7.9 Hz), 6.63 (s, 1H), 6.67 (s, 1H), 6.76-6.79 (d, 1H, *J* = 8.1 Hz), 6.82-6.85 (d, 1H, *J* = 7.7 Hz) 6.88 (s, 2H), 6.90 (s, 1H), 6.94-6.97 (d, 1H, *J* = 7.7 Hz), 7.18-7.21 (m, 2H), 7.22-7.29 (dd, 1H, *J* = 7.5 Hz *J* = 15.2 Hz), 7.82-7.87 (dd, 1H, *J* = 7.74 Hz *J* = 7.55 Hz) FABMS:696.76(M+H)⁺.

Example 6

2-(4-(5-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl)phenoxy) pentyloxy)-3-methoxyphenyl)-2,3-dihydro-quinazolin-4(1H)-one (**25d**)

[0024] 2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl)phenol (**20b**) (387.38 mg, 1.0 mmol) in DMF (20 mL) was added anhydrous potassium carbonate (690 mg, 5.0 mmol) and 2-[4-(5-Bromo-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**2d**) (419.29 mg, 1.0 mmol). The reaction mixture was stirred at a temperature of 30 °C for 30 h and the reaction was monitored by TLC using ethyl acetate-hexane (6:4) as a solvent system. Then to this ice is added and extracted with ethyl acetate. The solvent was evaporated under vacuum to afford the crude product. This was further purified by column chromatography using ethyl acetate: hexane (6:4) as a solvent system to obtain the pure product (**25d**) (546mg, 80% yield).

[0025] ¹H NMR (CDCl₃): □ □ □ 1.70-1.80 (m, 2H), 1.89-2.02 (m, 4H), 3.84 (s, 6H), 3.87 (s, 3H), 3.92 (s, 3H), 3.94 (s, 3H), 4.02-4.08 (t, 2H, *J* = 5.5 Hz), 4.10-4.16 (t, 2H, *J* = 6.4 Hz), 4.39-4.42 (bs, NH), 6.04 (s, 1H), 6.62 (s, 2H), 6.67 (s, 1H), 6.82-6.85 (d, 1H, *J* = 7.7 Hz), 6.88 (s, 2H), 6.90 (s, 1H), 6.94-6.97 (d, 1H, *J* = 7.7 Hz), 7.18-7.21 (m, 2H), 7.22-7.29 (dd, 1H, *J* = 7.5 Hz *J* = 15.2 Hz), 7.82-7.92 (dd, 1H, *J* = 7.74 Hz *J* = 7.55 Hz) FABMS:726.78(M+H)⁺.

Example 7

2-(3-methoxy-4-(5-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy)pentyl)oxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(**30d**)

[0026] 2-methoxy-5-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl)phenol (**29a**) (357.36 mg 1.0 mmol) in DMF (20 mL) was added anhydrous potassium carbonate (690 mg, 5.0 mmol) and 2-[4-(5-Bromo-pentyl)oxy]-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**2d**) (419.29 mg, 1.0 mmol). The reaction mixture was stirred at a temperature of 30 °C for 30 h and the reaction was monitored by TLC using ethyl acetate-hexane (6:4) as a solvent system. Then to this ice is added and extracted with ethyl acetate. The solvent was evaporated under vacuum to afford the crude product. This was further purified by column chromatography using ethyl acetate: hexane (6:4) as a solvent system to obtain the pure product (**30d**) (546mg, 80% yield).

[0027] ¹H NMR (CDCl₃): □□□1.70-1.80 (m, 2H), 1.89-2.02 (m, 4H), 3.84 (s, 6H), 3.87 (s, 3H), 3.92 (s, 3H), 3.94 (s, 3H), 4.02-4.08 (t, 2H, *J* = 5.4 Hz), 4.10-4.16 (t, 2H, *J* = 6.4 Hz), 4.39-4.42 (bs, NH), 6.04 (s, 1H), 6.57-6.61 (d, 1H, *J* = 7.9 Hz), 6.63 (s, 1H), 6.67 (s, 1H), 6.76-6.79 (d, 1H, *J* = 8.1 Hz), 6.82-6.85 (d, 1H, *J* = 7.7 Hz) 6.88 (s, 2H), 6.90 (s, 1H), 6.94-6.97 (d, 1H, *J* = 7.7 Hz), 7.18-7.21 (m, 2H), 7.22-7.29 (dd, 1H, *J* = 7.5 Hz *J* = 15.2 Hz), 7.82-7.87 (dd, 1H, *J* = 7.74 Hz *J* = 7.55 Hz) FABMS:696.76(M+H)⁺.

Example 8

2-(4-(5-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl)phenoxy) pentyl)oxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**34d**)

[0028] 2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl)phenol (**29b**) (387.38 mg 1.0 mmol) in DMF (20 mL) was added anhydrous potassium carbonate (690 mg, 5.0 mmol) and 2-[4-(5-Bromo-pentyl)oxy]-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**2d**) (419.29 mg, 1.0 mmol). The reaction mixture was stirred at a temperature of 30 °C for 30 h and the reaction was monitored by TLC using ethyl acetate-hexane (6:4) as a solvent system. Then to this ice is added and extracted with ethyl acetate. The solvent was evaporated under vacuum to afford the crude product. This was further purified by column chromatography using ethyl acetate: hexane (6:4) as a solvent system to obtain the pure product (**34d**) (546mg, 80% yield).

[0029] ¹H NMR (CDCl₃): □□□1.70-1.80 (m, 2H), 1.89-2.02 (m, 4H), 3.84 (s, 6H), 3.87 (s, 3H), 3.92 (s, 3H), 3.94 (s, 3H), 4.02-4.08 (t, 2H, *J* = 5.4 Hz), 4.10-4.16 (t, 2H, *J* = 6.4 Hz), 4.39-4.42 (bs, NH), 6.04 (s, 1H), 6.62 (s, 2H), 6.67 (s, 1H) 6.82-6.85 (d, 1H, *J* = 7.7 Hz), 6.88 (s, 2H), 6.90 (s, 1H), 6.94-6.97 (d, 1H, *J* = 7.7 Hz), 7.18-7.21 (m, 2H), 7.22-7.29 (dd, 1H, *J* = 7.5 Hz *J* = 15.2 Hz), 7.82-7.92 (dd, 1H, *J* = 7.74 Hz *J* = 7.55 Hz) FABMS:726.78(M+H)⁺.

Example 9

(Z)-2-(3-methoxy-4-(5-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy)pentyl)oxy) phenyl)-2,3-dihydroquinazolin-4(1H)-one(**39d**)

[0030] (Z)-2-methoxy-5-(3,4,5-trimethoxystyryl)phenol (**38a**) (316.35 mg 1.0 mmol) in DMF (20 mL) was added anhydrous potassium carbonate (690 mg, 5.0 mmol) and 2-[4-(5-Bromo-pentyl)oxy]-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**2d**) (419.29 mg, 1.0 mmol). The reaction mixture was stirred at a temperature of 30 °C for 30 h and the reaction was monitored by TLC using ethyl acetate-hexane (6:4) as a solvent system. Then to this ice is added and extracted with ethyl acetate. The solvent was evaporated under vacuum to afford the crude product. This was further purified by column chromatography using ethyl acetate: hexane (6:4) as a solvent system to obtain the pure product (**39d**) (546mg, 80% yield).

[0031] ¹H NMR (CDCl₃): □□□1.70-1.80 (m, 2H), 1.89-2.02 (m, 4H), 3.84 (s, 6H), 3.87 (s, 3H), 3.92 (s, 3H), 3.94 (s, 3H), 4.02-4.08 (t, 2H, *J* = 5.2 Hz), 4.10-4.16 (t, 2H, *J* = 6.4 Hz), 4.39-4.42 (bs, NH), 6.04 (s, 1H), 6.39 (d, 2H, *J* = 4.4 Hz), 6.47 (s, 2H) 6.73 (d, 1H, *J* = 2.2 Hz), 6.82-6.85 (d, 1H, *J* = 7.7 Hz), 6.89 (d, 1H, *J* = 2.2 Hz), 6.90 (s, 1H), 6.94-6.97 (d, 1H, *J* = 7.7 Hz), 7.18-7.21 (m, 2H), 7.22-7.29 (dd, 1H, *J* = 7.5 Hz *J* = 15.2 Hz), 7.82-7.92 (dd, 1H, *J* = 7.55 Hz *J* = 7.74 Hz) FABMS:655.75M+H)⁺.

Example 10

(Z)-2-(4-(5-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy)pentylloxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one (**43d**)

[0032] (Z)-2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenol (**38b**) (346.37.36 mg 1.0 mmol) in DMF (20 mL) was added anhydrous potassium carbonate (690 mg, 5.0 mmol) and 2-[4-(5-Bromo-pentylloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**2d**) (419.29 mg, 1.0 mmol). The reaction mixture was stirred at a temperature of 30 °C for 30 h and the reaction was monitored by TLC using ethyl acetate-hexane (6:4) as a solvent system. Then to this ice is added and extracted with ethyl acetate. The solvent was evaporated under vacuum to afford the crude product. This was further purified by column chromatography using ethyl acetate: hexane (6:4) as a solvent system to obtain the pure product (**43d**) (546mg, 80% yield).

[0033] ¹H NMR (CDCl₃): □□□1.70-1.80 (m, 2H), 1.89-2.02 (m, 4H), 3.84 (s, 6H), 3.87 (s, 3H), 3.92 (s, 3H), 3.89 (s, 6H), 3.94 (s, 3H), 4.02-4.08 (t, 2H, J = 5.2 Hz), 4.10-4.16 (t, 2H, J = 6.4 Hz), 4.39-4.42 (bs, NH), 6.04 (s, 1H), 6.47 (s, 2H), 6.70 (s, 2H), 6.73 (d, 1H, J = 2.2 Hz), 6.82-6.85 (d, 1H, J = 7.7 Hz), 6.89 (d, 1H, J = 2.2 Hz), 6.90 (s, 1H), 6.94-6.97 (d, 1H, J = 7.7 Hz), 7.18-7.21 (m, 2H), 7.22-7.29 (dd, 1H, J=7.5 Hz J=15.2Hz), 7.82-7.92 (dd, 1H, J = 7.55 Hz J = 7.74 Hz): FABMS:685.77M+H)⁺.

[0034] **Biological Activity:** some of *in vitro* biological activity studies were carried out at the National Cancer Institute, Maryland, USA.

In vitro Cytotoxicity

[0035] The isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrid (**7d**) has been tested against forty nine human tumour cell lines derived from nine cancer types (leukemia, non-small cell lung cancer, colon cancer, CNS cancer, melanoma, ovarian cancer, renal cancer, prostate cancer and breast cancer) as per NCI protocol. For each compound, dose response curves for individual cell lines have been measured at a minimum of five concentrations at 10 fold dilutions. A protocol of 48 h continuous drug exposure has been used, and a sulforhodamine B (SRB) protein assay was used to estimate cell viability or growth. The concentration for 50% cell growth inhibition (GI₅₀), total cell growth inhibition (TGI, 0% growth) and 50% cell death (LC₅₀, 50% growth) compared with the control has been calculated (Table-1). Compound **7d** has been evaluated for their *in vitro* cytotoxicity in forty nine cell lines from nine human cancer types of lung (Hop-62, NCI-H226, NCI-H522), leukemia (K-562, SR), colon (HCT-116, HCT-15, HCC-2998), CNS (SF-539), melanoma (SK-MEL-5, MDA-MB-435, UACC-62, M14), ovarian (IGROV1), renal (A498), prostate (PC3) breast (BT-549, HS578T) origin. The results are expressed as percent of cell growth determined relative to that of untreated control cells (Table 2). The representative compound **7d** has shown significant cytotoxicity against some cancer cell lines.

Table-1. Log₁₀ GI₅₀ (concentration in mol/L causing 50% growth inhibition) values for quinazolinone-PBD hybrid(**7d**)

	Log ₁₀ GI50	Log ₁₀ LC50
Leukemia	-6.17	-4.15
Non-small-celllung	-4.97	-4.00
Colon	-5.17	-4.00
CNS	-4.66	-4.00
Melanoma	-5.69	-4.00
Ovarian	-5.20	-4.00
Renal	-4.72	-4.00
Prostate	-5.39	-4.00
Breast	-5.82	-4.00

Each cancer type represents the average of six to eight different cancer cell lines.

[0036] The compound **7d** exhibits a wide spectrum of activity against forty nine cell lines in nine cell panels, with GI₅₀ value of <40 μm. In the non-small cell lung cancer panel, the growth of EKVX, NCI-H23 cell lines were affected by compound **7d** with GI₅₀ values as 0.36 and 0.38 μM respectively. The GI₅₀ values of compound **7d** against colon cancer HCC-2998, HCT-116 cell lines are 0.06 and 0.26 μm respectively. The GI₅₀ values for compound **7d** against leukemia CCRF-CEM, K-562, MOLT-4 and RPMI-8226 cell lines are 0.62, 0.37, 0.68 and 0.06 μm respectively. The GI₅₀ values for compound **7d** against melanoma SK-MEL-5, UACC-257, MDA-MB-435, and UACC-62 cell lines are 0.18, 0.29, 0.60 and 0.99 μm respectively. The GI₅₀ values for compound **7d** against ovarian IGROV1 and OVCAR-4 cell lines are 0.32

EP 2 350 030 B9

and 0.49 μM . The GI_{50} values for compound **7d** against renal ACHN cell line is 0.95 μm The GI_{50} values for compound **7d** against prostate PC-3 cell line is 0.74 μm . The GI_{50} values for compound **7d** against breast MCF7, T-47D, MDA-MB-468 cell lines are 0.45, 0.30, 0.08 μm respectively.

[0037] Compound **7d** exhibits activity against forty nine cell lines in nine cancer cell panels with GI_{50} values of < 40 μm . *in vitro* cytotoxicity of compound **7d** in selected cancer cell lines has been illustrated in Table 2. The average GI_{50} values for each cancer panel of compounds **7d** have been illustrated in Table2.

Table 2. *In vitro* cytotoxicity of compounds **7d** in forty nine cancer cell lines

Cancer panel/cell line	GI_{50} (μm) 7d	Cancer panel/cell line	GI_{50} (μm) 7d
<i>Leukemia</i>			
CCRF-CEM	0.62	<i>Ovarian</i>	
HL-60(TB)	12.2	IGROV1	0.32
K-562	0.37	OVCAR-3	12.4
MOLT-4	0.68	OVCAR-4	0.49
RPMI-8226	0.06	OVCAR-5	31.7
		OVCAR-8	25.7
		SK-OV-3	38.5
		NCI/ADRRES	10.6
<i>Non-small cell lung</i>			
A549/ATCC	15.7	<i>Renal</i>	
EKVX	0.36	786-0	31.8
HOP-92	15.8	A498	19.3
NCI-H23	0.38	ACHN	0.95
NCI-H460	15.1	CAKI-1	18.0
NCI-H522	27.4	SN12C	39.1
		UO-31	21.4
<i>Colon</i>			
HCC-2998	0.06	<i>Prostate</i>	
HCT-116	0.26	PC-3	0.74
HCT-15	15.9	DU-145	22.4
KM12	10.4		
SW-620	21.0		
<i>CNS</i>			
SF-268	20.2	<i>Breast</i>	
SF-295	16.4	MCF7	0.45
SF-539	21.2	MDA-MB-231/ATCC	14.7
SNB-19	16.6	HS 578T	15.0
SNB-75	34.2	T-47D	0.30
U251	25.2	MDA-MB-468	0.08
<i>Melanoma</i>			
LOX IMVI	19.5	<i>Melanoma</i>	
M14	19.8	SK-MEL-28	3.24
		SK-MEL-5	0.18
		UACC-257	0.29
		UACC-62	0.99
		MDA-MB-435	0.60

EP 2 350 030 B9

[0038] The mean graph mid point values of \log_{10} TGI and \log_{10} LC₅₀ as well as \log_{10} GI₅₀ for **7d** is listed in Table-3. As demonstrated by mean graph pattern, compounds **7d** exhibit an interesting profile of activity and selectivity for various cell lines. The mean graph mid points of \log_{10} TGI and \log_{10} LC₅₀ have shown similar pattern to the \log_{10} GI₅₀ mean graph mid points.

Table-3. \log_{10} GI₅₀, \log_{10} TGI and \log_{10} LC₅₀ mean graphs midpoints(MG_MID) of *in vitro* cytotoxicity data for the compound **7d**.against human tumour cell lines.

Compound	\log_{10} GI ₅₀	\log_{10} TGI	\log_{10} LC ₅₀
7d	-5.28	-4.18	-4.02

SIGNIFICANCE OF THE WORK CARRIED OUT

[0039] The novel dihydroquinazolinone-isoxazole/isoxazoline/combretastatin hybrids that have been synthesized exhibited significant cytotoxic activity against forty nine human tumour cell lines.


ADVANTAGES OF THE INVENTION

[0040]

1. The present invention provides a new dihydroquinazolinone-isoxazole/ isoxazoline/combretastatin hybrids useful as antitumour agents.
2. It also provides a process for the preparation of novel dihydroquinazolinone-isoxazole/isoxazoline/combretastatin hybrids.


Claims

1. Isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids of general formulae A




Formula A

Where in G =




20 $R_2 = 2\text{-OCH}_3$ and $R_3 = 6\text{-OCH}_3$ or 6-H
 $X = \text{H, Cl, CH}_3, \text{OCH}_3$

- 25 **2.** Isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids as claimed in claim 1 wherein the isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids of formula A is represented by the compounds of general formulae 3a-i to 6a-i, 7a-i to 10a-i, 12a-i to 15a-i, 16a-i to 19a-i, 21a-i to 24a-i, 25a-i to 28a-i, 30a-i to 33a-i, 34a-i to 37a-i and 39a-i to 42a-i, 43a-i to 46a-i



$n = 1-9$




$n = 1-9$

50

55


5



10

n = 1-9


15



20

n = 1-9

25



30

35

where n = 1-9

3. Isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids as claimed in claim 1 is represented by the group of the following compounds:

40

2-[3-Methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro
 -isoxazol-3-yl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**3a**);
 2-[3-Methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**3b**);
 2-[3-Methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**3c**);
 2-[3-Methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**3d**);
 2-[3-Methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**3e**);
 2-[3-Methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**3f**);
 2-[3-Methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**3g**);
 2-[3-Methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**3h**);
 2-[3-Methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one (**3i**);

55

6-Chloro-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(4a);

6-Chloro-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(4b);

5 6-Chloro-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(4c);

6-Chloro-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(4d);

10 6-Chloro-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(4e);

6-Chloro-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(4f);

6-Chloro-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(4g);

15 6-Chloro-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(4h);

6-Chloro-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(4i);

20 6-Methyl 2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(5a);

6-Methyl 2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(5b);

6-Methyl 2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(5c);

25 6-Methyl 2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(5d);

6-Methyl 2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-hexyloxy)-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(5e);

6-Methyl 2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(5f);

30 6-Methyl 2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(5g);

6-Methyl 2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(5h);

35 6-Methyl-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(5i);

6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(6a);

6-Methoxy-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(6b);

40 6-Methoxy-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(6c);

6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(6d);

45 6-Methoxy-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(6e);

6-Methoxy-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(6f);

6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(6g);

50 6-Methoxy-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(6h);

6-Methoxy-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(6i);

55 2-[4-(2-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(7a);

2-[4-(3-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(7b);

6-Methoxy-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10e);
6-Methoxy-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10f);
5 6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10g);
6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10h);
6-Methoxy-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(10i);
10 2-[3-Methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12a);
2-[3-Methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12b);
15 2-[3-Methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12c);
2-[3-Methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12d);
2-[3-Methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12e);
20 2-[3-Methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12f);
2-[3-Methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12g);
2-[3-Methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12h);
25 2-[3-Methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(12i);
6-Chloro-2-[3-methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(13a);
30 6-Chloro-2-[3-methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(13b);
6-Chloro-2-[3-methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-butyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(13c);
35 6-Chloro-2-[3-methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(13d);
6-Chloro-2-[3-methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(13e);
6-Chloro-2-[3-methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(13f);
40 6-Chloro-2-[3-methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(13g);
6-Chloro-2-[3-methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(13h);
45 6-Chloro-2-[3-methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(13i);
6-Methyl-2-[3-methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(14a);
6-Methyl-2-[3-methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(14b);
50 6-Methyl-2-[3-methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-butyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(14c);
6-Methyl-2-[3-methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(14d);
55 6-Methyl-2-[3-methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(14e);
6-Methyl-2-[3-methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(14f);

6-Methyl-2-[3-methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-,5-dihydro-isoxazol-5-yl]-phenoxy)-oc-
tyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(14g);

6-Methyl-2-[3-methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phe-
noxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(14h);

5 6-Methyl-2-[3-methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phe-
noxy)-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(14i);

6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phe-
noxy)-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(15a);

10 6-Methoxy-2-[3-methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phe-
noxy)-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(15b);

6-Methoxy-2-[3-methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phe-
noxy)-butyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(15c);

6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phe-
noxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(15d);

15 6-Methoxy-2-[3-methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phe-
noxy)-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(15e);

6-Methoxy-2-[3-methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phe-
noxy)-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(15f);

6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phe-
noxy)-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(15g);

20 6-Methoxy-2-[3-methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phe-
noxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(15h);

6-Methoxy-2-[3-methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phe-
noxy)-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(15i);

25 2-[4-(2-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-ethoxy)-3-meth-
oxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(16a);

2-[4-(3-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-propoxy)-3-meth-
oxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(16b);

30 2-[4-(4-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-butoxy)-3-meth-
oxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(16c);

2-[4-(5-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-pentyloxy)-3-meth-
oxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(16d);

2-[4-(6-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-hexyloxy)-3-meth-
oxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(16e);

35 2-[4-(7-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-heptyloxy)-3-meth-
oxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(16f);

2-[4-(8-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-octyloxy)-3-meth-
oxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(16g);

2-[4-(9-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-nonyloxy)-3-meth-
oxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(16h);

40 2-[4-(10-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-decyloxy)-3-
methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(16i);

6-Chloro-2-[4-(2-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-ethoxy)-
3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(17a);

45 6-Chloro-2-[4-(3-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-propoxy)-
3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(17b);

6-Chloro-2-[4-(4-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-butoxy)-
3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(17c);

6-Chloro-2-[4-(5-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-penty-
loxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(17d);

50 6-Chloro-2-[4-(6-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-penty-
loxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(17e);

6-Chloro-2-[4-(7-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-hexy-
loxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(17f);

55 6-Chloro-2-[4-(8-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-hepty-
loxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(17g);

6-Chloro-2-[4-(9-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxyphenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy)-nony-
loxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(17h);

6-Chloro-2-[4-(10-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(17i);

6-Methyl-2-[4-(2-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(18a);

5 6-Methyl-2-[4-(3-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(18b);

6-Methyl-2-[4-(4-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(18c);

10 6-Methyl-2-[4-(5-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(18d);

6-Methyl-2-[4-(6-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(18e);

6-Methyl-2-[4-(7-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(18f);

15 6-Methyl-2-[4-(8-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(18g);

6-Methyl-2-[4-(9-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(18h);

6-Methyl-2-[4-(10-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(18i);

20 6-Methoxy-2-[4-(2-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(19a);

6-Methoxy-2-[4-(3-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(19b);

25 6-Methoxy-2-[4-(4-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(19c);

6-Methoxy-2-[4-(5-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(19d);

6-Methoxy-2-[4-(6-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(19e);

30 6-Methoxy-2-[4-(7-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(19f);

6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(19g);

35 6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(19h);

6-Methoxy-2-[4-(10-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl] 2,3-dihydro-1H-quinazolin-4-one(19i);

40 2-(3-methoxy-4-(2-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl) phenoxy)ethoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(21a);

2-(3-methoxy-4-(3-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl)phenoxy)propoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(21b);

2-(3-methoxy-4-(4-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl)phenoxy)butoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(21c);

45 2-(3-methoxy-4-(5-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl)phenoxy)pentyl)phenyl)-2,3-dihydroquinazolin-4(1H)-one(21d);

2-(3-methoxy-4-(6-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl)phenoxy)hexyl)phenyl)-2,3-dihydroquinazolin-4(1H)-one(21e);

2-(3-methoxy-4-(7-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl)phenoxy)heptyl)phenyl)-2,3-dihydroquinazolin-4(1H)-one(21f);

50 2-(3-methoxy-4-(8-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl)phenoxy)octyl)phenyl)-2,3-dihydroquinazolin-4(1H)-one(21g);

2-(3-methoxy-4-(9-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl)phenoxy)nonyl)phenyl)-2,3-dihydroquinazolin-4(1H)-one(21h);

55 2-(3-methoxy-4-(10-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl) isoxazol-3-yl)phenoxy)decyl)phenyl)-2,3-dihydroquinazolin-4(1H)-one(21i);

6-Chloro-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(22a);

- 6-Chloro-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22b**);
- 6-Chloro-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-butyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22c**);
- 5 6-Chloro-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22d**);
- 6-Chloro-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22e**);
- 10 6-Chloro-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22f**);
- 6-Chloro-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22g**);
- 6-Chloro-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22h**);
- 15 6-Chloro-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**22i**);
- 6-Methyl-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23a**);
- 6-Methyl-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23b**);
- 20 6-Methyl-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-butyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23c**);
- 6-Methyl-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23d**);
- 25 6-Methyl-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23e**);
- 6-Methyl-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23f**);
- 30 6-Methyl-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23g**);
- 6-Methyl-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23h**);
- 6-Methyl-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**23i**);
- 35 6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24a**);
- 6-Methoxy-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24b**);
- 40 6-Methoxy-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-butyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24c**);
- 6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24d**);
- 6-Methoxy-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24e**);
- 45 6-Methoxy-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24f**);
- 6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24g**);
- 6-Methoxy-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24h**);
- 50 6-Methoxy-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**24i**);
- 2-(4-(2-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) ethoxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25a**);
- 55 2-(4-(3-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy)propoxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25b**);
- 2-(4-(4-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy)butoxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25c**);

2-(4-(5-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) pentyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25d**);

2-(4-(6-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy)hexyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25e**);

5 2-(4-(7-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy)heptyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25f**);

2-(4-(8-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy)octyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25g**);

10 2-(4-(9-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy)nonyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25h**);

2-(4-(10-(2,6-dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl) phenoxy) decyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**25i**);

6-Chloro-2-[4-(2-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**26a**);

15 6-Chloro-2-[4-(3-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**26b**);

6-Chloro-2-[4-(4-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**26c**);

20 6-Chloro-2-[4-(5-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**26d**);

6-Chloro-2-[4-(6-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**26e**);

6-Chloro-2-[4-(7-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**26f**);

25 6-Chloro-2-[4-(8-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**26g**);

6-Chloro-2-[4-(9-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**26h**);

30 6-Chloro-2-[4-(10-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**26i**);

6-Methyl-2-[4-(2-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**27a**);

6-Methyl-2-[4-(3-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**27b**);

35 6-Methyl-2-[4-(4-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**27c**);

6-Methyl-2-[4-(5-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**27d**);

6-Methyl-2-[4-(6-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**27e**);

40 6-Methyl-2-[4-(7-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**27f**);

6-Methyl-2-[4-(8-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**27g**);

45 6-Methyl-2-[4-(9-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**27h**);

6-Methyl-2-[4-(10-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**27i**);

6-Methoxy-2-[4-(2-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**28a**);

50 6-Methoxy-2-[4-(3-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**28b**);

6-Methoxy-2-[4-(4-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**28c**);

55 6-Methoxy-2-[4-(5-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**28d**);

6-Methoxy-2-[4-(6-(2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy)-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**28e**);

- 6-Methoxy-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(28f);
- 6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(28g);
- 5 6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(28h);
- 6-Methoxy-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1 H-quinazolin-4-one(28i);
- 10 2-(3-methoxy-4-(2-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl)phenoxy)ethoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30a);
- 2-(3-methoxy-4-(3-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl)phenoxy)propoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30b);
- 2-(3-methoxy-4-(4-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl)phenoxy)butoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30c);
- 15 2-(3-methoxy-4-(5-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl)phenoxy)pentyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30d);
- 2-(3-methoxy-4-(6-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl)phenoxy)hexyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30e);
- 2-(3-methoxy-4-(7-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl)phenoxy)heptyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30f);
- 20 2-(3-methoxy-4-(8-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl)phenoxy)octyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30g);
- 2-(3-methoxy-4-(9-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl)phenoxy)nonyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30h);
- 25 2-(3-methoxy-4-(10-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl) isoxazol-5-yl)phenoxy)decyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(30i);
- 6-Chloro-2-[3-methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31a);
- 6-Chloro-2-[3-methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31b);
- 30 6-Chloro-2-[3-methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31c);
- 6-Chloro-2-[3-methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31d);
- 35 6-Chloro-2-[3-methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31e);
- 6-Chloro-2-[3-methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31f);
- 6-Chloro-2-[3-methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31g);
- 40 6-Chloro-2-[3-methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31h);
- 6-Chloro-2-[3-methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(31i);
- 45 6-Methyl-2-[3-methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32a);
- 6-Methyl-2-[3-methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32b);
- 6-Methyl-2-[3-methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32c);
- 50 6-Methyl-2-[3-methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32d);
- 6-Methyl-2-[3-methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32e);
- 55 6-Methyl-2-[3-methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32f);
- 6-Methyl-2-[3-methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32g);

6-Methyl-2-[3-methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32h);

6-Methyl-2-[3-methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(32i);

5 6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33a);

6-Methoxy-2-[3-methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33b);

10 6-Methoxy-2-[3-methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33c);

6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33d);

6-Methoxy-2-[3-methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33e);

15 6-Methoxy-2-[3-methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33f);

6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33g);

6-Methoxy-2-[3-methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33h);

20 6-Methoxy-2-[3-methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(33i);

2-(4-(2-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy)ethoxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34a);

25 2-(4-(3-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy) propoxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34b);

2-(4-(4-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy)butoxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34c);

2-(4-(5-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy) pentyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34d);

30 2-(4-(6-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy)hexyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34e);

2-(4-(7-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy)heptyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34f);

35 2-(4-(8-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy)octyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34g);

2-(4-(9-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy)nonyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34h);

2-(4-(10-(2,6-dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl) phenoxy)decyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(34i);

40 6-Chloro-2-[4-(2-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-ethoxy)-3-methoxyphenyl]-2,3-dihydro-1H-quinazolin-4-one(35a);

6-Chloro-2-[4-(3-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-propoxy)-3-methoxyphenyl]-2,3-dihydro-1H-quinazolin-4-one(35b);

45 6-Chloro-2-[4-(4-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-butyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-quinazolin-4-one(35c);

6-Chloro-2-[4-(5-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-pentyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-quinazolin-4-one(35d);

50 6-Chloro-2-[4-(6-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-hexyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-quinazolin-4-one(35e);

6-Chloro-2-[4-(7-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-heptyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-quinazolin-4-one(35f);

6-Chloro-2-[4-(8-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-octyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-quinazolin-4-one(35g);

55 6-Chloro-2-[4-(9-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-nonyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-quinazolin-4-one(35h);

6-Chloro-2-[10-(4-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-decyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-quinazolin-4-one(35i);

- 6-Methyl-2-[4-(2-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36a);
- 6-Methyl-2-[4-(3-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36b);
- 5 6-Methyl-2-[4-(4-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-butyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36c);
- 6-Methyl-2-[4-(5-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36d);
- 10 6-Methyl-2-[4-(6-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36e);
- 6-Methyl-2-[4-(7-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36f);
- 6-Methyl-2-[4-(8-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36g);
- 15 6-Methyl-2-[4-(9-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36h);
- 6-Methyl-2-[4-(10-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(36i);
- 20 6-Methoxy-2-[4-(2-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37a);
- 6-Methoxy-2-[4-(3-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37b);
- 6-Methoxy-2-[4-(4-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-butyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37c);
- 25 6-Methoxy-2-[4-(5-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37d);
- 6-Methoxy-2-[4-(6-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37e);
- 6-Methoxy-2-[4-(7-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37f);
- 30 6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37g);
- 6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37h);
- 35 6-Methoxy-2-[4-(10-{2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(37i);
- (Z)-2-(3-methoxy-4-(2-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) ethoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39a);
- (Z)-2-(3-methoxy-4-(3-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) propoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39b);
- 40 (Z)-2-(3-methoxy-4-(4-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) butoxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39c);
- (Z)-2-(3-methoxy-4-(5-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) pentyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39d);
- 45 (Z)-2-(3-methoxy-4-(6-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) hexyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39e);
- (Z)-2-(3-methoxy-4-(7-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) heptyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39f);
- (Z)-2-(3-methoxy-4-(8-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) octyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39g);
- 50 (Z)-2-(3-methoxy-4-(9-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) nonyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39h);
- (Z)-2-(3-methoxy-4-(10-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy) decyloxy)phenyl)-2,3-dihydroquinazolin-4(1H)-one(39i);
- 55 6-Chloro-2-[3-methoxy-4-(2-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40a);
- 6-Chloro-2-[3-methoxy-4-(3-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40b);

- 6-Chloro-2-[3-Methoxy-4-(4-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40c);
- 6-Chloro-2-[3-methoxy-4-(5-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40d);
- 5 6-Chloro-2-[3-Methoxy-4-(6-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40e);
- 6-Chloro-2-[3-Methoxy-4-(7-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40f);
- 6-Chloro-2-[3-methoxy-4-(8-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40g);
- 10 6-Chloro-2-[3-Methoxy-4-(9-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40h);
- 6-Chloro-2-[3-Methoxy-4-(10-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(40i);
- 15 6-Methyl-2-[3-methoxy-4-(2-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41a);
- 6-Methyl-2-[3-Methoxy-4-(3-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41b);
- 6-Methyl-2-[3-Methoxy-4-(4-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41c);
- 20 6-Methyl-2-[3-methoxy-4-(5-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41d);
- 6-Methyl-2-[3-Methoxy-4-(6-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41e);
- 25 6-Methyl-2-[3-Methoxy-4-(7-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41f);
- 6-Methyl-2-[3-methoxy-4-(8-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41g);
- 6-Methyl-2-[3-Methoxy-4-(9-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41h);
- 30 6-Methyl-2-[3-Methoxy-4-(10-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(41i);
- 6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(42a);
- 35 6-Methoxy-2-[3-Methoxy-4-(3-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(42b);
- 6-Methoxy-2-[3-Methoxy-4-(4-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(42c);
- 6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(42d);
- 40 6-Methoxy-2-[3-Methoxy-4-(6-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(42e);
- 6-Methoxy-2-[3-Methoxy-4-(7-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(42f);
- 45 6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(42g);
- 6-Methoxy-2-[3-Methoxy-4-(9-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(42h);
- 6-Methoxy-2-[3-Methoxy-4-(10-{2-methoxy-5-[2-(3,4,5-trimethoxyphenyl)-vinyl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-quinazolin-4-one(42i);
- 50 (Z)-2-(4-(2-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) ethoxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one(43a);
- (Z)-2-(4-(3-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) propoxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one(43b);
- 55 (Z)-2-(4-(4-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) butoxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one(43c);
- (Z)-2-(4-(5-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) pentyoxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one(43d);

- (Z)-2-(4-(6-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) hexyloxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one(**43e**);
- (Z)-2-(4-(7-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) heptyloxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one(**43f**);
- 5 (Z)-2-(4-(8-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) octyloxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one(**43g**);
- (Z)-2-(4-(9-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) nonyloxy)-3-methoxy phenyl)-2,3-dihydroquinazolin-4(1H)-one(**43h**);
- 10 (Z)-2-(4-(10-(2,6-dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy) decyloxy)-3-methoxyphenyl)-2,3-dihydroquinazolin-4(1H)-one(**43i**);
- 6-Chloro-2-[4-(2-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**44a**);
- 6-Chloro-2-[4-(3-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**44b**);
- 15 6-Chloro-2-[4-(4-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**44c**);
- 6-Chloro-2-[4-(5-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**44d**);
- 20 6-Chloro-2-[4-(6-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**44e**);
- 6-Chloro-2-[4-(7-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**44f**);
- 6-Chloro-2-[4-(8-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**44g**);
- 25 6-Chloro-2-[4-(9-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**44h**);
- 6-Chloro-2-[4-(10-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**44i**);
- 30 6-Methyl-2-[4-(2-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**45a**);
- 6-Methyl-2-[4-(3-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**45b**);
- 6-Methyl-2-[4-(4-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**45c**);
- 35 6-Methyl-2-[4-(5-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**45d**);
- 6-Methyl-2-[4-(6-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**45e**);
- 6-Methyl-2-[4-(7-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**45f**);
- 40 6-Methyl-2-[4-(8-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**45g**);
- 6-Methyl-2-[4-(9-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**45h**);
- 45 6-Methyl-2-[4-(10-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**45i**);
- 6-Methoxy-2-[4-(2-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**46a**);
- 50 6-Methoxy-2-[4-(3-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**46b**);
- 6-Methoxy-2-[4-(4-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**46c**);
- 6-Methoxy-2-[4-(5-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**46d**);
- 55 6-Methoxy-2-[4-(6-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**46e**);
- 6-Methoxy-2-[4-(7-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**46f**);

EP 2 350 030 B9

6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**46g**)

6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**46h**) and

5 6-Methoxy-2-[4-(10-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one(**46i**)

4. Isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids as claimed in claim 1 wherein the structural formulae of the representative compounds are:

10

15

20

25

30

35


40

45


50

55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50


55




5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50


55




5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50


55




5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50


55




5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50


55




5




10




15




20




25




30



35



40




45


50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40



45



50


55

5. Isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids of general formulae A as claimed in claim 1 for use as antitumour agents.

6. A process for the preparation of isoxazole/isoxazoline/combretastatin linked dihydroquinazolinone hybrids of general formulae A

5

10




Formula A

15

Where in G =


20



25

or


30



35

or

40



If R = 3-OCH₃, R₁ = 5-OCH₃

If R = 4-OCH₃, R₁ = 5-H


X = H, Cl, CH₃, OCH₃

the said process comprising

45










reacting 2-[4-(n-Bromo-alkyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-quinazolin-4-one of formula 2

50



55

with the compounds of formulae 1a, 1b, 11a, 11b, 20a, 20b, 29a, 29b, 38a, 38b



30

35

respectively in an aprotic water miscible organic solvent in the presence of anhydrous mild inorganic base at a temperature of 30°C for a period of about 24-48 hrs, followed by the removal of inorganic base by filtration and evaporating the organic solvent to obtain the resultant crude product and purifying it by column chromatography to obtain the desired products of formulae **3a-i to 6a-i**, **7a-i to 10a-i**, **12a-i to 15a-i**, **16a-i to 19a-i**, **21a-i to 24a-i**, **25a-i to 28a-i**, **30a-i to 33a-i**, **34a-i to 37a-i** and **39a-i to 42a-i**, **43a-i to 46a-i** respectively.

40

7. Process as claimed in claim 6, wherein aprotic water miscible organic solvent is selected from the group consisting of dimethylformamide, acetone, acetonitrile and dimethyl sulfoxide.

45

8. Process as claimed in claim 6, wherein anhydrous mild inorganic base is selected from the group consisting of sodium carbonate or potassium carbonate.


50

Patentansprüche

55

1. Isoxazol-/Isoxazolin-/Combretastatin-gebundene Dihydrochinazolinonhybride der allgemeinen Formel A

5




10

$n = 1-9$

Formel A

wobei G =


15



20

oder


25



30

oder


35



40

oder

45



$R_2 = 2-OCH_3$ und $R_3 = 6-OCH_3$ oder 6-H

$X = H, Cl, CH_3, OCH_3.$


50

2. Isoxazol-/Isoxazolin-/Combretastatin-gebundene Dihydrochinazolinonhybride nach Anspruch 1, wobei die Isoxazol-/Isoxazolin-/Combretastatin-gebundenen Dihydrochinazolinonhybride der Formel A durch die Verbindungen der allgemeinen Formeln 3a-i bis 6a-i, 7a-i bis 10a-i, 12a-i bis 15a-i, 16a-i bis 19a-i, 21a-i bis 24a-i, 25a-i bis 28a-i, 30a-i bis 33a-i, 34a-i bis 37a-i und 39a-i bis 42a-i, 43a-i bis 46a-i wiedergegeben werden

55

EP 2 350 030 B9


5



10

n = 1-9


15



20

n = 1-9

25




30

35

n = 1-9


40



45

n = 1-9

50



55

n = 1-9 wobei n = 1-9

3. Isoxazol-/Isoxazolin-/Combretastatin-gebundene Dihydrochinazolinonhybride nach Anspruch 1, wiedergegeben durch die Gruppe der folgenden Verbindungen:

- 2-[3-Methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-o (3a);
 2-[3-Methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-o (3b);
 2-[3-Methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-butoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-o (3c);
 2-[3-Methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-o (3d);
 2-[3-Methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-hexyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-o (3e);
 2-[3-Methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-o (3f);
 2-[3-Methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-o (3g);
 2-[3-Methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-o (3h);
 2-[3-Methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-o (3i);
 6-Chlor-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-o (4a);
 6-Chlor-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-o (4b);
 6-Chlor-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-butoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (4c);
 6-Chlor-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (4d);
 6-Chlor-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-hexyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (4e);
 6-Chlor-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (4f);
 6-Chlor-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (4g);
 6-Chlor-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (4h);
 6-Chlor-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (4i);
 6-Methyl-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (5a);
 6-Methyl-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (5b);
 6-Methyl-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-butoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (5c);
 6-Methyl-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (5d);
 6-Methyl-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-hexyloxy)-butoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (5e);
 6-Methyl-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-heptoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (5f);
 6-Methyl-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-octoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (5g);
 6-Methyl-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (5h);
 6-Methyl-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (5i);
 6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-pheno-

xy)-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (6a);
6-Methoxy-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-pheno-
xy)-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (6b);
5 6-Methoxy-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-pheno-
xy)-butoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (6c);
6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-pheno-
xy)-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (6d);
6-Methoxy-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-pheno-
xy)-hexyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (6e);
10 6-Methoxy-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-pheno-
xy)-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (6f);
6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-pheno-
xy)-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (6g);
6-Methoxy-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-pheno-
xy)-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (6h);
15 6-Methoxy-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-pheno-
xy)-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (6i);
2-[4-(2-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-ethoxy)-3-metho-
xy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (7a);
20 2-[4-(3-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-propoxy)-3-metho-
xy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (7b);
2-[4-(4-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-butoxy)-3-metho-
xy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (7c);
2-[4-(5-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-pentyloxy)-3-me-
25 thoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (7d);
2-[4-(6-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-hexyloxy)-3-me-
thoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (7e);
2-[4-(7-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-heptyloxy)-3-me-
thoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (7f);
30 2-[4-(8-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-octyloxy)-3-metho-
xy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (7g);
2-[4-(9-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-nonyloxy)-3-me-
thoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (7h);
2-[4-(10-{2,6-Dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-decyloxy)-3-me-
35 thoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (7i);
6-Chlor-2-[4-(2-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-ethoxy)-3-
methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (8a);
6-Chlor-2-[4-(3-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-propoxy)-3-
methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (8b);
40 6-Chlor-2-[4-(4-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-butoxy)-3-
methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (8c);
6-Chlor-2-[4-(5-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-pentyloxy)-
3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (8d);
45 6-Chlor-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-hexyloxy)-
3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (8e);
6-Chlor-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-heptyloxy)-
3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (8f);
6-Chlor-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-octyloxy)-
3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (8g);
50 6-Chlor-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-nonyloxy)-
3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (8h);
6-Chlor-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-decylo-
xy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (8i);
6-Methyl-2-[4-(2-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-ethoxy)-
3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (9a);
55 6-Methyl-2-[4-(3-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-propoxy)-
3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (9b);
6-Methyl-2-[4-(4-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy)-butoxy)-

3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (9c);
6-Methyl-2-[4-(5-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (9d);
5 6-Methyl-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (9e);
6-Methyl-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (9f);
6-Methyl-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (9g);
10 6-Methyl-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (9h);
6-Methyl-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (9i);
15 6-Methoxy-2-[4-(2-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (10a) ;
6-Methoxy-2-[4-(3-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (10b);
6-Methoxy-2-[4-(4-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (10c);
20 6-Methoxy-2-[4-(5-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (10d);
6-Methoxy-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (10e);
25 6-Methoxy-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (10f);
6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (10g);
6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (10h);
30 6-Methoxy-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-3-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (10i) ;
2-[3-Methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (12a);
35 2-[3-Methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (12b);
2-[3-Methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (12c);
2-[3-Methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (12d);
40 2-[3-Methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (12e);
2-[3-Methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (12f);
45 2-[3-Methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (12g);
2-[3-Methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (12h);
2-[3-Methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (12i);
50 6-Chlor-2-[3-methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (13a);
6-Chlor-2-[3-methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (13b);
6-Chlor-2-[3-methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (13c);
55 6-Chlor-2-[3-methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (13d) ;
6-Chlor-2-[3-methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-he-

xyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (13e);
6-Chlor-2-[3-methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (13f);
5 6-Chlor-2-[3-methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (13g);
6-Chlor-2-[3-methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (13h);
6-Chlor-2-[3-methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (13i);
10 6-Methyl-2-[3-methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (14a);
6-Methyl-2-[3-methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (14b);
6-Methyl-2-[3-methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-butyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (14c);
15 6-Methyl-2-[3-methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (14d);
6-Methyl-2-[3-methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (14e);
20 6-Methyl-2-[3-methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (14f);
6-Methyl-2-[3-methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (14g);
6-Methyl-2-[3-methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (14h);
25 6-Methyl-2-[3-methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (14i);
6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (15a);
30 6-Methoxy-2-[3-methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (15b);
6-Methoxy-2-[3-methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-butyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (15c);
6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (15d);
35 6-Methoxy-2-[3-methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (15e);
6-Methoxy-2-[3-methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (15f);
40 6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (15g);
6-Methoxy-2-[3-methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (15h);
6-Methoxy-2-[3-methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (15i);
45 2-[4-(2-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (16a);
2-[4-(3-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (16b);
50 2-[4-(4-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (16c);
2-[4-(5-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (16d);
2-[4-(6-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (16e);
55 2-[4-(7-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (16f);
2-[4-(8-{2,6-Dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (16g);

loxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (19i);
 2-(3-Methoxy-4-(2-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl)-phenoxy)ethoxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (21a);
 2-(3-Methoxy-4-(3-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl)-phenoxy)propoxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (21b);
 2-(3-Methoxy-4-(4-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl)-phenoxy)butoxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (21c);
 2-(3-Methoxy-4-(5-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl)-phenoxy)pentylloxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (21d);
 2-(3-Methoxy-4-(6-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl)-phenoxy)hexylloxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (21e);
 2-(3-Methoxy-4-(7-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl)-phenoxy)heptyloxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (21f);
 2-(3-Methoxy-4-(8-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl)-phenoxy)octylloxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (21g);
 2-(3-Methoxy-4-(9-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl)-phenoxy)nonylloxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (21h);
 2-(3-Methoxy-4-(10-(2-methoxy-5-(5-(3,4,5-trimethoxyphenyl)-isoxazol-3-yl)-phenoxy)decylloxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (21i);
 6-Chlor-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (22a);
 6-Chlor-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (22b);
 6-Chlor-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-butylloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (22c);
 6-Chlor-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-pentylloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (22d);
 6-Chlor-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-hexylloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (22e);
 6-Chlor-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (22f);
 6-Chlor-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-octylloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (22g);
 6-Chlor-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-nonylloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (22h);
 6-Chlor-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-decylloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (22i);
 6-Methyl-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (23a);
 6-Methyl-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (23b);
 6-Methyl-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-butylloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (23c);
 6-Methyl-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-pentylloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (23d);
 6-Methyl-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-hexylloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (23e);
 6-Methyl-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (23f);
 6-Methyl-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-octylloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (23g);
 6-Methyl-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-nonylloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (23h);
 6-Methyl-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-decylloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (23i);
 6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (24a);
 6-Methoxy-2-[3-methoxy-4-(3-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (24b);

xy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (24b);
6-Methoxy-2-[3-methoxy-4-(4-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-butyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (24c);
5 6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (24d);
6-Methoxy-2-[3-methoxy-4-(6-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (24e);
6-Methoxy-2-[3-methoxy-4-(7-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (24f);
10 6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (24g);
6-Methoxy-2-[3-methoxy-4-(9-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (24h);
6-Methoxy-2-[3-methoxy-4-(10-{2-methoxy-5-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (24i);
15 2-(4-(2-(2,6-Dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl)-phenoxy)-ethoxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (25a);
2-(4-(3-(2,6-Dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl)-phenoxy)-propoxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (25b);
20 2-(4-(4-(2,6-Dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl)-phenoxy)-butoxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (25c);
2-(4-(5-(2,6-Dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl)-phenoxy)-pentyloxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (25d);
2-(4-(6-(2,6-Dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl)-phenoxy)-hexyloxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (25e);
25 2-(4-(7-(2,6-Dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl)-phenoxy)-heptyloxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (25f);
2-(4-(8-(2,6-Dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl)-phenoxy)-octyloxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (25g);
30 2-(4-(9-(2,6-Dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl)-phenoxy)-nonyloxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (25h);
2-(4-(10-(2,6-Dimethoxy-4-(5-(3,4,5-trimethoxyphenyl)isoxazol-3-yl)-phenoxy)-decyloxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (25i);
6-Chlor-2-[4-(2-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-3-methoxyphenyl]-2,3-dihydro-1H-chinazolin-4-on (26a);
35 6-Chlor-2-[4-(3-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-3-methoxyphenyl]-2,3-dihydro-1H-chinazolin-4-on (26b);
6-Chlor-2-[4-(4-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-butoxy)-3-methoxyphenyl]-2,3-dihydro-1H-chinazolin-4-on (26c);
40 6-Chlor-2-[4-(5-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-pentyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-chinazolin-4-on (26d);
6-Chlor-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-hexyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-chinazolin-4-on (26e);
6-Chlor-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-chinazolin-4-on (26f);
45 6-Chlor-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-chinazolin-4-on (26g);
6-Chlor-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-chinazolin-4-on (26h);
50 6-Chlor-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-3-methoxyphenyl]-2,3-dihydro-1H-chinazolin-4-on (26i);
6-Methyl-2-[4-(2-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-3-methoxyphenyl]-2,3-dihydro-1H-chinazolin-4-on (27a);
6-Methyl-2-[4-(3-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-3-methoxyphenyl]-2,3-dihydro-1H-chinazolin-4-on (27b);
55 6-Methyl-2-[4-(4-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-butoxy)-3-methoxyphenyl]-2,3-dihydro-1H-chinazolin-4-on (27c);
6-Methyl-2-[4-(5-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-pentyloxy)-3-methoxy-

xy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (27d);
 6-Methyl-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (27e);
 6-Methyl-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (27f);
 6-Methyl-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (27g);
 6-Methyl-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (27h);
 6-Methyl-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (27i);
 6-Methoxy-2-[4-(2-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (28a);
 6-Methoxy-2-[4-(3-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (28b);
 6-Methoxy-2-[4-(4-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (28c);
 6-Methoxy-2-[4-(5-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (28d);
 6-Methoxy-2-[4-(6-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (28e);
 6-Methoxy-2-[4-(7-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (28f);
 6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (28g);
 6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (28h);
 6-Methoxy-2-[4-(10-{2,6-dimethoxy-4-[5-(3,4,5-trimethoxy-phenyl)-isoxazol-3-yl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (28i);
 2-(3-Methoxy-4-(2-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl)-phenoxy)ethoxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (30a);
 2-(3-Methoxy-4-(3-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl)-phenoxy)propoxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (30b);
 2-(3-Methoxy-4-(4-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl)-phenoxy)butoxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (30c);
 2-(3-Methoxy-4-(5-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl)-phenoxy)pentyloxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (30d);
 2-(3-Methoxy-4-(6-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl)-phenoxy)hexyloxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (30e);
 2-(3-Methoxy-4-(7-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl)-phenoxy)heptyloxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (30f);
 2-(3-Methoxy-4-(8-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl)-phenoxy)octyloxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (30g);
 2-(3-Methoxy-4-(9-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl)-phenoxy)nonyloxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (30h);
 2-(3-Methoxy-4-(10-(2-methoxy-5-(3-(3,4,5-trimethoxyphenyl)-isoxazol-5-yl)-phenoxy)decyloxy)phenyl)-2,3-dihydrochinazolin-4(1H)-on (30i) ;
 6-Chlor-2-[3-methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (31a);
 6-Chlor-2-[3-methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (31b);
 6-Chlor-2-[3-methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (31c);
 6-Chlor-2-[3-methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (31d);
 6-Chlor-2-[3-methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (31e);
 6-Chlor-2-[3-methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-heptyloxy)-phe-

nyl]-2,3-dihydro-1H-chinazolin-4-on (31f);
 6-Chlor-2-[3-methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (31g);
 6-Chlor-2-[3-methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (31h);
 6-Chlor-2-[3-methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (31i);
 6-Methyl-2-[3-methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (32a);
 6-Methyl-2-[3-methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (32b);
 6-Methyl-2-[3-methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (32c);
 6-Methyl-2-[3-methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (32d);
 6-Methyl-2-[3-methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (32e);
 6-Methyl-2-[3-methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (32f);
 6-Methyl-2-[3-methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (32g);
 6-Methyl-2-[3-methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (32h);
 6-Methyl-2-[3-methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (32i);
 6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (33a);
 6-Methoxy-2-[3-methoxy-4-(3-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (33b);
 6-Methoxy-2-[3-methoxy-4-(4-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (33c);
 6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (33d);
 6-Methoxy-2-[3-methoxy-4-(6-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (33e);
 6-Methoxy-2-[3-methoxy-4-(7-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (33f);
 6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (33g);
 6-Methoxy-2-[3-methoxy-4-(9-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (33h);
 6-Methoxy-2-[3-methoxy-4-(10-{2-methoxy-5-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (33i);
 2-(4-(2-(2,6-Dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl)-phenoxy)-ethoxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (34a);
 2-(4-(3-(2,6-Dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl)-phenoxy)-propoxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (34b);
 2-(4-(4-(2,6-Dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl)-phenoxy)-butoxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (34c);
 2-(4-(5-(2,6-Dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl)-phenoxy)-pentyloxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (34d);
 2-(4-(6-(2,6-Dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl)-phenoxy)-hexyloxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (34e);
 2-(4-(7-(2,6-Dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl)-phenoxy)-heptyloxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (34f);
 2-(4-(8-(2,6-Dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl)-phenoxy)-octyloxy)-3-methoxyphenyl)-2,3-dihydrochinazolin-4(1H)-on (34g);
 2-(4-(9-(2,6-Dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl)-phenoxy)-nonyloxy)-3-methoxyphenyl)-

2,3-dihydrochinazolin-4(1H)-on (34h);
 2-(4-(10-(2,6-Dimethoxy-4-(3-(3,4,5-trimethoxyphenyl)isoxazol-5-yl)-phenoxy)-decyloxy)-3-methoxyphenyl)-
 2,3-dihydrochinazolin-4(1H)-on (34i);
 6-Chlor-2-[4-(2-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-ethoxy)-3-methoxy-
 5 phenyl]-2,3-dihydro-1H-chinazolin-4-on (35a);
 6-Chlor-2-[4-(3-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-propoxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (35b);
 6-Chlor-2-[4-(4-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-butyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (35c);
 10 6-Chlor-2-[4-(5-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-pentyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (35d);
 6-Chlor-2-[4-(6-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-hexyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (35e);
 6-Chlor-2-[4-(7-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-heptyloxy)-3-methoxy-
 15 phenyl]-2,3-dihydro-1H-chinazolin-4-on (35f);
 6-Chlor-2-[4-(8-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-octyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (35g);
 6-Chlor-2-[4-(9-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-nonyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (35h);
 20 6-Chlor-2-[10-(4-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-decyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (35i);
 6-Methyl-2-[4-(2-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-ethoxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (36a);
 6-Methyl-2-[4-(3-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-propoxy)-3-methoxy-
 25 phenyl]-2,3-dihydro-1H-chinazolin-4-on (36b);
 6-Methyl-2-[4-(4-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-butyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (36c);
 6-Methyl-2-[4-(5-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-pentyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (36d);
 30 6-Methyl-2-[4-(6-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-hexyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (36e);
 6-Methyl-2-[4-(7-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-heptyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (36f);
 6-Methyl-2-[4-(8-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-octyloxy)-3-methoxy-
 35 phenyl]-2,3-dihydro-1H-chinazolin-4-on (36g);
 6-Methyl-2-[4-(9-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-nonyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (36h);
 6-Methyl-2-[10-(4-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-decyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (36i);
 40 6-Methoxy-2-[4-(2-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-ethoxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (37a);
 6-Methoxy-2-[4-(3-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-propoxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (37b);
 6-Methoxy-2-[4-(4-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-butyloxy)-3-methoxy-
 45 phenyl]-2,3-dihydro-1H-chinazolin-4-on (37c);
 6-Methoxy-2-[4-(5-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-pentyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (37d);
 6-Methoxy-2-[4-(6-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-hexyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (37e);
 50 6-Methoxy-2-[4-(7-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-heptyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (37f);
 6-Methoxy-2-[4-(8-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-octyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (37g);
 6-Methoxy-2-[4-(9-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-nonyloxy)-3-methoxy-
 55 phenyl]-2,3-dihydro-1H-chinazolin-4-on (37h);
 6-Methoxy-2-[10-(4-(2,6-dimethoxy-4-[3-(3,4,5-trimethoxy-phenyl)-isoxazol-5-yl]-phenoxy)-decyloxy)-3-methoxy-
 phenyl]-2,3-dihydro-1H-chinazolin-4-on (37i);
 (Z)-2-(3-Methoxy-4-(2-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy)-ethoxy)-phenyl)-2,3-dihydrochinazolin-


4(1H)-on (39a);
 (Z)-2-(3-Methoxy-4-(3-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy)-propoxy)-phenyl)-2,3-dihydrochinazolin-4(1H)-on (39b);
 (Z)-2-(3-Methoxy-4-(4-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy)-butoxy)-phenyl)-2,3-dihydrochinazolin-4(1H)-on (39c);
 (Z)-2-(3-Methoxy-4-(5-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy)-pentyloxy)-phenyl)-2,3-dihydrochinazolin-4(1H)-on (39d);
 (Z)-2-(3-Methoxy-4-(6-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy)-hexyloxy)-phenyl)-2,3-dihydrochinazolin-4(1H)-on (39e);
 (Z)-2-(3-Methoxy-4-(7-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy)-heptyloxy)-phenyl)-2,3-dihydrochinazolin-4(1H)-on (39f);
 (Z)-2-(3-Methoxy-4-(8-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy)-octyloxy)-phenyl)-2,3-dihydrochinazolin-4(1H)-on (39g);
 (Z)-2-(3-Methoxy-4-(9-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy)-nonyloxy)-phenyl)-2,3-dihydrochinazolin-4(1H)-on (39h);
 (Z)-2-(3-Methoxy-4-(10-(2-methoxy-5-(3,4,5-trimethoxystyryl)phenoxy)-decyloxy)-phenyl)-2,3-dihydrochinazolin-4(1H)-on (39i);
 6-Chlor-2-[3-methoxy-4-(2-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (40a);
 6-Chlor-2-[3-methoxy-4-(3-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (40b);
 6-Chlor-2-[3-methoxy-4-(4-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (40c);
 6-Chlor-2-[3-methoxy-4-(5-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (40d);
 6-Chlor-2-[3-methoxy-4-(6-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (40e);
 6-Chlor-2-[3-methoxy-4-(7-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (40f);
 6-Chlor-2-[3-methoxy-4-(8-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (40g);
 6-Chlor-2-[3-methoxy-4-(9-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (40h);
 6-Chlor-2-[3-methoxy-4-(10-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (40i);
 6-Methyl-2-[3-methoxy-4-(2-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (41a);
 6-Methyl-2-[3-methoxy-4-(3-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (41b);
 6-Methyl-2-[3-methoxy-4-(4-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-butoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (41c);
 6-Methyl-2-[3-methoxy-4-(5-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-pentyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (41d);
 6-Methyl-2-[3-methoxy-4-(6-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-hexyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (41e);
 6-Methyl-2-[3-methoxy-4-(7-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-heptyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (41f);
 6-Methyl-2-[3-methoxy-4-(8-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-octyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (41g);
 6-Methyl-2-[3-methoxy-4-(9-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-nonyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (41h);
 6-Methyl-2-[3-methoxy-4-(10-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-decyloxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (41i);
 6-Methoxy-2-[3-methoxy-4-(2-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-ethoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (42a);
 6-Methoxy-2-[3-methoxy-4-(3-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-propoxy)-phenyl]-2,3-dihydro-1H-chinazolin-4-on (42b);
 6-Methoxy-2-[3-methoxy-4-(4-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-butoxy)-phenyl]-2,3-

dihydro-1H-chinazolin-4-on (42c);
 6-Methoxy-2-[3-methoxy-4-(5-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-pentyloxy)-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (42d);
 6-Methoxy-2-[3-methoxy-4-(6-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-hexyloxy)-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (42e);
 6-Methoxy-2-[3-methoxy-4-(7-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-heptyloxy)-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (42f);
 6-Methoxy-2-[3-methoxy-4-(8-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-octyloxy)-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (42g);
 6-Methoxy-2-[3-methoxy-4-(9-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-nonyloxy)-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (42h);
 6-Methoxy-2-[3-methoxy-4-(10-{2-methoxy-5-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-decyloxy)-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (42i);
 (Z)-2-(4-(2-(2,6-Dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy)-ethoxy)-3-methoxy-phenyl)-2,3-dihydrochina-
 zolin-4(1H)-on (43a);
 (Z)-2-(4-(3-(2,6-Dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy)-propoxy)-3-methoxy-phenyl)-2,3-dihydrochina-
 zolin-4(1H)-on (43b);
 (Z)-2-(4-(4-(2,6-Dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy)-butoxy)-3-methoxy-phenyl)-2,3-dihydrochina-
 zolin-4(1H)-on (43c);
 (Z)-2-(4-(5-(2,6-Dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy)-pentyloxy)-3-methoxy-phenyl)-2,3-dihydrochin-
 azolin-4(1H)-on (43d);
 (Z)-2-(4-(6-(2,6-Dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy)-hexyloxy)-3-methoxy-phenyl)-2,3-dihydrochin-
 azolin-4(1H)-on (43e);
 (Z)-2-(4-(7-(2,6-Dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy)-heptyloxy)-3-methoxy-phenyl)-2,3-dihydrochin-
 azolin-4(1H)-on (43f);
 (Z)-2-(4-(8-(2,6-Dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy)-octyloxy)-3-methoxy-phenyl)-2,3-dihydrochina-
 zolin-4(1H)-on (43g);
 (Z)-2-(4-(9-(2,6-Dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy)-nonyloxy)-3-methoxy-phenyl)-2,3-dihydrochin-
 azolin-4(1H)-on (43h);
 (Z)-2-(4-(10-(2,6-Dimethoxy-4-(3,4,5-trimethoxystyryl)phenoxy)-decyloxy)-3-methoxy-phenyl)-2,3-dihydrochi-
 nazolin-4(1H)-on (43i);
 6-Chlor-2-[4-(2-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-ethoxy)-3-methoxy-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (44a);
 6-Chlor-2-[4-(3-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-propoxy)-3-methoxy-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (44b);
 6-Chlor-2-[4-(4-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-butoxy)-3-methoxy-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (44c);
 6-Chlor-2-[4-(5-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-pentyloxy)-3-methoxy-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (44d);
 6-Chlor-2-[4-(6-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-hexyloxy)-3-methoxy-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (44e);
 6-Chlor-2-[4-(7-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-heptyloxy)-3-methoxy-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (44f);
 6-Chlor-2-[4-(8-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-octyloxy)-3-methoxy-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (44g);
 6-Chlor-2-[4-(9-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-nonyloxy)-3-methoxy-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (44h);
 6-Chlor-2-[4-(10-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-decyloxy)-3-methoxy-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (44i);
 6-Methyl-2-[4-(2-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-ethoxy)-3-methoxy-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (45a);
 6-Methyl-2-[4-(3-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-propoxy)-3-methoxy-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (45b);
 6-Methyl-2-[4-(4-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-butoxy)-3-methoxy-phenyl]-
 2,3-dihydro-1H-chinazolin-4-on (45c);
 6-Methyl-2-[4-(5-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-pentyloxy)-3-methoxy-phe-
 nyl]-2,3-dihydro-1H-chinazolin-4-on (45d);
 6-Methyl-2-[4-(6-(2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy)-hexyloxy)-3-methoxy-phenyl]-


2,3-dihydro-1H-chinazolin-4-on (45e);
 6-Methyl-2-[4-(7-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (45f);
 6-Methyl-2-[4-(8-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (45g);
 6-Methyl-2-[4-(9-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (45h);
 6-Methyl-2-[4-(10-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (45i);
 6-Methoxy-2-[4-(2-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-ethoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (46a);
 6-Methoxy-2-[4-(3-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-propoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (46b);
 6-Methoxy-2-[4-(4-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-butoxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (46c);
 6-Methoxy-2-[4-(5-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-pentyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (46d);
 6-Methoxy-2-[4-(6-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-hexyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (46e);
 6-Methoxy-2-[4-(7-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-heptyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (46f);
 6-Methoxy-2-[4-(8-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-octyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (46g);
 6-Methoxy-2-[4-(9-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-nonyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (46h) und
 6-Methoxy-2-[4-(10-{2,6-dimethoxy-4-[2-(3,4,5-trimethoxy-phenyl)-vinyl]-phenoxy}-decyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on (46i).

4. Isoxazol-/Isoxazolin-/Combretastatin-gebundene Dihydrochinazolinonhybride nach Anspruch 1, wobei die Strukturformeln der repräsentativen Verbindungen wie folgt sind:


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50


55




5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5
10
15
20
25
30
35
40
45
50
55




5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50


55




5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50


55




5
10
15
20
25
30
35
40
45
50
55




5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5
10
15
20
25
30
35
40
45
50
55




5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35




40



45




50




55

5




10




15




20




25




30




35



40




45



50

55

5
10
15
20
25
30
35
40
45
50
55




5. Isoxazol-/Isoxazolin-/Combretastatin-gebundene Dihydrochinazolinonhybride der allgemeinen Formel A nach Anspruch 1 zur Verwendung als Antitumormittel.

6. Verfahren zur Herstellung von Isoxazol-/Isoxazolin-/Combretastatin-gebundenen Dihydrochinazolinonhybriden der allgemeinen Formel A

5

10




$n = 1-9$

Formel A

15

wobei G =

20




oder

25

oder

30




oder

35

oder

40




wenn $R = 3-OCH_3$, $R_1 = 5-OCH_3$

wenn $R = 4-OCH_3$, $R_1 = 5-H$

$X = H, Cl, CH_3, OCH_3$,

wobei das Verfahren die Umsetzung von 2-[4-(n-Brom-alkyloxy)-3-methoxy-phenyl]-2,3-dihydro-1H-chinazolin-4-on der Formel 2

50













2

$X = H, Cl, CH_3, OCH_3$

$n = 1-9$

55

mit den Verbindungen der Formeln 1a, 1b, 11a, 11b, 20a, 20b, 29a, 29b, 38a, 38b



bzw.

35

in einem aprotischen wassermischbaren organischen Lösungsmittel in Gegenwart einer wasserfreien schwachen anorganischen Base bei einer Temperatur von 30°C über einen Zeitraum von etwa 24-48 Stunden, gefolgt vom Entfernen der anorganischen Base durch Filtrieren und Abdampfen des organischen Lösungsmittels unter Erhalt des resultierenden Rohprodukts und dessen Aufreinigung durch Säulenchromatographie unter Erhalt der gewünschten Produkte der Formeln **3a-i bis 6a-i, 7a-i bis 10a-i, 12a-i bis 15a-i, 16a-i bis 19a-i, 21a-i bis 24a-i, 25a-i bis 28a-i, 30a-i bis 33a-i, 34a-i bis 37a-i bzw. 39a-i bis 42a-i, 43a-i bis 46a-i** umfasst.


- 40
7. Verfahren nach Anspruch 6, wobei das aprotische wassermischbare organische Lösungsmittel aus der aus Dimethylformamid, Aceton, Acetonitril und Dimethylsulfoxid bestehenden Gruppe ausgewählt ist.
- 45
8. Verfahren nach Anspruch 6, wobei die wasserfreie schwache anorganische Base aus der aus Natriumcarbonat und Kaliumcarbonat bestehenden Gruppe ausgewählt ist.

50

Revendications

- 55
1. Hybrides de dihydroquinazolinone liée à l'isoxazole / isoxazoline / combrétastatine de formules générales A

5




10

$n = 1-9$

Formule A

où G =


15



20

ou


25



30

ou

35




40

$R_2 = 2-OCH_3$ et $R_3 = 6-OCH_3$ ou 6-H
 $X = H, Cl, CH_3, OCH_3$

45

2. Hybrides de dihydroquinazolinone liée à l'isoxazole / isoxazoline / combrétastatine selon la revendication 1 dans lesquels les hybrides de dihydroquinazolinone liée à l'isoxazole / isoxazoline / combrétastatine de formule A sont représentés par les composés de formule générale 3a-i à 6a-i, 7a-i à 10a-i, 12a-i à 15a-i, 16a-i à 19a-i, 21a-i à 24a-i, 25a-i à 28a-i, 30a-i à 33a-i, 34a-i à 37a-i et 39a-i à 42a-i, 43a-i à 46a-i

50




55

n = 1-9

5

10




n = 1-9

15

20


25



n = 1-9

30

35




n = 1-9

40

45

50



où n = 1-9

55

3. Hybrides de dihydroquinazolinone liée à l'isoxazole / isoxazoline / combrétastatine selon la revendication 1 qui sont représentés par le groupe des composés suivants :

6-méthoxy-2-[3-méthoxy-4-(4-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-butoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (6c) ;
6-méthoxy-2-[3-méthoxy-4-(5-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-pentyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (6d) ;
5 6-méthoxy-2-[3-méthoxy-4-(6-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-hexyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (6e) ;
6-méthoxy-2-[3-méthoxy-4-(7-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-heptyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (6f) ;
6-méthoxy-2-[3-méthoxy-4-(8-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-octyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (6g) ;
10 6-méthoxy-2-[3-méthoxy-4-(9-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-nonyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (6h) ;
6-méthoxy-2-[3-méthoxy-4-(10-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-décyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (6i) ;
15 2-[4-(2-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-éthoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (7a) ;
2-[4-(3-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-propoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (7b) ;
2-[4-(4-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-butoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (7c) ;
20 2-[4-(5-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-pentyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (7d) ;
2-[4-(6-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-hexyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (7e) ;
25 2-[4-(7-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-heptyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (7f) ;
2-[4-(8-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-octyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (7g) ;
2-[4-(9-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-nonyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (7h) ;
30 2-[4-(10-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro isoxazol-3-yl]-phénoxy}-décyloxy)-3-méthoxy-phényl]-2,3-dihydro 1H-quinazolin-4-one (7i) ;
6-chloro-2-[4-(2-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-éthoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (8a) ;
35 6-chloro-2-[4-(3-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-propoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (8b) ;
6-chloro-2-[4-(4-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-butoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (8c) ;
6-chloro-2-[4-(5-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-pentyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (8d) ;
40 6-chloro-2-[4-(6-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-hexyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (8e) ;
6-chloro-2-[4-(7-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-heptyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (8f) ;
45 6-chloro-2-[4-(8-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-octyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (8g) ;
6-chloro-2-[4-(9-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-nonyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (8h) ;
6-chloro-2-[4-(10-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-décyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (8i) ;
50 6-méthyl-2-[4-(2-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-éthoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (9a) ;
6-méthyl-2-[4-(3-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-propoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (9b) ;
55 6-méthyl-2-[4-(4-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-butoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (9c) ;
6-méthyl-2-[4-(5-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy}-pentyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (9d) ;

- 6-méthyl-2-[4-(6-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-hexyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (9e) ;
- 6-méthyl-2-[4-(7-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-heptyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (9f) ;
- 5 6-méthyl-2-[4-(8-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-octyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (9g) ;
- 6-méthyl-2-[4-(9-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-nonyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (9h) ;
- 10 6-méthyl-2-[4-(10-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-décyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (9i) ;
- 6-méthoxy-2-[4-(2-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-éthoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (10a) ;
- 6-méthoxy-2-[4-(3-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-propoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (10b) ;
- 15 6-méthoxy-2-[4-(4-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-butoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (10c) ;
- 6-méthoxy-2-[4-(5-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-pentyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (10d) ;
- 6-méthoxy-2-[4-(6-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-hexyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (10e) ;
- 20 6-méthoxy-2-[4-(7-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-heptyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (10f) ;
- 6-méthoxy-2-[4-(8-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-octyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (10g) ;
- 25 6-méthoxy-2-[4-(9-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-nonyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (10h) ;
- 6-méthoxy-2-[4-(10-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-3-yl]-phénoxy)-décyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (10i) ;
- 2-[3-méthoxy-4-(2-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-éthoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (12a) ;
- 30 2-[3-méthoxy-4-(3-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-propoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (12b) ;
- 2-[3-méthoxy-4-(4-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-butoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (12c) ;
- 35 2-[3-méthoxy-4-(5-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-pentyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (12d) ;
- 2-[3-méthoxy-4-(6-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-heptyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (12e) ;
- 2-[3-méthoxy-4-(7-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-octyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (12f) ;
- 40 2-[3-méthoxy-4-(8-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-nonyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (12g) ;
- 2-[3-méthoxy-4-(9-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-pentyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (12h) ;
- 45 2-[3-méthoxy-4-(10-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-dedyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (12i) ;
- 6-chloro-2-[3-méthoxy-4-(2-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-éthoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (13a) ;
- 6-chloro-2-[3-méthoxy-4-(3-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-propoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (13b) ;
- 50 6-chloro-2-[3-méthoxy-4-(4-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-butyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (13c) ;
- 6-chloro-2-[3-méthoxy-4-(5-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-pentyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (13d) ;
- 55 6-chloro-2-[3-méthoxy-4-(6-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-hexyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (13e) ;
- 6-chloro-2-[3-méthoxy-4-(7-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-4,5-dihydro-isoxazol-5-yl]-phénoxy)-heptyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (13f) ;

- 2-(3-méthoxy-4-(3-(2-méthoxy-5-(5-(3,4,5-triméthoxyphényl)-isoxazol-3-yl)-phénoxy)propoxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (21b) ;
- 2-(3-méthoxy-4-(4-(2-méthoxy-5-(5-(3,4,5-triméthoxyphényl)-isoxazol-3-yl)-phénoxy)butoxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (21c) ;
- 5 2-(3-méthoxy-4-(5-(2-méthoxy-5-(5-(3,4,5-triméthoxyphényl)-isoxazol-3-yl)-phénoxy)pentylloxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (21d) ;
- 2-(3-méthoxy-4-(6-(2-méthoxy-5-(5-(3,4,5-triméthoxyphényl)-isoxazol-3-yl)-phénoxy)hexylloxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (21e) ;
- 10 2-(3-méthoxy-4-(7-(2-méthoxy-5-(5-(3,4,5-triméthoxyphényl)-isoxazol-3-yl)-phénoxy)heptyloxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (21f) ;
- 2-(3-méthoxy-4-(8-(2-méthoxy-5-(5-(3,4,5-triméthoxyphényl)-isoxazol-3-yl)-phénoxy)octylloxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (21g) ;
- 2-(3-méthoxy-4-(9-(2-méthoxy-5-(5-(3,4,5-triméthoxyphényl)-isoxazol-3-yl)-phénoxy)nonyloxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (21h) ;
- 15 2-(3-méthoxy-4-(10-(2-méthoxy-5-(5-(3,4,5-triméthoxyphényl)-isoxazol-3-yl)-phénoxy)décylloxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (21i) ;
- 6-chloro-2-[3-méthoxy-4-(2-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-éthoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (22a) ;
- 6-chloro-2-[3-méthoxy-4-(3-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-propoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (22b) ;
- 20 6-chloro-2-[3-méthoxy-4-(4-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-butylloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (22c) ;
- 6-chloro-2-[3-méthoxy-4-(5-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-pentylloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (22d) ;
- 25 6-chloro-2-[3-méthoxy-4-(6-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-hexylloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (22e) ;
- 6-chloro-2-[3-méthoxy-4-(7-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-heptyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (22f) ;
- 6-chloro-2-[3-méthoxy-4-(8-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-octylloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (22g) ;
- 30 6-chloro-2-[3-méthoxy-4-(9-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-nonyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (22h) ;
- 6-chloro-2-[3-méthoxy-4-(10-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-décylloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (22i) ;
- 35 6-méthyl-2-[3-méthoxy-4-(2-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-éthoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (23a) ;
- 6-méthyl-2-[3-méthoxy-4-(3-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-propoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (23b) ;
- 6-méthyl-2-[3-méthoxy-4-(4-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-butylloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (23c) ;
- 40 6-méthyl-2-[3-méthoxy-4-(5-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-pentylloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (23d) ;
- 6-méthyl-2-[3-méthoxy-4-(6-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-hexylloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (23e) ;
- 45 6-méthyl-2-[3-méthoxy-4-(7-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-heptyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (23f) ;
- 6-méthyl-2-[3-méthoxy-4-(8-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-octylloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (23g) ;
- 6-méthyl-2-[3-méthoxy-4-(9-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-nonyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (23h) ;
- 50 6-méthyl-2-[3-méthoxy-4-(10-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-décylloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (23i) ;
- 6-méthoxy-2-[3-méthoxy-4-(2-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-éthoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (24a) ;
- 55 6-méthoxy-2-[3-méthoxy-4-(3-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-propoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (24b) ;
- 6-méthoxy-2-[3-méthoxy-4-(4-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-butylloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (24c) ;

- 6-méthoxy-2-[3-méthoxy-4-(5-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-pentyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (24d) ;
- 6-méthoxy-2-[3-méthoxy-4-(6-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-hexyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (24e) ;
- 5 6-méthoxy-2-[3-méthoxy-4-(7-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-heptyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (24f) ;
- 6-méthoxy-2-[3-méthoxy-4-(8-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-octyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (24g) ;
- 6-méthoxy-2-[3-méthoxy-4-(9-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-nonyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (24h) ;
- 10 6-méthoxy-2-[3-méthoxy-4-(10-{2-méthoxy-5-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-décyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (24i) ;
- 2-(4-(2-(2,6-diméthoxy-4-(5-(3,4,5-triméthoxyphényl)isoxazol-3-yl)-phénoxy)-éthoxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (25a) ;
- 15 2-(4-(3-(2,6-diméthoxy-4-(5-(3,4,5-triméthoxyphényl)isoxazol-3-yl)-phénoxy)-propoxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (25b) ;
- 2-(4-(4-(2,6-diméthoxy-4-(5-(3,4,5-triméthoxyphényl)isoxazol-3-yl)-phénoxy)-butoxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (25c) ;
- 2-(4-(5-(2,6-diméthoxy-4-(5-(3,4,5-triméthoxyphényl)isoxazol-3-yl)-phénoxy)-pentyloxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (25d) ;
- 20 2-(4-(6-(2,6-diméthoxy-4-(5-(3,4,5-triméthoxyphényl)isoxazol-3-yl)-phénoxy)-hexyloxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (25e) ;
- 2-(4-(7-(2,6-diméthoxy-4-(5-(3,4,5-triméthoxyphényl)isoxazol-3-yl)-phénoxy)-heptyloxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (25f) ;
- 25 2-(4-(8-(2,6-diméthoxy-4-(5-(3,4,5-triméthoxyphényl)isoxazol-3-yl)-phénoxy)-octyloxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (25g) ;
- 2-(4-(9-(2,6-diméthoxy-4-(5-(3,4,5-triméthoxyphényl)isoxazol-3-yl)-phénoxy)-nonyloxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (25h) ;
- 2-(4-(10-(2,6-diméthoxy-4-(5-(3,4,5-triméthoxyphényl)isoxazol-3-yl)-phénoxy)-décyloxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (25i) ;
- 30 6-chloro-2-[4-(2-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-éthoxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (26a) ;
- 6-chloro-2-[4-(3-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-propoxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (26b) ;
- 35 6-chloro-2-[4-(4-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-butoxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (26c) ;
- 6-chloro-2-[4-(5-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-pentyloxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (26d) ;
- 6-chloro-2-[4-(6-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-hexyloxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (26e) ;
- 40 6-chloro-2-[4-(7-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-heptyloxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (26f) ;
- 6-chloro-2-[4-(8-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-octyloxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (26g) ;
- 45 6-chloro-2-[4-(9-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-nonyloxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (26h) ;
- 6-chloro-2-[4-(10-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-décyloxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (26i) ;
- 6-méthyl-2-[4-(2-(2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy)-éthoxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (27a) ;
- 50 6-méthyl-2-[4-(3-(2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy)-propoxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (27b) ;
- 6-méthyl-2-[4-(4-(2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy)-butoxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (27c) ;
- 55 6-méthyl-2-[4-(5-(2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy)-pentyloxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (27d) ;
- 6-méthyl-2-[4-(6-(2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy)-hexyloxy)-3-méthoxyphényl]-2,3-dihydro-1H-quinazolin-4-one (27e) ;

- 6-méthyl-2-[4-(7-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-heptyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (27f) ;
- 6-méthyl-2-[4-(8-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-octyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (27g) ;
- 5 6-méthyl-2-[4-(9-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-nonyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (27h) ;
- 6-méthyl-2-[4-(10-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-décyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (27i) ;
- 10 6-méthoxy-2-[4-(2-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-éthoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (28a)
- 6-méthoxy-2-[4-(3-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-propoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (28b) ;
- 6-méthoxy-2-[4-(4-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-butoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (28c) ;
- 15 6-méthoxy-2-[4-(5-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-pentyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (28d) ;
- 6-méthoxy-2-[4-(6-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-hexyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (28e) ;
- 6-méthoxy-2-[4-(7-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-heptyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (28f) ;
- 20 6-méthoxy-2-[4-(8-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-octyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (28g) ;
- 6-méthoxy-2-[4-(9-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-nonyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (28h) ;
- 25 6-méthoxy-2-[4-(10-{2,6-diméthoxy-4-[5-(3,4,5-triméthoxy-phényl)-isoxazol-3-yl]-phénoxy}-décyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (28i) ;
- 2-(3-méthoxy-4-(2-(2-méthoxy-5-(3-(3,4,5-triméthoxyphényl)-isoxazol-5-yl)-phénoxy)éthoxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (30a) ;
- 30 2-(3-méthoxy-4-(3-(2-méthoxy-5-(3-(3,4,5-triméthoxyphényl)-isoxazol-5-yl)-phénoxy)propoxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (30b) ;
- 2-(3-méthoxy-4-(4-(2-méthoxy-5-(3-(3,4,5-triméthoxyphényl)-isoxazol-5-yl)-phénoxy)butoxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (30c) ;
- 2-(3-méthoxy-4-(5-(2-méthoxy-5-(3-(3,4,5-triméthoxyphényl)-isoxazol-5-yl)-phénoxy)pentyloxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (30d) ;
- 35 2-(3-méthoxy-4-(6-(2-méthoxy-5-(3-(3,4,5-triméthoxyphényl)-isoxazol-5-yl)-phénoxy)hexyloxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (30e) ;
- 2-(3-méthoxy-4-(7-(2-méthoxy-5-(3-(3,4,5-triméthoxyphényl)-isoxazol-5-yl)-phénoxy)heptyloxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (30f) ;
- 2-(3-méthoxy-4-(8-(2-méthoxy-5-(3-(3,4,5-triméthoxyphényl)-isoxazol-5-yl)-phénoxy)octyloxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (30g) ;
- 40 2-(3-méthoxy-4-(9-(2-méthoxy-5-(3-(3,4,5-triméthoxyphényl)-isoxazol-5-yl)-phénoxy)nonyloxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (30h) ;
- 2-(3-méthoxy-4-(10-(2-méthoxy-5-(3-(3,4,5-triméthoxyphényl)-isoxazol-5-yl)-phénoxy)décyloxy)phényl)-2,3-dihydroquinazolin-4(1H)-one (30i) ;
- 45 6-chloro-2-[3-méthoxy-4-(2-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-éthoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (31a) ;
- 6-chloro-2-[3-méthoxy-4-(3-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-propoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (31b) ;
- 6-chloro-2-[3-méthoxy-4-(4-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-butoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (31c) ;
- 50 6-chloro-2-[3-méthoxy-4-(5-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-pentyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (31d) ;
- 6-chloro-2-[3-méthoxy-4-(6-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-hexyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (31e) ;
- 55 6-chloro-2-[3-méthoxy-4-(7-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-heptyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (31f) ;
- 6-chloro-2-[3-méthoxy-4-(8-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-octyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (31g) ;

6-chloro-2-[3-méthoxy-4-(9-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-nonyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (31h) ;
6-chloro-2-[3-méthoxy-4-(10-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-décyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (31i) ;
5 6-méthyl-2-[3-méthoxy-4-(2-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-éthoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (32a) ;
6-méthyl-2-[3-méthoxy-4-(3-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-propoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (32b) ;
10 6-méthyl-2-[3-méthoxy-4-(4-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-butoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (32c) ;
6-méthyl-2-[3-méthoxy-4-(5-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-pentyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (32d) ;
6-méthyl-2-[3-méthoxy-4-(6-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-hexyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (32e) ;
15 6-méthyl-2-[3-méthoxy-4-(7-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-heptyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (32f) ;
6-méthyl-2-[3-méthoxy-4-(8-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-octyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (32g) ;
20 6-méthyl-2-[3-méthoxy-4-(9-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-nonyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (32h) ;
6-méthyl-2-[3-méthoxy-4-(10-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-décyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (32i) ;
6-méthoxy-2-[3-méthoxy-4-(2-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-éthoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (33a) ;
25 6-méthoxy-2-[3-méthoxy-4-(3-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-propoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (33b) ;
6-méthoxy-2-[3-méthoxy-4-(4-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-butoxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (33c) ;
30 6-méthoxy-2-[3-méthoxy-4-(5-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-pentyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (33d) ;
6-méthoxy-2-[3-méthoxy-4-(6-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-hexyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (33e) ;
6-méthoxy-2-[3-méthoxy-4-(7-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-heptyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (33f) ;
35 6-méthoxy-2-[3-méthoxy-4-(8-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-octyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (33g) ;
6-méthoxy-2-[3-méthoxy-4-(9-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-nonyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (33h) ;
6-méthoxy-2-[3-méthoxy-4-(10-{2-méthoxy-5-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-décyloxy)-phényl]-2,3-dihydro-1H-quinazolin-4-one (33i) ;
40 2-(4-(2-(2,6-diméthoxy-4-(3-(3,4,5-triméthoxyphényl)isoxazol-5-yl)-phénoxy)-éthoxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (34a) ;
2-(4-(3-(2,6-diméthoxy-4-(3-(3,4,5-triméthoxyphényl)isoxazol-5-yl)-phénoxy)-propoxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (34b) ;
45 2-(4-(4-(2,6-diméthoxy-4-(3-(3,4,5-triméthoxyphényl)isoxazol-5-yl)-phénoxy)-butoxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (34c) ;
2-(4-(5-(2,6-diméthoxy-4-(3-(3,4,5-triméthoxyphényl)isoxazol-5-yl)-phénoxy)-pentyloxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (34d) ;
2-(4-(6-(2,6-diméthoxy-4-(3-(3,4,5-triméthoxyphényl)isoxazol-5-yl)-phénoxy)-hexyloxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (34e) ;
50 2-(4-(7-(2,6-diméthoxy-4-(3-(3,4,5-triméthoxyphényl)isoxazol-5-yl)-phénoxy)-heptyloxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (34f) ;
2-(4-(8-(2,6-diméthoxy-4-(3-(3,4,5-triméthoxyphényl)isoxazol-5-yl)-phénoxy)-octyloxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (34g) ; 2-(4-(9-(2,6-diméthoxy-4-(3-(3,4,5-triméthoxyphényl)isoxazol-5-yl)-phénoxy)-nonyloxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (34h) ;
55 2-(4-(10-(2,6-diméthoxy-4-(3-(3,4,5-triméthoxyphényl)isoxazol-5-yl)-phénoxy)-décyloxy)-3-méthoxyphényl)-2,3-dihydroquinazolin-4(1H)-one (34i) ;
6-chloro-2-[4-(2-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-éthoxy)-3-méthoxy-

phényl]-2,3-dihydro-1H-quinazolin-4-one (35a) ;
6-chloro-2-[4-(3-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-propoxy)-3-méthoxy-
phényl]-2,3-dihydro-1H-quinazolin-4-one (35b) ;
6-chloro-2-[4-(4-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-butyloxy)-3-méthoxy-
5 phényl]-2,3-dihydro-1H-quinazolin-4-one (35c) ;
6-chloro-2-[4-(5-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-pentyloxy)-3-méthoxy-
phényl]-2,3-dihydro-1H-quinazolin-4-one (35d) ;
6-chloro-2-[4-(6-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-hexyloxy)-3-méthoxy-
phényl]-2,3-dihydro-1H-quinazolin-4-one (35e) ;
10 6-chloro-2-[4-(7-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-heptyloxy)-3-méthoxy-
phényl]-2,3-dihydro-1H-quinazolin-4-one (35f) ;
6-chloro-2-[4-(8-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-octyloxy)-3-méthoxy-
phényl]-2,3-dihydro-1H-quinazolin-4-one (35g) ;
6-chloro-2-[4-(9-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-nonyloxy)-3-méthoxy-
15 phényl]-2,3-dihydro-1H-quinazolin-4-one (35h) ;
6-chloro-2-[10-(4-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-décyloxy)-3-mé-
thoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (35i) ;
6-méthyl-2-[4-(2-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-éthoxy)-3-méthoxy-
phényl]-2,3-dihydro-1H-quinazolin-4-one (36a) ;
20 6-méthyl-2-[4-(3-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-propoxy)-3-méthoxy-
phényl]-2,3-dihydro-1H-quinazolin-4-one (36b) ;
6-méthyl-2-[4-(4-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-butyloxy)-3-méthoxy-
phényl]-2,3-dihydro-1H-quinazolin-4-one (36c) ;
6-méthyl-2-[4-(5-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-pentyloxy)-3-mé-
25 thoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (36d) ;
6-méthyl-2-[4-(6-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-hexyloxy)-3-méthoxy-
phényl]-2,3-dihydro-1H-quinazolin-4-one (36e) ;
6-méthyl-2-[4-(7-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-heptyloxy)-3-mé-
thoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (36f) ;
30 6-méthyl-2-[4-(8-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-octyloxy)-3-méthoxy-
phényl]-2,3-dihydro-1H-quinazolin-4-one (36g) ;
6-méthyl-2-[4-(9-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-nonyloxy)-3-méthoxy-
phényl]-2,3-dihydro-1H-quinazolin-4-one (36h) ;
6-méthyl-2-[10-(4-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-décyloxy)-3-mé-
35 thoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (36i) ;
6-méthoxy-2-[4-(2-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-éthoxy)-3-méthoxy-
phényl]-2,3-dihydro-1H-quinazolin-4-one (37a) ;
6-méthoxy-2-[4-(3-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-propoxy)-3-mé-
thoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (37b) ;
40 6-méthoxy-2-[4-(4-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-butyloxy)-3-mé-
thoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (37c) ;
6-méthoxy-2-[4-(5-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-pentyloxy)-3-mé-
thoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (37d) ;
6-méthoxy-2-[4-(6-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-hexyloxy)-3-mé-
45 thoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (37e) ;
6-méthoxy-2-[4-(7-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-heptyloxy)-3-mé-
thoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (37f) ;
6-méthoxy-2-[4-(8-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-octyloxy)-3-mé-
thoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (37g) ;
50 6-méthoxy-2-[4-(9-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-nonyloxy)-3-mé-
thoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (37h) ;
6-méthoxy-2-[10-(4-{2,6-diméthoxy-4-[3-(3,4,5-triméthoxy-phényl)-isoxazol-5-yl]-phénoxy}-décyloxy)-3-mé-
thoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (37i) ;
(Z)-2-(3-méthoxy-4-(2-(2-méthoxy-5-(3,4,5-triméthoxystyryl)phénoxy)-éthoxy)-phényl)-2,3-dihydroquinazolin-
55 4(1H)-one (39a) ;
(Z)-2-(3-méthoxy-4-(3-(2-méthoxy-5-(3,4,5-triméthoxystyryl)phénoxy)-propoxy)-phényl)-2,3-dihydroquinazo-
lin-4(1H)-one (39b) ;
(Z)-2-(3-méthoxy-4-(4-(2-méthoxy-5-(3,4,5-triméthoxystyryl)phénoxy)-butoxy)-phényl)-2,3-dihydroquinazolin-

4(1H)-one (39c) ;
 (Z)-2-(3-méthoxy-4-(5-(2-méthoxy-5-(3,4,5-triméthoxystyryl)phénoxy)-pentyloxy)-phényl)-2,3-dihydroquinazo-
 lin-4(1H)-one (39d) ;
 5 (Z)-2-(3-méthoxy-4-(6-(2-méthoxy-5-(3,4,5-triméthoxystyryl)phénoxy)-hexyloxy)-phényl)-2,3-dihydroquinazo-
 lin-4(1H)-one (39e) ;
 (Z)-2-(3-méthoxy-4-(7-(2-méthoxy-5-(3,4,5-triméthoxystyryl)phénoxy)-heptyloxy)-phényl)-2,3-dihydroquinazo-
 lin-4(1H)-one (39f) ;
 (Z)-2-(3-méthoxy-4-(8-(2-méthoxy-5-(3,4,5-triméthoxystyryl)phénoxy)-octyloxy)-phényl)-2,3-dihydroquinazo-
 lin-4(1H)-one (39g) ;
 10 (Z)-2-(3-méthoxy-4-(9-(2-méthoxy-5-(3,4,5-triméthoxystyryl)phénoxy)-nonyloxy)-phényl)-2,3-dihydroquinazo-
 lin-4(1H)-one (39h) ;
 (Z)-2-(3-méthoxy-4-(10-(2-méthoxy-5-(3,4,5-triméthoxystyryl)phénoxy)-décyloxy)-phényl)-2,3-dihydroquina-
 zolin-4(1H)-one (39i) ;
 15 6-chloro-2-[3-méthoxy-4-(2-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-éthoxy)-phényl]-2,3-di-
 hydro-1H-quinazolin-4-one (40a) ;
 6-chloro-2-[3-méthoxy-4-(3-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-propoxy)-phényl]-2,3-
 dihydro-1H-quinazolin-4-one (40b) ;
 6-chloro-2-[3-méthoxy-4-(4-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-butoxy)-phényl]-2,3-di-
 hydro-1H-quinazolin-4-one (40c) ;
 20 6-chloro-2-[3-méthoxy-4-(5-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-pentyloxy)-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (40d) ;
 6-chloro-2-[3-méthoxy-4-(6-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-hexyloxy)-phényl]-2,3-
 dihydro-1H-quinazolin-4-one (40e) ;
 6-chloro-2-[3-méthoxy-4-(7-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-heptyloxy)-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (40f) ;
 25 6-chloro-2-[3-méthoxy-4-(8-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-octyloxy)-phényl]-2,3-
 dihydro-1H-quinazolin-4-one (40g) ;
 6-chloro-2-[3-méthoxy-4-(9-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-nonyloxy)-phényl]-2,3-
 dihydro-1H-quinazolin-4-one (40h) ;
 30 6-chloro-2-[3-méthoxy-4-(10-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-décyloxy)-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (40i) ;
 6-méthyl-2-[3-méthoxy-4-(2-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-éthoxy)-phényl]-2,3-
 dihydro-1H-quinazolin-4-one (41a) ;
 35 6-méthyl-2-[3-méthoxy-4-(3-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-propoxy)-phényl]-2,3-
 dihydro-1H-quinazolin-4-one (41b) ;
 6-méthyl-2-[3-méthoxy-4-(4-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-butoxy)-phényl]-2,3-
 dihydro-1H-quinazolin-4-one (41c) ;
 6-méthyl-2-[3-méthoxy-4-(5-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-pentyloxy)-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (41d) ;
 40 6-méthyl-2-[3-méthoxy-4-(6-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-hexyloxy)-phényl]-2,3-
 dihydro-1H-quinazolin-4-one (41e) ;
 6-méthyl-2-[3-méthoxy-4-(7-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-heptyloxy)-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (41f) ;
 45 6-méthyl-2-[3-méthoxy-4-(8-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-octyloxy)-phényl]-2,3-
 dihydro-1H-quinazolin-4-one (41g) ;
 6-méthyl-2-[3-méthoxy-4-(9-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-nonyloxy)-phényl]-2,3-
 dihydro-1H-quinazolin-4-one (41h) ;
 6-méthyl-2-[3-méthoxy-4-(10-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-décyloxy)-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (41i) ;
 50 6-méthoxy-2-[3-méthoxy-4-(2-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-éthoxy)-phényl]-2,3-
 dihydro-1H-quinazolin-4-one (42a) ;
 6-méthoxy-2-[3-méthoxy-4-(3-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-propoxy)-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (42b) ;
 6-méthoxy-2-[3-méthoxy-4-(4-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-butoxy)-phényl]-2,3-
 dihydro-1H-quinazolin-4-one (42c) ;
 55 6-méthoxy-2-[3-méthoxy-4-(5-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-pentyloxy)-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (42d) ;
 6-méthoxy-2-[3-méthoxy-4-(6-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-hexyloxy)-phényl]-

- 2,3-dihydro-1H-quinazolin-4-one (42e) ;
 6-méthoxy-2-[3-méthoxy-4-(7-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-heptyloxy)-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (42f) ;
 6-méthoxy-2-[3-méthoxy-4-(8-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-octyloxy)-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (42g) ;
 6-méthoxy-2-[3-méthoxy-4-(9-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-nonyloxy)-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (42h) ;
 6-méthoxy-2-[3-méthoxy-4-(10-{2-méthoxy-5-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-décyloxy)-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (42i) ;
 (Z)-2-(4-(2-(2,6-diméthoxy-4-(3,4,5-triméthoxystyryl)phénoxy)-éthoxy)-3-méthoxy-phényl)-2,3-dihydroquina-
 zolin-4(1H)-one (43a) ;
 (Z)-2-(4-(3-(2,6-diméthoxy-4-(3,4,5-triméthoxystyryl)phénoxy)-propoxy)-3-méthoxy-phényl)-2,3-dihydroquina-
 zolin-4(1H)-one (43b) ;
 (Z)-2-(4-(4-(2,6-diméthoxy-4-(3,4,5-triméthoxystyryl)phénoxy)-butoxy)-3-méthoxy-phényl)-2,3-dihydroquina-
 zolin-4(1H)-one (43c) ;
 (Z)-2-(4-(5-(2,6-diméthoxy-4-(3,4,5-triméthoxystyryl)phénoxy)-pentyoxy)-3-méthoxy-phényl)-2,3-dihydroqui-
 nazolin-4(1H)-one (43d) ;
 (Z)-2-(4-(6-(2,6-diméthoxy-4-(3,4,5-triméthoxystyryl)phénoxy)-hexyloxy)-3-méthoxy-phényl)-2,3-dihydroqui-
 nazolin-4(1H)-one (43e) ;
 (Z)-2-(4-(7-(2,6-diméthoxy-4-(3,4,5-triméthoxystyryl)phénoxy)-heptyloxy)-3-méthoxy-phényl)-2,3-dihydroqui-
 nazolin-4(1H)-one (43f) ;
 (Z)-2-(4-(8-(2,6-diméthoxy-4-(3,4,5-triméthoxystyryl)phénoxy)-octyloxy)-3-méthoxy-phényl)-2,3-dihydroquina-
 zolin-4(1H)-one (43g) ;
 (Z)-2-(4-(9-(2,6-diméthoxy-4-(3,4,5-triméthoxystyryl)phénoxy)-nonyloxy)-3-méthoxy-phényl)-2,3-dihydroqui-
 nazolin-4(1H)-one (43h) ;
 (Z)-2-(4-(10-(2,6-diméthoxy-4-(3,4,5-triméthoxystyryl)phénoxy)-décyloxy)-3-méthoxy-phényl)-2,3-dihydroqui-
 nazolin-4(1H)-one (43i) ;
 6-chloro-2-[4-(2-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-éthoxy)-3-méthoxy-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (44a) ;
 6-chloro-2-[4-(3-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-propoxy)-3-méthoxy-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (44b) ;
 6-chloro-2-[4-(4-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-butoxy)-3-méthoxy-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (44c) ;
 6-chloro-2-[4-(5-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-pentyloxy)-3-méthoxy-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (44d) ;
 6-chloro-2-[4-(6-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-hexyloxy)-3-méthoxy-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (44e) ;
 6-chloro-2-[4-(7-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-heptyloxy)-3-méthoxy-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (44f) ;
 6-chloro-2-[4-(8-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-octyloxy)-3-méthoxy-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (44g) ;
 6-chloro-2-[4-(9-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-nonyloxy)-3-méthoxy-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (44h) ;
 6-chloro-2-[4-(10-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-décyloxy)-3-méthoxy-phé-
 nyl]-2,3-dihydro-1H-quinazolin-4-one (44i) ;
 6-méthyl-2-[4-(2-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vi-
 nyl]-phénoxy)-éthoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (45a) ;
 6-méthyl-2-[4-(3-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-propoxy)-3-méthoxy-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (45b) ;
 6-méthyl-2-[4-(4-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-butoxy)-3-méthoxy-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (45c) ;
 6-méthyl-2-[4-(5-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-pentyloxy)-3-méthoxy-phé-
 nyl]-2,3-dihydro-1H-quinazolin-4-one (45d) ;
 6-méthyl-2-[4-(6-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-hexyloxy)-3-méthoxy-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (45e) ;
 6-méthyl-2-[4-(7-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-heptyloxy)-3-méthoxy-phé-
 nyl]-2,3-dihydro-1H-quinazolin-4-one (45f) ;
 6-méthyl-2-[4-(8-(2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy)-octyloxy)-3-méthoxy-phényl]-
 2,3-dihydro-1H-quinazolin-4-one (45g) ;

6-méthyl-2-[4-(9-{2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-nonyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (45h)

6-méthyl-2-[4-(10-{2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-décyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (45i)

5 6-méthoxy-2-[4-(2-{2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-éthoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (46a)

6-méthoxy-2-[4-(3-{2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-propoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (46b)

10 6-méthoxy-2-[4-(4-{2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-butoxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (46c)

6-méthoxy-2-[4-(5-{2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-pentyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (46d)

6-méthoxy-2-[4-(6-{2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-hexyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (46e)

15 6-méthoxy-2-[4-(7-{2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-heptyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (46f)

6-méthoxy-2-[4-(8-{2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-octyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (46g) ;

20 6-méthoxy-2-[4-(9-{2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-nonyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (46h) et

6-méthoxy-2-[4-(10-{2,6-diméthoxy-4-[2-(3,4,5-triméthoxy-phényl)-vinyl]-phénoxy}-décyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one (46i).

4. Hybrides de dihydroquinazolinone liée à l'isoxazole / isoxazoline / combrétastatine selon la revendication 1 dans
25 lesquels les formules structurales des composés représentatifs sont :

30

35


40

45


50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50


55




5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5
10
15
20
25
30
35
40
45
50
55




5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5
10
15
20
25
30
35
40
45
50
55




5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35




40



45




50




55


5




10




15




20




25




30




35



40




45




50

55


5




10




15




20




25




30




35



40



45



50


55

5. Hybrides de dihydroquinazolinone liée à l'isoxazole / isoxazoline / combrétastatine de formules générales A, selon la revendication 1 pour utilisation en tant qu'agents antitumoraux.

6. Procédé de préparation d'hybrides de dihydroquinazolinone liée à l'isoxazole / isoxazoline / combrétastatine de formules générales A

5

10




$n = 1-9$

Formule A

15

où G =

20




ou

25

ou

30




ou

35

ou

40



Si R = 3-OCH₃, R₁ = 5-OCH₃

Si R = 4-OCH₃, R₁ = 5-H

X = H, Cl, CH₃, OCH₃


45

ledit procédé comprenant











la réaction de 2-[4-(n-bromo-alkyloxy)-3-méthoxy-phényl]-2,3-dihydro-1H-quinazolin-4-one of formula 2.

50

55



avec les composés de formules **1a**, **1b**, **11a**, **11b**, **20a**, **20b**, **29a**, **29b**, **38a**, **38b**



30

35

respectivement dans un solvant organique miscible dans l'eau aprotique en présence d'une base inorganique légère anhydre à une température de 30 °C pendant une période d'environ 24 à 48 heures, suivie par l'élimination de la base inorganique par filtration et évaporation du solvant organique pour obtenir le produit brut résultant et purification de celui-ci par chromatographie sur colonne pour obtenir les produits souhaités de formules **3a-i** à **6a-i**, **7a-i** à **10a-i**, **12a-i** à **15a-i**, **16a-i** à **19a-i**, **21a-i** à **24a-i**, **25a-i** à **28a-i**, **30a-i** à **33a-i**, **34a-i** à **37a-i** et **39a-i** à **42a-i**, **43a-i** à **46a-i** respectivement.

- 40
- 45
7. Procédé selon la revendication 6, dans lequel le solvant organique miscible dans l'eau aprotique est choisi dans le groupe constitué des diméthylformamide, acétone, acétonitrile et diméthylsulfoxyde.
8. Procédé selon la revendication 6, dans lequel la base inorganique faible anhydre est choisie dans le groupe constitué du carbonate de sodium et du carbonate de potassium.

50

55

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Non-patent literature cited in the description

- **YALE HL ; KALKSTEIN M.** Substituted 2,3-dihydro-4(1H)-quinazolinones, a new class of inhibitors of cell multiplication. *J Med Chem*, 1967, vol. 10, 334-336 [0003]
- **NEIL, G. L. ; LI, L. H. ; BUSKIRK, H. H. ; MOXLICY, T. E.** *Cancer Chemother.*, 1972, vol. 56, 163-173 [0003]
- **HAMEL, E. ; LIN, C. M. ; PLOWMAN, J. ; WANG, H. K. ; LEE, K. H. ; PAULL, K. D.** Antitumor 2,3-dihydro-2-(aryl)-4(1H)-quinazolinone derivatives. Interactions with tubulin. *Biochem. Pharmacol.*, 1996, vol. 51, 53-59 [0003]
- **SIMONI, D. ; GRISOLIA, G. ; GIANNINI, G. ; ROBERTI, M. ; RONDANIN, R. ; PICCAGLI, L. ; BARUCHELLO, R. ; ROSSI, M. ; ROMAGNOLI, R. ; INVIDIATA, F. P.** *J. Med. Chem.*, 2005, vol. 48, 723 [0003] [0010]
- **JULIA KAFFY ; RENE'E PONTIKIS ; DANIE'LE CARREZ ; ALAIN CROISY ; CLAUDE MONNERETA ; JEAN-CLAUDE FLORENT.** *Bioorg. Med. Chem.*, 2006, vol. 14, 4067-4077 [0003]
- **GIAN CEASURE TRON ; TRACY PIRALI ; GIOVANNI SORBA ; SARA BUASACCA ; ARMADO A.GENAZZANI.** Francesca pagliai. *J. Med. Chem.*, 2006, vol. 49, 3033-3044 [0003]
- **TRACEY PIRALI ; SARA BUASACCA ; LORENA BELTRAMI ; DANIELA IMOVILLI ; FRANCESCA PALIAI ; GIANLUCA MIGILIO ; ALBERTO MASSROTTI ; LUISELLA VEROTTA ; GIAN CESARE TRON ; GIOVANNI SORBA.** *J. Med. Chem.*, 2006, vol. 49, 5372-5376 [0003]
- **MANN-JEN HOUR ; LI-JIAU HUANG ; SHENG-CHU KUO ; YI XIA ; KENNETH BASTOW ; YUKA NAKANISHI ; ERNEST HAMEL ; KUO-HSIUNG LEE.** *J. Med. Chem.*, 2000, vol. 43, 4479-4487 [0010]
- **JULIA KAFFY ; RENE'E PONTIKIS ; DANIELE CARREZ ; ALAIN CROISY ; CLAUDE MONNERET ; JEAN-CLAUDE FLORENT.** *Bioorg. Med. Chem.*, 2006, vol. 14, 4067-4077 [0010]