



(11) **EP 2 351 742 A8**

(12) **CORRECTED EUROPEAN PATENT APPLICATION**
published in accordance with Art. 153(4) EPC

(15) Correction information:
Corrected version no 1 (W1 A1)
Corrections, see
Bibliography INID code(s) 43

(51) Int Cl.:
C07D 231/56 (2006.01) **A61K 31/416** (2006.01)
A61P 13/10 (2006.01) **A61P 43/00** (2006.01)

(48) Corrigendum issued on:
21.09.2011 Bulletin 2011/38

(86) International application number:
PCT/JP2009/066895

(43) Date of publication:
03.08.2011 Bulletin 2011/31

(87) International publication number:
WO 2010/041568 (15.04.2010 Gazette 2010/15)

(21) Application number: **09819103.4**

(22) Date of filing: **29.09.2009**

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL
PT RO SE SI SK SM TR

• **MORIMOTO Akifumi**
Tokyo 101-8101 (JP)
• **WADA Yasuhiro**
Tokyo 101-8101 (JP)

(30) Priority: **09.10.2008 US 104024**

(74) Representative: **Forstmeyer, Dietmar et al**
BOETERS & LIECK
Oberanger 32
80331 München (DE)

(71) Applicant: **Asahi Kasei Pharma Corporation**
Tokyo 101-8101 (JP)

(72) Inventors:
• **NAKANO Seiji**
Tokyo 101-8101 (JP)

(54) **INDAZOLE DERIVATIVE**

(57) Compounds represented by the Formula (A-1) and the Formula (1) or salt thereof are provided. The compounds represented by the Formula (A-1) and the Formula (1) or salt thereof have a β 3 adrenergic receptor agonist activity, and therefore are useful as an agent for the prevention and treatment of diabetes, obesity, hyper-

lipidemia, depression, biliary stone, a disorder derived from hyperactivity of biliary tract, a disorder derived from hyperactivity of digestive tract, interstitial cystitis, overactive bladder, urinary incontinence or a disorder derived from decreased tear secretion, etc.

EP 2 351 742 A8