



(12) **CORRECTED EUROPEAN PATENT APPLICATION**

(15) Correction information:
Corrected version no 1 (W1 A1)
Corrections, see
Bibliography INID code(s) 71

(51) Int Cl.:
H04L 29/14 (2006.01) H04L 29/08 (2006.01)

(48) Corrigendum issued on:
19.09.2012 Bulletin 2012/38

(43) Date of publication:
04.07.2012 Bulletin 2012/27

(21) Application number: **11193561.5**

(22) Date of filing: **14.12.2011**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR
Designated Extension States:
BA ME

- **Dunne, Cameron Ross**
County Kildare (IE)
- **McCann, Fergus**
Dublin, 12 (IE)
- **O'Sullivan, Michael**
Dublin, 12 (IE)
- **Byrne, Niall**
Dublin, 12 (IE)
- **Hogan, Joe**
County Dublin (IE)

(30) Priority: **16.12.2010 US 201061423986 P**
07.06.2011 US 201161494300 P
01.12.2011 US 201113309383

(71) Applicant: **Openet Telecom Ltd.**
12 Dublin (IE)

(74) Representative: **Kelly, Madeleine**
FRKelly
27 Clyde Road
Ballsbridge
Dublin 4 (IE)

(72) Inventors:
• **McNamee, Alan**
Dublin, 9 (IE)

(54) **Methods, systems and devices for horizontally scalable high-availability dynamic context-based routing**

(57) Methods, servers and systems for communicating information in networks enable efficient expansion while maintaining high-availability. A first message associated with an entity may be received on a first server. An operation may be performed on certain information included in the first message associated with the entity to identify a first data repository in which information associated with the first message or the entity is to be stored. Information extracted from the first message may be stored in the identified first data repository. When a second message associated with the entity is received, the same operation may be performed on the same certain information included in the second message to identify the first data repository in which information associated with the first message or the entity is stored. The information related to the first message or the entity from the first data repository may then be used.




FIG. 17B