



(12) **CORRECTED EUROPEAN PATENT APPLICATION**

(15) Correction information:
Corrected version no 1 (W1 A1)
Corrections, see
Bibliography INID code(s) 72

(51) Int Cl.:
E04B 1/76 (2006.01) **E04B 1/80 (2006.01)**
E04F 13/04 (2006.01) **E04F 13/08 (2006.01)**

(48) Corrigendum issued on:
20.02.2013 Bulletin 2013/08

(43) Date of publication:
12.09.2012 Bulletin 2012/37

(21) Application number: **11425054.1**

(22) Date of filing: **07.03.2011**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR
Designated Extension States:
BA ME

(72) Inventor: **Pederini, Enrico Maria**
42020 Quattro Castella (Prov. of Reggio Emilia) (IT)

(74) Representative: **Modiano, Micaela Nadia et al**
Modiano & Partners (IT)
Via Meravigli, 16
20123 Milano (IT)

(71) Applicant: **Isolbau Compositi SRL**
41011 Campogalliano (Prov. of Modena) (IT)

(54) **Prefabricated insulation panel, particularly for covering buildings, and associated production method**

(57) A prefabricated insulation panel, particularly for covering buildings, that comprises a base slab (2) made of insulating material and a covering slab (3) made of fibrous material. The two slabs (2, 3) which are substantially quadrangular are connected to each other and respectively define, on two opposing faces (4, 5), which are not connected to each other, a laying surface (6) and a visible surface (7).

Furthermore, the panel (1) perimetrically is provided

with a plurality of lowered band portions (8) which have a substantially smaller thickness than that of the remaining central portion (9) of the panel (1).

The peculiarity of the invention consists in that the panel (1) comprises at least two non-consecutive band portions (10) which have at least one guide (11) that runs along the entire length of the panel (1). The covering slab (3) is provided, on the visible surface (7), with at least one first gripping layer (12).

