



(11) **EP 2 639 105 A8**

(12) **CORRECTED EUROPEAN PATENT APPLICATION**
published in accordance with Art. 153(4) EPC

(15) Correction information:
Corrected version no 1 (W1 A1)
Corrections, see
Bibliography INID code(s) 72

(51) Int Cl.:
B60Q 1/08 (2006.01)

(86) International application number:
PCT/JP2010/070229

(48) Corrigendum issued on:
13.11.2013 Bulletin 2013/38

(87) International publication number:
WO 2012/063365 (18.05.2012 Gazette 2012/20)

(43) Date of publication:
18.09.2013 Bulletin 2013/38

(21) Application number: **10859479.7**

(22) Date of filing: **12.11.2010**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR

(72) Inventors:
• **TANAKA, Seiichi**
Toyota-shi, Aichi-ken, 471-8571 (JP)
• **FUJIYOSHI, Satoshi**
Toyota-shi, Aichi-ken, 471-8571 (JP)

(71) Applicant: **TOYOTA JIDOSHA KABUSHIKI**
KAISHA
Toyota-shi, Aichi-ken, 471-8571 (JP)


(74) Representative: **Kuhnen & Wacker**
Patent- und Rechtsanwaltsbüro
Prinz-Ludwig-Straße 40A
85354 Freising (DE)

(54) **VEHICULAR LIGHT DISTRIBUTION CONTROL SYSTEM AND VEHICULAR LIGHT DISTRIBUTION CONTROL METHOD**

(57) A vehicular light distribution control system (100) which controls a light distribution of headlights (3) includes a vehicle detecting part (10) which detects an anterior vehicle driving in front of an occupant's vehicle, an unirradiated region setting part (12) which sets a region where the anterior vehicle detected by the vehicle detecting part (10) exists as an unirradiated region, a

vehicle motion estimating part (13) which estimates an ensuing motion of the anterior vehicle detected by the vehicle detecting part (10), and an unirradiated region adjusting part (14) which adjusts a size of the unirradiated region set by the unirradiated region setting part (12) depending on an estimated result of the vehicle motion estimating part (13).

FIG.1



EP 2 639 105 A8