(19) Europäisches Patentamt
European Patent Office
Office européen des brevets

(11) EP 2 749 189 A1

(12) EUROPEAN PATENT APPLICATION

(43) Date of publication:
02.07.2014 Bulletin 2014/27

(51) Int Cl.:
A47G 21/16 *(2006.01)* ***A41B 13/10*** *(2006.01)*
A45D 44/08 *(2006.01)*

(21) Application number: **12384007.6**

(22) Date of filing: **31.12.2012**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR
Designated Extension States:
BA ME

(71) Applicant: **Torres Granel, Silvia**
08012 Barcelona (ES)

(72) Inventors:
- **Torres Granel, Silvia**
  08012 Barcelona (ES)
- **The other inventor has agreed to waive his entitlement to designation.**

(54) Textile dining product using neodymium magnets for fastening

(57) 1. Diner textile product (1) which features means for its knotting, characterized by the fact that the means for its knotting use two or more magnets (2).


2. Diner textile product (1) according to claim 1, whose magnets (2) are placed within the seam (3) of a hemline made on the edges of the textile product (1).

3. Diner textile product (1), according to any preceding claim, the magnets (2) are placed at the ends of a curved zone (5) expected to be worn around the user's neck.

4. Dining room textile product (1) ,according to claim 1 or 2, with magnets (2) in the ends of a shortened cord.

5. Diner textile product (1), according to any preceding claim, it has magnets made of neodymium.

FIG. 3



EP 2 749 189 A1

Description

[0001] Dining textile product.

[0002] The present invention relates to a textile product Dining, ie napkins, bibs Adult, bibs Child or Bibs geriatric are placed around the neck to protect clothing against accidental stains.

Background of the Invention

[0003] To prevent accidental staining is common to use napkins and bibs are knotted around Diner neck.

[0004] In the napkins, tying is usually done simply tying two corners forming a knot, and that do not have any element for knotting. The realization of this knotted is not particularly easy for the napkin
is correctly positioned, not too tightly or it is too loose.

[0005] In the case of napkins, it can also be a inconvenience the type of clothing that uses the diner, due to the type of neck dress, eg shirts.

[0006] For bibs, usually comprise laces to be tied together around neck. These cords are not easy to use for of children and the elderly, so that in practice requires the intervention of an adult responsible for the placement of said bibs. There also have media bibs knotted which are easier to place, for example Velcro or snaps. The velcro has The main drawback of the hair can stay tangled knots when the bib, and brooches
precision pressure required to place one on the other and fixed to pressure, which can be uncomfortable.

[0007] Therefore, it is evident the need for a product whose knotted textile dining a breeze and who can make themselves diners, even if they are children or elderly people.

DISCLOSURE OF INVENTION

[0008] With the textile product of the invention are achieved solve the above drawbacks, presenting
other advantages to be described.

[0009] The dining textile product of the present invention comprises means for knotting, characterized
by the fact that said means for knotted textile product comprising two or more magnets. Advantageously, this magnets are located inside a hem seam made in the edges of the textile product.

[0010] For bibs, said magnets may be placed at the ends of a curved intended to be placed around the neck of user or inside the shortened ends laces.

[0011] According to a preferred embodiment, said magnets are neodymium magnets, and its dimensions and thicknesses are as textile product design.

[0012] To facilitate the separation of the magnets and untie the textile, enough to simply throw it.

[0013] The main advantage of the textile product of the present invention is that it can tie and untie easily, even for people who can cost make a knot, such as children or elderly.

[0014] In the case of the napkins, the textile product presents a solution to the problems of clothing. The diner can get the napkin regardless of your wardrobe.

[0015] Another advantage is that said magnets can also be use for folding textile product, being well together. Also, if you place a covered on the textile product, the covered is retained by said magnets.

DESCRIPTION OF THE DRAWINGS

[0016] For better understanding of the foregoing some drawings are attached in which, schematically and only by way of non limiting example, are represents a practical embodiment of napkin and one bib.

Figure 1 shows a textile dining of the present invention in a first embodiment, which in this case is a napkin.
Figure 2 shows a textile dining of the present invention in a second embodiment, which in this case is a bib, and
Figure 3 shows a detail of the means of bib magnetic knotted shown in Figure 2.

Description of a Preferred Embodiment

[0017] Figure 1 shows a first embodiment Textile product of the present invention.

[0018] In this first embodiment, the textile product 1 is a napkin comprising a magnet 2 in its corners upper left and right. These magnets 2 are placed inside hem seam 3 formed at the edges of the napkin 1.

[0019] These magnets are preferably magnets 2 neodymium circular with a diameter of 12 mm and a approximately 2 mm thick, although clearly that magnets can have any configuration adequate.

[0020] The main function is to allow the magnets 2 Textile product 1 knot around the neck of a diner. To do this, you simply need to hold the or textile napkin 1 in two of its corners, passing said corners behind the neck of the diner so that said corners are superposed together.

[0021] In Figures 2 and 3 shows a second 1 embodiment of the textile product of the present invention, in this case a bib, which can be child adult or geriatric.

[0022] For simplicity in the description of this second embodiment remain the same reference numerals to indicate the same elements that in the first embodiment described with reference to Figure 1.

[0023] In this case, the bib has a curved 5 that in the position of use is hereby placed bib around the neck of the diner.

[0024] At the ends of said bent portion 5 are positioned magnets preferably two to tie or attach the bib around the neck of the diner.

[0025] Also in this case, magnets 2 are preferably placed inside seam 3 hem formed at the edges of the napkin 1.

[0026] The dimensions and material of the magnets

are preferably the same as the magnets described above, although may have any suitable dimensions and be any suitable magnetic material.

[0027] How to tie and untie the bib is identical to that described above with reference to the first embodiment.

[0028] Although reference has been made to an embodiment concrete of the invention is evident to one skilled in the art that the textile product described is susceptible to numerous variations and modifications, and that all the details mentioned can be replaced with other technically equivalent without departing from the scope of protection defined by the appended claims.

Claims

1. Dining textile product (1), comprising means for knotting, **characterized by** the fact that said means for tying the textile product comprising two or more magnets (2).

2. Product textile dining (1) according to claim 1, wherein said magnets (2) are located on inside her sewing a hem (3), performed at the edges of the textile products (1).

3. Dining textile product (Figure 1) according to any preceding claim, wherein said magnets (2) are positioned at the ends of a curved region (5) provided for placement around the neck of the user.

4. Product textile dining (1) according to claim 1 or 2, wherein said magnets (2) are shortened at the ends of laces.

5. Product textile Dining 81) according to any preceding claim, wherein said magnets (2) are neodymium magnets.

FIG. 1




FIG. 2





FIG. 3



Europäisches Patentamt
European Patent Office
Office européen des brevets

EUROPEAN SEARCH REPORT

Application Number
EP 12 38 4007

DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	US 2010/306895 A1 (TAGATZ ROBERT [US]) 9 December 2010 (2010-12-09) * paragraph [0021] - paragraph [0049]; figures *	1-5	INV. A47G21/16 A41B13/10 A45D44/08
X	US 2012/005800 A1 (MILMAN APRIL ROBIN [US]) 12 January 2012 (2012-01-12) * paragraph [0017] - paragraph [0037]; figures *	1-5	
X	US 2011/179543 A1 (YOO YOUNG RAN [US]) 28 July 2011 (2011-07-28) * paragraph [0030] - paragraph [0047]; figures *	1-5	
X	US 2010/275419 A1 (MILLUS CHRISTIAN A [US]) 4 November 2010 (2010-11-04) * paragraph [0020] - paragraph [0037]; figures *	1,2,5	
X	DE 75 34 012 U (LÜBBERS) 25 March 1976 (1976-03-25) * the whole document *	1-5	TECHNICAL FIELDS SEARCHED (IPC) A47G A41B A45D A47K
X	DE 20 2008 003081 U1 (WITZANY GUENTHER [AT]) 20 May 2009 (2009-05-20) * paragraph [0016] - paragraph [0030]; figures *	1-5	
X	FR 2 787 301 A1 (ANDREX ETS [FR]) 23 June 2000 (2000-06-23) * page 3, line 22 - page 4, line 23; figures *	1-5	
X	US 6 412 116 B1 (CLARK WAYNE [US]) 2 July 2002 (2002-07-02) * column 2, line 34 - column 4, line 16; figures *	1-5	

-/--

The present search report has been drawn up for all claims

Place of search	Date of completion of the search	Examiner
The Hague	26 April 2013	Vistisen, Lars

CATEGORY OF CITED DOCUMENTS

X : particularly relevant if taken alone
Y : particularly relevant if combined with another document of the same category
A : technological background
O : non-written disclosure
P : intermediate document

T : theory or principle underlying the invention
E : earlier patent document, but published on, or after the filing date
D : document cited in the application
L : document cited for other reasons

& : member of the same patent family, corresponding document

EPO FORM 1503 03.82 (P04C01)

Europäisches Patentamt
European Patent Office
Office européen des brevets

EUROPEAN SEARCH REPORT

Application Number
EP 12 38 4007

DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	US 7 788 735 B1 (FOULKS THOMAS L [US]) 7 September 2010 (2010-09-07) * column 6, line 8 - column 8, line 26; figures *	1-5	
X	US 2012/047618 A1 (PHILLIPS TONI LYONS [US]) 1 March 2012 (2012-03-01) * paragraph [0056] - paragraph [0068]; figures *	1-5	
			TECHNICAL FIELDS SEARCHED (IPC)

The present search report has been drawn up for all claims

Place of search	Date of completion of the search	Examiner
The Hague	26 April 2013	Vistisen, Lars

CATEGORY OF CITED DOCUMENTS

X : particularly relevant if taken alone
Y : particularly relevant if combined with another document of the same category
A : technological background
O : non-written disclosure
P : intermediate document

T : theory or principle underlying the invention
E : earlier patent document, but published on, or after the filing date
D : document cited in the application
L : document cited for other reasons

& : member of the same patent family, corresponding document

EPO FORM 1503 03.82 (P04C01)

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO. EP 12 38 4007

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

26-04-2013

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2010306895 A1	09-12-2010	NONE	
US 2012005800 A1	12-01-2012	NONE	
US 2011179543 A1	28-07-2011	NONE	
US 2010275419 A1	04-11-2010	NONE	
DE 7534012 U	25-03-1976	NONE	
DE 202008003081 U1	20-05-2009	AT 10417 U1 CZ 19461 U1 DE 202008003081 U1	15-03-2009 01-04-2009 20-05-2009
FR 2787301 A1	23-06-2000	NONE	
US 6412116 B1	02-07-2002	CA 2398593 A1 US 6412116 B1	28-02-2003 02-07-2002
US 7788735 B1	07-09-2010	NONE	
US 2012047618 A1	01-03-2012	NONE	

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82