



(11) **EP 2 752 740 A8**

(12) **CORRECTED EUROPEAN PATENT APPLICATION**
published in accordance with Art. 153(4) EPC

(15) Correction information:
Corrected version no 1 (W1 A1)
Corrections, see
Bibliography INID code(s) 22

(51) Int Cl.:
G06F 3/041 (2006.01)

(86) International application number:
PCT/CN2012/083876

(48) Corrigendum issued on:
13.08.2014 Bulletin 2014/33

(87) International publication number:
WO 2014/067110 (08.05.2014 Gazette 2014/19)

(43) Date of publication:
09.07.2014 Bulletin 2014/28

(21) Application number: **12876594.8**

(22) Date of filing: **31.10.2012**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR

(72) Inventor: **WU, Lei**
Shenzhen
Guangdong 518129 (CN)

(71) Applicant: **Huawei Device Co., Ltd.**
Shenzhen, Guangdong 518129 (CN)

(74) Representative: **Pfenning, Meinig & Partner GbR**
Patent- und Rechtsanwälte
Theresienhöhe 13
80339 München (DE)

(54) **DRAWING CONTROL METHOD, APPARATUS AND MOBILE TERMINAL**

(57) In a drawing control method, an apparatus, and a terminal provided in the embodiments, a gesture track input by a user is detected, where the gesture track is a gesture track generated in a process in which the user controls non-contact movement of an input device relative to a display screen, then first attribute information about the gesture track is acquired, and then the gesture track is recognized according to a preset rule and the first attribute information about the gesture track, so as to acquire second attribute information about the gesture track, and finally the gesture track is presented according to the second attribute information about the gesture track; in this manner, part of feature information required for presenting the track is carried in the first attribute information about the gesture track, and therefore, it is avoided that the user frequently manually switches all kinds of options to implement the input of the gesture track, thereby solving a problem of the complexity in drawing operations.




FIG. 1

EP 2 752 740 A8