



(11) **EP 2 796 777 A8**

(12) **CORRECTED EUROPEAN PATENT APPLICATION**

(15) Correction information:
Corrected version no 1 (W1 A1)
Corrections, see
Bibliography INID code(s) 71, 72

(51) Int Cl.:
F21V 5/04 ^(2006.01) **F21V 7/00** ^(2006.01)

(48) Corrigendum issued on:
25.02.2015 Bulletin 2015/09

(43) Date of publication:
29.10.2014 Bulletin 2014/44

(21) Application number: **14166063.9**

(22) Date of filing: **25.04.2014**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR
Designated Extension States:
BA ME

(30) Priority: **26.04.2013 TW 102207633 U**

(71) Applicant: **Chou, Huan-chiu**
Keelung 206 (TW)

(72) Inventor: **Chou, Huan-chiu**
Keelung 206 (TW)

(74) Representative: **Sun, Yiming**
HUASUN Patent- und Rechtsanwälte
Friedrichstraße 33
80801 München (DE)

(54) **A reflective cup-shaped lamp**

(57) This invention is related to a reflective cup-shaped lamp 10 to connect a light-emitting diode 2. The reflective cup-shaped lamp 10 comprises a lens unit 12, a fixing unit 14, a housing 16 and an electrical-connection unit 4. The lens unit 12 reflects the beam of light from the light-emitting diode 2 to the interior surface of the housing 16, and the beam of the light then is emitted from the interior surface to the exterior of the reflective cup-shaped lamp 10. The light-emitting diode 2 is held between the lens unit 12 and the fixing unit 14. The housing 16 further comprises a body 164, a holding part 166, an

emitting part 168 and a bottom 1610. The emitting part is at one end of the body and the bottom 1610 is at the other end of the body. The holding part 166 is configured in the housing, wherein the interior surface of the body is coated by a reflective layer 162. The holding part accommodates the fixing unit 14 and holds the fixing unit onto the housing. The electrical-connection unit 18 is provided to hold the driving circuit, wherein a voltage generated by the driving circuit is output to the fixing unit from the bottom.

EP 2 796 777 A8