



(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
29.04.2015 Bulletin 2015/18

(51) Int Cl.:
A44B 11/25 (2006.01)

(43) Date of publication A2:
18.03.2015 Bulletin 2015/12

(21) Application number: **14152118.7**

(22) Date of filing: **22.01.2014**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR
Designated Extension States:
BA ME

(72) Inventor: **Tsai, Hai Pin**
Hong Kong (CN)

(74) Representative: **Jeannet, Olivier**
JEANNET & Associés
26 Quai Claude Bernard
69007 Lyon (FR)

(30) Priority: **13.09.2013 CN 201310417251**

(71) Applicant: **Tsai, Hai Pin**
Hong Kong (CN)

Remarks:

Missing drawings filed in accordance with Rule 56(3) EPC.

(54) **A split type hanging buckle**

(57) A split type hanging buckle, comprising a hanging buckle main body (1) and a connection part (2); wherein a buckle base (10), in which a buckling cavity (11) is formed, is arranged on the hanging buckle main body (1), and opening of the buckling cavity (11) is divided into an inserting segment (12) and a buckling segment (13) that are connected with each other; aperture of the buckling segment (13) is less than that of the inserting segment (12), and a clamping neck is formed at the position where the inserting segment (12) is connected with the buckling segment (13); aperture of the clamping neck is equal to that of the buckling segment (13), at least one side of the clamping neck is provided with an elastic clamping key (14); two sides of the clamping neck are located between two elastic clamping keys (14), or distance from one elastic key (14) to the other side of the relevant clamping neck is less than the aperture of the buckling segment (13); an inserting shaft (20) is arranged on the connection part (2), and diameter of the inserting shaft (20) is smaller than or equal to the aperture of the buckling segment (13) and greater than aperture of the clamping neck; one end of the inserting shaft (20) that is inserted into the buckling cavity (11) is provided with a clamping head (21), diameter of which is greater than the aperture of the buckling segment (13) and smaller than or equal to aperture of the inserting segment (12).




FIG. 1



EUROPEAN SEARCH REPORT

Application Number
EP 14 15 2118

5

10

15

20

25

30

35

40

45

50

55

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
A	FR 2 948 855 A1 (GK PROFESSIONAL [FR]) 11 February 2011 (2011-02-11) * figure 3 *	1-10	INV. A44B11/25
A	WO 2010/084191 A1 (FIDLOCK GMBH [DE]; FIEDLER JOACHIM [DE]) 29 July 2010 (2010-07-29) * figure 1 *	1-10	
			TECHNICAL FIELDS SEARCHED (IPC)
			A44B G09F A44C A42B A01K
The present search report has been drawn up for all claims			
Place of search The Hague		Date of completion of the search 25 March 2015	Examiner Krüger, Sophia
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

 1
EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 14 15 2118

5

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

25-03-2015

10

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR 2948855	A1	11-02-2011	NONE

WO 2010084191	A1	29-07-2010	CN 102292006 A 21-12-2011
			EP 2389084 A1 30-11-2011
			US 2011298227 A1 08-12-2011
			WO 2010084191 A1 29-07-2010

15

20

25

30

35

40

45

50

55

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82