



(11) **EP 2 896 315 A1**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
22.07.2015 Bulletin 2015/30

(51) Int Cl.:
A46B 9/02 ^(2006.01) **A46B 7/04** ^(2006.01)
A46B 13/00 ^(2006.01)

(21) Application number: **14152009.8**

(22) Date of filing: **21.01.2014**

(84) Designated Contracting States:
**AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR**
Designated Extension States:
BA ME

(71) Applicant: **Derjin (Hong Kong) Holding Company
Limited
Hong Kong (CN)**

(72) Inventor: **Wang Ya-Tsan
HsinChu City 300 (TW)**

(74) Representative: **Chaillot, Geneviève et al
Cabinet Chaillot
16-20 Avenue de l'Agent Sarre
B.P. 74
92703 Colombes Cedex (FR)**

Remarks:
Amended claims in accordance with Rule 137(2)
EPC.

(54) **Mascara wand assembly**

(57) A mascara wand assembly includes a wand, multiple brush units and a cylindrical brush unit. The wand has a cap and a handle on two ends thereof. The cylindrical brush unit is connected to the cap. The multiple brush units are mounted to the wand and each brush unit has multiple first brush hairs extending radially and outward therefrom. The first brush hairs have different thick-

nesses. Each first brush hair has multiple sub-brush hairs extending therefrom. Each brush unit has a notch and a block respectively on the top and underside thereof. A 90-degree angle is defined between the notch and block of each brush unit. The block of one brush unit is engaged with the notch of the next brush unit.

EP 2 896 315 A1

Description

BACKGROUND OF THE INVENTION

(1) FIELDS OF THE INVENTION

[0001] The present invention relates to a mascara wand assembly, and more particularly, to a mascara wand assembly with adjustable brush units.

(2) DESCRIPTIONS OF RELATED ART

[0002] Mascara wands are used to curl the eyelashes to make the eyes be more attractive and vigorous. Eyes with thick, long and curly eyelashes not only give the users with confidence and also show the personal characters. The users use different types of mascara wands to have lush eyelashes which increase the cosmetic value and the lush eyelashes are an attractive focus to people so that the mascara wands are one of the important cosmetic tools.

[0003] The conventional mascara wands generally have a handle and a brush unit which has multiple brush hairs. The users use the brush hairs to spread the mascara onto the eyelashes and to curl and extend the eyelashes. However, the brush unit of the conventional mascara wand cannot be adjustable so that the width and/or arrangement of the brush hairs may not meet the user's need.

[0004] An improve mascara wand is developed which has multiple brush units on the wand and each brush unit has brush hairs connected thereto. The brush units can be movable and adjustable along the wand so that the user can collect all of the brush units together or separate the brush units to adjust the area that the brush hairs can reach. The improved mascara wand is designed to meet the different needs of the users and the mascara cans that cooperated with the mascara wand. However, the brush units are not secured properly and may shift to one position and affect the convenience of use.

[0005] The present invention intends to provide a mascara wand assembly which improves the shortcomings mentioned above.

SUMMARY OF THE INVENTION

[0006] The present invention relates to a mascara wand assembly and comprises a wand having a cap and a handle on two ends thereof. Multiple brush units are mounted to the wand and each brush unit has multiple first brush hairs extending radially and outward therefrom. Each first brush hair has multiple sub-brush hairs extending therefrom. Each brush unit has a notch defined in the top thereof, and a block extending downward from the underside thereof. An angle of 90-degree is defined between the notch and block of each brush unit. The block of one brush unit is engaged with the notch of another brush unit next to it. A cylindrical brush unit is mount-

ed to the wand and connected to the cap. The cylindrical brush unit has an insertion extending downward from the underside thereof. The insertion is engaged with the notch of the brush unit next to the cylindrical brush unit.

5 The cylindrical brush unit has multiple second brush hairs extending radially and outward therefrom.

[0007] The primary object of the present invention is to provide a mascara wand assembly which has multiple brush units mounted to the wand. Each brush unit has a positioning device so that the brush units are engaged with each other or separated from each other along the wand.

10 [0008] The present invention will become more obvious from the following description when taken in connection with the accompanying drawings which show, for purposes of illustration only, a preferred embodiment in accordance with the present invention.

BRIEF DESCRIPTION OF THE DRAWINGS

[0009]

Fig. 1 is a perspective view to show the mascara wand assembly of the present invention;

Fig. 2 is an exploded view of the mascara wand assembly of the present invention;

Fig. 3 is an enlarged view of the mascara wand assembly of the present invention;

Fig. 3A shows that the cylindrical brush unit is to be connected to the cap of the mascara wand assembly of the present invention;

Fig. 4 shows the first embodiment of the brush units of the mascara wand assembly of the present invention;

35 Fig. 5 shows the second embodiment of the brush units of the mascara wand assembly of the present invention;

Fig. 6 shows the third embodiment of the brush units of the mascara wand assembly of the present invention;

40 Fig. 7 shows the fourth embodiment of the brush units of the mascara wand assembly of the present invention;

45 Fig. 8 shows the fifth embodiment of the brush units of the mascara wand assembly of the present invention;

Fig. 9 shows the sixth embodiment of the brush units of the mascara wand assembly of the present invention;

50 Fig. 10 shows the seventh embodiment of the brush units of the mascara wand assembly of the present invention;

Fig. 11 shows the eighth embodiment of the brush units of the mascara wand assembly of the present invention;

55 Fig. 12 shows the ninth embodiment of the brush units of the mascara wand assembly of the present invention;

Fig. 13 shows the tenth embodiment of the brush units of the mascara wand assembly of the present invention;

Fig. 14 shows the eleventh embodiment of the brush units of the mascara wand assembly of the present invention;

Fig. 15 shows the twelfth embodiment of the brush units of the mascara wand assembly of the present invention;

Fig. 16 shows the thirteenth embodiment of the brush units of the mascara wand assembly of the present invention;

Fig. 17 shows the fourteenth embodiment of the brush units of the mascara wand assembly of the present invention;

Fig. 18 shows the fifteenth embodiment of the brush units of the mascara wand assembly of the present invention, and

Fig. 19 shows the sixteenth embodiment of the brush units of the mascara wand assembly of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

[0010] Referring to Figs. 1 and 2, the mascara wand assembly of the present invention comprises a wand 1 having a cap 11 and a handle 12 on two ends thereof. The cap 11 is a cone-shaped cap and has a first positioning portion 111 extending therefrom which is a protrusion. An annular groove 13 is defined in the wand 1 and located close to the handle 12.

[0011] Multiple brush units 2 are mounted to the wand 1 and each brush unit 2 is a disk-like unit and has multiple first brush hairs 21 extending radially and outward therefrom. The first brush hairs 21 have different thicknesses. Each first brush hair 21 has multiple sub-brush hairs 22 extending therefrom which have different thicknesses. Each brush unit 2 has a notch 23 defined in the top thereof, and each brush unit 2 has a block 24 extending downward from the underside thereof. An angle of 90-degree is defined between the notch 23 and block 24 of each brush unit 2. As shown in Fig. 3, the block 24 of one brush unit 2 is engaged with the notch 23 of another brush unit 2 next to it. When one brush unit 2 is to be connected to another, the brush unit 2 has to be rotated 90 degrees so as to align the block 24 and the notch 23. The first brush hairs 21 of the multiple brush units 2 are arranged as a spiral form along the wand 1.

[0012] As shown in Fig. 3A, a cylindrical brush unit 14 is mounted to the wand 1 and has a second positioning portion 143 which is engaged with the first positioning portion 111 of the cap 11. In this embodiment, the second positioning portion 143 is a recess with which the first positioning portion 111 is engaged so as to connect the cylindrical brush unit 14 to the cap 11. The cylindrical brush unit 14 has an insertion 141 extending downward from the underside thereof. The insertion 141 is engaged

with the notch 23 of the brush unit 2 next to the cylindrical brush unit 14. The insertion 141 is shaped to be engaged with the notch 23 of the brush unit 2. The cylindrical brush unit 14 has multiple second brush hairs 142 extending radially and outward therefrom.

[0013] As shown in Fig. 4, the first embodiment shows that the notch 23 and the block 24 of each brush unit 2 are rectangular. As shown in Fig. 5, the second embodiment shows that the notch 23 and the block 24 of each brush unit 2 are V-shaped. As shown in Fig. 6, the third embodiment shows that the notch 23 and the block 24 of each brush unit 2 are semi-circular. As shown in Fig. 7, the fourth embodiment shows that the notch 23 and the block 24 of each brush unit 2 are U-shaped.

[0014] As shown in Fig. 8, the fifth embodiment shows that the notch 23 has a protrusion 231 protruding therefrom and the block 24 has a recess 241 which is located corresponding to the protrusion 231. The protrusion 231 is a rectangular protrusion and the recess 241 is a rectangular recess. The protrusion 231 is engaged with the recess 241. As shown in Fig. 9, the sixth embodiment shows that the protrusion 231 and the recess 241 are V-shaped. As shown in Fig. 10, the seventh embodiment shows that the protrusion 231 and the recess 241 are U-shaped. As shown in Fig. 11, the eighth embodiment shows that the protrusion 231 and the recess 241 are semi-circular.

[0015] As shown in Fig. 12, the ninth embodiment shows that each brush unit 2 has multiple notches 23 defined in the top thereof, and each brush unit 2 has multiple blocks 24 on the underside thereof. An angle of 90-degree is defined between the notches 23 and the blocks 24. The notches 23 of one brush unit 2 are engaged with the blocks 24 of another brush unit next to it. The notches 23 and the blocks 24 are twin-rectangular. Fig. 13 shows the tenth embodiment wherein the notches 23 and the blocks 24 of each brush unit 2 are twin-V-shaped. Fig. 14 shows the eleventh embodiment wherein the notches 23 and the blocks 24 of each brush unit 2 are twin-semi-circular. Fig. 15 shows the twelfth embodiment wherein the notches 23 and the blocks 24 of each brush unit 2 are twin-U-shaped. Fig. 16 shows the thirteenth embodiment wherein the notches 23 and the blocks 24 of each brush unit 2 are wave-shaped.

[0016] Fig. 17 shows the fourteenth embodiment, wherein each brush unit 2 has multiple notches 23 defined in the top thereof, and each brush unit 2 has multiple blocks 24 on the underside thereof. The notches 23 are V-shaped and rectangular, and the blocks 24 are V-shaped and rectangular. The blocks 24 and the notches 23 that have the same shape are engaged with each other. Fig. 18 shows the fifteenth embodiment, wherein the multiple notches 23 and the multiple blocks 24 are V-shaped and U-shaped respectively. Fig. 19 shows the sixteenth embodiment, wherein the multiple notches 23 and the multiple blocks 24 are rectangular and U-shaped respectively.

[0017] While we have shown and described the em-

bodiment in accordance with the present invention, it should be clear to those skilled in the art that further embodiments may be made without departing from the scope of the present invention.

Claims

1. A mascara wand assembly comprising:

a wand (1) having a cap (11) and a handle (12) on two ends thereof;
multiple brush units (2) mounted to the wand (1) and each brush unit (2) having multiple first brush hairs (21) extending radially and outward therefrom, each first brush hair (21) having multiple sub-brush hairs (22) extending therefrom, each brush unit (2) having a notch (23) defined in a top thereof, each brush unit (2) having a block (24) extending downward from an underside thereof, a 90-degree angle being defined between the notch (23) and block (24) of each brush unit (2), the block (24) of one brush unit (2) being engaged with the notch (23) of another brush unit (2) next to it, and
a cylindrical brush unit (14) mounted to the wand (1) and connected to the cap (11), the cylindrical brush unit (14) having an insertion (141) extending downward from an underside thereof, the insertion (141) being engaged with the notch (23) of the brush unit (2) next to the cylindrical brush unit (14), the cylindrical brush unit (14) having multiple second brush hairs (142) extending radially and outward therefrom.

2. The mascara wand assembly as claimed in claim 1, wherein the first brush hairs (21) have different thicknesses.

3. The mascara wand assembly as claimed in claim 1, wherein the sub-brush hairs (22) have different thicknesses.

4. The mascara wand assembly as claimed in claim 1, wherein the notch (23) and the block (24) of each brush unit (2) are either rectangular, V-shaped, semi-circled, or U-shaped.

5. The mascara wand assembly as claimed in claim 1, wherein the notch (23) has a protrusion (231) protruding therefrom and the block (24) has a recess (241) which is located corresponding to the protrusion (231), the protrusion (231) is engaged with the recess (241).

6. The mascara wand assembly as claimed in claim 5, wherein the protrusion (231) and the recess (241) are either rectangular, V-shaped, semi-circular, or

U-shaped.

7. The mascara wand assembly as claimed in claim 1, wherein each of the brush units (2) has multiple notches (23) and blocks (24).

8. The mascara wand assembly as claimed in claim 7, wherein the notches (23) and the blocks (24) of each brush unit (2) are either twin-rectangular, twin-V-shaped, or twin-U-shaped.

9. The mascara wand assembly as claimed in claim 7, wherein the notches (23) and the blocks (24) of each brush unit (2) are wave-shaped.

10. The mascara wand assembly as claimed in claim 7, wherein the notches (23) and the blocks (24) of each brush unit (2) are V-shaped and rectangular respectively, rectangular and U-shaped respectively, or V-shaped and U-shaped respectively, the shape of the blocks (24) of one brush unit (2) is the same as that of the notches (23) of another brush unit (2) next to it.

11. The mascara wand assembly as claimed in claim 1, wherein the first brush hairs (21) of the brush units (2) are arranged as a spiral form along the wand (1).

12. The mascara wand assembly as claimed in claim 1, wherein the cap (11) has a first positioning portion (111) and the cylindrical brush unit (14) has a second positioning portion (143), the first positioning portion (111) is engaged with second positioning portion (143) to position the cylindrical brush unit (14).

Amended claims in accordance with Rule 137(2) EPC.

1. A mascara wand assembly comprising:

a wand (1), with a circular cross-section, having a cap (11) and a handle (12) on two ends thereof; multiple brush units (2) mounted to the wand (1) and each brush unit (2) having multiple first brush hairs (21) extending radially and outward therefrom, each first brush hair (21) having multiple sub-brush hairs (22) extending therefrom, **characterized by** the fact each brush unit (2) has a notch (23) defined in a top thereof, each brush unit (2) having a block (24) extending downward from an underside thereof, a 90-degree angle being defined between the notch (23) and block (24) of each brush unit (2), the block (24) of one brush unit (2) being engaged with the notch (23) of another brush unit (2) next to it, and
the assembly further comprises a cylindrical brush unit (14) mounted to the wand (1) and con-

- connected to the cap (11), the cylindrical brush unit (14) having an insertion (141) extending downward from an underside thereof, the insertion (141) being engaged with the notch (23) of the brush unit (2) next to the cylindrical brush unit (14), the cylindrical brush unit (14) having multiple second brush hairs (142) extending radially and outward therefrom. 5
2. The mascara wand assembly as claimed in claim 1, wherein the first brush hairs (21) have different thicknesses. 10
3. The mascara wand assembly as claimed in claim 1, wherein the sub-brush hairs (22) have different thicknesses. 15
4. The mascara wand assembly as claimed in claim 1, wherein the notch (23) and the block (24) of each brush unit (2) are either rectangular, V-shaped, semi-circled, or U-shaped. 20
5. The mascara wand assembly as claimed in claim 1, wherein the notch (23) has a protrusion (231) protruding therefrom and the block (24) has a recess (241) which is located corresponding to the protrusion (231), the protrusion (231) is engaged with the recess (241). 25
6. The mascara wand assembly as claimed in claim 5, wherein the protrusion (231) and the recess (241) are either rectangular, V-shaped, semi-circular, or U-shaped. 30
7. The mascara wand assembly as claimed in claim 1, wherein each of the brush units (2) has multiple notches (23) and blocks (24). 35
8. The mascara wand assembly as claimed in claim 7, wherein the notches (23) and the blocks (24) of each brush unit (2) are either twin-rectangular, twin-V-shaped, or twin-U-shaped. 40
9. The mascara wand assembly as claimed in claim 7, wherein the notches (23) and the blocks (24) of each brush unit (2) are wave-shaped. 45
10. The mascara wand assembly as claimed in claim 7, wherein the notches (23) and the blocks (24) of each brush unit (2) are V-shaped and rectangular respectively, rectangular and U-shaped respectively, or V-shaped and U-shaped respectively, the shape of the blocks (24) of one brush unit (2) is the same as that of the notches (23) of another brush unit (2) next to it. 50
11. The mascara wand assembly as claimed in claim 1, wherein the first brush hairs (21) of the brush units (2) are arranged as a spiral form along the wand (1). 55
12. The mascara wand assembly as claimed in claim 1, wherein the cap (11) has a first positioning portion (111) and the cylindrical brush unit (14) has a second positioning portion (143), the first positioning portion (111) is engaged with second positioning portion (143) to position the cylindrical brush unit (14).




FIG.1




FIG.2




FIG.3




FIG.3A




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17




FIG.18




FIG.19



EUROPEAN SEARCH REPORT

 Application Number
EP 14 15 2009

5

10

15

20

25

30

35

40

45

50

55

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	WO 2010/147344 A2 (RND GROUP LLC [US]; KIM YOON HOI [US]) 23 December 2010 (2010-12-23)	1-10,12	INV. A46B9/02 A46B7/04 A46B13/00
Y	* paragraphs [0001], [0047], [0049], [0056], [0060], [0061]; figures 1-4, 13-16 *	11	
Y	----- WO 2012/123675 A1 (CHANEL PARFUMS BEAUTE [FR]; CASTEX NICOLAS [FR]; KIM YOON HOI [US]) 20 September 2012 (2012-09-20)	11	
A	* page 7, lines 20-23; figures 3-7 * -----	1-10,12	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (IPC)
			A46B
Place of search		Date of completion of the search	Examiner
The Hague		21 May 2014	Dal Bó, Paolo
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 14 15 2009

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

21-05-2014

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 2010147344 A2	23-12-2010	JP 2012529968 A	29-11-2012
		KR 20120026121 A	16-03-2012
		US 2010037911 A1	18-02-2010
		WO 2010147344 A2	23-12-2010

WO 2012123675 A1	20-09-2012	CN 103491824 A	01-01-2014
		EP 2685866 A1	22-01-2014
		FR 2972612 A1	21-09-2012
		JP 2014508017 A	03-04-2014
		KR 20140025389 A	04-03-2014
		US 2014105667 A1	17-04-2014
		WO 2012123675 A1	20-09-2012

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82