

(19)



(11)

EP 2 896 393 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
22.07.2015 Bulletin 2015/30

(51) Int Cl.:
A61H 1/00 (2006.01) A47G 9/10 (2006.01)

(21) Application number: **14194172.4**

(22) Date of filing: **20.11.2014**

(84) Designated Contracting States:
**AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR**
Designated Extension States:
BA ME

• **Hung, Chi-Wei**
Taipei City 103 (TW)

(72) Inventors:
• **Hornng, Sy-Wen**
Taipei City 103 (TW)
• **Hung, Chi-Wei**
Taipei City 103 (TW)

(30) Priority: **23.12.2013 TW 102147775**


(71) Applicants:
• **Hornng, Sy-Wen**
Taipei City 103 (TW)

(74) Representative: **Lang, Christian**
LangPatent
Anwaltskanzlei IP Law Firm
Rosenheimer Strasse 139
81671 München (DE)

(54) **Head relaxing pillow**

(57) The present invention is to provide a head relaxing pillow, which is made of an elastic material and includes a supporting main body having a top for supporting the neck of a user who lies face up and a bottom concavely provided with a recess, two contact portions each having one end connected to one of the two corresponding ends of the supporting main body and the other end corresponding in configuration to one of the user's parietal bones, and a pressing portion extending from

one side of the supporting main body and located between the contact portions. The supporting main body is provided with two sunken portions which are adjacent to two corresponding ends thereof respectively. Thus, when the user's neck and head are resting on the supporting main body and the contact portions respectively, the two sunken portions are corresponding in position to the user's temporal bones respectively.

**FIG. 3****EP 2 896 393 A1**

Description

FIELD OF THE INVENTION

[0001] The present invention is to provide a head pillow, in particular to a head relaxing pillow made of an elastic material for supporting the neck and the head of a user who lies face up and is in a configuration for allowing the gaps in the user's skull to open slightly to lower the pressure of the cerebrospinal fluid in the skull, and thereby to enhance circulation of the cerebrospinal fluid.

BACKGROUND OF THE INVENTION

[0002] Recently, with the vigorous development of information dissemination and the rapid changes in modern society, the pace of lives has been increasing, and the same can be said of work stress. If one fails to relax his body and mind properly, physical and mental diseases tend to follow. Many people resort to massage or tui-na for bodily and mental relaxation, but both massage and tui-na are associated with the acupoints and joints of the body and therefore must be practiced by experienced professionals. While the market is now supplied with a variety of health equipment (e.g., massage chairs) designed to relax (e.g., massage) a user's body in his own home, the soaring prices make such equipment inaccessible to all.

[0003] In fact, not all practices of massage and tui-na require profound medical knowledge. For example, craniosacral therapy (CST), which was developed through years of research and clinical tests by the academic community, involves pressing a patient's head with fingers, with a gentle pressure less than 5 gram per cm² or 5 gram per inch², to enhance the balance of body movements and to promote the flow of bodily fluids. As the use of craniosacral therapy does not require sophisticated medical knowledge, it can be learned by the general public. Besides, the gentle press of craniosacral therapy, generally not heavier than the weight of a coin (5 grams), leaves no undesirable consequences even if applied slightly off the target positions.

[0004] The idea of craniosacral therapy began in the early 20th century, when Dr. William Sutherland, a US orthopedist, found that the bones making up the human skull are slightly movable relative to one another rather than "totally immovable" as traditionally held in the medical world. Sutherland spent over 20 years studying and recording the reactions of force applied to different parts of each skull bone, and the result was the development of a skull examination and therapy system. Then, in 1970s, Dr. John E. Upledger, a neurosurgeon, who frequently participated in brain surgeries, found an interesting phenomenon that the human head and dura mater tend to move with the pulsing of the cerebrospinal fluid. He also found that the slight pulses can be felt by touching certain parts of the body, and that by applying a very gentle pressure (about 5 gram per cm² or 5 gram per

inch²) with the touching hands, the pressure of the cerebrospinal fluid can be adjusted for better health.

[0005] After decades of research, Upledger proposed the aforesaid craniosacral therapy, whose principles are briefly stated as follows. To begin with, the craniosacral system, which is a rhythmic system of the human body in addition to heartbeat and breathing, includes the meninges and the cerebrospinal fluid that protects the brain and the spinal cord. The extent of the craniosacral system starts from such upper parts of the body as the skull, the face, and the mouth and extends all the way downward to the sacrum or coccyx. As the craniosacral system influences the development and operation of the brain and the spinal cord, an unbalance or hindrance of the craniosacral system may lead to obstacles in the sensory, motor, or neural system. Craniosacral therapy is a therapy that assists the natural healing ability of the human body. A patient is generally requested to lie or sit on a therapy bed while the therapist puts his hands gently on the patient's body to "listen" to the rhythm inside. Craniosacral therapy is a gentle, manual, and holistic approach to physical examination and treatment and is beneficial to many body systems. Whether performed alone or in combination with other therapies, craniosacral therapy works equally well on the human body.

[0006] Referring to FIG. 1 and FIG. 2, the human skull is composed of several bones, including the frontal bone FB, the sphenoid bones SB, the parietal bones PB, the occipital bone OB, and the temporal bones TB, to mention only those directly related to craniosacral therapy. During craniosacral therapy, the therapist supports the patient's two parietal bones PB with hands so as to relax the mastoid process TB1 of each temporal bone TB. Then, the therapist presses the patient's occipital bone OB at positions adjacent to the external occipital protuberance EOP and the exit occipital crest EOC (the therapist should not press beyond the jugular processes OB1 of the occipital bone OB, i.e., where the occipitomastoid sutures OS are situated). At this moment, the parietal bones PB will have moved outward to a small degree such that the gap therebetween opens slightly. As a result, the pressure of the cerebrospinal fluid inside the skull is reduced to enhance circulation of the cerebrospinal fluid. Craniosacral therapy helps improve the internal environment of the human body and restore the central nervous system to its optimal working condition. The same therapy can also provide an increased sense of ease and comfort, strengthen the immune system, and even improve patients' interpersonal relationships.

[0007] However, craniosacral therapy nowadays is mostly practiced by professionals (e.g., doctors, physical therapists, occupational therapists, chiropractors, etc.) and is rarely known to the public. Given its low prevalence, craniosacral therapy is also extremely expensive. In consideration of this, the inventor of the present invention came up with the idea of applying the principles of craniosacral therapy to the design of pillows, with a view to enabling the general public to feel the effects of crani-

osacral therapy, thereby increasing the understanding and acceptance of the therapy while promoting Dr. Upledger's painstaking research results. The issue to be addressed by the present invention, therefore, is to design a pillow with a novel structure capable of helping one who rests his head on the pillow to relax his head.

BRIEF SUMMARY OF THE INVENTION

[0008] It is an objective of the present invention to provide a head relaxing pillow. The pillow is made of an elastic material and includes a supporting main body, two contact portions, and a pressing portion. The top of the supporting main body is designed to support the neck of a user who lies face up. The bottom of the supporting main body is concavely provided with a recess. The supporting main body is provided with two sunken portions which are adjacent to two corresponding ends of the supporting main body respectively and which correspond in position to the user's temporal bones respectively. Each contact portion has one end connected to one of the two corresponding ends of the supporting main body. The other end (hereinafter referred to as the second end) of each contact portion corresponds in configuration to the corresponding one of the user's parietal bones. The pressing portion extends from one side of the supporting main body and is located between the contact portions. When the user is lying, face up, such that his neck and head are resting on the supporting main body and the contact portions respectively, the user's temporal bones correspond in position to the sunken portions respectively. Meanwhile, the supporting main body is deformed (i.e., sags) toward the recess due to the weight of the user's neck, thereby bending the second ends of the contact portions upward toward the user's parietal bones to support the parietal bones respectively. At the same time, the free end of the pressing portion bends upward toward the external occipital protuberance and the external occipital crest of the user's occipital bone to press against the occipital bone. Thus, the gaps in the user's skull are allowed to open slightly to lower the pressure of the cerebrospinal fluid in the skull and thereby enhance circulation of the cerebrospinal fluid.

[0009] It is another objective of the present invention to provide the foregoing head relaxing pillow, wherein the bottom of the supporting main body is further formed with a first inclined surface which is adjacent to the user's body and which corresponds in position to the recess. When the user's neck is resting on the supporting main body, the first inclined surface of the supporting main body lies firmly and compliantly against a flat surface (e.g., a bed) and serves as a fulcrum, allowing the moments of force generated by the bending of the contact portions and the pressing portion to act precisely on, and thereby provide sufficient support to, the user's parietal bones and the occipital bone respectively.

[0010] Yet another objective of the present invention is to provide the foregoing head relaxing pillow, wherein

the top of the supporting main body is provided with a second inclined surface. When the pressing portion presses against the user's occipital bone due to the sagging of the supporting main body, the second inclined surface of the supporting main body lies compliantly against and thereby presses against the portion of the user's head that corresponds in position to the external occipital protuberance.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWINGS

[0011] The above and other objectives, as well as the technical means and structural features, of the present invention will be best understood by referring to the following detailed description of some illustrative embodiments in conjunction with the accompanying drawings, in which:

FIG. 1 is a schematic drawing of the human skull;
FIG. 2 is another schematic drawing of the human skull;
FIG. 3 is a perspective view of the pillow of the present invention;
FIG. 4 is a top view of the pillow of the present invention;
FIG. 5 is a rear view of the pillow of the present invention;
FIG. 6 is a schematic drawing simulating the pillow of the present invention in use;
FIG. 7A is a sectional view of the pillow of the present invention; and
FIG. 7B is another schematic drawing simulating the pillow of the present invention in use.

DETAILED DESCRIPTION OF THE INVENTION

[0012] The present invention relates to a head relaxing pillow. Referring to FIG. 3 for the first preferred embodiment of the present invention, the head relaxing pillow 3, which is generally U-shaped and made of an elastic material, includes four parts, namely a supporting main body 31, two contact portions 32, and a pressing portion 33. The principles of the present invention lie in craniosacral therapy, and the intended effects include releasing the pressure within the user's head and promoting circulation of the cerebrospinal fluid. The present invention allows the user to experience craniosacral therapy, which traditionally must rely on the hands of a professional physical therapist.

[0013] Referring to FIG. 3 through FIG. 6, the top of the supporting main body 31 is configured for supporting the neck of a user who assumes a face-up recumbent position. The bottom of (the supporting main body 31 is concavely provided with a recess 310. In this embodiment, the recess 310 extends through the middle portion of the bottom of the supporting main body 31 and is generally rectangular, and yet the configuration of the recess

310 is not limited to that shown in FIG. 4 and FIG. 5). The supporting main body 31 is provided with a pair of sunken portions 311 which are respectively adjacent to two corresponding ends of the supporting main body 31 and which correspond in position to the user's temporal bones respectively. (The distance W between the outer edges of the sunken portions 311 ranges from 14 to 20 cm and can be adjusted as appropriate.) When the user's head is resting on the pillow 3, the temporal bones (which correspond in position to the ears respectively) should be received in the sunken portions 311 respectively.

[0014] Each contact portion 32 has one end (hereinafter referred to as the first end) connected to one of the two corresponding ends of the supporting main body 31, wherein the first ends of the contact portions 32 are spaced apart by a first predetermined distance D1. The other end (hereinafter referred to as the second end) of each contact portion 32 extends away from the supporting main body 31, and the second ends of the contact portions 32 are spaced apart by a second predetermined distance D2. The second predetermined distance D2 is less than the first predetermined distance D1 such that the contact portions 32 correspond in configuration to the user's two parietal bones respectively and can support the user's head.

[0015] Referring to FIG. 3 and FIG. 6, the pressing portion 33 extends from one side (hereinafter referred to as the first side) of the supporting main body 31 and is located between the contact portions 32. When the user U rests his head on the pillow 3, facing up, the user U's neck and head are respectively supported by the supporting main body 31 and the contact portions 32. In the meantime, the user U's temporal bones correspond in position to the sunken portions 311 respectively and are free from compression by the supporting main body 31. Referring to FIGS. 3, 4, 6, and 7A, the supporting main body 31 can sag toward the recess 310 due to the weight of the user U's neck, causing the two corresponding ends of the supporting main body 31 to bend upward. Consequently, the second ends of the contact portions 32 bend upward toward the user U's parietal bones to support the two parietal bones respectively. The pillow 3 ends up in the shape shown in FIG. 7B.

[0016] As the portion of the supporting main body 31 that corresponds in position to the recess 310 can lie against a flat surface below the pillow 3 (e.g., a bed) to serve as a fulcrum, the free end of the pressing portion 33 (i.e., the end away from the supporting main body 31) in this state will bend upward toward the user U's occipital bone, pressing against the portion of the occipital bone that is adjacent to the external occipital protuberance. Thus, referring to FIG. 3 and FIG. 7B, when the user U assumes a face-up recumbent position, with the neck and head resting on the pillow 3, the temporal bones TB are respectively and relaxedly located in the sunken portions 311, and the parietal bones PB are respectively supported on the contact portions 32. In the meantime, with the bending of the pillow 3, the pressing portion 33

presses against and supports the portion of the occipital bone OB that is adjacent to the external occipital protuberance and the exit occipital crest, and the supporting force of the pressing portion 33 generates an outward moment of force (i.e., toward the upper left corner of FIG. 7B) acting on the user U's parietal bones PB. The portions of the contact portions 32 that respectively support the user's parietal bones PB also generate an outward moment component. These moments of force cause the gaps in the user U's skull (i.e., the gap between the two parietal bones and the gap between the parietal bones and the occipital bone) to open slightly, thereby reducing and regulating the internal stress within the user U's head (i.e., the pressure of the cerebrospinal fluid in the skull) and promoting circulation of the cerebrospinal fluid.

[0017] Besides, in the above embodiment, when the pressing portion 33 is pressing against the occipital bone OB of the user U's head, the pressing force produced by the pressing portion 33 and applied to the occipital bone OB is able to slightly disengage the occipital bone OB from the user U's atlas (i.e. the first cervical vertebra), so as to decompress the occipital condylar region below the occipital bone OB and then release the cranial base and tissues around the jugular foramina of the user U accordingly. Since the glossopharyngeal nerves, vagus nerves and accessory cranial nerves (i.e. the ninth, tenth and eleventh pairs of cranial nerves) of human body are all passing through the jugular foramina, release of any compromise of these tissues around jugular foramina often has a beneficial effect on the functions of these nerves respectively.

[0018] In this embodiment, referring to FIGS. 1 and 3~7B, the depth D3 of the recess 310 is about 1-5 cm, and the bottom of the supporting main body 31 is further formed with a first inclined surface 312 which is adjacent to the user U's body and which corresponds in position to the recess 310. When the user U's neck is resting on the supporting main body 31, the supporting main body 31 lies firmly and compliantly against the flat surface thanks to the first inclined surface 312 (it is also feasible to form the recess 310 only on the other side of the supporting main body 31, i.e., the side adjacent to the user, so as to increase the degree of tilting), allowing the moments of force generated respectively by the bent contact portions 32 and the bent pressing portion 33 to act respectively and precisely on the user U's parietal bones PB and external occipital protuberance, thus providing sufficient support for the parietal bones PB and the occipital bone OB respectively. In addition, the top of the pressing portion 33 is provided with a second inclined surface 331, and the length L of the pressing portion 33 that extends from the first side of the supporting main body 31 ranges from 1 to 4 cm. When the pressing portion 33 presses against the user's occipital bone OB due to the sagging of the supporting main body 31, the second inclined surface 331 of the pressing portion 33 functions as a therapist's fingers lying compliantly against and thereby pressing the portions of the user's head that are

adjacent to the external occipital protuberance EOP and the exit occipital crest EOC (the pressed positions should not go beyond the jugular processes OB1 of the occipital bone OB, i.e., where the occipitomastoid sutures OS lie).

[0019] The pillow of the present invention can be customized according to the user's bodily shape (e.g., the stature, head shape, torso). In particular, adjustment can be made to the second predetermined distance D2 between the second ends of the contact portions 32, the extension length L of the pressing portion 33, and the depth D3 of the recess 310. In this embodiment, the pillow 3 further includes a fastening strap 34 whose two ends are respectively and movably connected to the second ends of the contact portions 32 (e.g., via Velcro or by inserting through a fastening ring on each contact portion 32). With the fastening strap 34, the user can adjust the second predetermined distance D2 between the contact portions 32. For example, the second predetermined distance D2 can be reduced for a user with a relatively pointed head in order for the contact portions 32 to support the user's parietal bones PB respectively. Conversely, the second predetermined distance D2 can be increased for a user with a relatively flat head in order to support the parietal bones PB without pressing too tight.

[0020] It should be pointed out that, while the sunken portions 311 in the foregoing embodiment are circular cavities in which the temporal bones TB of a user resting his head on the pillow 3 can respectively stay without the skin outside the temporal bones TB being in contact with the surface of the supporting main body 31, the configuration of the sunken portions 311 is not limited to the above. Moreover, the pillow 3 may be enclosed in a layer of cloth for esthetic reasons, and in that case, the skin outside the temporal bones TB of a user resting his head on the pillow 3 may be in contact with the cloth. However, as long as the portions of the pillow 3 that correspond in position respectively to the temporal bones TB are provided with the sunken portions 311, the user's temporal bones TB can still stay in a relaxed state. That is to say, the layer of cloth will not interfere with the intended functions of the pillow 3.

[0021] While the invention herein disclosed has been described by means of specific embodiments, numerous modifications and variations could be made thereto by those skilled in the art without departing from the scope of the invention set forth in the claims.

Claims

1. A head relaxing pillow, made of an elastic material, the head relaxing pillow comprising:

a supporting main body having a top for supporting the neck of a user lying face up, the supporting main body having a bottom concavely provided with a recess, the supporting main body being provided with two sunken portions which

are respectively adjacent to two corresponding ends of the supporting main body and which correspond in position to the user's temporal bones respectively;

two contact portions each having a first end connected to one of the two corresponding ends of the supporting main body, the first ends of the contact portions being spaced apart by a first predetermined distance, each said contact portion having a second end extending away from the supporting main body, the second ends of the contact portions being spaced apart by a second predetermined distance, wherein the second predetermined distance is less than the first predetermined distance so as for the contact portions to correspond in configuration to the user's two parietal bones respectively; and a pressing portion extending from a side of the supporting main body and located between the contact portions so that, when the user's neck and head are respectively resting on the supporting main body and the contact portions, not only do the user's temporal bones correspond in position to the sunken portions respectively, but also the supporting main body sags toward the recess due to the weight of the user's neck, causing the two corresponding ends of the supporting main body to bend upward, and consequently the second ends of the contact portions to bend upward toward and thereby support the user's parietal bones, with a free end of the pressing portion bending upward toward and pressing against the user's occipital bone.

2. The head relaxing pillow of claim 1, wherein the bottom of the supporting main body is formed with a first inclined surface adjacent to the user's body, the first inclined surface being adjacent to the recess so that, when the user's neck is resting on the supporting main body, the supporting main body can lie firmly and compliantly against a flat surface below the head relaxing pillow due to the first inclined surface.
3. The head relaxing pillow of claim 2, wherein the pressing portion has a top provided with a second inclined surface so that, when the pressing portion presses against the user's occipital bone due to the bending of the supporting main body, the second inclined surface of the pressing portion lies compliantly, and presses, against the user's head at a position adjacent to the external occipital protuberance and the exit occipital crest.
4. The head relaxing pillow of claim 3, further comprising a fastening strap, wherein the fastening strap has two ends respectively and movably connected to the second ends of the contact portions.

5. The head relaxing pillow of claim 4, wherein the pressing portion has a length of 1-4 cm extending from the side of the supporting main body.
6. The head relaxing pillow of claim 5, wherein the sunken portions have outer edges which are 14-20 cm apart. 5
7. The head relaxing pillow of claim 6, wherein the recess is 1-5 cm deep. 10

15

20

25

30

35

40

45

50

55




FIG. 1(Prior Art)




FIG. 2(Prior Art)




FIG. 3




FIG. 4

3




FIG. 5




FIG. 6




FIG. 7A




FIG. 7B



EUROPEAN SEARCH REPORT

 Application Number
EP 14 19 4172

5

10

15

20

25

30

35

40

45

50

55

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
Y	US 4 550 458 A (FIORE JOHN W [US]) 5 November 1985 (1985-11-05) * column 4, lines 5-19; figures 1-7,7A * -----	1-7	INV. A61H1/00 A47G9/10
Y	TW M 447 180 U (HONG SI-WEN [TW]; CHEN YUE-FENG [TW]) 21 February 2013 (2013-02-21) * figures * -----	1-7	
Y	WO 2009/009696 A1 (BIOMED DB DESIGN [US]; YANG XIAOHONG [US]) 15 January 2009 (2009-01-15) * figures 1-3 * -----	1-7	
			TECHNICAL FIELDS SEARCHED (IPC)
			A61H A47G
The present search report has been drawn up for all claims			
Place of search Munich		Date of completion of the search 26 May 2015	Examiner Fischer, Elmar
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 14 19 4172

5

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

26-05-2015

10

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4550458	A	05-11-1985	NONE	

TW M447180	U	21-02-2013	TW M447180 U	21-02-2013
			US 2014101853 A1	17-04-2014

WO 2009009696	A1	15-01-2009	US 2009013471 A1	15-01-2009
			WO 2009009696 A1	15-01-2009

20

25

30

35

40

45

50

55

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82