

(19)



(11)

**EP 3 112 333 A1**

(12)

## EUROPEAN PATENT APPLICATION

(43) Date of publication:  
**04.01.2017 Bulletin 2017/01**

(51) Int Cl.:  
**C06B 23/00 (2006.01)**      **C06C 15/00 (2006.01)**

(21) Application number: **16177027.6**

(22) Date of filing: **29.06.2016**

(84) Designated Contracting States:  
**AL AT BE BG CH CY CZ DE DK EE ES FI FR GB  
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO  
PL PT RO RS SE SI SK SM TR**  
Designated Extension States:  
**BA ME**  
Designated Validation States:  
**MA MD**

(30) Priority: **30.06.2015 PL 41296715**

(71) Applicant: **Fireworks Europe Innovation Sp. z o.o.  
85-458 Bydgoszcz (PL)**

(72) Inventors:  
• **Lipkowski, Janusz  
01-319 Warszawa (PL)**  
• **Kasak, Bogdan  
85-458 Bydgoszcz (PL)**

(74) Representative: **Grzelak, Anna  
WTS Patent Attorneys  
ul. R. Weigla 12  
53-114 Wroclaw (PL)**

(54) **ECOLOGICAL FIREWORKS, METHOD OF PREPARATION THEREOF AND METHOD OF REDUCING ENVIRONMENTAL CONTAMINATION WITH HEAVY METAL COMPOUNDS FROM FIREWORKS AND USE OF FIREWORKS AND USE OF MINERAL ADDITIVES IN PYROTECHNIC MATERIALS**

(57) The object of the invention are fireworks, containing heavy metal compounds in their composition, wherein the composition of the fireworks is supplemented with a water-insoluble sorption agent binding detrimental metal compounds thereby reducing the solubility of salts of these metals in water.

**EP 3 112 333 A1**

**Description****Technical field**

5 [0001] The invention relates to ecological fireworks, a method of preparation thereof and a method of reducing environmental contamination with heavy metal compounds from fireworks and to use of fireworks and use of mineral additives in pyrotechnic materials to reduce heavy metal environmental emission.

**Background art**

10 [0002] Fireworks are known in prior art since approx. 2<sup>nd</sup> century B.C. American patent document [US2130068] teaches that using inorganic salts comprising suitable cations results in colored explosions. Hence, the presence of sodium results in generation of yellow color, calcium results in generation of red color, strontium results in generation of purple color, barium results in generation of green color, potassium results in generation of violet color and copper results in 15 generation of blue or red color.

15 [0003] Until now, all known fireworks have a disadvantage, such that they contain heavy metal salts which are required for the generation of color effects in the explosion flame. Ashes formed after fireworks are burned also contain significant amounts of these metals, their chemical form being however sometimes altered as a result of explosion and exposition to high temperatures. Accordingly, immediate surroundings of areas where firework shows are organized are 20 inevitably contaminated with heavy metal compounds, particularly with copper, barium and strontium compounds. These compounds are partially water-soluble which is why they may reach water reservoirs, groundwater and surface waters, as well as contaminate drinking water, resulting in dangerous environmental contamination. Contamination with heavy 25 metals is particularly dangerous for the ecosystems of water reservoirs whereupon firework shows take place.

30 [0004] The object of the invention is to provide improved fireworks, wherein detrimental effects thereof on the environment are reduced by absorption of heavy metal ions in a water-insoluble sorption material. Thus, it was unexpectedly found that the method to limit detrimental effects of fireworks on the environment is to employ additives in the exploding mass that exhibit sorptive properties of binding heavy metal ions in the water-insoluble sorption material, in particular employing additives in the exploding mass showing the ability to permanently bind heavy metal ions, particularly in the form of zeolites. Zeolites are known to have metal ion binding properties, have considerable diversity both in the form 35 of natural materials of mineral origin, as well as in the growing number of synthetic zeolites. Thereupon, metal salts and products thereof after firework explosion become considerably less water-soluble. Insoluble products are not, as a rule, detrimental to the ecosphere.

**Disclosure of invention**

35 [0005] The object of the invention are fireworks, containing heavy metal compounds in their composition, characterized by the fact that the composition of the fireworks is supplemented with a water-insoluble or substantially water-insoluble sorption agent binding detrimental metal compounds thereby reducing the solubility of salts of these metals in water. In a preferable embodiment, the heavy metal compounds are salts of copper, barium, strontium.

40 [0006] Preferably, the composition of the fireworks of the invention is supplemented with a water-insoluble or substantially water-insoluble sorption agent, the sorption agent being a mineral additive of a zeolite type, preferably with molecular sieves.

45 [0007] In a preferred embodiment, the zeolite is a material containing clinoptilolite, preferably over 85% by weight of clinoptilolite.

50 [0008] Preferably, the composition of the fireworks is supplemented with a water-insoluble or substantially water-insoluble sorption agent in an amount of 0.1%-30%, 1-30%, 1-20%, 5-20%, 5-15%, 10-30%, 10-20%, 10-15%, preferably about 15% by weight, more preferably with a zeolite in an amount of 0.1%-30%, 1-30%, 1-20%, 5-20%, 10-30%, 10-20%, 10-15%, 5-15%, preferably about 15% by weight, more preferably with a zeolite in an amount of 5-20% by weight, even more preferably with a zeolite in an amount of up to about 15% by weight.

55 [0009] The object of the invention is also a method of preparation of fireworks containing heavy metal compounds in their composition characterized by the fact that in the firework preparation process an additive of a water-insoluble sorption agent is used, preferably in the form of a zeolite.

[0010] In a preferred embodiment of the method of the invention, the heavy metal compounds are salts of copper, barium, strontium.

[0011] The object of the invention is also a method of reducing environmental contamination with heavy metal compounds from fireworks, wherein during explosions fireworks of the invention are used.

[0012] In a preferred embodiment of the method of reducing environmental contamination of the invention, firework explosions take place over water reservoirs.

[0013] The object of the invention is also use of the fireworks of the invention to reduce environmental contamination with heavy metal compounds from fireworks, particularly contamination with copper, barium, strontium compounds. More preferably, such fireworks are used when firework explosions take place over water reservoirs.

5 [0014] The object of the invention is also use of mineral additives in pyrotechnic materials to reduce heavy metal environmental emission, wherein the mineral additives are inorganic zeolites and the heavy metals are preferably salts of copper, barium, strontium.

[0015] The term "heavy metal compounds" in the present specification is intended to mean compounds including ions of heavy metals, namely elements of density above 4.5 g/cm<sup>3</sup>, in particular compounds of copper, barium, strontium.

10 [0016] The term "sorption agent" or "sorption material" or "sorbent" in the present specification means a material capable of permanently absorbing heavy metal ions, in particular a zeolite. The sorption agent used according to the invention may be of a natural origin as well as synthetic.

15 [0017] The term "zeolite" in the present specification means an aluminosilicate mineral or group of minerals. There are over 100 various known types of zeolites, wherein natural zeolites are a group of hydrated tecto-aluminosilicates with a specific, very diverse structure including free spaces filled with ions or water molecules having high freedom of movement. In particular, a preferable zeolite for use according to the invention is a material comprising over 85% of clinoptilolite, for example the one commercially available under the name of Nawomix 200 µm.

20 [0018] The inventors have thus demonstrated that it is possible to reduce detrimental effects of fireworks on the environment by absorption of heavy metal ions in a water-insoluble or substantially water-insoluble sorption material. The material is added to the exploding mass. During explosion of the firework material and after it is extinguished there is a direct contact of the sorbent with heavy metal ions which results in absorption thereof. The soil fallout therefore comprises heavy metal ions absorbed by the water-insoluble material. As a result, a significant decrease in heavy metal ion content in groundwater or in water reservoirs in the areas of firework shows is achieved, whereby detrimental effects of fireworks on the biosphere are significantly reduced.

25 [0019] The main advantage of the invention is the possibility of reducing the content of barium, a highly harmful component, which is an important accomplishment. The content of copper and strontium were also shown to have considerably decreased solubility after the addition of a sorbent, preferably a zeolite to the fireworks. The invention allows a significant reduction in heavy metals reaching the environment, especially to groundwater and reservoirs of drinking water.

30 [0020] The references cited in the specification and references provided therein are hereby incorporated herein by reference in their entirety.

[0021] For better understanding of the invention it has been illustrated by non-limiting embodiments.

### Description of embodiments

35 EXAMPLE 1

[0022] Fireworks were prepared in the following way: a sorbent was mixed with a ready-made pyrotechnic material, the obtained pyrotechnic material was placed in shot tubes, a sample was shot producing a pyrotechnic effect in the sky.

40 [0023] The composition of the pyrotechnic article used in the study: ready-made pyrotechnic products were used (SM19-02D, SM19-03D, SM19-06D, SL19-02D, SL19-05D, SL19-07D) manufactured by Fireworks Europe Innovation sp. z o.o, the full chemical composition and detailed descriptions being available in the CE 1008-F2-69247833 certificate issued by TÜV RHEINLAND INTERCERT KFT.

#### *Studying the effect of the addition of a sorbent on effectiveness of a firework show*

45 [0024] For the study, ready-made pyrotechnic products were used, listed and prepared as described above.

[0025] Firstly, a study of the effect of the addition of a sorbent (zeolite) on the effectiveness of a firework show was done. The study provided an answer as to the concentration range of the sorbent additive that does not lead to observed deterioration of visual effects of the fireworks. To this end, a series of test firework explosions was performed in conditions corresponding to those of firework shows, the fireworks comprising 10%, 20% and 30% by weight of the Navomix 200 sorbent respectively. It was shown that the addition not exceeding 20% by weight does not adversely affect the visual effects of fireworks. Accordingly, further studies were performed using additives not exceeding 15% by weight of zeolite as a sorbent.

55 [0026] The study used ready-made fireworks (batteries of shot tubes), manufacturer: Fireworks Europe Innovation Sp. z o.o.

## EXAMPLE 2

*Determination of the reduction in water solubility of heavy metal salts from fireworks after they are absorbed in a sorption material.*

5 [0027] In the next example, the total pro-ecological effect was studied. In this study, it was determined to what extent the solubility of heavy metal salts in water can be decreased after they are absorbed in a sorption material.

10 [0028] In this study, zeolite, commercially available under the name of Nawomix 200  $\mu\text{m}$  (clinoptilolite content over 85% by weight) was used as the sorption material. This material is completely environmentally safe and moreover it is used in agriculture and horticulture as a valuable additive to fertilizer mixtures and to absorb heavy metals. A major advantage of the material is also its resistance to high temperatures. A number of studies was performed to determine the extent of decrease in water solubility of heavy metal compounds after the addition of zeolite was introduced to fireworks. The methodology of the study was as follows:

15 The following shot tubes were used for the study: SM19-02D (effect: comet), SM19-03D (effect: crackling with red and green glitter), SM19-06D (effect: comet with crackling), that were mixed with the Nawomix 200  $\mu\text{m}$  sorption factor as described in Example 1.

20 [0029] Firework explosions were conducted in an enclosed space (steel barrel with a volume of 100 liters), and then the ashes formed during explosion were carefully collected and passed for analysis. Samples with a mass of 200 mg were mixed with 10 ml of distilled water and allowed to rest for 24 hours with shaking (occasionally), afterwards the content of heavy metal ions was measured spectrometrically after the solutions were filtered.

25 [0030] The UV/Vis spectrometer from Perkin Elmer of the Lambda 650 type was used. The samples were diluted if a decrease in ion concentration to the appropriate level for an analysis with this method was required.

30 [0031] The results were as follows, for example the addition of 10% of zeolite to a firework (multi shot SM19-06D, 25mm caliber, manufacturer: Fireworks Europe Innovation, CE certificate number: 1008-F2-69247833) SM19-06D caused a twofold reduction of barium and strontium content in water extracts. Similar beneficial changes were observed repeatedly in other samples. The applied procedure is not however free from random and/or measurement errors, mainly due to heterogeneity of individual firework composition. Therefore, systematic comparisons were made using the above mentioned fireworks, having Cu or Sr or Ba as the color-giving dominant, prepared as described in Example 1 and explosions were performed as described above. The tests were repeated multiple times to avoid accidental conclusions. Ash samples in an amount of 200 mg were placed in measurement flasks with a volume of 10 ml and filled with distilled water. The solutions were occasionally shaken. After two days the solutions were filtered off and subjected to spectrometric measurements. The tests were performed in room temperature. The results, being a key experiment showing the 35 applicability of the invention, are summarized in table below.

**Table 1.** Cu, Ba and Sr content determined spectrophotometrically (with atomic spectrometry ASA) (in ppb - part per billion) after the procedure described above (percentage errors of the analytical measurements shown in brackets).

40 Depletion coefficients shown in the last column were calculated as a ratio of the content of the particular major element (shown in bold) in a sample without the addition of zeolite to the content in a sample with the addition of zeolite.

Sample identification - percentage of zeolite additive in brackets	Cu [ppb]	Sr [ppb]	Ba [ppb]	Depletion coefficient for the major element
Cu (0%)	<b>1109 (0.4)</b>	0.16 (7)	0.59 (12)	-
Cu (5%)	<b>563 (2)</b>	0.64 (3)	0.79 (11)	2
Cu (15%)	<b>621 (2)</b>	1.02 (3)	0.22 (5)	1.8
Sr (0%)	0.26 (6)	<b>444 (2)</b>	0.495 (7)	-
Sr (5%)	0.59 (4)	<b>131 (2)</b>	0.42 (3)	3.4
Sr (15%)	0.96 (7)	<b>161 (2)</b>	0.82 (3)	2.8
Ba (0%)	0.2 (9)	0.81 (2)	<b>1468 (3)</b>	-
Ba (5%)	0.51 (11)	1.87 (3)	<b>158.3 (2)</b>	9.3
Ba (15%)	0.97 (6)	2.29 (3)	<b>109 (2)</b>	13.5

EXAMPLE 3 *Determination of the effectiveness of other zeolites*

[0032] In the manner described above studies were also performed using zeolites ZSM-5 (Xian Lvneng Purification Technology) and CBV100 (Zeolyst International, USA) and fireworks SM19-02 (effect comet) [1], SM19-06 (effect comet) [2] and SM19-06 (effect crackling) [3], manufactured by Fireworks Europe Innovation sp. z o.o. The tests demonstrated over twofold reduction in the concentration of Cu<sup>2+</sup> and Sr<sup>2+</sup> salts in [1], Cu<sup>2+</sup>, Sr<sup>2+</sup> and Ba<sup>2+</sup> in [2] when using ZSM-5 and a 1.5-fold reduction in Sr<sup>2+</sup> and Ba<sup>2+</sup> in [3] when using CBV100.

[0033] The inventors have thus demonstrated that it is possible to reduce detrimental effects of fireworks on the environment by absorption of heavy metal ions in a water-insoluble sorption material. The material is added to the exploding mass. During explosion of the firework material and after it is extinguished there is direct contact of the sorbent with heavy metal ions which results in absorption thereof. The soil fallout therefore comprises heavy metal ions absorbed by the water-insoluble material. As a result, a significant decrease in heavy metal ion content in groundwater or in water reservoirs in the areas of firework shows is achieved, whereby detrimental effects of fireworks on the biosphere are significantly reduced.

[0034] The main advantage of the invention is considered to be the possibility of reducing the content of barium, the most harmful among the studied components, which is an important accomplishment. The content of copper and strontium were also shown to have considerably decreased solubility after the addition of zeolite to the fireworks. The invention allows a significant reduction in heavy metals, particularly heavy metals and salts thereof, reaching the environment, especially to groundwater and reservoirs of drinking water.

20

## Claims

1. Fireworks, containing heavy metal compounds in their composition, **characterized in that** the composition of the fireworks is supplemented with a water-insoluble or substantially water-insoluble sorption agent binding detrimental metal, in particular heavy metal compounds thereby reducing the solubility of salts of these metals in water.
2. Fireworks according to claim 1, **characterized in that** the heavy metal compounds are salts of copper, barium, strontium.
3. Fireworks according to claims 1-2, **characterized in that** the composition of the fireworks is supplemented with a water-insoluble or substantially water-insoluble sorption agent, the sorption agent being a mineral additive of a zeolite type, preferably with molecular sieves.
4. Fireworks according to claims 1-3, **characterized in that** the zeolite is a material containing clinoptilolite, preferably over 85% by weight of clinoptilolite.
5. Fireworks according to claims 1-4, **characterized in that** the composition of the fireworks is supplemented with a zeolite in an amount of 5-20% by weight, preferably to about 15% by weight.
6. A method of preparation of fireworks containing heavy metal compounds in their composition, **characterized in that** in the firework preparation process an additive of a water-insoluble sorption agent is used, preferably in the form of a zeolite.
7. The method according to claim 6, **characterized in that** the heavy metal compounds are salts of copper, barium, strontium.
8. A method of reducing environmental contamination with heavy metal compounds from fireworks, **characterized in that** during explosions fireworks as defined in claims 1-5 are used.
9. The method of reducing environmental contamination with heavy metal compounds from fireworks according to claim 8, **characterized in that** firework explosions take place over water reservoirs.
10. Use of the fireworks as defined in claims 1-5 to reduce environmental contamination with heavy metal compounds from fireworks, particularly contamination with copper, barium, strontium compounds.
11. The use of fireworks according to claim 10, **characterized in that** firework explosions take place over water reservoirs.

**EP 3 112 333 A1**

**12.** Use of mineral additives in pyrotechnic materials to reduce heavy metal environmental emission, **characterized in that** the mineral additives are inorganic zeolites, and the heavy metals are preferably salts of copper, barium, strontium.

5

10

15

20

25

30

35

40

45

50

55



## EUROPEAN SEARCH REPORT

Application Number

EP 16 17 7027

5

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
10 X	US 2002/148540 A1 (HISKEY MICHAEL A [US] ET AL) 17 October 2002 (2002-10-17) * paragraph [0005] - paragraph [0007] *	1,2,6,7	INV. C06B23/00 C06C15/00
15 X	US 2 841 481 A (GIBSON HALL RONALD) 1 July 1958 (1958-07-01) * claims; example 2 *	1,2,6,7	
20 X	US 4 184 901 A (TANNER JOHN E JR [US] ET AL) 22 January 1980 (1980-01-22) * claims *	1,2,6-10	
25 X	DE 44 11 654 A1 (TEMIC BAYERN CHEM AIRBAG GMBH [DE]) 27 April 1995 (1995-04-27) * claims *	12	
30 X,P	EP 3 000 799 A1 (SAMSUNG IND LTD [KR]) 30 March 2016 (2016-03-30) * claims; table 1 * & WO 2014/189167 A1 (HANWHA CORP [KR]) 27 November 2014 (2014-11-27)	12	
35 A	CN 103 104 920 A (UNIV SOUTHEAST) 15 May 2013 (2013-05-15) * claims *	1-12	C06B C06C
40 A	US 5 168 820 A (BIRKNER FRIEDRICH [AT] ET AL) 8 December 1992 (1992-12-08) * claims *	1-12	
45 A	US 2008/108495 A1 (TANG TSEN MENG [SG] ET AL) 8 May 2008 (2008-05-08) * claims *	1-12	
	WO 2005/023370 A2 (RU AMTECH INTERNATIONAL INC [US]; RUSIN DMITRIY LEONIDOVICH [RU]; DENI) 17 March 2005 (2005-03-17) * claims *	1-12	
50 1	The present search report has been drawn up for all claims		
55	Place of search The Hague	Date of completion of the search 18 November 2016	Examiner Schut, Robert
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document			
T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ..... & : member of the same patent family, corresponding document			

ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.

EP 16 17 7027

5 This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

18-11-2016

10	Patent document cited in search report	Publication date		Patent family member(s)	Publication date
15	US 2002148540 A1	17-10-2002	AU EP US WO	2002258682 A1 1387818 A2 2002148540 A1 02084458 A2	28-10-2002 11-02-2004 17-10-2002 24-10-2002
20	US 2841481 A	01-07-1958	BE CH DE ES FR GB US	555029 A 338390 A 1019230 B 220446 A1 1142947 A 754666 A 2841481 A	18-11-2016 15-05-1959 07-11-1957 01-09-1955 24-09-1957 08-08-1956 01-07-1958
25	US 4184901 A	22-01-1980		NONE	
30	DE 4411654 A1	27-04-1995		NONE	
35	EP 3000799 A1	30-03-2016	CN EP KR WO	105358507 A 3000799 A1 20140137038 A 2014189167 A1	24-02-2016 30-03-2016 02-12-2014 27-11-2014
40	CN 103104920 A	15-05-2013		NONE	
45	US 5168820 A	08-12-1992	AT AT CA CS DD DE DK EP ES JP NO US WO	108709 T 392465 B 2033342 A1 9002699 A2 299636 A5 59006502 D1 0426813 T3 0426813 A1 2057566 T3 H04500199 A 910280 A 5168820 A 9014899 A1	15-08-1994 10-04-1991 01-12-1990 13-08-1991 30-04-1992 25-08-1994 21-11-1994 15-05-1991 16-10-1994 16-01-1992 24-01-1991 08-12-1992 13-12-1990
50	US 2008108495 A1	08-05-2008		NONE	
55	WO 2005023370 A2	17-03-2005	AU BR CA CN EP RU	2004270086 A1 PI0414127 A 2537499 A1 1845770 A 1663407 A2 2248233 C1	17-03-2005 31-10-2006 17-03-2005 11-10-2006 07-06-2006 20-03-2005

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 16 17 7027

5 This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

18-11-2016

10	Patent document cited in search report	Publication date	Patent family member(s)	Publication date
15		US 2007057224 A1		15-03-2007
20		WO 2005023370 A2		17-03-2005
25				
30				
35				
40				
45				
50				
55				

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**REFERENCES CITED IN THE DESCRIPTION**

*This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.*

**Patent documents cited in the description**

- US 2130068 A [0002]