



(11) **EP 3 122 323 B9**

(12) **CORRECTED EUROPEAN PATENT SPECIFICATION**

(15) Correction information:
Corrected version no 1 (W1 B1)
Corrections, see
Claims EN 13

(51) Int Cl.:
A61K 8/37 (2006.01) **A61K 8/67** (2006.01)
A61Q 19/00 (2006.01) **A61Q 19/10** (2006.01)
A61K 8/97 (2017.01) **A61K 8/06** (2006.01)
A61K 8/73 (2006.01)

(48) Corrigendum issued on:
05.06.2019 Bulletin 2019/23

(86) International application number:
PCT/EP2015/055927

(45) Date of publication and mention
of the grant of the patent:
16.01.2019 Bulletin 2019/03

(87) International publication number:
WO 2015/144583 (01.10.2015 Gazette 2015/39)

(21) Application number: **15720266.4**

(22) Date of filing: **20.03.2015**

(54) **FORMULATION FOR PERSONAL HYGIENE**
FORMULIERUNG FÜR DIE KÖRPERHYGIENE
FORMULATION POUR L'HYGIÈNE PERSONNELLE

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR

(30) Priority: **24.03.2014 IT MI20140495**

(43) Date of publication of application:
01.02.2017 Bulletin 2017/05

(73) Proprietor: **BIO.LO.GA. S.r.l.**
31015 Conegliano (TV) (IT)

(72) Inventor: **PANIN, Giorgio**
45100 Rovigo (IT)

(74) Representative: **Ferreccio, Rinaldo**
Botti & Ferrari S.r.l.
Via Cappellini, 11
20124 Milano (IT)

(56) References cited:
WO-A2-2011/083401 US-A1- 2007 269 525

- **DATABASE GNPD [Online] MINTEL; June 2010 (2010-06), "Tea Tree Oil Mask", XP002733809, Database accession no. 1316279**
- **C. F. CARSON ET AL: "Melaleuca alternifolia (Tea Tree) Oil: a Review of Antimicrobial and Other Medicinal Properties", CLINICAL MICROBIOLOGY REVIEWS, vol. 19, no. 1, 1 January 2006 (2006-01-01), pages 50-62, XP055102581, ISSN: 0893-8512, DOI: 10.1128/CMR.19.1.50-62.2006 cited in the application**
- **"CMD Teebaumöl Körperlotion", Biovio Naturkosmetik & Naturkost, 2014, XP002733810, Retrieved from the Internet: URL: <http://www.biovio.de/Naturkosmetik/Koerperpflege/Bodylotion-1252/CMD-Teebaumoeel-kbA-Koerperlotion-200-ml.html> [retrieved on 2014-12-15]**

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

DescriptionField of application

[0001] The present invention relates to the field of the cosmetic and pharmaceutical industry.

[0002] In particular, the invention relates to a formulation for personal hygiene, provided with pronounced characteristics of tolerability, and suitable to the use as a co-adjuvant with soothing properties in case of diseases and inflammatory conditions of external genital organs.

Background of the art

[0003] The detergent formulations for personal hygiene have to be as delicate as possible, since they directly contact the mucous membranes of the genital system, which are very sensitive. Ideally, such formulations should not alter the natural microbial flora also in case of frequent washing, and they should preferably be free of alcohols and strong fragrances, in order to reduce the presence of potentially allergenic substances.

[0004] Personal hygiene detergents should not alter the natural acidity of the mucous membranes and must be formulated with ingredients which are not harsh or irritating. In the formulations of personal hygiene detergents available on the market, relatively delicate anionic surfactants are contained, such as sulfosuccinates, acylglutammates, or protein-fatty acid condensates, such as e.g. those derived from the condensation of coconut fatty acids and wheat or oat amino acids. The anionic surfactants are sometimes associated with amphoteric surfactants, such as betaines, or to non-ionic surfactants.

[0005] The known formulations sometimes contain long chain alcohols, oils and functional substances, such as plant extracts with a specific action. Among these, chamomile, calendula and lime tree extracts can be mentioned, with a refreshing and soothing activity, as well as thyme extract and Melaleuca alternifolia oil, with an antiseptic activity.

[0006] The known formulations for personal hygiene usually have a pH of about 3.5 -4.0, corresponding to the vaginal pH.

[0007] Despite the measures mentioned above to use surfactants which are as much delicate as possible, to avoid the presence of irritating substances, and to maintain the vaginal pH, the formulations for personal hygiene that are currently commercially available are not completely satisfactory, especially when they are to be used by persons with more or less severe diseases of the external genital mucous membranes, in particular the vulva, for example, lichen and vulvitis.

[0008] US 2007/269525 A1 discloses O/W gel compositions aimed at providing irritation free formulations, wherein such compositions include 0.05-5% by weight of a polymeric gel former selected from acrylic acid, acrylamide and homopolymers of acrylic acid and acrylamide, 0.1-10% by weight of a wax component, which may be i.a. a C₁₂₋₁₈ fatty alcohol or a partial glyceride, and 0.1-30% of an oil component. These compositions may contain "biogenic agents" including i.a. tocopherol and tocopherol acetate in an unspecified amount. The compositions according to US 2007/269525 A1 can be incorporated into body care formulations, the pH of which is not specified.

[0009] C.F. Carson et al.: "Melaleuca alternifolia (Tea Tree) Oil: a review of antimicrobial and other medicinal properties" Clinical Microbiology Reviews, vol. 19, no. 1, 1 January 2006, pages 50-62, disclose the disinfectant and antiinflammatory properties of Melaleuca alternifolia oil.

Summary of the invention

[0010] The problem underlying the present invention has been to provide a new personal hygiene formulation which had a higher tolerability than that of the known formulations and which could be used even by persons with diseases of the external genital mucous membranes, without causing irritations or other problems, while performing an efficient soothing and antimicrobial action.

[0011] Such a problem has been solved by providing a formulation for personal hygiene in the form of O/W emulsion with a pH from 5.5 to 6.5, free of surfactants, except for comprising an emulsifier consisting of a fatty alcohol with 14 to 22 carbon atoms or of glyceryl monostearate (INCI name: Glyceryl Stearate) or a mixture thereof, which formulation further comprises Coco Caprylate and/or Coco Caprylate/Caprate, vitamin E or an ester thereof in an amount of 2.0 to 15% by weight on the total weight of the formulation, and Melaleuca alternifolia oil.

[0012] The above-mentioned fatty alcohol is preferably selected from the group consisting of lauryl alcohol, stearyl alcohol, myristyl alcohol, arachidyl alcohol, behenyl alcohol and cetylstearyl alcohol, the latter (Cetearyl Alcohol) being particularly preferred.

[0013] Vitamin E can be used as d- α -tocopherol, as a mixture of the two enantiomers d and l of α -tocopherol, as a mixture of other tocopherols (β , γ , δ , ϵ , ζ , η) or as tocotrienols.

[0014] By ester of vitamin E is meant an ester of vitamin E as defined above with a carboxylic acid of formula R-COOH,

wherein R is an alkyl radical having 1 to 19 carbon atoms, or an alkenyl or alkynyl radical having 2 to 19 carbon atoms.

[0015] Preferably, the above-mentioned ester is vitamin E acetate, n-propionate or linoleate.

[0016] The use of vitamin E acetate, particularly alpha-tocophery acetate, is particularly preferred.

[0017] The formulation preferably also contain jojoba oil (*Simmondsia Chinensis* Oil) and/or shea butter (*Butyrospermum Parkii* Butter).

[0018] Preferably, the formulation also comprises xanthan gum (Xanthan Gum).

[0019] Preferably, the formulation also comprises an organic acid selected from lactic, malic, citric and acetic acid. Particularly preferred is lactic acid, which is added in such an amount as to bring the pH of the formulation to 5.5-6.5, preferably to a pH of about 6.0.

[0020] Preferably, the formulation also comprises pentylene glycol (Pentylene Glycol).

[0021] Preferably, the formulation according to the present invention contains the following ingredients, in percentages by weight of the total weight of the formulation:

Fatty alcohol with 14-22 carbon atoms	1.5-5.0
Glyceryl Stearate	2.0-6.0
Coco Caprylate	15.0-25.0
Vitamin E or ester thereof	3.0-10.0
Melaleuca Alternifolia Leaf Oil	1.5-6.0

[0022] In an aspect thereof, the formulation may also contain 0.5-2.0% jojoba oil (*Simmondsia Chinensis* Oil) and/or 3.0-8.0% shea butter (*Butyrospermum Parkii* Butter).

[0023] The formulation may further contain 0.2-1.0% xanthan gum (Xanthan Gum).

[0024] The formulation may further contain from 0.05% to 0.25% lactic acid, to adjust the pH between 5.5 and 6.5, preferably at about 6.0.

[0025] The formulation may further contain from 3.0 to 8.0% pentylene glycol (Pentylene Glycol).

[0026] A particularly preferred formulation is the one set forth herein below (INCI names):

Aqua	51.00 - 58.00
Coco Caprylate	16.00 - 20.00
Pentylene glycol	4.00 - 6.00
Glyceryl Stearate	3.00 - 5.00
Tocopheryl Acetate	4.00 - 8.00
Butyrospermum Parkii Butter	4.00 - 7.00
Cetearyl Alcohol	2.00 - 4.00
Melaleuca Alternifolia Leaf Oil	2.00 - 5.00
Simmondsia Chinensis Oil	0.5 - 1.5
Xanthan Gum	0.3 - 0.8
Lactic acid	0.05-0.15
pH = 5.8-6.2.	

[0027] The formulation according to the present invention is provided with a high tolerability, by virtue of the absence of surfactants. The delicate detergent action of the formulation according to the present invention is provided by the emulsifiers contained therein, i.e., fatty alcohol with 14 to 22 carbon atoms and/or Glyceryl Stearate, which components have all strong affinity for the skin and the mucous membranes. The same affinity for the skin and mucous membranes is displayed by Coco Caprylate and Coco Caprylate/Caprates, which are provided with a considerable emollient action.

[0028] The application of the detergent formulation according to the present invention, by virtue of the absence of surfactants, does not even require the subsequent rinsing of the cleaned area. In such a case, the formulation may remain in contact with the skin and the mucous membranes, thus allowing the antimicrobial and soothing active ingredients contained therein to keep on exerting their action even after cleansing.

[0029] The antimicrobial action of the formulation according to the present invention is due to the presence therein of the tea tree or *Melaleuca alternifolia* essential oil. The latter component is rich in terpene derivatives, mainly oxygenated and non-oxygenated monoterpenes, sesquiterpenes and triterpene alcohols, which are responsible for the antimicrobial action.

[0030] In order to prevent any irritant effect related to the essential oils of the tea tree oil, the formulation according to the present invention provides for the presence of vitamin E or an ester thereof, in particular, tocopheryl acetate, having

a considerable soothing and emollient action.

[0031] A further soothing and emollient effect can be obtained by incorporating in the formulation according to the present invention jojoba oil (*Simmondsia Chinensis* Oil) and/or shea butter.

[0032] The possible presence in the formulation according to the present invention, which is in the form of O/W emulsion, of xanthan gum, serves to stabilize the emulsion and to confer it a gel texture.

[0033] The possible presence of pentylene glycol also concurs to the stabilization of the formulation according to the present invention.

[0034] An important aspect of the formulation according to the present invention is its pH, which, as it has been seen, ranges between 5.5 and 6.5 and is preferably of about 6.0, unlike most of the detergent formulations for personal hygiene in the market, which have a pH of about 3.5-4.0.

[0035] A pH range centered around 6.0 has been selected because this is the pH value at the vulvar mucous membrane, which is the portion which is actually cleaned. Instead, the pH of 3.5-4.0 of most of the personal hygiene detergent formulations in the market corresponds to the pH of the vaginal mucous membrane, but the latter is not actually involved in the cleansing. The vaginal mucous membrane is reached only by vaginal douches, but in such a case, special vaginal formulations are used instead of detergent formulations.

[0036] On the contrary, a detergent formulation for personal hygiene with a pH of 3.5-4.0 has a risk to be irritant and cause burning sensations in the presence of vulvar lesions and reddening.

[0037] The pH of the formulation according to the present invention can be adjusted to a value of about 5.5-6.5 by the addition of a suitable amount of a physiologically compatible organic acid, and preferably lactic acid.

[0038] The absence of preservatives, colorants and perfumes in the formulation according to the present invention further concurs to its high tolerability.

Detailed description

[0039] The present invention will be now further described with reference to an example given by way of illustrative, non-limiting example.

EXAMPLE

[0040]

a) Aqua	55.00
b) Coco Caprylate	17.00
c) Pentylene glycol	4.00
d) Glyceryl Stearate SE	3.00
e) Tocopheryl Acetate	6.50
f) Butyrospermum Parkii Butter	4.00
g) Cetearyl Alcohol	4.00
h) Melaleuca Alternifolia Leaf Oil	5.00
i) Simmondsia Chinensis Oil	0.50
l) Xanthan Gum	0.80
m) 50% w/w lactic acid solution	0.20
pH = 6.0.	

[0041] The formulation set forth above was prepared by weighing all the fatty phase (ingredients b, d, e, f, g, h, i). This phase is then brought to a liquid state by heating to 80 °C +/- 2 °C.

[0042] Xanthan gum (l) is added to the solution of water (a) and pentylene glycol (c) heated to 80 °C +/- 2 °C, under stirring, thus obtaining the aqueous phase. By means of a vacuum system, the liquid fatty phase is introduced by suction into the turboemulsifier containing the aqueous phase described above. The turboemulsifier is operated during about 30 minutes until a homogeneous emulsion is obtained.

[0043] Once the emulsion has been obtained, it is gradually brought back to room temperature; finally, the amount of lactic acid (m) necessary to obtain a pH = 6 is added.

[0044] The formulation was tested by a group of 35 female subjects, with an age ranging between 17 and 80 years, with different vulvar diseases, including lichen (both hypertrophic and hypotrophic, with or without erosions or rhagades), acute forms of vulvitis (fungal forms, forms due to *Escherichia coli*, herpes, outcomes of diathermocoagulation for condylomatosis, outcomes of post-partum episiorrhaply), outcomes of intervention on Bartholin's cyst. These subjects

were asked to use only the formulation at issue for cleansing their private parts during a period of thirty days.

[0045] All 35 subjects participating in the test declared that they obtained a considerable improvement by using the formulation of the present example, noting a considerable reduction of the symptoms (e.g., burning sensation, reddening, itching) and in many cases the complete disappearance of such symptoms. No adverse reaction has been reported.

Claims

1. A formulation for personal hygiene in the form of O/W emulsion with a pH from 5.5 to 6.5, free of surfactants except for comprising an emulsifier consisting of a fatty alcohol having from 14 to 22 carbon atoms or of Glyceryl Stearate or a mixture thereof, which formulation further comprises

Coco Caprylate and/or Coco Caprylate/Caprate,
vitamin E or an ester thereof in an amount of 2.0 to 15% by weight on the total weight of the formulation, and
Melaleuca alternifolia oil.

2. The formulation according to claim 1, wherein said fatty alcohol is selected from the group consisting of lauryl alcohol, stearyl alcohol, myristyl alcohol, arachidyl alcohol, behenyl alcohol and cetylstearyl alcohol and is preferably cetylstearyl alcohol (Cetearyl Alcohol).

3. The formulation according to any one of claims 1 and 2, wherein said ester of vitamin E is an ester of tocopherol with a carboxylic acid of formula R-COOH, wherein R is an alkyl radical having 1 to 19 carbon atoms, or a alkenyl or alkynyl radical having 2 to 19 carbon atoms and is preferably alpha-tocopheryl acetate, n-propionate or linoleate.

4. The formulation according to any one of the preceding claims, further comprising jojoba oil (*Simmondsia Chinensis* Oil) and/or shea butter (*Butyrospermum Parkii* Butter).

5. The formulation according to claim 4, further comprising xanthan gum (Xanthan Gum).

6. The formulation according to any one of the preceding claims further comprising an organic acid selected from lactic, malic, citric and acetic acid, preferably lactic acid.

7. The formulation according to any one of the preceding claims, also comprising pentylene glycol (Pentylene Glycol).

8. The formulation according to claim 1, containing the following ingredients, in percentages by weight on the total weight of the formulation:

Fatty alcohol with 14-22 carbon atoms	1.5-5.0
Glyceryl Stearate	2.0-6.0
Coco Caprylate	15.0-25.0
Vitamin E or ester thereof	3.0-10.0
Melaleuca Alternifolia Leaf Oil	1.5-6.0

9. The formulation according to claim 8, further containing 0.5-2.0% of jojoba oil (*Simmondsia Chinensis* Oil) and/or 3.0-8.0% of shea butter (*Butyrospermum Parkii* Butter).

10. The formulation according to claim 9, further containing 0.2-1.0% of xanthan gum (Xanthan Gum).

11. The formulation according to any one of claims 8 to 10, further containing from 0.05% to 0.25% of lactic acid, to adjust the pH between 5.5 and 6.5, preferably about 6.0.

12. The formulation according to any one of claims 8 to 11, further containing from 3.0 to 8.0% of pentylene glycol (Pentylene Glycol).

13. The formulation according to any one of the preceding claims, having a pH of 5.8-6.2 and containing, in percentages by weight on the total weight of the formulation (INCI names):

EP 3 122 323 B9

	Aqua	51.00 - 58.00
5	Coco Caprylate	16.00 - 20.00
	Pentylene glycol	4.00 - 6.00
	Glyceryl Stearate	3.00 - 5.00
	Tocopheryl Acetate	4.00 - 8.00
	Butyrospermum Parkii Butter	4.00 - 7.00
10	Cetearyl Alcohol	2.00 - 4.00
	Melaleuca Alternifolia Leaf Oil	2.00 - 5.00
	Simmondsia Chinensis Oil	0.5 - 1.5
	Xanthan Gum	0.3 - 0.8
15	Lactic acid	0,05-0,15

Patentansprüche

1. Formulierung zur Körperpflege in Form einer O/W-Emulsion mit einem pH-Wert von 5,5 bis 6,5, frei von Tensiden, mit Ausnahme des Umfassens eines Emulgators, der aus einem Fettalkohol, der von 14 bis 22 Kohlenstoffatome aufweist, oder aus Glycerylstearat oder einer Mischung davon besteht, wobei die Formulierung ferner umfasst Coco-Caprylat und/oder Coco-Caprylat/Caprat, Vitamin E oder einen Ester davon in einer Menge von 2,0 bis 15 Gew.-% des Gesamtgewichts der Formulierung, und Melaleuca alternifolia Öl.
2. Formulierung nach Anspruch 1, wobei der Fettalkohol ausgewählt ist aus der Gruppe bestehend aus Laurylalkohol, Stearylalkohol, Myristylalkohol, Arachidylalkohol, Behenylalkohol und Cetylstearylalkohol, und der vorzugsweise Cetylstearylalkohol (Cetearylalkohol) ist.
3. Formulierung nach einem der Ansprüche 1 und 2, wobei der Ester von Vitamin E ein Ester von Tocopherol mit einer Carbonsäure der Formel R-COOH ist, wobei R ein Alkylradikal ist, das 1 bis 19 Kohlenstoffatome aufweist, oder ein Alkenyl- oder Alkinyradikal, das 2 bis 19 Kohlenstoffatome aufweist, und das vorzugsweise Alpha-Tocopherylacetat, n-Propionat oder Linoleat ist.
4. Formulierung nach einem der vorhergehenden Ansprüche, ferner umfassend Jojobaöl (Simmondsia Chinensis-Öl) und/oder Sheabutter (Butyrospermum Parkii-Butter).
5. Formulierung nach Anspruch 4, ferner umfassend Xhantangummi (Xhantan Gum).
6. Formulierung nach einem der vorhergehenden Ansprüche, ferner umfassend eine organische Säure, ausgewählt aus Milch-, Apfel-, Zitronen- und Essigsäure, vorzugsweise Milchsäure.
7. Formulierung nach einem der vorhergehenden Ansprüche, ferner umfassend Pentylenglycol (Pentylene Glycol).
8. Formulierung nach Anspruch 1, die die folgenden Inhaltsstoffe enthält, nach Gewichtsanteilen des Gesamtgewichts der Formulierung:

Fettalkohol mit 14 bis 22 Kohlenstoffatomen	1,5-5,0
Glycerylstearat	2,0-6,0
Coco-Caprylat	15,0-25,0
Vitamin E oder Ester davon	3,0-10,0
Melaleuca alternifolia Blattöl	1,5-6,0
9. Formulierung nach Anspruch 8, ferner umfassend 0,5 bis 2,0 % Jojobaöl (Simmondsia Chinensi-Öl) und/oder 3,0 bis 8,0 % Sheabutter (Butyrospermum Parkii-Butter).

EP 3 122 323 B9

10. Formulierung nach Anspruch 9, ferner umfassend 0,2 bis 1,0 % Xhantangummi (Xhantan Gum).
11. Formulierung nach einem der Ansprüche 8 bis 10, ferner umfassend von 0,05 % bis 0,25 % Milchsäure, um den pH-Wert zwischen 5,5 und 6,5 anzupassen, vorzugsweise etwa 6,0.
12. Formulierung nach einem der Ansprüche 8 bis 11, ferner umfassend von 3,0 bis 8,0 % Pentylenglykol (Pentylene Glycol).
13. Formulierung nach einem der vorhergehenden Ansprüche, die einen pH-Wert von 5,8 bis 6,2 aufweist, und nach Gewichtsanteilen vom Gesamtgewicht der Formulierung Folgendes umfasst (INCI-Bezeichnungen):

Aqua	51,00-58,00
Coco Caprylate	16,00-20,00
Pentylene glycol	4,00-6,00
Glyceryl Stearate	3,00-5,00
Tocopheryl Acetate	4,00-8,00
Butyrospermum Parkii Butter	4,00-7,00
Cetearyl Alcohol	2,00-4,00
Melaleuca Alternifolia Leaf Oil	2,00-5,00
Simmondsia Chinensis Oil	0,5-1,5
Xanthan Gum	0,3-0,8
Lactic acid	0,05-0,15

Revendications

1. Formulation pour hygiène personnelle sous la forme d'une émulsion H/E avec un pH compris entre 5,5 et 6,5, exempt d'agents tensioactifs à l'exception d'un émulsifiant constitué d'un alcool gras ayant entre 14 et 22 atomes de carbone ou de Stéarate de glycéryle ou d'un mélange de ceux-ci, ladite formulation comprenant en outre du Coco Caprylate et/ou du Coco Caprylate/Caprates, de la vitamine E ou un ester de celle-ci dans une quantité comprise entre 2,0 et 15 % en poids sur la base du poids total de la formulation, et de l'huile de *Melaleuca alternifolia*.
2. Formulation selon la revendication 1, **caractérisée en ce que** ledit alcool gras est choisi dans le groupe constitué de l'alcool laurique, de l'alcool stéarique, de l'alcool myristique, de l'alcool arachidique, de l'alcool béhénique et de l'alcool cétostéarylique et est de préférence de l'alcool cétostéarylique (Cetearyl Alcohol).
3. Formulation selon une quelconque des revendications 1 et 2, **caractérisée en ce que** ledit ester de vitamine E est un ester de tocophérol présentant un acide carboxylique de formule R-COOH, dans laquelle R est un radical alkyle ayant entre 1 et 19 atomes de carbone, ou un radical alcène ou alcyne ayant entre 2 et 19 atomes de carbone et est de préférence un acétate, un n-propionate ou un linoléate d'alpha-tocophérol.
4. Formulation selon une quelconque des revendications précédentes, comprenant en outre de l'huile de jojoba (huile de *Simmondsia Chinensis*) et/ou du beurre de karité (beurre de *Butyrospermum Parkii*).
5. Formulation selon la revendication 4, comprenant en outre une gomme de xanthane (gomme de xanthane).
6. Formulation selon une quelconque des revendications précédentes, comprenant en outre un acide organique choisi parmi les acides lactique, malique, citrique et acétique, de préférence l'acide lactique.
7. Formulation selon une quelconque des revendications précédentes, comprenant également du Pentylène glycol (Pentylene Glycol).
8. Formulation selon la revendication 1, comprenant les ingrédients suivants, en pourcentages en poids du poids total

EP 3 122 323 B9

de la formulation :

5	Alcool gras avec 14 à 22 atomes de carbone	1,5 à 5,0
	Stéarate de glycéryle	2,0 à 6,0
	Coco Caprylate	15,0 à 25,0
	Vitamine E ou un ester de celle-ci	3,0 à 10,0
	Huile des feuilles de <i>Melaleuca Alternifolia</i>	1,5 à 6,0

10
9. Formulation selon la revendication 8, comprenant en outre 0,5 à 2,0 % d'huile de jojoba (huile de *Simmondsia Chinensis*) et/ou 3,0 à 8,0 % de beurre de karité (beurre de *Butyrospermum Parkii*).

15
10. Formulation selon la revendication 9, comprenant en outre 0,2 à 1,0 % de gomme de xanthane (gomme de xanthane).

11. Formulation selon une quelconque des revendications 8 à 10, comprenant en outre de 0,05 % à 0,25 % d'acide lactique, afin d'ajuster le pH entre 5,5 et 6,5, de préférence à environ 6,0.

20
12. Formulation selon une quelconque des revendications 8 à 11, comprenant en outre de 3,0 à 8,0 % de Pentylène glycol (Pentylène glycol).

13. Formulation selon une quelconque des revendications précédentes, ayant un pH de 5,8 à 6,2 et comprenant, en pourcentages en poids sur la base du poids total de la formulation (noms INCI) :

25	Aqua	51,00 à 58,00
	Coco Caprylate	16,00 à 20,00
	Pentylene glycol	4,00 à 6,00
	Glyceryl Stearate	3,00 à 5,00
30	Tocopheryl Acetate	4,00 à 8,00
	Butyrospermum Parkii Butter	4,00 à 7,00
	Cetearyl Alcohol	2,00 à 4,00
	Melaleuca Alternifolia Leaf Oil	2,00 à 5,00
35	Simmondsia Chinensis Oil	0,5 à 1,5
	Xanthan Gum	0,3 à 0,8
	Acide lactique	0,05 à 0,15

40

45

50

55

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- US 2007269525 A1 [0008]

Non-patent literature cited in the description

- **C.F. CARSON et al.** Melaleuca alternifolia (Tea Tree) Oil: a review of antimicrobial and other medicinal properties. *Clinical Microbiology Reviews*, 01 January 2006, vol. 19 (1), 50-62 [0009]