



(11) **EP 3 248 012 B8**

(12) **CORRECTED EUROPEAN PATENT SPECIFICATION**

(15) Correction information:
Corrected version no 1 (W1 B1)
Corrections, see
Bibliography INID code(s) 72

(51) Int Cl.:
G01N 33/561 ^(2006.01) **G01N 33/53** ^(2006.01)
G01N 33/49 ^(2006.01)

(48) Corrigendum issued on:
13.11.2019 Bulletin 2019/46

(86) International application number:
PCT/US2016/014337

(45) Date of publication and mention of the grant of the patent:
21.08.2019 Bulletin 2019/34

(87) International publication number:
WO 2016/118757 (28.07.2016 Gazette 2016/30)

(21) Application number: **16740765.9**

(22) Date of filing: **21.01.2016**

(54) **IMMUNOBLOTTING SYSTEMS AND METHODS**

SYSTEME UND VERFAHREN FÜR IMMUNBLOTTING

SYSTÈMES ET PROCÉDÉS D'IMMUNOEMPREINTE (IMMUNOBLOTTING)

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR

WO-A1-2012/166041 WO-A1-2014/165185
US-A1- 2007 134 747 US-A1- 2007 231 458
US-A1- 2014 024 024 US-A1- 2014 311 909

(30) Priority: **23.01.2015 US 201562107131 P**

(43) Date of publication of application:
29.11.2017 Bulletin 2017/48

(73) Proprietor: **Bio-Rad Laboratories, Inc.**
Hercules, CA 94547 (US)

- **CAROL L LADNER ET AL: "Visible fluorescent detection of proteins in polyacrylamide gels without staining", ANALYTICAL BIOCHEMISTRY, vol. 326, no. 1, 1 March 2004 (2004-03-01), pages 13-20, XP55226338, AMSTERDAM, NL ISSN: 0003-2697, DOI: 10.1016/j.ab.2003.10.047**
- **Ryan Short ET AL: "Biotechnology from bench to business Alternative to the Standard Blot Normalization Process Drug Discovery Assay Tutorial", , 15 November 2011 (2011-11-15), XP55227796, Retrieved from the Internet: URL:http://www.bio-rad.com/webroot/web/pdf/literature/Bulletin_RP0051.pdf [retrieved on 2015-11-11]**
- **ANTON POSCH ET AL: "V3 Stain-free Workflow for a Practical, Convenient, and Reliable Total Protein Loading Control in Western Blotting", JOURNAL OF VISUALIZED EXPERIMENTS, no. 82, 30 December 2013 (2013-12-30), XP055471074, DOI: 10.3791/50948**

(72) Inventor: **LIU, Ning**
Hercules, CA 94547 (US)

(74) Representative: **dompatent von Kreisler Selting**
Werner -
Partnerschaft von Patent- und Rechtsanwälten
mbB
Deichmannhaus am Dom
Bahnhofsvorplatz 1
50667 Köln (DE)

(56) References cited:

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

EP 3 248 012 B8