



(11) **EP 3 260 686 B8**

(12) **CORRECTED EUROPEAN PATENT SPECIFICATION**

(15) Correction information:  
**Corrected version no 1 (W1 B1)**  
**Corrections, see**  
**Bibliography INID code(s) 73**

(51) Int Cl.:  
**F02C 6/08** <sup>(2006.01)</sup> **F02C 7/18** <sup>(2006.01)</sup>  
**F02C 7/32** <sup>(2006.01)</sup> **F01D 25/12** <sup>(2006.01)</sup>  
**F02C 9/18** <sup>(2006.01)</sup>

(48) Corrigendum issued on:  
**07.04.2021 Bulletin 2021/14**

(45) Date of publication and mention  
of the grant of the patent:  
**27.01.2021 Bulletin 2021/04**

(21) Application number: **17176981.3**

(22) Date of filing: **20.06.2017**

(54) **ENGINE BLEED AIR AND COMPRESSOR SURGE MANAGEMENT AND CORRESPONDING METHOD**

ZAPFLUFT- UND VERDICHTERPUMPSTEUERUNG SOWIE DAZUGEHÖRIGES VERFAHREN  
GESTION D'AIR DE PRÉLÈVEMENT DE MOTEUR ET DE POMPAGE DE COMPRESSEUR ET  
PROCÉDÉ CORRESPONDANT

(84) Designated Contracting States:  
**AL AT BE BG CH CY CZ DE DK EE ES FI FR GB  
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO  
PL PT RO RS SE SI SK SM TR**

(30) Priority: **20.06.2016 US 201615186722**

(43) Date of publication of application:  
**27.12.2017 Bulletin 2017/52**

(73) Proprietor: **Raytheon Technologies Corporation  
Farmington, CT 06032 (US)**

(72) Inventors:  
• **TAYLOR, Stephen H.**  
**East Hartford, CT Connecticut 06118 (US)**

- **LENTS, Charles E.**  
**Amston, CT Connecticut 06231 (US)**
- **SUCIU, Gabriel L.**  
**Glastonbury, CT Connecticut 06033 (US)**
- **MERRY, Brian D.**  
**Andover, CT Connecticut 06232 (US)**
- **CHANDLER, Jesse M.**  
**South Windsor, CT Connecticut 06074 (US)**

(74) Representative: **Dehns  
St. Bride's House  
10 Salisbury Square  
London EC4Y 8JD (GB)**

(56) References cited:  
**US-A- 5 036 678 US-A- 5 452 573**  
**US-A1- 2014 165 588 US-A1- 2015 275 758**

**EP 3 260 686 B8**

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).