



(11) **EP 3 416 139 A8**

(12) **CORRECTED EUROPEAN PATENT APPLICATION**

(15) Correction information:
Corrected version no 1 (W1 A1)
Corrections, see
Bibliography INID code(s) 71

(51) Int Cl.:
G07C 9/00 (2006.01)

(48) Corrigendum issued on:
20.02.2019 Bulletin 2019/08

(43) Date of publication:
19.12.2018 Bulletin 2018/51

(21) Application number: **18170006.3**

(22) Date of filing: **30.04.2018**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR
Designated Extension States:
BA ME
Designated Validation States:
KH MA MD TN

(72) Inventors:
• **NISHIYAMA, Shigeki**
Toyota-shi, Aichi-ken,, 471-8571 (JP)
• **FUNAYAMA, Tomoyuki**
Toyota-shi, Aichi-ken,, 471-8571 (JP)
• **KAMEYAMA, Yuuto**
Toyota-shi, Aichi-ken,, 471-8571 (JP)

(30) Priority: **15.06.2017 JP 2017117817**


(74) Representative: **Kuhnen & Wacker**
Patent- und Rechtsanwaltsbüro PartG mbB
Prinz-Ludwig-Straße 40A
85354 Freising (DE)

(71) Applicant: **TOYOTA JIDOSHA KABUSHIKI**
KAISHA
Toyota-shi, Aichi-ken, 471-8571 (JP)

(54) **VEHICLE CONTROL DEVICE**

(57) A vehicle control device (10) configured to perform transmission of a drive signal for driving an antenna (31) and reception of a detection signal from a sensor detection unit (32) configured to detect a user operation by common wire (40), and a controller (13) configured to control the antenna driving unit (11) to transmit the drive signal. The controller (13) is configured to determine whether the determination process is being performed by the sensor detection signal determination unit (12) each when the antenna driving unit (11) transmits the drive signal. The controller (13) is configured to cause the antenna driving unit (11) to transmit the drive signal after the sensor detection signal determination unit (12) finishes the determination process in a case where the controller (13) determines that the determination process is being performed by the sensor detection signal determination unit (12).

FIG. 3



EP 3 416 139 A8