



(12) **CORRECTED EUROPEAN PATENT APPLICATION**
published in accordance with Art. 153(4) EPC

(15) Correction information:
Corrected version no 2 (W2 A1)
Corrections, see
Abstract

(51) Int Cl.:
A61F 13/51 ^(2006.01) **A61F 13/49** ^(2006.01)
A61F 13/49A ^(2006.01) **A61F 13/496** ^(2006.01)

(48) Corrigendum issued on:
17.06.2020 Bulletin 2020/25

(86) International application number:
PCT/JP2017/037310

(43) Date of publication:
28.08.2019 Bulletin 2019/35

(87) International publication number:
WO 2018/074396 (26.04.2018 Gazette 2018/17)

(21) Application number: **17861713.0**

(22) Date of filing: **16.10.2017**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR

• **ISHIKAWA, Yoshitake**
Shikokuchuo-shi
Ehime 799-0431 (JP)
• **MORI, Yosuke**
Shikokuchuo-shi
Ehime 799-0431 (JP)

(30) Priority: **21.10.2016 JP 2016206860**

(71) Applicant: **Daio Paper Corporation**
Ehime 799-0492 (JP)

(74) Representative: **Williams Powell**
11 Staple Inn
London WC1V 7QH (GB)

(72) Inventors:
• **IDE, Aya**
Shikokuchuo-shi
Ehime 799-0431 (JP)

(54) **UNDERPANTS-TYPE DISPOSABLE DIAPER**

(57) In an underpants-type disposable diaper including a display sheet (25) containing a resin film between an inner member (200) and at least one of a front side outer member (12F) and a back side outer member (12B), a cover nonwoven fabric (13) provided with a plurality of holes (14) having intervals and penetrating a front and a back is interposed from at least a crotch side edge of an outer member overlapping the display sheet (25) to a side of a waist opening WO between the display sheet (25) and a liquid impervious sheet (11), and an internal surface and an external surface of the cover nonwoven fabric (13) are bonded to facing surfaces, respectively, through a hot melt adhesive (25H). Compatibility between prevention of deterioration of appearance of the display sheet and prevention of a decrease in air permeability is achieved.

FIGURE 5

