



(11)

EP 3 559 648 B8

(12) **CORRECTED EUROPEAN PATENT SPECIFICATION**

(15) Correction information:
Corrected version no 1 (W1 B1)
Corrections, see
Bibliography INID code(s) 73

(48) Corrigendum issued on:
20.03.2024 Bulletin 2024/12

(45) Date of publication and mention
of the grant of the patent:
07.06.2023 Bulletin 2023/23

(21) Application number: **17885391.7**

(22) Date of filing: **20.12.2017**

(51) International Patent Classification (IPC):
G01N 27/414^(2006.01) C07K 14/705^(2006.01)
B82Y 15/00^(2011.01)

(52) Cooperative Patent Classification (CPC):
G01N 27/4145; B82Y 15/00; C07K 14/705;
G01N 27/4146

(86) International application number:
PCT/IB2017/058181

(87) International publication number:
WO 2018/116186 (28.06.2018 Gazette 2018/26)

(54) **SENSOR DEVICE AND METHODS**

SENSORVORRICHTUNG UND -VERFAHREN

DISPOSITIF DE DÉTECTION ET PROCÉDÉS

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR

(30) Priority: **21.12.2016 NZ 16727745**
21.12.2016 NZ 16727747

(43) Date of publication of application:
30.10.2019 Bulletin 2019/44

(73) Proprietor: **Scentian Bio Limited**
Auckland 1025 (NZ)

(72) Inventors:
• **MURUGATHAS, Thanihaichelvan**
Auckland 1024 (LK)
• **KHADKA, Roshan**
Auckland 1024 (NZ)
• **KRALICEK, Andrew Vladimir**
Auckland 1025 (NZ)
• **CARRAHER, Colm**
Auckland 0602 (NZ)
• **ZHENG, Han Yue**
Lower Hutt 5011 (NZ)
• **PLANK, Natalie Olivia Victoria**
Wellington 6012 (NZ)

• **TRAVAS-SEJDIC, Jadranka**
Auckland 1071 (NZ)
• **AYDEMIR, Nihan**
Auckland 1010 (NZ)

(74) Representative: **Mewburn Ellis LLP**
Aurora Building
Counterslip
Bristol BS1 6BX (GB)

(56) References cited:
EP-A1- 2 848 929 EP-A1- 2 848 929
CA-A1- 2 616 144

• **BACHTIAR L.R. et al.: "Using Multilayer**
Perceptron Computation to Discover Ideal Insect
Olfactory Receptor Combinations in the
Mosquito and Fruit Fly for an Efficient Electronic
Nose", Neural Computation, vol. 27, no. 1, 1
January 2015 (2015-01-01), pages 171-201,
XP009515317, DOI: 10.1162/NECO_a_00691

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

- BACHTIAR L.R. et al.: "Multilayer Perceptron Classification of Unknown Volatile Chemicals from the Firing Rates of Insect Olfactory Sensory Neurons and Its Application to Biosensor Design", *Neural Computation*, vol. 25, no. 1, 1 January 2013 (2013-01-01), pages 259-287, XP009515318, DOI: 10.1162/NECO_a_00386
- SCHOTT M. et al.: "Insect Antenna-Based Biosensors for In Situ Detection of Volatiles", *Advances in Biochemical Engineering and Biotechnology*, vol. 136, 2013, pages 101-122, XP055510130,
- CARRAHER C. et al.: "Towards an understanding of the structural basis for insect olfaction by odorant receptors", *Insect Biochemistry and Molecular Biology*, vol. 66, 2015, pages 31-41, XP029323032,
- NOWOTNY T. et al.: "Drosophila olfactory receptors as classifiers for volatiles from disparate real world applications", *Bioinspiration & Biomimetics*, vol. 9, no. 4 14 October 2014 (2014-10-14), XP020275379, Retrieved from the Internet:
URL: https://pdfs.semanticscholar.org/096e/b8cd86e3ec019e9719dfd22d4a522fa9611a.pdf7_ga=2.62634220.1772490462.1522136793-218666052.1510032447 [retrieved on 2018-03-27]
- LIU Y. et al.: "Insect olfactory receptors as essential detectors for volatile chemicals in biomimetic odorant sensors", *Applied Mechanics and Materials*, vol. 461, 2013, pages 822-828, XP055510171,
- DU L. et al.: "Recent advances in olfactory receptor-based biosensors", *Biosensors and Bioelectronics*, vol. 42, 2013, pages 570-580, XP055510179,