(11) **EP 3 573 033 A3**

(12) EUROPEAN PATENT APPLICATION

(88) Date of publication A3: **04.12.2019 Bulletin 2019/49**

(51) Int Cl.: **G08B 29/12** (2006.01)

G08B 25/14 (2006.01)

(43) Date of publication A2: **27.11.2019 Bulletin 2019/48**

(21) Application number: 19168761.5

(22) Date of filing: 11.04.2019

(84) Designated Contracting States:

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated Extension States:

BA ME

Designated Validation States:

KH MA MD TN

(30) Priority: 25.05.2018 CA 3006178

(71) Applicants:

 Ainsworth, Stephen David Whitby L1P 1N6 (CA) Ainsworth, Mark Douglas Courtice L1E 1N2 (CA)

(72) Inventors:

- Ainsworth, Stephen David Whitby L1P 1N6 (CA)
- Ainsworth, Mark Douglas Courtice L1E 1N2 (CA)
- (74) Representative: Gulde & Partner
 Patent- und Rechtsanwaltskanzlei mbB
 Wallstraße 58/59
 10179 Berlin (DE)

(54) FIRE ALARM TESTING DEVICE AND METHOD

A fire alarm testing device including an electrical-switch assembly, and internal circuitry. The electrical-switch assembly includes a face-plate with the face-plate including two screw-holes, a control knob, two voltage/resistor measuring points, a plurality of electrical contacts, and two mounting screws. The internal circuitry is mechanically and electrically coupleable to the face-plate, and electrically communicable with a fire alarm system. The control knob also includes four rotatable positions including normal, open, ground, and short such that the fire alarm system is testable by rotating the knob. The electrical-switch assembly is rated for 0-40 volts direct current and is rated up to 350 milliamps and is rated up to 3.5 continuous current-amps. Preferably, electrical-switch assembly is water resistant sealed from dust and debris. Protective caps or plugs are installed where required to prevent foreign objects into the device.




FIG.1



Category

Α

EUROPEAN SEARCH REPORT

DOCUMENTS CONSIDERED TO BE RELEVANT

Citation of document with indication, where appropriate,

US 2005/139682 A1 (IASSO DANIEL [US] ET AL) 30 June 2005 (2005-06-30)

of relevant passages

* ábstract; figurès 1,5,12 *

Application Number

EP 19 16 8761

CLASSIFICATION OF THE APPLICATION (IPC)

INV. G08B29/12

G08B25/14

Relevant

to claim

1-20

5

15

20

25

30

35

40

45

50

55

A	<pre>* paragraph [0007] * paragraph [0035] * paragraph [0040] * paragraph [0046] US 9 830 806 B2 (TY [NZ]) 28 November 2 * abstract; figures * column 2, line 5</pre>	- paragraph [0004] 3 - paragraph [0010] 3 * * * * CO NEW ZEALAND LTD 017 (2017-11-28) 1, 2A, 3 *	1-20	TECHNICAL FIELDS SEARCHED (IPC)
ORM 1508	The present search report has been search Munich CATEGORY OF CITED DOCUMENTS (: particularly relevant if taken alone of the same category) (: technological background) (: non-written disclosure) (: intermediate document)	Date of completion of the set 16 October 20 T: theory or E: earlier pat after the file D: document L: document	orinciple underlying the itent document, but publifing date to ited in the application cited for other reasons of the same patent family	shed on, or

EP 3 573 033 A3

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 19 16 8761

5

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

16-10-2019

10	Patent document cited in search report	Publication date	Patent family member(s)	Publication date
	US 2005139682	A1 30-06-2005	US 2003057956 A1 US 2005139682 A1	27-03-2003 30-06-2005
15	US 9830806		EP 2960880 A2 US 2015348399 A1	30-12-2015 03-12-2015
20				
25				
30				
35				
40				
45				
50				
	FORM P0459			
55	Q			

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82