



(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
12.02.2020 Bulletin 2020/07

(51) Int Cl.:
A47L 9/06 (2006.01)

(21) Application number: **18187638.4**

(22) Date of filing: **07.08.2018**

(84) Designated Contracting States:
**AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR**
Designated Extension States:
BA ME
Designated Validation States:
KH MA MD TN

(72) Inventors:
• **Meulendijks, Anke Rieka**
5656 AE Eindhoven (NL)
• **Schallig, Michiel Allan Aurelius**
5656 AE Eindhoven (NL)

(74) Representative: **Steenbeek, Leonardus Johannes
et al**
Philips Intellectual Property & Standards
High Tech Campus 5
5656 AE Eindhoven (NL)

(71) Applicant: **Koninklijke Philips N.V.**
5656 AE Eindhoven (NL)

(54) **WET CLEANING DEVICE**

(57) A wet cleaning device (WCD) comprises a mopping unit (MU) for wet cleaning a surface, and an arrangement (ST) for increasing a pressure of the mopping unit (MU) to the surface by means of suction. In one embodiment, the arrangement includes a hose at a side of the mopping unit (MU), the hose having an opening for applying suction to the surface. The hose may be present at opposite sides of the mopping unit (MU). Alternatively, the hose may be present around the mopping unit (MU).

Preferably, a suction power of the arrangement is controllable. Advantageously, the suction power is controllable in dependence on a detection of stains, a speed of the wet cleaning device (WCD), and/or a type of the surface. If the wet cleaning device (WCD) is formed by a mopping robot vacuum cleaner, the suction for the arrangement (ST) is advantageously a part of a suction generated for vacuum cleaning.




Fig. 1

Description

FIELD OF THE INVENTION

[0001] The invention relates to a wet cleaning device.

BACKGROUND OF THE INVENTION

[0002] Hard floor cleaning is traditionally done by first vacuuming the floor, followed by mopping it. Vacuuming removes the coarse dirt, while mopping removes the stains. These days there are more and more appliances on the market that claim to vacuum and mop in one go. Also robot vacuum cleaners offer the solution of vacuum cleaning and mopping the floor. For this a water tank with mop is attached towards the (vacuum cleaning) robot.

[0003] US2017367552 discloses a self-moving floor treatment device that comprises a machine body base and a water tank. A cleaning cloth is attached onto the bottom of the water tank, and the water tank is connected to the bottom surface of the machine body base in a manner of floating up and down. By mounting the water tank on the machine body base in a floating manner to leave a certain gap therebetween, the water tank and the cleaning cloth can float up and down within a certain range of space. Because the force that actually acts on the floor is just the gravity of the water tank and the cleaning cloth themselves and does not comprise the gravity of the machine, compared with a common product, the friction force between the cleaning cloth and the floor is reduced, the phenomenon that the machine slips on the floor with water can be effectively avoided, the floor cleaning efficiency is improved and the obstacle crossing ability of the machine with the water tank is improved.

SUMMARY OF THE INVENTION

[0004] It is, inter alia, an object of the invention to provide an improved wet cleaning device. The invention is defined by the independent claims. Advantageous embodiments are defined in the dependent claims.

[0005] One aspect of the invention provides a wet cleaning device, comprising a mopping unit for wet cleaning a surface, and an arrangement for increasing a pressure of the mopping unit to the surface by means of suction. In one embodiment, the arrangement includes a hose at a side of the mopping unit, the hose having an opening for applying suction to the surface. The hose may be present at opposite sides of the mopping unit. Alternatively, the hose may be present around the mopping unit. Preferably, a suction power of the arrangement is controllable. Advantageously, the suction power is controllable in dependence on a detection of stains, a speed of the wet cleaning device, and/or a type of the surface. If the wet cleaning device is formed by a mopping robot vacuum cleaner, the suction for the arrangement is advantageously a part of a suction generated for vacuum cleaning.

[0006] The invention is based on the recognition that wet cleaning devices like robot vacuum cleaners are preferably not very heavy, so that a user can easily pick them up. For mopping a surface (e.g. a floor), often some pressure is needed on the surface to be able to remove hard stains. Here we encounter a contradiction. The wet cleaning device needs to be low in weight to be easily lifted, but on the other hand, it should provide enough pressure on the floor to enable the wet cleaning device to mop the surface properly. To overcome this contradiction, it is necessary to provide a way to apply force on the ground without making the wet cleaning device heavier.

[0007] One aspect of this invention will enable the wet cleaning device to give an increased pressure on the ground while mopping, while staying light in weight. Embodiments of the invention provide an area of under-pressure around the mopping unit so that the mopping unit will suck itself to the ground. In a robot vacuum cleaner embodiment, the under-pressure can advantageously be generated by leading a part of the airflow of the vacuum cleaner through a tube system around the mop.

[0008] These and other aspects of the invention will be apparent from and elucidated with reference to the embodiments described hereinafter.

BRIEF DESCRIPTION OF THE DRAWINGS

[0009]

Fig. 1 shows a bottom view of an embodiment of a wet cleaning device in accordance with the invention; and
Fig. 2 shows a cross-section of the embodiment of Fig. 1.

DESCRIPTION OF EMBODIMENTS

[0010] The embodiment of Figs. 1 and 2 relates to a wet cleaning device WCD formed by a mopping robot vacuum cleaner. As usual, the mopping robot vacuum cleaner has wheels W, a nozzle N with an optional rotating brush B, and a mopping unit MU. The mopping unit MU has a liquid tank (not shown) and a (replaceable) cleaning cloth. In accordance with the invention, a suction tool ST is provided at a side of the mopping unit MU. In the embodiment shown, the suction tool ST is formed by a hose having multiple openings around the mopping unit MU. Alternatively, the hose may have a slit-shaped opening. The hose may be made of rubber or some suitable plastic or other suitable material. The hose may be glued to the mopping unit MU.

[0011] As shown in Fig. 2, as usual for vacuum cleaners, dirty air from the nozzle N is guided to a dirt separation and collection unit DC, through which an airflow is generated by a fan F. In accordance with an embodiment of the invention, part of the airflow generated by the fan F is used to generate suction for the suction tool ST. A valve V is present to control how much airflow can be

used for the suction tool ST. The valve V may be formed by means of a clamp around a hose: if the hose is compressed by the clamp, less suction is available for the suction tool ST. Advantageously, the amount of suction available for the suction tool ST depends on a detection of stains (stain present => more suction), a speed of the wet cleaning device WCD (too low speed => reduce suction), and/or a type of the surface. To control the valve, a processor (anyway present in a robot cleaner) receives data (e.g. from a camera (not shown), and has software that can determine the presence of stains and the surface type from the camera image. This software may involve artificial intelligence based on a trained neural network. The wheel speed can be derived e.g. from an amount of current drawn by a motor that rotates the wheels W: if the current is relatively high, the motor has to work hard, so that it makes sense to reduce the suction for the suction tool to reduce friction.

[0012] It should be noted that the above-mentioned embodiments illustrate rather than limit the invention, and that those skilled in the art will be able to design many alternative embodiments without departing from the scope of the appended claims. In the above examples, a rectangular robot vacuum cleaner has been shown with a rectangular mopping unit MU. Obviously, the wet cleaning device may have a different shape (e.g. round), and the same holds for the mopping unit MU, which may e.g. have the shape shown in US2017367552. In the embodiment shown, the mopping unit MU is surrounded by the suction tool ST, but in other embodiments, the suction tool ST is just present at a side or at opposite side of the mopping unit MU. The suction tool ST does not need to be along a side, i.e. it does not need to have an elongated shape, as long as it results in the mopping unit MU exercising an increased pressure on the surface. The wet cleaning device of the present invention may also be arranged for cleaning (vertical) surfaces like windows or walls. The wet cleaning device of the present invention does not need to have a vacuum cleaner function. And if the wet cleaning device does have a vacuum cleaner function, it may or may not use the vacuum cleaner fan F for creating suction to increase a pressure of the mopping unit to the surface; a separate low-power fan may be used for this purpose, and this may result in the advantage that a better control of mopping pressure may be achieved, independent of vacuuming activities. A wet cleaning device having a vacuum cleaner function may have different operation modes: (1) only vacuum cleaning, (2) only wet cleaning, and (3) both vacuum cleaning and wet cleaning. In the second mode, use of a separate suction unit for generating under-pressure may result in the advantage that less energy is consumed. In the claims, any reference signs placed between parentheses shall not be construed as limiting the claim. The word "comprising" does not exclude the presence of elements or steps other than those listed in a claim. The word "a" or "an" preceding an element does not exclude the presence of a plurality of such elements. The invention may

be implemented by means of hardware comprising several distinct elements. In the device claim enumerating several means, several of these means may be embodied by one and the same item of hardware. Measures recited in mutually different dependent claims may advantageously be used in combination.

Claims

1. A wet cleaning device (WCD), comprising:
 - a mopping unit (MU) for wet cleaning a surface, and
 - an arrangement (ST) for increasing a pressure of the mopping unit to the surface by means of suction.
2. A wet cleaning device (WCD) as claimed in claim 1, wherein the arrangement (ST) includes a hose at a side of the mopping unit (MU), the hose having an opening for applying suction to the surface.
3. A wet cleaning device (WCD) as claimed in claim 2, wherein the hose is present at opposite sides of the mopping unit.
4. A wet cleaning device (WCD) as claimed in claim 2, wherein the hose is present around the mopping unit.
5. A wet cleaning device (WCD) as claimed in any of the preceding claims, wherein a suction power of the arrangement is controllable.
6. A wet cleaning device (WCD) as claimed in claim 5, wherein the suction power is controllable in dependence on a detection of stains.
7. A wet cleaning device (WCD) as claimed in claim 5 or 6, wherein the suction power is controllable in dependence on a speed of the wet cleaning device.
8. A wet cleaning device (WCD) as claimed in claim 5, 6 or 7, wherein the suction power is controllable in dependence on a type of the surface.
9. A wet cleaning device (WCD) as claimed in any of the preceding claims, wherein the wet cleaning device is formed by a mopping robot vacuum cleaner, the suction for the arrangement being a part of a suction generated for vacuum cleaning.




Fig. 1




Fig. 2



EUROPEAN SEARCH REPORT

Application Number
EP 18 18 7638

5

10

15

20

25

30

35

40

45

50

55

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	US 2014/033468 A1 (GUDER CHRISTIAN [GB] ET AL) 6 February 2014 (2014-02-06)	1,5-8	INV. A47L9/06
Y	* paragraph [0015] *	1,5-8	
A	-----	2-4,9	
X	DE 10 2006 061196 A1 (BSH BOSCH SIEMENS HAUSGERAETE [DE]) 26 June 2008 (2008-06-26)	1,5-8	
A	* paragraph [0019] *	2-4,9	
Y	US 9 742 318 B2 (DYSON TECHNOLOGY LIMITED) 22 August 2017 (2017-08-22)	1,5-8	
A	* column 5, lines 7-16 *	2-4,9	TECHNICAL FIELDS SEARCHED (IPC) A47L
A	EP 2 438 843 A2 (SAMSUNG ELECTRONICS CO LTD [KR]) 11 April 2012 (2012-04-11)	6	
A	* paragraph [0020] *	7	
A	EP 3 335 608 A1 (SAMSUNG ELECTRONICS CO LTD [KR]) 20 June 2018 (2018-06-20)	8	
A	* paragraph [0211] *	1-9	
A	US 2018/213992 A1 (KOETZ HENDRIK [DE] ET AL) 2 August 2018 (2018-08-02)		
A	* paragraph [0018] *		
A	US 2018/184875 A1 (YOUK HYUNGKYU [KR] ET AL) 5 July 2018 (2018-07-05)		
A	* paragraph [0032] *		
The present search report has been drawn up for all claims			
Place of search Munich		Date of completion of the search 30 January 2019	Examiner Eckenschwiller, A
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 18 18 7638

5

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

30-01-2019

10

15

20

25

30

35

40

45

50

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2014033468 A1	06-02-2014	AU 2013298313 A1	19-02-2015
		CN 103565356 A	12-02-2014
		EP 2879559 A1	10-06-2015
		GB 2504677 A	12-02-2014
		JP 5709947 B2	30-04-2015
		JP 2014030724 A	20-02-2014
		KR 20150038391 A	08-04-2015
		KR 20170082666 A	14-07-2017
		US 2014033468 A1	06-02-2014
		WO 2014020303 A1	06-02-2014

DE 102006061196 A1	26-06-2008	NONE	

US 9742318 B2	22-08-2017	BR P11009867 A2	08-03-2016
		CN 102460954 A	16-05-2012
		EP 2415164 A2	08-02-2012
		GB 2469140 A	06-10-2010
		JP 5279145 B2	04-09-2013
		JP 5640070 B2	10-12-2014
		JP 2010246383 A	28-10-2010
		JP 2013059259 A	28-03-2013
		KR 20110134513 A	14-12-2011
		US 2010253257 A1	07-10-2010
		WO 2010112929 A2	07-10-2010

EP 2438843 A2	11-04-2012	CN 102440718 A	09-05-2012
		EP 2438843 A2	11-04-2012
		KR 20120035519 A	16-04-2012
		US 2012079670 A1	05-04-2012

EP 3335608 A1	20-06-2018	EP 3335608 A1	20-06-2018
		KR 20170033579 A	27-03-2017
		US 2018255997 A1	13-09-2018
		WO 2017048046 A1	23-03-2017

US 2018213992 A1	02-08-2018	CN 108371519 A	07-08-2018
		DE 102017101936 A1	02-08-2018
		EP 3357395 A1	08-08-2018
		JP 2018122092 A	09-08-2018
		SG 10201800827Y A	27-09-2018
		US 2018213992 A1	02-08-2018

US 2018184875 A1	05-07-2018	KR 20180079068 A	10-07-2018
		TW 201828872 A	16-08-2018
		US 2018184875 A1	05-07-2018
		WO 2018124690 A1	05-07-2018

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

55

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 18 18 7638

5 This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

30-01-2019

10

Patent document cited in search report	Publication date	Patent family member(s)	Publication date

15

20

25

30

35

40

45

50

EPO FORM P0459

55

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- US 2017367552 A [0003] [0012]