



(12) **CORRECTED EUROPEAN PATENT APPLICATION**

(15) Correction information:
Corrected version no 1 (W1 A1)
Corrections, see
Bibliography INID code(s) 72

(51) Int Cl.:
C22F 1/00 (2006.01) **B21F 1/02** (2006.01)
B21F 9/00 (2006.01) **C21D 9/52** (2006.01)

(48) Corrigendum issued on:
01.12.2021 Bulletin 2021/48

(43) Date of publication:
29.09.2021 Bulletin 2021/39

(21) Application number: **20166511.4**

(22) Date of filing: **27.03.2020**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR
Designated Extension States:
BA ME
Designated Validation States:
KH MA MD TN

(72) Inventors:
• **Zhen, Yun Liu**
555852 Singapore (SG)
• **Muhammad Shahzali Bin Jolani**
555852 Singapore (SG)
• **Yang, Yu**
555852 Singapore (SG)

(74) Representative: **Herzog IP Patentanwalts GmbH**
Steinstraße 16-18
40212 Düsseldorf (DE)

(71) Applicant: **Heraeus Materials Singapore Pte. Ltd.**
569881 Singapore (SG)

(54) **METHOD FOR INCREASING THE STRAIGHTNESS OF A THIN WIRE**

(57) A method for producing a further wire, wherein the method comprises the steps of
a. providing a first wire;
b. feeding the first wire through a furnace to obtain the

further wire;
wherein a further cast of the further wire is larger than a first cast of the first wire.

Fig. 2

