



(12) **CORRECTED EUROPEAN PATENT APPLICATION**
published in accordance with Art. 153(4) EPC

(15) Correction information:
Corrected version no 1 (W1 A1)
Corrections, see
Bibliography INID code(s) 71

(48) Corrigendum issued on:
16.03.2022 Bulletin 2022/11

(43) Date of publication:
08.12.2021 Bulletin 2021/49

(21) Application number: **20783826.9**

(22) Date of filing: **18.02.2020**

(51) International Patent Classification (IPC):
B01D 39/20 ^(2006.01) **B01D 46/00** ^(2022.01)
B01J 35/04 ^(2006.01) **F01N 3/022** ^(2006.01)

(52) Cooperative Patent Classification (CPC):
F01N 3/0222; B01D 39/20; B01D 46/2429;
B01D 46/24492; B01D 46/2498; B01D 53/94;
B01J 35/04; F01N 3/022; F01N 3/24; F01N 3/28

(86) International application number:
PCT/JP2020/006216

(87) International publication number:
WO 2020/202851 (08.10.2020 Gazette 2020/41)

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR
Designated Extension States:
BA ME
Designated Validation States:
KH MA MD TN

(30) Priority: **29.03.2019 JP 2019068771**

(71) Applicant: **DENSO CORPORATION**
Kariya-shi,
Aichi 448-8661 (JP)

(72) Inventors:
• **KOIKE Kazuhiko**
Nisshin-city, Aichi 470-0111 (JP)
• **MIZUTANI Keisuke**
Nisshin-city, Aichi 470-0111 (JP)
• **ASAOKU Kana**
Kariya-city, Aichi 448-8661 (JP)

(74) Representative: **Kuhnen & Wacker**
Patent- und Rechtsanwaltsbüro PartG mbB
Prinz-Ludwig-Straße 40A
85354 Freising (DE)

(54) **EXHAUST GAS PURIFICATION FILTER**

(57) An exhaust gas purification filter includes a honeycomb structure part (10) and sealing parts (16). The honeycomb structure part (10) has a porous partition wall (12) and a plurality of cells (13) defined by the partition wall (12) to form exhaust gas flow paths. The sealing parts (16) seal alternately a gas inflow-side end face (14) or a gas outflow-side end face (15) of the cells (13). The exhaust gas purification filter includes fine pores (124) with diameters of 10 μm or less measured by the mercury intrusion method that account for 5% or more of all pores by volume in the honeycomb structure part (10). The partition wall (12) has a plurality of communication pores (122) communicating between the cells (13) adjacent to the partition wall (12) and has constricted communication pore (125) of which a largest diameter Φ_1 (μm) and a smallest diameter Φ_2 (μm) satisfy relationships $\Phi_1 \geq 50$, $100 \times \Phi_2 / \Phi_1 \leq 20$.

FIG.1

