

(19)



(11)

**EP 3 936 519 A1**

(12)

**EUROPEAN PATENT APPLICATION**  
published in accordance with Art. 153(4) EPC

(43) Date of publication:

**12.01.2022 Bulletin 2022/02**

(51) Int Cl.:

**C07K 14/415** <sup>(2006.01)</sup>      **C12N 15/29** <sup>(2006.01)</sup>  
**C12N 15/82** <sup>(2006.01)</sup>      **A01H 5/00** <sup>(2018.01)</sup>  
**A01H 6/46** <sup>(2018.01)</sup>

(21) Application number: **20767245.2**

(22) Date of filing: **24.02.2020**

(86) International application number:  
**PCT/CN2020/076319**

(87) International publication number:  
**WO 2020/177560 (10.09.2020 Gazette 2020/37)**

(84) Designated Contracting States:

**AL AT BE BG CH CY CZ DE DK EE ES FI FR GB  
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO  
PL PT RO RS SE SI SK SM TR**

Designated Extension States:

**BA ME**

Designated Validation States:

**KH MA MD TN**

- **ZHU, Mang**  
**Beijing 100193 (CN)**
- **FAN, Xing Ming**  
**Beijing 100193 (CN)**
- **ZHONG, Tao**  
**Beijing 100193 (CN)**
- **XU, Ling**  
**Beijing 100193 (CN)**
- **ZHANG, Yan**  
**Beijing 100193 (CN)**
- **LIU, Li**  
**Beijing 100193 (CN)**

(30) Priority: **04.03.2019 CN 201910160206**

(71) Applicant: **China Agricultural University**  
**Beijing 100193 (CN)**

(72) Inventors:

- **XU, Ming Liang**  
**Beijing 100193 (CN)**

(74) Representative: **f & e patent**  
**Braunsberger Feld 29**  
**51429 Bergisch Gladbach (DE)**

(54) **METHOD FOR CULTIVATING PLANT RESISTANT TO GRAY LEAF SPOT**

(57) The present invention discloses a method for cultivating a plant resistant to gray leaf spot. The proteins provided by the present invention are obtained from corn and named as ZMPK protein, and are the proteins represented by seq. 2, seq. 4, seq. 7 or seq. 9 in the sequence list. Nucleic acid molecules encoding the ZMPK proteins are also within the scope of the present invention. The invention further sets forth a method for preparing a transgenic plant, comprising the step of: introducing

the nucleic acid molecules into a starting plant to obtain the transgenic plant with reduced resistance to gray leaf spot. The invention further sets forth a method for preparing a transgenic plant, comprising the step of: knocking out or inhibiting the expression of the nucleic acid molecules in a starting plant to obtain the transgenic plant with increased resistance to gray leaf spot. The present invention is of great application value to the breeding of corn resistant to gray leaf spot.

**EP 3 936 519 A1**

**Description**

**Technical Field**

5 **[0001]** The present invention belongs to the field of biotechnology, and specifically relates to a method for cultivating plants resistant to gray leaf spot; more specifically, it relates to a method for genetically improving plants by expressing a *ZmPK* gene to obtain plants resistant to gray leaf spot.

**Background Art**

10 **[0002]** Corn gray leaf spot is a worldwide fungal disease of corn leaves. It was first discovered in Alexandria County, Illinois, USA in 1925, and seriously affected the yield of corn. In China, the corn gray leaf spot first occurred in Dandong City, Liaoning Province in 1991. After that, it was reported in Jilin, Hebei, Yunnan and other regions. In recent years, gray leaf spot has become one of the main leaf diseases in corn production in China, especially in the southwest corn producing areas. The occurrence of corn gray leaf spot generally causes a 10-30% reduction in corn production, and in severe cases, it can reach 60-80% or even no harvest, which severely affects the production of corn in China.

15 **[0003]** Current researchers believe that there are two main pathogens causing corn gray leaf spot: *Cercospora zeae-maydis* (*Czm*) and *Cercospora zeina* (*Cz*). For a long time, domestic researchers believed that the pathogen of corn gray leaf spot in China was *Czm*. Liu et al. took samples in the Yunnan area and analyzed the morphology, pathogenicity, ITS sequence and histone H3 gene sequence of the microorganism and found that the pathogen of corn gray leaf spot in the Yunnan area in China is *Cz*. The disease spots first appeared on the lower leaves, and the symptoms were most obvious on the leaves. In the early stage of onset, the disease spots were water-stained faded-green spots, and then expanded to grayish-brown color spots, which were approximately rectangular and parallel to the veins of the leaves. When the disease is severe, the disease spots expand and spread, causing the leaves to wither. The use of fungicides and other chemical control methods is not effective. Breeding varieties resistant to gray leaf spot is the most economical and effective way to control this disease.

**Summary of the Invention**

30 **[0004]** The present invention provides a method for cultivating plants resistant to gray leaf spot.

**[0005]** The present invention provides a protein, which is obtained from corn, and named as *ZmPK* protein, which is as follows: (a1), or (a2), or (a3), or (a4), or (a5), or (a6), or (a7), or (a8):

- 35 (a1) a protein represented by SEQ ID NO: 2 in the sequence listing;
- (a2) a protein represented by SEQ ID NO: 4 in the sequence listing;
- (a3) a protein represented by SEQ ID NO: 7 in the sequence listing;
- (a4) a protein represented by SEQ ID NO: 9 in the sequence listing;
- (a5) a fusion protein obtained by attaching a tag to an N-terminus or/and a C-terminus of the protein in any one of (a1) to (a4);
- 40 (a6) a protein comprising the following three segments from N-terminus to C-terminus: the protein in any one of (a1) to (a4), a connecting peptide, and an EGFP protein;
- (a7) a protein related to plant gray leaf spot resistance obtained by substituting and/or deleting and/or adding one or a plurality of amino acid residues to the protein in any one of (a1) to (a6); and
- 45 (a8) a protein related to plant gray leaf spot resistance obtained from corn and having a homology of 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% with the protein in any one of (a1) to (a4).

**[0006]** The tags are as shown in Table 1 below.

Table 1 Tag sequences

Tag	Residues	Sequence
Poly-Arg	5 to 6 (typically 5)	RRRR
Poly-His	2 to 10 (typically 6)	HHHHHH
FLAG	8	DYKDDDDK
Strep-tag II	8	WSHPQFEK
c-myc	10	EQKLISEEDL

EP 3 936 519 A1

(continued)

Tag	Residues	Sequence
HA	9	YPYDVPDYA
<u>EGFP</u>	<u>239</u>	<u>Sequence 15</u>

**[0007]** The EGFP protein is specifically shown in Sequence 15 in the sequence Listing. The connecting peptide can be specifically as shown in Sequence 19 in the sequence listing.

**[0008]** The protein can be synthesized artificially, or its encoding gene can be synthesized first, and then the protein can be obtained by biological expression.

**[0009]** The nucleic acid molecule encoding the ZmPK protein also falls within the scope of protection of the present invention.

**[0010]** The nucleic acid molecule is any one of the following (b1) to (b15):

(b1) a DNA molecule with an encoding region that is represented by nucleotides 56 to 1618 in SEQ ID NO: 3 in the sequence listing;

(b2) a DNA molecule represented by SEQ ID NO: 3 in the sequence listing;

(b3) a DNA molecule with an encoding region that is represented by nucleotides 56 to 1624 in SEQ ID NO: 5 in the sequence listing;

(b4) a DNA molecule represented by SEQ ID NO: 5 in the sequence listing;

(b5) a DNA molecule represented by SEQ ID NO: 1 in the sequence listing;

(b6) a DNA molecule with an encoding region that is represented by nucleotides 56 to 1618 in SEQ ID NO: 8 in the sequence listing;

(b7) a DNA molecule represented by SEQ ID NO: 8 in the sequence listing;

(b8) a DNA molecule with an encoding region that is represented by nucleotides 56 to 1624 in SEQ ID NO: 10 in the sequence listing;

(b9) a DNA molecule represented by SEQ ID NO: 10 in the sequence listing;

(b10) a DNA molecule represented by SEQ ID NO: 6 in the sequence listing;

(b11) a DNA molecule represented by SEQ ID NO: 12 in the sequence listing;

(b12) a DNA molecule represented by SEQ ID NO: 13 in the sequence listing;

(b13) a DNA molecule represented by SEQ ID NO: 14 in the sequence listing;

(b14) a DNA molecule that is derived from corn, has a homology of 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% with any one of (b1) to (b13), and encodes the protein;

(b15) a DNA molecule that hybridizes to any one of (b1) to (b13) under a stringent condition, and encodes the protein.

**[0011]** The stringent condition mentioned above is as follows: in a solution of 2×SSC, 0.1% SDS, hybridizing is performed at 68°C, and the membrane is washed twice for 5 min each time, and then hybridizing is performed again in a solution of 0.5×SSC, 0.1% SDS at 68°C, and the membrane is then washed twice for 15 min each time.

**[0012]** An expression cassette, recombinant vector or recombinant microorganism containing the nucleic acid molecule also falls within the scope of protection of the present invention.

**[0013]** The existing expression vectors can be used to construct a recombinant expression vector containing the nucleic acid molecule. When using the nucleic acid molecule to construct a recombinant expression vector, any enhanced, constitutive, tissue-specific or inducible promoter can be added before its transcription initiation nucleotide, and they can be used alone or in combination with other plant promoters that can be used in combination. In addition, when using the nucleic acid molecule to construct a recombinant expression vector, enhancers, including translation enhancers or transcription enhancers, can also be used. These enhancer regions can be ATG start codons or adjacent region start codons, etc., but they must be in the same reading frame with the coding sequence in order to ensure correct translation of the entire sequence. The sources of the translation control signals and initiation codons are extensive, and they can be natural or synthetic. The translation initiation region can be derived from a transcription initiation region or a structural gene. In order to facilitate the identification and screening of transgenic plants or transgenic microorganisms, the expression vectors used herein can be processed. For example, gene expressing enzymes or luminescent compounds that can produce color changes in plants or microorganisms, resistant antibiotic markers or chemical reagent resistant marker genes, etc. can be added herein. Considering the safety of the transgenes, it is possible to directly screen transformed plants or microorganisms by phenotype without adding any selectable marker genes.

**[0014]** The recombinant expression vector may specifically be a recombinant plasmid obtained by inserting the double-stranded DNA molecule shown in Sequence 12 in the sequence listing into the multiple cloning site (for example, the

*Bam*HI site) of the pCAMBIA3301 vector.

**[0015]** The recombinant expression vector may specifically be a recombinant plasmid obtained by inserting the nucleic acid molecule into the multiple cloning site (for example, the *Xcm*I restriction site) of the pBCXUN vector.

**[0016]** The present invention further sets forth the application of the ZmPK protein, which is the following (c1) or (c2): (c1) to regulate the resistance of a plant to gray leaf spot; and (c2) to reduce the disease resistance of a plant to gray leaf spot.

**[0017]** The present invention further sets forth the application of the nucleic acid molecule, which is the following (d1) or (d2): (d1) to cultivate a transgenic plant with altered resistance to gray leaf spot; and (d2) to cultivate a transgenic plant with reduced resistance to gray leaf spot.

**[0018]** The application of the nucleic acid molecule further includes using the nucleic acid molecule as a target to reduce the expression amount of the nucleic acid molecule. The implementation methods include, but are not limited to: RNAi interference, gene knockout, etc. The implementation methods also include: insertion, deletion or editing of the promoter region, and promoter interchange. The methods for the target may also include, but are not limited to: using editing or mutant alleles with lower expression or weaker activity, etc.

**[0019]** The present invention further sets forth an application of a substance for inhibiting an activity of the ZmPK protein in a plant and/or for reducing an abundance of the ZmPK protein in a plant to enhance the disease resistance of the plant to gray leaf spot.

**[0020]** The present invention further sets forth an application of a substance for inhibiting a transcription of the nucleic acid molecule and/or for inhibiting an expression of the nucleic acid molecule and/or for gene editing of the nucleic acid molecule to enhance the disease resistance of the plant to gray leaf spot. The "substance for gene editing of the nucleic acid molecule" may specifically be any interference vector described later or any gene editing vector described later.

**[0021]** The present invention further sets forth a method for preparing a transgenic plant, comprising the steps of: introducing the nucleic acid molecule into a starting plant to obtain a transgenic plant with reduced gray leaf spot resistance. The nucleic acid molecule can be specifically introduced into the starting plant through any one of the above-mentioned recombinant expression vectors. The recombinant expression vector carrying the nucleic acid molecule can be transformed into the starting plant by conventional biological methods such as Ti plasmid, Ri plasmid, plant virus vector, direct DNA transformation, microinjection, electrical conduction, and agrobacterium mediation. By crossing the transgenic plants with existing corn varieties (including single crosses and multiple crosses, such as three consecutive crosses), the obtained transgenic progeny plants are also transgenic plants with reduced gray leaf spot resistance. The existing corn variety may specifically be a corn inbred line Q11.

**[0022]** The present invention further sets forth a plant breeding method, comprising the following steps: increasing a content and/or activity of the ZmPK protein in a target plant, thereby reducing the gray leaf spot resistance of the target plant.

**[0023]** The present invention further sets forth a plant breeding method, comprising the following steps: inhibiting an expression of the nucleic acid molecule in a starting plant to obtain a transgenic plant with increased gray leaf spot resistance. Inhibiting the expression of the nucleic acid molecule in the starting plant can be specifically achieved by means of introducing an interference vector. The interference vector may specifically be the following recombinant plasmid: a recombinant plasmid having a forward fragment, a spacer fragment and a reverse fragment; the spacer segment is used to space the forward segment and the reverse segment; the forward segment and the reverse segment are in a reverse complementary relationship; the forward fragment is shown in Sequence 11 in the sequence listing. The interference vector may specifically be the following recombinant plasmid: a recombinant plasmid obtained by using the pGreen-HY104 vector as a starting vector, and inserting forward fragments and reverse fragments into different multiple cloning sites; the forward segment and the reverse segment are in a reverse complementary relationship; and the forward fragment is shown in Sequence 11 in the sequence listing. The interference vector may specifically be the following recombinant plasmid: an RNAi interference vector obtained by using the pGreen-HY104 vector as the starting vector, inserting a forward fragment between the *Bam*HI and *Xba*I restriction sites, and inserting a reverse fragment between the *Hind*III and *Eco*RI restriction sites; the forward fragment and the reverse fragment are in a reverse complementary relationship; and the forward fragment is shown in Sequence 11 in the sequence listing. The interference vector can be transformed into the starting plant by conventional biological methods such as Ti plasmid, Ri plasmid, plant virus vector, direct DNA transformation, microinjection, electric conduction, agrobacterium mediation and the like. By crossing the transgenic plants with existing corn varieties (including single crosses and multiple crosses, such as three consecutive crosses), the obtained transgenic progeny plants are also transgenic plants with reduced gray leaf spot resistance. The existing corn variety may specifically be a corn inbred line Q11.

**[0024]** The present invention further sets forth a plant breeding method, comprising the following steps: reducing a content and/or activity of the protein ZmPK in a target plant, thereby increasing the disease resistance of the target plant to gray leaf spot.

**[0025]** The present invention further sets forth a plant breeding method, comprising the steps of: performing gene editing (causing a frameshift mutation in the specific gene) on a specific gene in a genome of a starting plant to increase

the gray leaf spot resistance of the target plant; and the specific gene encoding the ZmPK protein.

**[0026]** The gene editing is specifically realized by the Cas9 technology.

**[0027]** The gene editing is specifically realized by two sgRNAs and the Cas9 protein, in which the target sequence binding region of one sgRNA is shown in Sequence 17 of the sequence listing, and the target sequence binding region of the other sgRNA is shown in Sequence 18 of the sequence listing.

**[0028]** The gene editing is specifically realized by introducing a gene editing vector. The gene editing vector may specifically be the following recombinant plasmid: a recombinant plasmid obtained by inserting the double-stranded DNA molecule shown in Sequence 16 in the sequence listing into the *Bsa*I restriction site of the pBUE411 vector.

**[0029]** Any of the above-mentioned plants is a dicotyledonous plant or a monocotyledonous plant. The monocotyledonous plant may be a gramineous plant. The gramineous plant may be a plant of the genus *Zea*. The *Zea* plant may specifically be corn, such as corn inbred line B73 or corn inbred line B73-329.

Any of the above gray leaf spots may specifically be gray leaf spot caused by *Cercospora cornae*.

## **Brief Description of the Drawings**

### **[0030]**

Fig. 1 is a schematic diagram of the structure of a pBCXUN vector.

Fig. 2 is the results of the identification of gene expression level in Example 2.

Fig. 3 is the results of the identification of disease resistance in Example 2.

Fig. 4 is a schematic diagram of the structure of an RNAi interference vector.

Fig. 5 is the results of the identification of gene expression level in Example 3.

Fig. 6 is the results of the identification of disease resistance in Example 3.

Fig. 7 is the results of the correlation between the expression level of the *ZmPK* gene and the level of gray leaf spot.

Fig. 8 is a schematic diagram of the structure of a pCAMBIA3301 vector.

Fig. 9 is the results of the identification of gene expression level in Example 5.

Fig. 10 is the results of the identification of disease resistance in Example 5.

Fig. 11 is a schematic diagram of the structure of recombinant plasmid E and recombinant plasmid F.

Fig. 12 is the results of the identification of gene expression level in Example 6.

Fig. 13 is the results of the identification of disease resistance in Example 6.

Fig. 14 is the sequencing results of two gene-edited plants.

Fig. 15 is the results of the identification of disease resistance in Example 7.

## **Description of the Preferred Embodiments**

**[0031]** The following examples facilitate a better understanding of the present invention, but do not limit the present invention. The experimental methods in the following examples, unless otherwise specified, are all conventional methods. The experimental materials used in the following examples, unless otherwise specified, are all purchased from conventional biochemical reagent stores. The quantitative experiments in the following examples are all set to repeat the experiment three times, and the results are averaged.

**[0032]** The corn inbred line Y32 is a corn inbred line with high resistance to gray leaf spot of corn. The corn inbred line Y32 (line Y32) is described in the following documents: QTL mapping of resistance to gray leaf spot in maize, Yan Zhang et al., *Theor Appl Genet* DOI 10.1007/s00122-012-1954-z.

**[0033]** The corn inbred line Q11 is a corn inbred line highly susceptible to gray leaf spot. The corn inbred line Q11 (line Q11) is described in the following documents: QTL mapping of resistance to gray leaf spot in maize, Yan Zhang et al., *Theor Appl Genet* DOI 10.1007/s00122-012-1954-z.

**[0034]** The corn inbred line B73 (B73 inbred lines) is described in the following documents: The B73 maize genome: complexity, diversity, and dynamics, Patrick S. Schnable et al., *Science* (2009) 326:1112-1115. DOI: 10.1126/science.1178534; The tin 1 gene retains the function of promoting tillering in maize, Zhang et al., *Nature communications* (2019) 5608. DOI: 10.1038/s41467-019-134225-6.

**[0035]** The corn inbred line B73-329 (B73-329 inbred lines) is described in the following documents: A retrotransposon in an HKT1 family sodium transporter causes variation of leaf Na<sup>+</sup> exclusion and salt tolerance in maize, Ming Zhang et al., *New Phytologist* (2018) 217: 1161-1176 doi: 10.1111/nph.14882.

**[0036]** *Cercospora zeina* is described in the following documents: First Report of Gray Leaf Spot of Maize Caused by *Cercospora zeina* in China, *Plant Disease/Vol. 97 No. 12*.

**[0037]** The pBCXUN vector is described in the following documents: ZmHAK5 and ZmHAK1 function in K<sup>+</sup> uptake and distribution in maize under low K<sup>+</sup> conditions. *Journal of Integrative Plant Biology* (2018) doi:10.1111/jipb. 12756.

## EP 3 936 519 A1

The schematic diagram of the structure of a pBCXUN vector is shown in Fig.1.

**[0038]** The pGreen-HY104 vector (vector pGreen-HY104) is described in the following documents: A maize wall-associated kinase confers quantitative resistance to head smut, *Nature Genetics* (2015) 47:151-157.

**[0039]** The pCAMBIA3301 vector (bivalent expression vector *pCAMBIA3301*) is described in the following documents: Pyramiding of nine transgenes in maize generates high-level resistance against necrotrophic maize pathogens.

**[0040]** The pBUE411 vector is described in the following documents: ZmCCT9 enhances maize adaptation to higher latitudes. Huang et al., *PNAS* (2018) 115(2): E334-E341 DOI: 10.1073/pnas.1718058115.

### Example 1. Discovery of ZmPK protein and its encoding gene

**[0041]** The corn inbred line Y32 (as the donor parent) and the corn inbred line Q11 (as the recurrent parent) were used to construct the initial positioning population and the fine positioning population. The molecular markers located in the finely-located regions were used; the Y32BAC library of disease-resistant parents was screened by PCR. BAC clone fingerprint analysis was performed to construct BAC contigs covering the entire gene segment. The clone that could cover the least gene region was then selected for sequencing. A new gene was discovered through sequence alignment and expression analysis.

**[0042]** The *ZmPK* gene in the genomic DNA of the corn inbred line Y32 is shown in Sequence 1 in the sequence listing. There are two transcripts of the *ZmPK* gene. The first transcript encodes the protein shown in Sequence 2 in the sequence listing; the second transcript encodes the protein shown in Sequence 4 in the sequence listing. The open reading frame corresponding to the first transcript in the cDNA of the corn inbred line Y32 is shown in nucleotides 56-1618 in Sequence 3 in the sequence listing. The open reading frame corresponding to the second transcript in the cDNA of the corn inbred line Y32 is shown in nucleotides 56-1624 in Sequence 5 in the sequence listing.

**[0043]** The *ZmPK* gene in the genomic DNA of the three corn inbred lines (the three corn inbred lines refer to the corn inbred line B73, the corn inbred line B73-329 and the corn inbred line Q11, the same below) is as shown in Sequence 6 in the sequence listing. There are two transcripts of the *ZmPK* gene. The first transcript encodes the protein shown in Sequence 7 in the sequence listing. The second transcript encodes the protein shown in Sequence 9 in the sequence listing. The open reading frame corresponding to the first transcript of the cDNAs of the three corn inbred lines is shown in nucleotides 56-1618 in Sequence 8 in the sequence listing. The open reading frame corresponding to the second transcript of the cDNAs of the three corn inbred lines is shown in nucleotides 56-1624 in Sequence 10 in the sequence listing.

### Example 2. Obtaining and identifying over-expression plants

#### I. Construction of recombinant expression vector

##### **[0044]**

1. Fresh leaves of corn inbred line Y32 were taken, total RNA was extracted, and cDNA was obtained by reverse transcription.

2. The cDNA obtained in step 1 was used as a template; a primer pair composed of ZmPK-OE-F and ZmPK-OE-R was used for PCR amplification to obtain a PCR amplification product.

ZmPK-OE-F: 5'-ATGGGCGCTTGCTTCTCCTC-3';

ZmPK-OE-R: 5'-TCACAGAGCCTGAGGGTTTGG-3'.

3. The pBCXUN vector was taken, cleaved with restriction enzyme XcmI, and the vector backbone was recovered.

4. The PCR amplification product obtained in step 2 was linked to the vector backbone obtained in step 3 to obtain a recombinant plasmid A and a recombinant plasmid B. According to the sequencing results, the structure of recombinant plasmid A was described as follows: at the XcmI restriction site of the pBCXUN vector, a DNA molecule represented by nucleotides 56-1618 in Sequence 3 in the sequence listing was inserted. According to the sequencing results, the structure of recombinant plasmid B was described as follows: at the XcmI restriction site of the pBCXUN vector, a DNA molecule represented by nucleotides 56-1624 in Sequence 5 in the sequence listing was inserted. Since there were two sequences in the template and the difference was only 6 nucleotides, and the recombinant plasmid A and the recombinant plasmid B were constructed in the same way and produced at the same time, they needed to be identified by sequencing. In practical applications, two exogenous fragments can also be directly synthesized and then inserted into the XcmI restriction site of the pBCXUN vector to obtain a recombinant plasmid A and a recombinant plasmid B.

5. Fresh leaves of corn inbred line Q11 were taken, total RNA was extracted, and a cDNA was obtained by reverse

transcription.

6. The cDNA obtained in step 5 was used as a template; a primer pair composed of ZmPK-OE-F and ZmPK-OE-R was used for PCR amplification to obtain a PCR amplification product.

7. The PCR amplification product obtained in step 6 was linked to the vector backbone obtained in step 3 to obtain a recombinant plasmid C. According to the sequencing results, the structure of recombinant plasmid C was described as follows: at the XcmI restriction site of the pBCXUN vector, a DNA molecule represented by nucleotides 56-1618 in Sequence 8 in the sequence listing was inserted.

## II. Acquisition of an overexpression plant

### [0045]

1. The recombinant plasmid was introduced into Agrobacterium EHA105 to obtain recombinant Agrobacterium.

2. The recombinant Agrobacterium obtained in step 1 was taken, and the Agrobacterium-mediated method was used to genetically transform the immature embryos of the corn inbred line B73-329 to obtain the T0 generation plants.

3. The T0 generation plants were identified by PCR.

[0046] The PCR identification method was as follows: plant leaves were taken, genomic DNA was extracted, and a primer pair consisting of bar-F and bar-R was used for PCR amplification. If an amplified product of about 262 bps was obtained, the PCR identification result was positive, and the plant was a transgenic plant. If no amplified product was obtained, the PCR identification result was negative, and the plant was a non-transgenic plant.

bar-F: GAAGGCACGCAACGCCTACGA; bar-R: CCAGAAACCCACGTCATGCCA.

[0047] The recombinant plasmid A was used for step two, and three randomly selected transgenic plants were named, namely YT1-1 plant, YT1-2 plant, and YT1-3 plant. The recombinant plasmid B was used to perform step two, and three randomly selected transgenic plants were named, namely YT2-1 plant, YT2-2 plant, and YT2-3 plant. The recombinant plasmid C was used for step two, and three randomly selected transgenic plants were named, namely QT1-1 plant, QT1-2 plant, and QT1-3 plant.

## III. Obtaining backcrossed separated offspring

[0048] The T0 generation plants were selfed, the seeds were harvested, and the seeds were then cultivated into plants, that is, the T1 generation plants. The transgenic plants were screened from the T1 generation plants. The PCR identification method was the same as 3 in step II. The T1 generation transgenic plant was used as the female parent, and the corn inbred line Q11 was used as the male parent. The seeds were cultivated into plants, that is, the F1 generation plants. The transgenic plants were screened from the F1 generation plants, and the PCR identification method was the same as 3 in step II. The F1 generation transgenic plant was used as the female parent, and the corn inbred line Q11 was used as the male parent. The seeds were cultivated into plants, that is, the BC<sub>1</sub>F<sub>1</sub> generation plants. The transgenic plants and non-transgenic plants were screened from the BC<sub>1</sub>F<sub>1</sub> generation plants, and the PCR identification method was the same as 3 in step II. The BC<sub>1</sub>F<sub>1</sub> generation transgenic plant was used as the female parent, and the corn inbred line Q11 was used as the male parent. The seeds were cultivated into plants, that is, BC<sub>2</sub>F<sub>1</sub> generation plants. The transgenic plants and non-transgenic plants were screened from the BC<sub>2</sub>F<sub>1</sub> generation plants, and the PCR identification method was the same as 3 in step II. The BC<sub>2</sub>F<sub>1</sub> generation transgenic plant was used as the female parent, and the corn inbred line Q11 was used as the male parent. The seeds were cultivated into plants, that is, BC<sub>3</sub>F<sub>1</sub> generation plants. The transgenic plants and non-transgenic plants were screened from the BC<sub>3</sub>F<sub>1</sub> generation plants, and the PCR identification method was the same as 3 in step II.

[0049] The T0 generation plants were: YT1-1 plant, YT1-2 plant, YT1-3 plant, YT2-1 plant, YT2-2 plant, YT2-3 plant, QT1-1 plant, QT1-2 plant, and QT1-3 plant.

## IV. Identification of plant disease resistance

[0050] The tested plants were: BC<sub>3</sub>F<sub>1</sub> transgenic plants and non-transgenic plants of YT1-1 plants, BC<sub>3</sub>F<sub>1</sub> transgenic plants and non-transgenic plants of YT1-2 plants, BC<sub>3</sub>F<sub>1</sub> transgenic plants and non-transgenic plants of YT1-3 plants, BC<sub>1</sub>F<sub>1</sub> generation transgenic plants and non-transgenic plants of YT2-1 plants, BC<sub>1</sub>F<sub>1</sub> generation transgenic plants and non-transgenic plants of YT2-2 plants, BC<sub>1</sub>F<sub>1</sub> generation transgenic plants and non-transgenic plants of YT2-3 plants, BC<sub>2</sub>F<sub>1</sub> generation transgenic plants and non-transgenic plants of QT1-1 plants, BC<sub>1</sub>F<sub>1</sub> generation transgenic plants and non-transgenic plants of QT1-2 plants, and BC<sub>3</sub>F<sub>1</sub> generation transgenic plants and non-transgenic plants of QT1-3 plants.

## 1. Identification of gene expression level

**[0051]** The total RNA from the leaves of the tested plants was extracted and reverse transcribed to obtain the cDNA. With the GAPDH gene as the internal reference gene, the relative expression level of the *ZmPK* gene was detected by qPCR. The results are shown in Fig 2.

**[0052]** Primer pair used to detect *ZmPK* gene:

ZmPK-F: GCGTTGCCGTCAAGCGCAT; ZmPK-R:  
GCTCCATCACAATGTACACGT.

**[0053]** Primer pair used to detect GAPDH gene:

GAPDH-F: ATCAACGGCTTCGGAAGGAT; GAPDH-R:  
CCGTGGACGGTGTCTACTT.

## 2. Identification of disease resistance

**[0054]** The disease resistance identification was carried out in Shangzhuang Experimental Base of China Agricultural University.

**[0055]** The pathogen of gray spot disease: *Cercospora zeina*.

**[0056]** The test plants were cultured under normal conditions, and pathogenic bacteria were inoculated during the bell mouth stage, and then the normal culture was continued. After two weeks of pollination, the phenotypic investigation was carried out, and the disease index (DSI) was calculated in a graded investigation. The specific method of inoculating pathogenic bacteria (bacterial fluid filling method) was as follows: the spores of the gray spot disease-causing fungus were added in sterile water to obtain a spore suspension with a spore concentration of  $2-4 \times 10^5/\text{mL}$ , and a syringe was used to infuse the spore suspension into the corn bell mouth, and 5 ml were infused per corn plant.

**[0057]** The grading standard of the disease level ( $X$  represents the percentage of the diseased spot area to the leaf area):

Level 1 (assigned value was 0):  $X \leq 5\%$ ;

Level 3 (assigned value was 0.25):  $5\% < X \leq 10\%$ ;

Level 5 (assigned value was 0.5):  $10\% < X \leq 30\%$ ;

Level 7 (assigned value was 0.75):  $30\% < X \leq 70\%$ ;

Level 9 (assigned value was 1):  $70\% < X \leq 100\%$ .

Disease index (DSI) (%) =  $\frac{\sum (\text{assigned value corresponding to the disease level} \times \text{the number of plants at this level})}{\text{total number of plants}} \times 100$

The results are shown in Fig. 3. In Fig. 3, the parentheses indicate the number of plants, the number before the dividing line is the number of non-transgenic plants, and the number after the dividing line is the number of transgenic plants.

**[0058]** The results show that, compared with non-transgenic plants, the expression of *ZmPK* gene in transgenic plants was significantly higher, and the disease index of corresponding transgenic plants was also significantly higher.

## Example 3. Obtaining and identifying plants in which the expression is inhibited

## I. Obtaining plants in which the expression is inhibited

**[0059]**

1. The pGreen-HY104 vector was used as the starting vector, the forward fragment was inserted between the *Bam*HI and *Xba*I restriction sites, and the reverse fragment was inserted between the *Hind*III and *Eco*RI restriction sites, so as to obtain an RNAi interference vector. The RNAi interference vector was verified by sequencing. The forward segment and the reverse segment were in a reverse complementary relationship. The forward fragment is shown in Sequence 11 in the sequence listing. The structure diagram of the RNAi interference vector is shown in Fig. 4.

2. The RNAi interference vector obtained in step 1 was introduced into *Agrobacterium* EHA105 to obtain recombinant *Agrobacterium*.

3. The recombinant *Agrobacterium* obtained in step 2 was taken, and the *Agrobacterium*-mediated method was used to genetically transform the immature embryos of the corn inbred line B73-329 to obtain the T0 generation plants.

4. The T0 generation plants were selfed, the seeds were harvested, and the seeds were then cultivated into plants,

that is, the T1 generation plants.

5. The T0 generation plants were identified by PCR.

[0060] The PCR identification method was the same as 3 in step II in Example 2.

[0061] Three randomly selected transgenic plants were named as RNAi#806 plants, RNAi#1065 plants, and RNAi#581 plants.

## II. Obtaining backcrossed separate population

[0062] The PCR identification method was the same as 3 in step II in Example 2.

[0063] The T0 generation plants were selfed, the seeds were harvested, and the seeds were then cultivated into plants, that is, the T1 generation plants. The transgenic plants were screened from the T1 generation plants (PCR identification). The T1 generation transgenic plant was used as the female parent, and the corn inbred line Q11 was used as the male parent. The seeds were cultivated into plants, that is, the F1 generation plants. The transgenic plants were screened from the F1 generation plants (PCR identification). The F1 generation transgenic plant was used as the female parent, and the corn inbred line Q11 was used as the male parent. The seeds were cultivated into plants, that is, the BC<sub>1</sub>F<sub>1</sub> generation plants. The transgenic plants and non-transgenic plants were screened from the BC<sub>1</sub>F<sub>1</sub> generation plants (PCR identification). The BC<sub>1</sub>F<sub>1</sub> generation transgenic plant was used as the female parent, and the corn inbred line Q11 was used as the male parent. The seeds were cultivated into plants, that is, BC<sub>2</sub>F<sub>1</sub> generation plants. The transgenic plants and non-transgenic plants were screened from the BC<sub>2</sub>F<sub>1</sub> generation plants (PCR identification).

[0064] The T0 generation plants were: RNAi#806 plant, RNAi#1065 plant, and RNAi#581 plant.

## III. Identification of plant disease resistance

[0065] The tested plants were: BC<sub>2</sub>F<sub>1</sub> transgenic plants and non-transgenic plants of RNAi#806 plants, BC<sub>2</sub>F<sub>1</sub> transgenic plants and non-transgenic plants of RNAi#1065 plants, and BC<sub>2</sub>F<sub>1</sub> transgenic plants and non-transgenic plants of RNAi#581 plants.

### 1. Identification of gene expression level

[0066] The method was the same as 1 in step IV in Example 2.

[0067] The results are shown in Fig. 5.

### 2. Identification of disease resistance

[0068] The method was the same as 2 in step IV in Example 2.

[0069] The results are shown in Fig. 6. In Fig. 6, the parentheses indicate the number of plants, the number before the dividing line is the number of non-transgenic plants, and the number after the dividing line is the number of transgenic plants.

[0070] The results show that, compared with non-transgenic plants, the expression of *ZmPK* gene in transgenic plants was significantly reduced, and the disease index of the corresponding transgenic plants was significantly reduced.

## Example 4. Analysis of the correlation between gene expression and disease resistance

[0071] The original parents of the positioning population were corn inbred line Y32 and corn inbred line Q11. Through continuous crossing and backcrossing, a high-generation backcrossing segregation population was constructed.

[0072] Three plants with disease levels of 1, 3, 5, 7, and 9 in the positioning population were randomly selected, and gene expression level identification (the method was the same as that of 1 in step IV in Example 2) and disease resistance identification (the method was the same as 2 in step IV in Example 2) were performed. The correlation between the expression of *ZmPK* gene and the level of gray leaf spot was calculated. The results are shown in Fig. 7. There was a significant positive correlation between the expression of *ZmPK* gene and the level of gray leaf spot. This further confirms the negative correlation between *ZmPK* gene expression and plant resistance to gray leaf spot.

## Example 5. Obtaining and identifying complementary transgenic plants

### I. Construction of recombinant expression vector

[0073] A recombinant plasmid was prepared. According to the sequencing results, the structure of the recombinant

plasmid was described as follows: the DNA molecule shown in Sequence 12 in the sequence list was inserted into the *Bam*HI restriction site of the pCAMBIA3301 vector. Fig. 8 shows a schematic diagram of the structure of the pCAMBIA3301 vector.

5 II. Obtaining complementary transgenic plants

**[0074]**

- 10 1. The recombinant plasmid prepared in step I was introduced into *Agrobacterium* EHA105 to obtain recombinant *Agrobacterium*.  
 2. The recombinant *Agrobacterium* obtained in step 1 was taken, and the *Agrobacterium*-mediated method was used to genetically transform the immature embryos of the corn inbred line B73 to obtain the T0 generation plants.  
 3. The T0 generation plants were identified by PCR.

15 **[0075]** The PCR identification method was the same as 3 in step II in Example 2.

**[0076]** A randomly selected transgenic plant was named C#596 plant.

III. Obtaining backcrossed separated offspring

20 **[0077]** The T0 generation plants were selfed, the seeds were harvested, and the seeds were then cultivated into plants, that is, the T1 generation plants. The transgenic plants were screened from the T1 generation plants. The PCR identification method was the same as 3 in step II. The T1 generation transgenic plant was used as the female parent, and the corn inbred line Q11 was used as the male parent. The seeds were cultivated into plants, that is, the F1 generation plants. The transgenic plants were screened from the F1 generation plants, and the PCR identification method was the  
 25 same as 3 in step II. The F1 generation transgenic plant was used as the female parent, and the corn inbred line Q11 was used as the male parent. The seeds were cultivated into plants, that is, the BC<sub>1</sub>F<sub>1</sub> generation plants.

IV. Identification of plant disease resistance

30 **[0078]** The tested plants were: BC<sub>1</sub>F<sub>1</sub> generation transgenic plants and non-transgenic plants of C#595 plants, and BC<sub>1</sub>F<sub>1</sub> generation transgenic plants and non-transgenic plants of C#596 plants.

1. Identification of gene expression level

35 **[0079]** The method was the same as 1 in step IV in Example 2.

**[0080]** The results are shown in Fig. 9.

2. Identification of disease resistance

40 **[0081]** The method was the same as 2 in step IV in Example 2.

**[0082]** The results are shown in Fig. 10. In Fig. 10, the parentheses indicate the number of plants, the number before the dividing line is the number of non-transgenic plants, and the number after the dividing line is the number of transgenic plants.

45 **[0083]** The results show that, compared with non-transgenic plants, the expression of *ZmPK* gene in transgenic plants was significantly higher, and the disease index of corresponding transgenic plants was also significantly higher.

Example 6 Obtaining and identifying pure lines of fusion overexpression plants 1. Construction of recombinant expression vector

50 **[0084]** The recombinant plasmid E and recombinant plasmid F were prepared respectively. According to the sequencing results, the structure of recombinant plasmid E was described as follows: at the *Xcm*I restriction site of the pBCXUN vector, a DNA molecule shown in Sequence 13 of the sequence listing was inserted. According to the sequencing results, the structure of recombinant plasmid F was described as follows: at the *Xcm*I restriction site of the pBCXUN vector, a DNA molecule shown in Sequence 14 of the sequence listing was inserted. The schematic diagram of the structure of  
 55 recombinant plasmid E and recombinant plasmid F is shown in Fig. 11.

II. Obtaining pure lines of fusion overexpression plants

[0085]

- 5           1. The recombinant plasmid was introduced into *Agrobacterium* EHA105 to obtain recombinant *Agrobacterium*.  
2. The recombinant *Agrobacterium* obtained in step 1 was taken, and the *Agrobacterium*-mediated method was used to genetically transform the immature embryos of the corn inbred line B73 to obtain T0 generation plants.  
3. The T0 generation plants were identified by PCR.

10 [0086] The PCR identification method was the same as 3 in step II of Example 2.

[0087] The recombinant plasmid E was used to carry out step II, and four randomly selected transgenic plants were named: Y1#349 plant, Y1#350 plant, Y1#351 plant, and Y1#354 plant. The recombinant plasmid F was used to carry out step II, and three randomly selected transgenic plants were named, namely Y2#731 plant, Y2#732 plant, and Y2#735 plant.

15 [0088] 4. The T0 generation plants were selfed and the seeds were harvested. The seeds were cultivated into plants, which were the T1 generation plants. The transgenic plants (identified by PCR) were screened from the T1 generation plants for selfing, and the seeds were harvested. The T2 generation plants were cultivated from the seeds into the plants. The transgenic plants (identified by PCR) from the T2 generation plants were screened for selfing, and the seeds were harvested. The seeds were cultivated to plants, that is, the T3 generation plants. The PCR identification method was the same as 3 in step II in Example 2. For a T2 generation plant, if the T3 generation plants obtained by selfing were all transgenic plants, the T2 generation plant was a homozygous transgenic plant. The offspring obtained by selfing of the homozygous transgenic plant was a homozygous transgenic line.

20 [0089] The following homozygous transgenic strains were obtained: Y1#349 strain, Y1#350 strain, Y1#351 strain, Y1#354 strain, Y2#731 strain, Y2#732 strain, and Y2#735 strain.

25

III. Identification of plant disease resistance

[0090] The tested plants were: T3 generation plants of Y1#349 line, T3 generation plants of Y1#350 line, T3 generation plants of Y1#351 line, T3 generation plants of Y1#354 line, T3 generation plants of Y2#731 line, T3 generation plants of Y2#732 line, T3 generation plants of Y2#735 line, and the corn inbred line B73 plants.

30

1. Identification of gene expression level

[0091] The method was the same as 1 in step IV in Example 2.

35 [0092] The results are shown in Fig. 12.

2. Identification of disease resistance

[0093] The method was the same as 2 in Step IV in Example 2.

40 [0094] The results are shown in Fig. 13. In Fig. 13, the parentheses indicate the number of plants.

[0095] The results show that compared with the corn inbred line B73 plants (control non-transgenic plants), the expression of *ZmPK* gene in the transgenic plants was significantly higher, and the disease index of the corresponding transgenic plants was also significantly higher.

45 Example 7 Obtaining and identifying gene-edited plants

1. Construction of gene editing vector

[0096] A gene editing vector was prepared, that is, a recombinant plasmid was obtained by: inserting the double-stranded DNA molecule shown in Sequence 16 in the sequence listing into the *Bsal* restriction site of the pBUE411 vector. The recombinant plasmid was verified by sequencing. The gene editing vector encoded two sgRNAs, the target sequence binding region of one sgRNA is shown in Sequence 17 in the sequence listing, and the target sequence binding region of the other sgRNA is shown in Sequence 18 in the sequence listing. The gene editing vector contained the Cas9 gene and expressed the Cas9 protein.

55

II. Obtaining gene-edited plants

[0097]

## EP 3 936 519 A1

1. The gene editing vector was introduced into *Agrobacterium* EHA105 to obtain recombinant *Agrobacterium*.
2. The recombinant *Agrobacterium* obtained in step 1 was taken, and the *Agrobacterium*-mediated method was used to genetically transform the immature embryos of the corn inbred line B73 to obtain T0 generation plants.
3. The plants with mutations in the target sequence were screened from the T0 generation plants.

5  
[0098] The specific method was as follows: the plant leaves were taken, the genomic DNA was extracted, a primer pair composed of F and R was used for PCR amplification, and the PCR amplification product was recovered and sequenced. The sequencing result was compared with the wild-type sequence (the wild-type sequence is shown in the 9599-10985 in Sequence 12 in the sequence listing), and plants with different sequences were screened.

10  
F: 5'-TTGAGGTCATTGTCTCAGCC-3';  
R: 5' -AGCAGCTTGGCAGCGTATG-3'.

15  
[0099] 4. The T0 generation plants screened in step 3 were taken, and used for selfing and then harvested to obtain the seeds. The seeds were cultivated into plants, which were the T1 generation plants.

[0100] 5. The gene-edited plants were screened from T1 generation plants.

20  
(1) The plants were subjected to PCR identification with the bar gene in the gene editing vector as the target. PCR identification method was as follows: plant leaves were taken, genomic DNA was extracted, and the primer pair containing bar-F and bar-R was used for PCR amplification. If no amplified product was obtained, the PCR identification result was negative.

(2) The plants with the target region of gene editing were identified as the target. The identification method was the same as step 3.

25  
[0101] If a plant is identified as negative by PCR in step (1), and the identification result in step (2) shows that it is different from the wild-type sequence and is homozygous (and the two chromosomes are identical), the plant is a gene-edited plant.

[0102] Two gene-edited plants were obtained, named ZmPK-KO#1 plant and ZmPK-KO#2 plant, respectively.

30  
[0103] The sequencing results of step (2) of the two gene editing plants are shown in Fig. 14. Compared with B73, two nucleotides were missing in the ZmPK-KO#1 plant, and a nucleotide was inserted into the ZmPK-KO#2 plant. Both caused frameshift mutations.

[0104] 6. The gene-edited plants were taken, self-bred, and offspring plants were obtained, that is, the gene-edited plants.

35  
[0105] Two gene editing lines were obtained, and named ZmPK-KO#1 strain and ZmPK-KO#2 strain, respectively.

### 3. Identification of disease resistance of gene-edited plants

[0106] The tested plants were: T2 generation plants of ZmPK-KO#1 line, T2 generation plants of ZmPK-KO#2 line, and corn inbred line B73 plants.

40  
[0107] The method was the same as 2 in step IV in Example 2.

[0108] The results are shown in Fig. 15. In Fig. 15, the parentheses indicate the number of plants.

[0109] Compared with corn inbred line B73 plants, the disease index of gene-edited plants was significantly reduced.

### Industrial applicability

45  
[0110] The present invention provides a major gene *ZmPK* for resistance to gray leaf spot of corn. Through transgene complementation, overexpression, CRISPR knockout and RNAi interference experiments, the gene's anti-grey leaf spot function-negative regulation of gray leaf spot resistance has been proved. The present invention has great application value for the breeding of corn against gray leaf spot.

EP 3 936 519 A1

SEQUENCE LISTING

<110> China Agricultural University

<120> METHOD FOR CULTIVATING PLANT RESISTANT TO GRAY LEAF SPOT

<130> GNPYX20003

<160> 19

<170> PatentIn version 3.5

<210> 1

<211> 6946

<212> DNA

<213> Zea mays L.

<400> 1

```

gcaaatccat atgctcagct cccgcctcct cccatccccg gaccccgac cccggccatg      60
ggcgttgct tctcctccgc ctctgccgcc cccgccggcg ccgccgtcga cgagcgccgc      120
ccgtccaagg agggcgacgg caagaagagg cgccgcgccg ccggggcatc gccggatgcc      180
gcggcggccc tgccgctgga gttcggctac gagagggact tcgaggcgcg ctacgaggtc      240
ggccgcctgc tcggccacgg ccagttcggc tacaccttcg ccgccaccga ccgcggtctt      300
ggggaccgcg ttgccgtcaa gcgcatcgac aaggccaagg tgagctgccg cctgcccccc      360
cgcaccccaa gccgccgcgc tgtccctgtc tctgtctctc ctactagtag tagtagctgg      420
tggtgattcc gagcgcgtct ttggtctggt gcatogaacc acttgtgctt ggtgcatttc      480
gaggggattc ggtgtaattc cgtgcaaatt ggggatttct ctctgttgc tttccgaggt      540
ttaggtgttt cgattgggac gcgattggag ccgttcattt taggacattt ccggtgcctt      600
ttgggaggcg tttagctcaa cgagtagctc actcacattt ctagctgttt ggccgcttca      660
tttctcccaa gctttcgttg tttgccggtg gttctgagct gcgggatctt gacgttggcc      720
agagaggtgg tttcgacatt caggcatctc ggatgacctc ttagtttggc actacagctc      780
tattatttgc ggaacgacgt gttgctcagt gcgcacctca ttcattggaag tggcaaggtc      840
gcttgtctgc agaacgggga aggtgctttt catctggcta ttcattgaaa acgacttgtt      900
cagttgccct actaataatt tcaataagat tgcctgcctc cttgaatggt tggggcttgg      960
aaggttcctg tcgaagaaaa agtcaggaaa gataacaatt gcgcacttgc agtggacaac     1020
gcttccctgt cttctatgct ataggaggac agcatttttc taggtataat taatttgacc     1080
ttcaaacata tgtatactaa ccaacgcggt tttgattcca tcaaatgttt tggactctct     1140
ctgctgaact gtcaaagtta cttcatgggg caaaatgtca aattttctgg aaccttccgt     1200
agtatatttt ggaaatgagt gtttattgtg tcattggaaa taccgttcat gtgtctgtga     1260
cagaatgtgt cactagaaag ctgaattggt gttgtccttg tcaaaaaggc actaaacacg     1320
agtctgaaaa ttaggcctgt tcttgtaag ggaaggaatc tgagcatcaa tgctgatagg     1380

```

EP 3 936 519 A1

aatagactct gtctgtcaat attgttaact tgtttatagg gcttcgagtt ttcaactttt 1440  
gaggcagata agtaggatac ctcttttgat catgatatat aacatattct tatatacctc 1500  
5 aagccttgca ctgttaagtt aatgtggcat cctttctaga gatcatgacc tcaagttgca 1560  
tatggatgcc aataatatcg acaccaagtg aacatcagtg tctgtggaat atgccgaaag 1620  
cagccaacgt gccattactg aattttcata tgattattat attctgttta gatttattta 1680  
10 cgtcggaaaca cagtgagatg gtaacgtaat gaatcaaaat aggctataaa catgcaattc 1740  
aacatatcat tatcatgccc aagtgttttg tcattctatc tttattcgtc caagaaggac 1800  
aagcctggtg cattgttgag ggaaccagtt cttctgcagt acttctaggg aggtaaaaat 1860  
15 tcaacaccgt tggatgcaga tctatcgaac ccagggactt tgtgcttcca gtgaaaagtt 1920  
atatggaccc ataggccaga ggatgtgaga gttttacctc tctggaagtt atatgcgcta 1980  
gcattagtgt ggtcatcaat gggatcaaag atgagctcca cctttggtgt agagctggag 2040  
20 ctaggggact ctagcatcct ggcgctccaa tcttccatcc agtgaactct gtttttggg 2100  
tctagtaggt caagggcca gttatTTTTT ctttctgctg taaagtctct agttaaggtg 2160  
25 tgagtTTTgt atggTgTtTt ttcgaggtTt ccccaaacct cacctTTTTT ccttcttaat 2220  
ataatgatat gcagctTtTc tgcgtattcg agaaaagaaa gttttatctc tctggaagtt 2280  
aactgcagag gaacttgTta cattgTtgag agTtgtctca ccgagtcacc aggtcgctgg 2340  
30 ttcaaagcag tctctccaca tttatgtgga aggcttgcct cggtttatcc cttccaaga 2400  
ctctacttgt gggagactct ggcattgggt ctgtcctatg ccgTtgaagc gctaggtTcg 2460  
35 tttatccctt ccctataccc acttgtcaga gcctccaaca ctgagTctgc cctaagcttc 2520  
caagTtccaa cactgggtct gccctaggcc gtcgaaagcgt tatatgattg ccatgtactg 2580  
ttatgctTtg ttgcctTcac atatTtTccg ttcgaaatca tctcctTgtt gcctTcacat 2640  
40 attgcctTgt tgctTtTcaca tatTtTctgt tccacgtcat acttagaagt tagaacacgt 2700  
gattTtatgcc aattaagatt attatTtTat ataacagatg acccgccctg ttgctgtgga 2760  
ggatgtgaaa agagaagtga agattcttaa agcacttaa ggacatcaga atattgttca 2820  
45 cttctacaat gcattTgagg atgattcata cgtgtacatt gtgatggagt aagtagggcc 2880  
atacacctgt tctgctaata agagcatatc gatTtTgcta tgactTTTTT ccctaaagtt 2940  
ttaacatgaa caatatctat cctgTtTaca gaatcctaga cactaaaatg tcattTctaa 3000  
50 ttatcaatta ttctatagct aaaccagatg caatcctgat ttatTtTct taacgtatgg 3060  
atatattgga cTtTtctTtTc aaacctgcat tTtgaattTg attacaggga actataacac 3120  
60 taattcagaa ctctatcatg tTtaacattt tTctTgcatt gTtctatgtt tgtcaactTg 3180  
acgcactTct tagataatat aacatcatct tccacagtca ccattagTta ggacctTgga 3240

EP 3 936 519 A1

ccttcatggt tccgaaatth agctaagaat ggtatacatg gtcattgtgat ttcaaataga 3300  
 tgttcctata tgccagaacc aactcataag tcataagttt taccttgtgt ttttgcaggc 3360  
 5 tatgtgaggg cgggtgaacta ttagatcggg ttttggcaaa gtaagtagat aagatcccca 3420  
 tctctttggt tcccgtagct cattcttcgc cattaatatt atagattttt gtgctgtaaa 3480  
 atcagattgc tttatggtgt ttgtctgctt tgtttgattt ctagtgtctc gttcaagatc 3540  
 10 ctttacttaa tgggtgtgctt gttttgacag aaagaatagc cgctatagtg agaaagatgc 3600  
 tgcaagtggta gtccgcaaaa tgctcaaatg agctgctgaa tgccatctgc gtgggttagt 3660  
 tcaccgagat atgaagcctg aggtagaaat caaatacttc aatctctttg cacacagtaa 3720  
 15 gcatttgggtg atatttcact acttcctcag gtcattgtaag actgtacctt ttttccttcc 3780  
 cagaacttcc ttttcaaatc gaacaaggag gattcaccac taaaggcgac agattttggt 3840  
 ttgtcagatt tcattaagcc aggtatctac ttggggccat ctgaatctgt cgggaatctg 3900  
 20 ataggggcaa gtctgcagtt tagctgacca ttttgttgtc taatgcatgc tttaggggaag 3960  
 aagtccatg acattggttg aagtgcttac tatgtcgcac cagaagtact aaaacgacgg 4020  
 tctggtcctg agtcagatgt ttggagcata ggagtcataa cctacatttt gctctgtggg 4080  
 25 aggcgcctt tttgggataa gaccgaagac ggtatattca aggaggtaag tggatggatt 4140  
 ttgcatacca tgtgcttaca tgtaaaatat gcttggttag agtgctgtac cagggatcag 4200  
 cgttttcagc gtgctgatac tgttttgtac aatgtgtttc tactttctac gtcataatagc 4260  
 30 agtgtttctt tgtaactat ttcagtgtca aactatttgt cgtgtcacia ctcagcagta 4320  
 taattttact attttgaaca ctgtaaacct gcctggctcag gttatccttc agtaatttct 4380  
 35 ctactagcta ccagaaacc cttttatgca ggtgttcagt ttaataacac ccaccatctt 4440  
 tcagatttct aatgttcagt gttagacaga cttcattaag atgcacctta agatgattgt 4500  
 aagtagtaaa agtgctttgc acttttgta acttttgagt ctgaagatga cttgtggtac 4560  
 40 ctatgacctc aagaaaccaa ggcatgcca ttggaatagc taattcgaat gagcttcaga 4620  
 tatggctatc tgttttagtt ttggacatct gactcaactt tataggataa tactatatta 4680  
 gcaatctttg aggtcattgt ctcagccaaa ataagttgct gtctcttttt tactgtccta 4740  
 45 agcagcaata tggtttccat tttcattata ccagcaactt ccaccttttt cttgctattt 4800  
 aaatatcttt atgcatttta tcagcaagga catgatcaga tcgtatatgt gatattctac 4860  
 atcttttcac ttctcataat taggttctaa ggaacaagcc tgattttcgt aagaggcctt 4920  
 50 ggtcaagcat cagcccagggt gctaaagatt ttgttaaaag gttactagtg aagaatccaa 4980  
 gggccaggct aacagctgct caagctctct gtaagttttg gtatttttca ttaatttact 5040  
 55 agcctagtca tgatgatcag attcaccttc tctatgtgag aacagagaac acatatacat 5100  
 ctggcagtat gcctttcaat cagttatgac aatgtaaata tgcaagacc gatgtttttt 5160

EP 3 936 519 A1

ctatcctgca ccattttaga acattaatgg ggaaaaacca caatatatta ggaaaaatgt 5220  
 ttaattatgt cctggctact tgaaatgaac atataccact gaggttttct agttctcatg 5280  
 5 cgttcttata atgatctaata aagtcagtgg aggtttgctg cccaccaccc ctacatttgt 5340  
 attgtgaatt actatcatct ttactgatcc tgattgttct tgatatgta agcacatccg 5400  
 tgggtaagag aaggagggga agcatccgat atccccgtcg acatatctgt gttatcaaac 5460  
 10 atgcgtcagt ttgtcaagta cagccgtttc aagcaattcg cgcttcgggt aattacagtg 5520  
 attacaaaaa acaacactgc atcgtttatt ttttcctcac aatatttcct cgtggcatgg 5580  
 tcaggctctg gcgagcacc ttaacgagga agagctatca gatctgaagg atcagtttga 5640  
 15 tgcaattgat atcgataaaa gtggatcgat tagtatcgag gaaatgcgtc atgtaggttc 5700  
 tgttagtgtt tgctgatgaa aatgccttag atcctgaact actctgcggt gctgattaat 5760  
 ctgtgcatgt ttcggtaggc cettgcaaag gatcttccct ggagattgaa gggccccgt 5820  
 20 gtgctggaga ttattcaagc agtaagtttg agccttcttc tggatccagc cttttctttg 5880  
 ttacccccct tgttccaag aaaatagctg gccttgttct gagggtataa ccaaaactgc 5940  
 atcttatttt gtggtagatt gacagcaaca ctgatgggct cgtggacttc aaggagtttg 6000  
 25 ttgctgcaac tctccatc caccagatgg cggagctcga ctcagaaagg tggggcatac 6060  
 gctgccaagc tgctttcagt aagtttgatc ttgacgggtga tggatatatc acgccggagg 6120  
 30 aactcagaat ggtaattttc tactcctgtc ttgtttccat gttgcttcac caacgaatgc 6180  
 acagttcaca taacccttat tatcatcact gcttcccatg aataactagc tggctcgacc 6240  
 atcatgagat tcagtacttg cgccctgtgc acttggtttt ggtcccgtt gttagaatga 6300  
 35 agtaatttat caatggaagc gctgtaatat tttaatcagc gtttagattt gataaagata 6360  
 aaacatgttc attgtttgtg ccaagaaatc cacttacaca gatactgaga gttgcaccgt 6420  
 agataacgct aatcggcagt atcctaactg agattttctt tcaaggtgca gcaccctggg 6480  
 40 ttgaagggat ctatcgagcc gctgctggag gaggccgaca tcgacaaaga cggcaagata 6540  
 agcctgtccg agttccgcaa gctcctacgg acagcgagca tgagcaacgt acccagccca 6600  
 45 agggggcccc caaacctca ggctctgtga attccggctc ggccactagg gaggagcaag 6660  
 cttaggaagt tgccatacaa tagccatgtg ttctttgggt tcttcagagt gccatgtgat 6720  
 gtttctgggt tttagcatcc aggttatgtg tgcagtgcag ccccagatga gtttcgaagt 6780  
 50 aaatattcag tgctttcttt ttctttccgg aagagtgaga ggtggaggtc aaaatggtag 6840  
 gcaagactcg ctttcttctt tcctttacac tgtacagtga tactgaaata tgtacgattt 6900  
 ttattataac tgttcgtcgc aataaagtta tttggagaag tgagga 6946  
 55

<210> 2

EP 3 936 519 A1

<211> 520  
 <212> PRT  
 <213> Zea mays L.

5 <400> 2

Met Gly Ala Cys Phe Ser Ser Ala Ser Ala Ala Pro Ala Gly Ala Ala  
 1 5 10 15

10 Val Asp Glu Arg Arg Pro Ser Lys Glu Gly Asp Gly Lys Lys Arg Arg  
 20 25 30

15 Arg Ala Ala Gly Ala Ser Pro Asp Ala Ala Ala Pro Val Arg Val Glu  
 35 40 45

Phe Gly Tyr Glu Arg Asp Phe Glu Ala Arg Tyr Glu Val Gly Arg Leu  
 50 55 60

20 Leu Gly His Gly Gln Phe Gly Tyr Thr Phe Ala Ala Thr Asp Arg Gly  
 65 70 75 80

25 Ser Gly Asp Arg Val Ala Val Lys Arg Ile Asp Lys Ala Lys Met Thr  
 85 90 95

30 Arg Pro Val Ala Val Glu Asp Val Lys Arg Glu Val Lys Ile Leu Lys  
 100 105 110

Ala Leu Lys Gly His Gln Asn Ile Val His Phe Tyr Asn Ala Phe Glu  
 115 120 125

35 Asp Asp Ser Tyr Val Tyr Ile Val Met Glu Leu Cys Glu Gly Gly Glu  
 130 135 140

40 Leu Leu Asp Arg Ile Leu Ala Lys Lys Asn Ser Arg Tyr Ser Glu Lys  
 145 150 155 160

Asp Ala Ala Val Val Val Arg Gln Met Leu Lys Val Ala Ala Glu Cys  
 165 170 175

45 His Leu Arg Gly Leu Val His Arg Asp Met Lys Pro Glu Asn Phe Leu  
 180 185 190

50 Phe Lys Ser Asn Lys Glu Asp Ser Pro Leu Lys Ala Thr Asp Phe Gly  
 195 200 205

Leu Ser Asp Phe Ile Lys Pro Gly Lys Lys Phe His Asp Ile Val Gly  
 210 215 220

55 Ser Ala Tyr Tyr Val Ala Pro Glu Val Leu Lys Arg Arg Ser Gly Pro



EP 3 936 519 A1

Glu Glu Ala Asp Ile Asp Lys Asp Gly Lys Ile Ser Leu Ser Glu Phe  
 485 490 495

5 Arg Lys Leu Leu Arg Thr Ala Ser Met Ser Asn Val Pro Ser Pro Arg  
 500 505 510

10 Gly Pro Pro Asn Pro Gln Ala Leu  
 515 520

<210> 3  
 <211> 1934  
 <212> DNA  
 <213> Zea mays L.

<400> 3  
 aaatccatat gctcagctcc cgcctcctcc catccccgga ccccgaccc cggccatggg 60  
 cgcttgcttc tcctccgcct ctgccgcccc cgccggcgcc gccgtcgacg agcgccgccc 120  
 20 gtccaaggag ggcgacggca agaagaggcg ccgcgcccgc ggggcatcgc cggatgccgc 180  
 ggcgcccgtg cgcgtggagt tcggctacga gagggacttc gaggcgcgct acgaggtcgg 240  
 cgcctgctc ggccacggcc agttcggcta caccttcgcc gccaccgacc gcggctctgg 300  
 25 ggaccgcgctt gccgtcaagc gcatcgacaa ggccaagatg acccgccctg ttgctgtgga 360  
 ggatgtgaaa agagaagtga agattcttaa agcacttaaa ggacatcaga atattgttca 420  
 30 cttctacaat gcatttgagg atgattcata cgtgtacatt gtgatggagc tatgtgaggg 480  
 cggtgaaacta ttagatcgga ttttgcaaaa aaagaatagc cgctatagtg agaaagatgc 540  
 tgcagtggta gtccgcaaaa tgctcaaagt agctgctgaa tgccatctgc gtgggttagt 600  
 35 tcaccgagat atgaagcctg agaacttcct tttcaaatcg aacaaggagg attcaccact 660  
 aaaggcgaca gattttgggt tgctcagattt cattaagcca gggaagaagt tccatgacat 720  
 tgttggaagt gcttactatg tcgcaccaga agtactaaaa cgacggtctg gtcctgagtc 780  
 40 agatgtttgg agcataggag tcataaccta cattttgctc tgtgggaggc gccctttttg 840  
 ggataagacc gaagacggta tattcaagga ggttctaagg aacaagcctg attttcgtaa 900  
 gaggccttgg tcaagcatca gccaggtgc taaagatttt gttaaaagg ttagtagtgaa 960  
 45 gaatccaagg gccaggctaa cagctgctca agctctctca catccgtggg taagagaagg 1020  
 aggggaagca tccgatatcc ccgtcgacat atctgtgtta tcaaactatgc gtcagtttgt 1080  
 caagtacagc cgtttcaagc aattcgcgct tcgggctctg gcgagcacc ttaacgagga 1140  
 50 agagctatca gatctgaagg atcagtttga tgcaattgat atcgataaaa gtggatcgat 1200  
 tagtatcgag gaaatgcgtc atgcccttgc aaaggatctt ccctggagat tgaagggtcc 1260  
 55 ccgtgtgctg gagattatc aagcaattga cagcaacact gatgggctcg tggacttcaa 1320  
 ggagtttgtt gcggcaactc tccatatcca ccagatggcg gagctcgact cagaaagggtg 1380



EP 3 936 519 A1

Leu Leu Asp Arg Ile Leu Ala Lys Lys Asn Ser Arg Tyr Ser Glu Lys  
 145 150 155 160  
 5 Asp Ala Ala Val Val Val Arg Gln Met Leu Lys Val Ala Ala Glu Cys  
 165 170 175  
 10 His Leu Arg Gly Leu Val His Arg Asp Met Lys Pro Glu Asn Phe Leu  
 180 185 190  
 Phe Lys Ser Asn Lys Glu Asp Ser Pro Leu Lys Ala Thr Asp Phe Gly  
 195 200 205  
 15 Leu Ser Asp Phe Ile Lys Pro Gly Lys Lys Phe His Asp Ile Val Gly  
 210 215 220  
 20 Ser Ala Tyr Tyr Val Ala Pro Glu Val Leu Lys Arg Arg Ser Gly Pro  
 225 230 235 240  
 25 Glu Ser Asp Val Trp Ser Ile Gly Val Ile Thr Tyr Ile Leu Leu Cys  
 245 250 255  
 Gly Arg Arg Pro Phe Trp Asp Lys Thr Glu Asp Gly Ile Phe Lys Glu  
 260 265 270  
 30 Val Leu Arg Asn Lys Pro Asp Phe Arg Lys Arg Pro Trp Ser Ser Ile  
 275 280 285  
 35 Ser Pro Gly Ala Lys Asp Phe Val Lys Arg Leu Leu Val Lys Asn Pro  
 290 295 300  
 Arg Ala Arg Leu Thr Ala Ala Gln Ala Leu Ser His Pro Trp Val Arg  
 305 310 315 320  
 40 Glu Gly Gly Glu Ala Ser Asp Ile Pro Val Asp Ile Ser Val Leu Ser  
 325 330 335  
 45 Asn Met Arg Gln Phe Val Lys Tyr Ser Arg Phe Lys Gln Phe Ala Leu  
 340 345 350  
 50 Arg Ala Leu Ala Ser Thr Leu Asn Glu Glu Glu Leu Ser Asp Leu Lys  
 355 360 365  
 Asp Gln Phe Asp Ala Ile Asp Ile Asp Lys Ser Gly Ser Ile Ser Ile  
 370 375 380  
 55 Glu Glu Met Arg His Ala Leu Ala Lys Asp Leu Pro Trp Arg Leu Lys

EP 3 936 519 A1

	385				390						395					400
5	Gly	Pro	Arg	Val	Leu	Glu	Ile	Ile	Gln	Ala	Ile	Asp	Ser	Asn	Thr	Asp
					405					410					415	
10	Gly	Leu	Val	Asp	Phe	Lys	Glu	Phe	Val	Ala	Ala	Thr	Leu	His	Ile	His
				420					425					430		
15	Gln	Met	Ala	Glu	Leu	Asp	Ser	Glu	Arg	Trp	Gly	Ile	Arg	Cys	Gln	Ala
			435					440					445			
20	Ala	Phe	Ser	Lys	Phe	Asp	Leu	Asp	Gly	Asp	Gly	Tyr	Ile	Thr	Pro	Glu
		450					455					460				
25	Glu	Leu	Arg	Met	Val	Gln	His	Pro	Gly	Leu	Lys	Gly	Ser	Ile	Glu	Pro
	465					470					475					480
30	Leu	Leu	Glu	Glu	Ala	Asp	Ile	Asp	Lys	Asp	Gly	Lys	Ile	Ser	Leu	Ser
					485					490					495	
35	Glu	Phe	Arg	Lys	Leu	Leu	Arg	Thr	Ala	Ser	Met	Ser	Asn	Val	Pro	Ser
				500					505					510		
40	Pro	Arg	Gly	Pro	Pro	Asn	Pro	Gln	Ala	Leu						
			515					520								
45	<210>	5														
50	<211>	1940														
55	<212>	DNA														
	<213>	Zea mays L.														
60	<400>	5														
65	aaatccatat	gctcagctcc	cgctcctcc	catccccgga	ccccggaccc	cgccatggg										60
70	cgcttgcttc	tcctccgcct	ctgccgccc	cgccggcgcc	gccgtcgacg	agcgcgccc										120
75	gtccaaggag	ggcgacggca	agaagaggcg	ccgcgcccgc	ggggcatcgc	cggatgccgc										180
80	ggcgcccgtg	cgcgaggagt	tcggctacga	gagggacttc	gagggcgcgct	acgaggtcgg										240
85	ccgcctgctc	ggccacggcc	agttcggcta	caccttcgcc	gccaccgacc	gcggctctgg										300
90	ggaccgcggt	gccgtcaagc	gcatcgacaa	ggccaagatg	acccgccctg	ttgctgtgga										360
95	ggatgtgaaa	agagaagtga	agattcttaa	agcacttaaa	ggacatcaga	atattgttca										420
100	cttctacaat	gcatttgagg	atgattcata	cggtgtacatt	gtgatggagc	tatgtgaggg										480
105	cggtgaacta	ttagatcgga	ttttggcaaa	aaagaatagc	cgctatagtg	agaaagatgc										540
110	tgcagtggta	gtccgcaaaa	tgctcaaagt	agctgctgaa	tgccatctgc	gtgggttagt										600
115	tcaccgagat	atgaagcctg	agaacttctt	tttcaaatcg	aacaaggagg	attcaccact										660

EP 3 936 519 A1

aaagggcaca gattttgggtt tgtcagatth cattaagcca gggagaagt tccatgacat 720  
 tgttggaggt gcttactatg tgcaccaga agtactaaaa cgacggctctg gtcctgagtc 780  
 5 agatgtttgg agcataggag tcataaccta cattttgctc tgtgggaggc gccctttttg 840  
 ggataagacc gaagacggta tattcaagga ggttctaagg aacaagcctg attttcgtaa 900  
 gaggccttgg tcaagcatca gccaggtgc taaagatttt gttaaaaggt tactagttaa 960  
 10 gaatccaagg gccaggctaa cagctgctca agctctctca catccgtggg taagagaagg 1020  
 aggggaagca tccgatatcc ccgtcgacat atctgtgtta tcaaactgc gtcagtttgt 1080  
 caagtacagc cgtttcaagc aattcgcgct tccggctctg gcgagcacc ttaacgagga 1140  
 15 agagctatca gatctgaagg atcagtttga tgcaattgat atcgataaaa gtggatcgat 1200  
 tagtatcgag gaaatgcgct atgcccttgc aaaggatctt ccctggagat tgaagggtcc 1260  
 ccgtgtgctg gagattattc aagcaattga cagcaacact gatgggctcg tggacttcaa 1320  
 20 ggagtttgtt gcggcaactc tccatatcca ccagatggcg gagctcgact cagaaaggtg 1380  
 gggcatagc tgccaagctg ctttcagtaa gtttgatctt gacgggtgat gatatatcac 1440  
 gccggaggaa ctcaaatgg tgcagcacc tgggttgaag ggatctatcg agccgctgct 1500  
 25 ggaggaggcc gacatcgaca aagacggcaa gataagcctg tccgagttcc gcaagctcct 1560  
 acggacagcg agcatgagca acgtaccag cccaaggggg cccccaacc ctgagctct 1620  
 gtgaattccg gctcggccac tagggaggag caagcttagg aagttgcat acaatagcca 1680  
 tgtgttcttt gggttcttca gagtgccatg tgatgtttct ggttttttagc atccaggtta 1740  
 tgtgtgcagt gcagccccga gtgagtttgc aagtaaatat tcagtgcttt ctttttcttt 1800  
 35 ccggaagagt gagaggtgga ggtcaaaatg gtaggcaaga ctgccttct tctttccttt 1860  
 aactgtaca gtgatactga aatatgtacg atttttatta taactgttcg tcgcaataaa 1920  
 gttatttga gaagtgagga 1940  
 40  
 <210> 6  
 <211> 6946  
 <212> DNA  
 45 <213> Zea mays L.  
 <400> 6  
 gcaaatccat atgctcagct cccgcctcct cccatccccg gaccccgac cccggccatg 60  
 ggcgcttget tctcctccgc ctctgccgcc cccgcggcg cgcctcga cgagcgcgc 120  
 50 ccgtccaagg agggcgacgg caagaagagg cgcgcgccg cgggggcatc gccgatgcc 180  
 gcggcgcccg tgcgcgtgga gttcggctac gagagggact tcgaggcgcg ctacgaggtc 240  
 ggccgctgc tcggccacgg ccagttcggc tacaccttcg ccgccaccga ccgcgctct 300  
 55 ggggaccgcg ttgccgtcaa gcgcatcgac aaggccaagg tgagctgccg cctgcccc 360

EP 3 936 519 A1

cgcaccccaa gccgccgcgc tgtccctgtc tctgtctctc ctactagtag tagtagctgg 420  
 tggtgattcc gagcgcgtct ttggtctggt gcatcgaacc acttgtgctt ggtgcatttc 480  
 5 gaggggattc ggtgtaattc cgtgcaaatt agggatttct ctctgttgc tttccgaggt 540  
 ttagtggttt cgattgggac gcgattggag ccgttcattt taggacattt ccggtgcctt 600  
 ttgggaggcg tttagctcaa cgagtagctc actcacattt ctagctgttt ggccgcttca 660  
 10 tttctcccaa gctttcgttg ttgcccgtg gttctgagct gcgggatctt gacgttggcc 720  
 agagaggtgg tttcgacatt caggcatctc ggatgacctc ttagtttggc actacagctc 780  
 tattatttcg ggaacgacgt gttgctcagt gcgcacctca ttcattggaag tggcaaggtc 840  
 15 gcttgtctgc agaacgggga aggtgctttt catctggcta ttcattgaaa acgacttggt 900  
 cagttgccct actaataatt tcaataagat tgctgcctc cttgaatggt tggggcttgg 960  
 aaggttcctg tccaagaaaa agtcaggaaa gataacaatt gcgcacttgc agtggacaac 1020  
 20 gcttccctgt cttctatgct ataggtggac agcatttttc taggtataat taatttgacc 1080  
 ttcaaacata tgtatactaa ccaacgcggt tttgattcca tcaaatgttt tggactctct 1140  
 ctgctgaact gtcaaagtta cttcatgggg caaaatgtca aattttctgg aaccttccgt 1200  
 25 agtatatfff ggaaatgagt gtttattgtg tcattggaaa taccgttcat gtgtctgtga 1260  
 cagaatgtgt cactagaaaag ctgaattggt gttgtccttg tcaaaaaggc actaaacacg 1320  
 30 agtctgaaaa ttaggcctgt tcttgtaag ggaaggaatc tgagcatcaa tgctgatagg 1380  
 aatagactct gtctgtcaat attgttaact tgtttatagg gcttcgagtt ttcaactfff 1440  
 gaggcagata agtaggatac ctcttttgat catgatatat aacatattct tatatactc 1500  
 35 aagccttgca ctgtaagtt aatgtggcat cctttctaga gatcatgacc tcaagttgca 1560  
 tatggatgcc aataatatcg acaccaagtg aacatcagtg tctgtggaat atgccgaaag 1620  
 cagccaacgt gccattactg aattttcata tgattattat attctgttta gatttattta 1680  
 40 cgtcggaaaca cagtgagatg gtaacgtaat gaatcaaaat aggctataaa catgcaattc 1740  
 aacatatcat tatcatgcc aagtgttttg tcattctatc tttattcgtc caagaaggac 1800  
 aagcctggtg cattgttgag ggaaccagtt cttctgcagt acttctaggg aggtaaaaat 1860  
 45 tcaacaccgt tggatgcaga tctatcgaac ccagggactt tgtgcttcca gtgaaaagtt 1920  
 atatggaccc ataggccaga ggatgtgaga gttttacctc tctggaagtt atatgcgcta 1980  
 gcattagtgt ggtcatcaat gggatcaaag atgagctcca cctttggtgt agagctggag 2040  
 50 ctaggggact ctagcatcct ggcgctccaa tcttccatcc agtgaactct gttttttggg 2100  
 tctagtaggt caaggtcca gttatffff ctttctgctg taaagtctct agttaagggtg 2160  
 tgagttttgt atggtgtttt ttcgaggttt ccccaaacct cacctffff cttcttaat 2220  
 55 ataatgatat gcagctttcc tgcgtattcg agaaaagaaa gttttatctc tctggaagtt 2280

EP 3 936 519 A1

aactgcagag gaacttgta cattggtgag agttgtctca ccgagtcacc aggtcgctgg 2340  
 ttcaaagcag tctctccaca tttatgggga aggcttgcc cggtttatcc cttccaaga 2400  
 5 ctctacttgt gggagactct ggcattgggt ctgtcctatg cggttgaagc gctaggttcg 2460  
 tttatccctt ccctataccc acttgtcaga gcctccaaca ctgagtctgc cctaagcttc 2520  
 caagttccaa cactgggtct gccctaggcc gtcgaagcgt tatatgattg ccatgtactg 2580  
 10 ttatgctttg ttgccttcac atatcttccg ttcgaaatca tctccttggt gccttcacat 2640  
 attgccttgt tgctttcaca tattttctgt tccacgtcat acttagaagt tagaacacgt 2700  
 gatttatgcc aattaagatt attatcttat ataacagatg acccgccctg ttgctgtgga 2760  
 15 ggatgtgaaa agagaagtga agattcttaa agcacttaaa ggacatcaga atattggtca 2820  
 cttctacaat gcatttgagg atgattcata cgtgtacatt gtgatggagt aagtagggcc 2880  
 20 atacacctgt tctgctaata agagcatatc gattttgcta tgactttttt ccctaaagtt 2940  
 ttaacatgaa caatatctat cctggttaca gaatcctaga cactaaaatg tcatttctaa 3000  
 ttatcaatta ttctatagct aaaccagatg caatcctgat ttatcttct taacgtatgg 3060  
 25 atatattgga cttttctttc aaacctgcat tttgaatttg attacagggga actataacac 3120  
 taattcagaa ctctatcatg tttaacattt ttcttgcat gttctatggt tgtcaacttg 3180  
 acgcacttct tagataatat aacatcatct tccacagtca ccattagtta ggaccttggga 3240  
 30 ccttcatggt tccgaaattt agctaagaat ggtatacatg gtcatgtgat ttcaaataga 3300  
 tgttcctata tgccagaacc aactcatgag tcataagttt taccttgtgt ttttgcagggc 3360  
 35 tatgtgaggg cggtgaaacta ttagatcgga ttttggcaaa gtaagtagat aagatcccca 3420  
 tctctttggt tcccgtaacct cattcttcgc cattaaattt atagattttt gtgctgtaaa 3480  
 atcagattgc tttatggtgt ttgtctgctt tgtttgattt ctagttgctc gttcaagatc 3540  
 40 ctttacttaa tgggtgtgctg gttttgacag aaagaatagc cgctatagtg agaaagatgc 3600  
 tgcagtggta gtccgcaaaa tgctcaaagt agctgctgaa tgccatctgc gtgggttagt 3660  
 tcaccgagat atgaagcctg aggtagaaat caaatacttc aatctctttg cacacagtaa 3720  
 45 gcatttggtg atatttcaact acttctcag gtcatgtaag actgtacctt ttttcttcc 3780  
 cagaacttcc ttttcaaata gaacaaggag gattcaccac taaaggcgac agattttggt 3840  
 ttgtcagatt tcattaagcc aggtatctac ttggggccat ctgaatctgt cgggaatctg 3900  
 50 ataggggcaa gtctgcagtt tagctgacca ttttgttgct taatgcatgc tttaggggaag 3960  
 aagttccatg acattggttg aagtgcttac tatgtgcac cagaagtact aaaacgacgg 4020  
 55 tctggtcctg agtcagatgt ttggagcata ggagtcataa cctacatttt gctctgtggg 4080  
 aggcgcctt tttgggataa gaccgaagac ggtatattca aggaggtgag ttgatggatt 4140

EP 3 936 519 A1

ttgcatacca tgtgcttaca tgtaaaatat gcttggttag agtgctgtac cagggatcag 4200  
 cgttttcagc gtgctgatac tgttttgtac aatgtgtttc tactttctac gtcatatagc 4260  
 5 agtgtttctt tgttaactat ttcagtgta aactatttgt cgtgtcacia ctcagcagta 4320  
 taattttact attttgaaca ctgtaaacct gcctggtcag gttatccttc agtaatttct 4380  
 ctactagcta ccagaaaccc actttatgca ggtgttcagt ttaataacac ccacatcctt 4440  
 10 tcagatttct aatgttcagt gttagacaga cttcattaag atgcaccta agatgattgt 4500  
 aagtagtaaa agtgctttgc acttttgta acttttgagt ctgaagatga cttgtggtac 4560  
 ctatgacctc aagaaaccaa ggcattgccca ttggaatagc taattcgaat gagcttcaga 4620  
 15 tatggctatc tgtttttagtt ttggacatct gactcaactt tataggataa tactatatta 4680  
 gcaatctttg aggtcattgt ctcagccaaa ataagttgag gtctcttttt tactgtccta 4740  
 agcagcaata tggtttccat tttcattata ccagcaactt ccaccttttt cttgctattt 4800  
 20 aaatatcttt atgcatttta tcagcaagga catgatacga tcgtatatgt gatattctac 4860  
 atcttttcac ttctcataat taggttctaa ggaacaagcc tgattttcgt aagaggcctt 4920  
 ggtcaagcat cagcccaggt gctaaagatt ttgttaaaag gttactagtg aagaatccaa 4980  
 25 gggccaggct aacagctgct caagctctct gtaagttttg gtatttttca ttaatttact 5040  
 agcctagtca tgatgatcag attcaccttc tctatgtgag aacagagAAC acatatacat 5100  
 ctggcagtat gcctttcaat cagttatgac aatgtaaata tgcaaagacc gatgtttttt 5160  
 ctatcctgca ccattttaga acattaatgg ggaaaaacca caatatatta ggaaaaatgt 5220  
 ttaattatgt cctggctact tgaaatgaac atataccact gaggttttct agttctcatg 5280  
 35 cgttcttata atgatcta atagtcagtg aggtttgctg cccaccacc ctacatttgt 5340  
 attgtgaatt actatcatct ttactgatcc tgattgttct tgatatgta agcacatccg 5400  
 tgggtaagag aaggagggga agcatccgat atccccgtcg acatatctgt gttatcaaac 5460  
 40 atgctcagt ttgtcaagta cagccgtttc aagcaattcg cgcttcgggt aattacagtg 5520  
 attacaaaaa acaacactgc atcgtttatt ttttcctcac aatatttcct cgtggcatgg 5580  
 tcaggctctg gogagcacc ttaacgagga agagctatca gatctgaagg atcagtttga 5640  
 45 tgcaattgat atcgataaaa gtggatcgat tagtatcgag gaaatgcgtc atgtaggttc 5700  
 tgtagtggtt tgctgatgaa aatgccttag atcctgaact actctgcggt gctgattaat 5760  
 ctgtgcatgt ttoggtagc ccttgcaaag gatcttcctt ggagattgaa gggccccgt 5820  
 50 gtgctggaga ttattcaagc agtaagttg agccttcttc tggatccagc cctttctttg 5880  
 ttacccccct tgtttccaag aaaatagctg gccttgttct gagggataa ccaaaactgc 5940  
 atcttatttt gtggtagatt gacagcaaca ctgatgggct cgtggacttc aaggagttg 6000  
 55 ttgctggcaac tctccatct caccagatgg cggagctcga ctcagaaagg tggggcatac 6060

EP 3 936 519 A1

gctgccaagc tgctttcagt aagtttgatc ttgacgggga tggatatatc acgccggagg 6120  
aactcagaat ggtaattttc tactcctgtc ttgtttccat gttgcttcac caacgaaatgc 6180  
5 acagttcaca taacccttat tatcatcact gtttcccatg aataactagc tggctcgacc 6240  
atcatgagat tcagtacttg cgcctgtgac acttggtttt ggtcccgctt gttagaatga 6300  
10 agtaatttat caatggaagc gctgtaatat tttaatcagc gtttagattt gataaagata 6360  
aaacatgttc attgtttgtg ccaagaaatc cacttacaca gatactgaga gttgcaccgt 6420  
agataacgct aatcggcagt atcctaactg agattttctt tcaaggtgca gcacactggg 6480  
15 ttgaagggat ctatcgagcc gctgctggag gaggccgaca tcgacaaaga cggcaagata 6540  
agcctgtccg agttccgcaa gctcctacgg acagcgagca tgagcaacgt acccagccca 6600  
agggggcccc caaacctca ggctctgtga attccggctc ggccactagg gaggagcaag 6660  
20 cttaggaagt tgccatacaa tagccatgtg ttctttgggt tcttcagagt gccatgtgat 6720  
gtttctgggt tttagcatcc aggttatgtg tgcagtgcag ccccagtgta gtttcgaagt 6780  
aaatattcag tgctttcttt ttctttccgg aagagtgaga ggtggaggtc aaaatggtag 6840  
25 gcaagactcg ctttcttctt tcctttacac tgtacagtga tactgaaata tgtacgattt 6900  
ttattataac tgttcgtcgc aataaagtta tttggagaag tgagga 6946

30 <210> 7  
<211> 520  
<212> PRT  
<213> Zea mays L.

35 <400> 7

Met Gly Ala Cys Phe Ser Ser Ala Ser Ala Ala Pro Ala Gly Ala Ala  
1 5 10 15

40 Val Asp Glu Arg Arg Pro Ser Lys Glu Gly Asp Gly Lys Lys Arg Arg  
20 25 30

45 Arg Ala Ala Gly Ala Ser Pro Asp Ala Ala Ala Pro Val Arg Val Glu  
35 40 45

50 Phe Gly Tyr Glu Arg Asp Phe Glu Ala Arg Tyr Glu Val Gly Arg Leu  
50 55 60

Leu Gly His Gly Gln Phe Gly Tyr Thr Phe Ala Ala Thr Asp Arg Gly  
65 70 75 80

55 Ser Gly Asp Arg Val Ala Val Lys Arg Ile Asp Lys Ala Lys Met Thr  
85 90 95

EP 3 936 519 A1

Arg Pro Val Ala Val Glu Asp Val Lys Arg Glu Val Lys Ile Leu Lys  
 100 105 110  
 5 Ala Leu Lys Gly His Gln Asn Ile Val His Phe Tyr Asn Ala Phe Glu  
 115 120 125  
 10 Asp Asp Ser Tyr Val Tyr Ile Val Met Glu Leu Cys Glu Gly Gly Glu  
 130 135 140  
 15 Leu Leu Asp Arg Ile Leu Ala Lys Lys Asn Ser Arg Tyr Ser Glu Lys  
 145 150 155 160  
 20 Asp Ala Ala Val Val Val Arg Gln Met Leu Lys Val Ala Ala Glu Cys  
 165 170 175  
 25 His Leu Arg Gly Leu Val His Arg Asp Met Lys Pro Glu Asn Phe Leu  
 180 185 190  
 30 Phe Lys Ser Asn Lys Glu Asp Ser Pro Leu Lys Ala Thr Asp Phe Gly  
 195 200 205  
 35 Leu Ser Asp Phe Ile Lys Pro Gly Lys Lys Phe His Asp Ile Val Gly  
 210 215 220  
 40 Ser Ala Tyr Tyr Val Ala Pro Glu Val Leu Lys Arg Arg Ser Gly Pro  
 225 230 235 240  
 45 Glu Ser Asp Val Trp Ser Ile Gly Val Ile Thr Tyr Ile Leu Leu Cys  
 245 250 255  
 50 Gly Arg Arg Pro Phe Trp Asp Lys Thr Glu Asp Gly Ile Phe Lys Glu  
 260 265 270  
 55 Val Leu Arg Asn Lys Pro Asp Phe Arg Lys Arg Pro Trp Ser Ser Ile  
 275 280 285  
 60 Ser Pro Gly Ala Lys Asp Phe Val Lys Arg Leu Leu Val Lys Asn Pro  
 290 295 300  
 65 Arg Ala Arg Leu Thr Ala Ala Gln Ala Leu Ser His Pro Trp Val Arg  
 305 310 315 320  
 70 Glu Gly Gly Glu Ala Ser Asp Ile Pro Val Asp Ile Ser Val Leu Ser  
 325 330 335  
 75 Asn Met Arg Gln Phe Val Lys Tyr Ser Arg Phe Lys Gln Phe Ala Leu  
 340 345 350

EP 3 936 519 A1

Arg Ala Leu Ala Ser Thr Leu Asn Glu Glu Glu Leu Ser Asp Leu Lys  
 355 360 365

5 Asp Gln Phe Asp Ala Ile Asp Ile Asp Lys Ser Gly Ser Ile Ser Ile  
 370 375 380

10 Glu Glu Met Arg His Ala Leu Ala Lys Asp Leu Pro Trp Arg Leu Lys  
 385 390 395 400

15 Gly Pro Arg Val Leu Glu Ile Ile Gln Ala Ile Asp Ser Asn Thr Asp  
 405 410 415

20 Gly Leu Val Asp Phe Lys Glu Phe Val Ala Ala Thr Leu His Ile His  
 420 425 430

25 Gln Met Ala Glu Leu Asp Ser Glu Arg Trp Gly Ile Arg Cys Gln Ala  
 435 440 445

30 Ala Phe Ser Lys Phe Asp Leu Asp Gly Asp Gly Tyr Ile Thr Pro Glu  
 450 455 460

35 Glu Leu Arg Met His Thr Gly Leu Lys Gly Ser Ile Glu Pro Leu Leu  
 465 470 475 480

40 Glu Glu Ala Asp Ile Asp Lys Asp Gly Lys Ile Ser Leu Ser Glu Phe  
 485 490 495

45 Arg Lys Leu Leu Arg Thr Ala Ser Met Ser Asn Val Pro Ser Pro Arg  
 500 505 510

Gly Pro Pro Asn Pro Gln Ala Leu  
 515 520

<210> 8  
 <211> 1936  
 <212> DNA  
 <213> Zea mays L.

<400> 8  
 aaatccatat gctcagctcc cgctcctcc catccccgga ccccgacc cggccatggg 60  
 cgcttgcttc tcctccgcct ctgccgcccc cgccggcgcc gccgtcgacg agcgccgccc 120  
 gtccaaggag ggcgacggca agaagaggcg ccgcgcccgc ggggcatcgc cggatgccgc 180  
 ggcgcccgtg cgcgtggagt tcggctacga gagggacttc gaggcgcgct acgaggtcgg 240  
 ccgcctgctc ggccacggcc agttcggcta caccttcgcc gccaccgacc gcggtctcgg 300  
 ggaccgcggt gccgtcaagc gcatcgacaa ggccaagatg acccgccctg ttgctgtgga 360

EP 3 936 519 A1

ggatgtgaaa agagaagtga agattcttaa agcacttaaa ggacatcaga atattgttca 420  
 cttctacaat gcatttgagg atgattcata cgtgtacatt gtgatggagc tatgtgaggg 480  
 5 cggtgaacta ttagatcgga ttttgccaaa aaagaatagc cgctatagtg agaaagatgc 540  
 tgcagtggta gtccgccaaa tgctcaaagt agctgctgaa tgccatctgc gtgggttagt 600  
 tcaccgagat atgaagcctg agaacttctt tttcaaactc aacaaggagg attcaccact 660  
 10 aaaggcgaca gattttgggt tgtcagatct cattaagcca gggaagaagt tccatgacat 720  
 tgttgggaagt gcttactatg tcgcaccaga agtactaaaa cgacggctctg gtcctgagtc 780  
 agatgtttgg agcataggag tcataaccta cattttgctc tgtgggaggc gccctttttg 840  
 15 ggataagacc gaagacggta tattcaagga ggttctaagg aacaagcctg attttcgtaa 900  
 gaggccttgg tcaagcatca gccaggtgc taaagatctt gttaaaagg ttagtagtgaa 960  
 gaatccaagg gccaggctaa cagctgctca agctctctca catccgtggg taagagaagg 1020  
 20 aggggaagca tccgatatcc ccgtcgacat atctgtgtta tcaaactgc gtcagtttgt 1080  
 caagtacagc cgtttcaagc aattcgcgct tcgggctctg gcgagcacc ttaacgagga 1140  
 agagctatca gatctgaagg atcagtttga tgcaattgat atcgataaaa gtggatcgat 1200  
 25 tagtatcgag gaaatgcgct atgcccttgc aaaggatctt ccctggagat tgaagggtcc 1260  
 ccgtgtgctg gagattattc aagcaattga cagcaact gatgggctcg tggacttcaa 1320  
 30 ggagtttgtt gcggcaactc tccatatcca ccagatggcg gagctcgact cagaaagggtg 1380  
 gggcatacgc tgccaagctg ctttcagtaa gtttgatctt gacgggtgat gatatatcac 1440  
 gccggaggaa ctcagaatgc aactgggtt gaagggatct atcgagccgc tgctggagga 1500  
 35 ggccgacatc gacaaagacg gcaagataag cctgtccgag ttccgcaagc tcctacggac 1560  
 agcgagcatg agcaacgtac ccagcccaag ggggccccca aaccctcagg ctctgtgaat 1620  
 tccggctcgg ccactagggg gagcaagct taggaagttg ccatacaata gccatgtgtt 1680  
 40 ctttgggttc ttcagagtgc catgtgatgt ttctggtttt tagcatccag gttatgtgtg 1740  
 cagtgcagcc ccgagtgagt ttcgaagtaa atattcagtg ctttctttt ctttccggaa 1800  
 45 gagtgagagg tggaggtcaa aatggtagc aagactcgcc ttcttcttc ctttacactg 1860  
 tacagtgata ctgaaatagc tacgattttt attataactg ttcgtcgcaa taaagttatt 1920  
 tggagaagtg aggatt 1936  
  
 50 <210> 9  
 <211> 522  
 <212> PRT  
 <213> Zea mays L.  
  
 55 <400> 9  
 Met Gly Ala Cys Phe Ser Ser Ala Ser Ala Ala Pro Ala Gly Ala Ala

EP 3 936 519 A1

	1			5					10					15			
5	Val	Asp	Glu	Arg	Arg	Pro	Ser	Lys	Glu	Gly	Asp	Gly	Lys	Lys	Arg	Arg	
				20					25					30			
	Arg	Ala	Ala	Gly	Ala	Ser	Pro	Asp	Ala	Ala	Ala	Pro	Val	Arg	Val	Glu	
10			35					40					45				
	Phe	Gly	Tyr	Glu	Arg	Asp	Phe	Glu	Ala	Arg	Tyr	Glu	Val	Gly	Arg	Leu	
		50					55					60					
15	Leu	Gly	His	Gly	Gln	Phe	Gly	Tyr	Thr	Phe	Ala	Ala	Thr	Asp	Arg	Gly	
	65					70					75					80	
	Ser	Gly	Asp	Arg	Val	Ala	Val	Lys	Arg	Ile	Asp	Lys	Ala	Lys	Met	Thr	
20					85					90					95		
	Arg	Pro	Val	Ala	Val	Glu	Asp	Val	Lys	Arg	Glu	Val	Lys	Ile	Leu	Lys	
				100					105					110			
25	Ala	Leu	Lys	Gly	His	Gln	Asn	Ile	Val	His	Phe	Tyr	Asn	Ala	Phe	Glu	
			115					120					125				
30	Asp	Asp	Ser	Tyr	Val	Tyr	Ile	Val	Met	Glu	Leu	Cys	Glu	Gly	Gly	Glu	
		130					135					140					
	Leu	Leu	Asp	Arg	Ile	Leu	Ala	Lys	Lys	Asn	Ser	Arg	Tyr	Ser	Glu	Lys	
35						150					155					160	
	Asp	Ala	Ala	Val	Val	Val	Arg	Gln	Met	Leu	Lys	Val	Ala	Ala	Glu	Cys	
				165						170					175		
40	His	Leu	Arg	Gly	Leu	Val	His	Arg	Asp	Met	Lys	Pro	Glu	Asn	Phe	Leu	
				180					185					190			
45	Phe	Lys	Ser	Asn	Lys	Glu	Asp	Ser	Pro	Leu	Lys	Ala	Thr	Asp	Phe	Gly	
			195					200					205				
	Leu	Ser	Asp	Phe	Ile	Lys	Pro	Gly	Lys	Lys	Phe	His	Asp	Ile	Val	Gly	
50			210				215					220					
	Ser	Ala	Tyr	Tyr	Val	Ala	Pro	Glu	Val	Leu	Lys	Arg	Arg	Ser	Gly	Pro	
	225					230					235					240	
55	Glu	Ser	Asp	Val	Trp	Ser	Ile	Gly	Val	Ile	Thr	Tyr	Ile	Leu	Leu	Cys	
				245						250					255		

EP 3 936 519 A1

Gly Arg Arg Pro Phe Trp Asp Lys Thr Glu Asp Gly Ile Phe Lys Glu  
 260 265 270  
 5 Val Leu Arg Asn Lys Pro Asp Phe Arg Lys Arg Pro Trp Ser Ser Ile  
 275 280 285  
 10 Ser Pro Gly Ala Lys Asp Phe Val Lys Arg Leu Leu Val Lys Asn Pro  
 290 295 300  
 15 Arg Ala Arg Leu Thr Ala Ala Gln Ala Leu Ser His Pro Trp Val Arg  
 305 310 315 320  
 20 Glu Gly Gly Glu Ala Ser Asp Ile Pro Val Asp Ile Ser Val Leu Ser  
 325 330 335  
 25 Asn Met Arg Gln Phe Val Lys Tyr Ser Arg Phe Lys Gln Phe Ala Leu  
 340 345 350  
 30 Arg Ala Leu Ala Ser Thr Leu Asn Glu Glu Glu Leu Ser Asp Leu Lys  
 355 360 365  
 35 Asp Gln Phe Asp Ala Ile Asp Ile Asp Lys Ser Gly Ser Ile Ser Ile  
 370 375 380  
 40 Glu Glu Met Arg His Ala Leu Ala Lys Asp Leu Pro Trp Arg Leu Lys  
 385 390 395 400  
 45 Gly Pro Arg Val Leu Glu Ile Ile Gln Ala Ile Asp Ser Asn Thr Asp  
 405 410 415  
 50 Gly Leu Val Asp Phe Lys Glu Phe Val Ala Ala Thr Leu His Ile His  
 420 425 430  
 55 Gln Met Ala Glu Leu Asp Ser Glu Arg Trp Gly Ile Arg Cys Gln Ala  
 435 440 445  
 60 Ala Phe Ser Lys Phe Asp Leu Asp Gly Asp Gly Tyr Ile Thr Pro Glu  
 450 455 460  
 65 Glu Leu Arg Met Val Gln His Thr Gly Leu Lys Gly Ser Ile Glu Pro  
 465 470 475 480  
 70 Leu Leu Glu Glu Ala Asp Ile Asp Lys Asp Gly Lys Ile Ser Leu Ser  
 485 490 495  
 75 Glu Phe Arg Lys Leu Leu Arg Thr Ala Ser Met Ser Asn Val Pro Ser  
 500 505 510

EP 3 936 519 A1

Pro Arg Gly Pro Pro Asn Pro Gln Ala Leu  
515 520

5 <210> 10  
 <211> 1940  
 <212> DNA  
 <213> Zea mays L.

10 <400> 10  
 aaatccatat gctcagctcc cgcctcctcc catccccgga ccccggaacc cggccatggg 60  
 cgcttgcttc tcctccgcct ctgccgcccc cgccggcgcc gccgtcgacg agcgccgccc 120  
 15 gtccaaggag ggcgacggca agaagaggcg ccgcgcccgc ggggcatcgc cggatgccgc 180  
 ggcgcccgtg cgcgtggagt tcggctacga gagggacttc gaggcgcgct acgaggtcgg 240  
 ccgcctgctc ggccaacggcc agttcggcta caccttcgcc gccaccgacc gcggctctgg 300  
 20 ggaccgcgtt gccgtcaagc gcatcgacaa ggccaagatg acccgccctg ttgctgtgga 360  
 ggatgtgaaa agagaagtga agattcttaa agcacttaaa ggacatcaga atattgttca 420  
 cttctacaat gcatttgagg atgattcata cgtgtacatt gtgatggagc tatgtgaggg 480  
 25 cgggtgaacta ttagatcgga ttttgcaaaa aaagaatagc cgctatagtg agaaagatgc 540  
 tgcagtggta gtccgcaaaa tgctcaaagt agctgctgaa tgccatctgc gtgggttagt 600  
 tcaccgagat atgaagcctg agaacttcct tttcaaatcg aacaaggagg attcaccact 660  
 30 aaaggcgaca gattttgggt tgctcagattt cattaagcca gggaagaagt tccatgacat 720  
 tgttggaagt gcttactatg tcgcaccaga agtactaaaa cgacggctctg gtcctgagtc 780  
 agatgtttgg agcataggag tcataaccta cattttgctc tgtgggaggc gccctttttg 840  
 35 ggataagacc gaagacggta tattcaagga gggtctaagg aacaagcctg attttcgtaa 900  
 gaggccttgg tcaagcatca gcccaggtgc taaagatttt gttaaaaggt tactagttaa 960  
 40 gaatccaagg gccaggctaa cagctgctca agctctctca catccgtggg taagagaagg 1020  
 aggggaagca tccgatatcc ccgtcgacat atctgtgtta tcaaactatgc gtcagtttgt 1080  
 caagtacagc cgtttcaagc aattcgcgct tcgggctctg gcgagcacc ttaacgagga 1140  
 45 agagctatca gatctgaagg atcagtttga tgcaattgat atcgataaaa gtggatcgat 1200  
 tagtatcgag gaaatgcgct atgcccttgc aaaggatctt ccctggagat tgaagggtcc 1260  
 ccgtgtgctg gagattattc aagcaattga cagcaacact gatgggctcg tggacttcaa 1320  
 50 ggagtttgtt gcggcaactc tccatatcca ccagatggcg gagctcgact cagaaaggtg 1380  
 gggcatacgc tgccaagctg ctttcagtaa gtttgatctt gacgggtgatg gatatatcac 1440  
 55 gccggaggaa ctcagaatgg tgcagcacac tgggttgaag ggatctatcg agccgctgct 1500  
 ggaggaggcc gacatcgaca aagacggcaa gataagcctg tccgagttcc gcaagctcct 1560

EP 3 936 519 A1

	acggacagcg agcatgagca acgtaccag cccaaggggg ccccaaaccc ctcaggctct	1620
	gtgaattccg gctcggccac tagggaggag caagcttagg aagttgcat acaatagcca	1680
5	tgtgttcttt gggttcttca gagtgccatg tgatgtttct ggtttttagc atccaggtta	1740
	tgtgtgcagt gcagccccga gtgagtttcg aagtaaata tcaagtgcttt ctttttcttt	1800
	ccggaagagt gagaggtgga ggtcaaaatg gtaggcaaga ctgccttct tctttccttt	1860
10	acactgtaca gtgatactga aatatgtacg atttttatta taactgttcg tcgcaataaa	1920
	gttatttgga gaagtgagga	1940
15	<210> 11 <211> 287 <212> DNA <213> Zea mays L.	
20	<400> 11 tcaccgagat atgaagcctg agaacttctt tttcaaatcg aacaaggagg attcaccact	60
	aaaggcgaca gattttgggt tgtcagattt cattaagcca ggaagaagt tccatgacat	120
	tgttgaagt gcttactatg tcgaccaga agtactaaaa cgacggtctg gtcctgagtc	180
25	agatgtttgg agcataggag tcataaccta cattttgctc tgtgggaggc gccctttttg	240
	ggataagacc gaagacggtg tattcaagga ggttctaagg aacaagc	287
30	<210> 12 <211> 13563 <212> DNA <213> Zea mays L.	
35	<400> 12 gggatctgca gctgcttgaa tgcagcatgg ctgatgacgt tgagcccagc cccaccgtca	60
	atcagaacat ggtgcagccg catgttggtg atgacaaggg cgatgatgag cggtaataata	120
	ccggcccctg ccatgttgtc ggggcagtcg gatgccccaa aagagatagt ggtgctcctc	180
40	caccgttgat gtggagcagc catcgggacc cccgggaccg ccgaaaggac ctctcggcac	240
	agggacttga tgttctcgcg ggaggtgagc tcccagctcc cgtcgtatat catgtacaac	300
	ttcttgccgc ggtcgttgtc atcaccggag tcggagtctc cagtgaaaac atccttcagg	360
45	accccctcag gagactgata tctgaggtcc cgttctcccg cgaccacatc accgttgctg	420
	accctctcct tgccaggccg gcgacgaggt ggggagccat ccttgaagt ctgctgcac	480
	cgctcgctga tgcgcttcgc gagcttgatg atctcggggc actccgaggc actgtggcga	540
50	ctgttggggg gcacagggca tgagccgctg ttgcctccct gtggccgtgg gcgcttggtg	600
	cgctcgttcc ggccccagc tgcggctgcg acgatcctag cagtagactg cggcctctcg	660
	tggcccggt tcttcttctt cttctttttg ccgtcctggg tgacgacacc cgagccaccc	720
55	gtcttagcaa ctccggtttg tgggtcgcag tgccatgcac ggcctcggc agctctggca	780

EP 3 936 519 A1

cacttgtcag ctagagcgaa gagcgtggtg aaagtttcca cgtcatgcgt ggccaacttc 840  
 tccagcatct tctcatcacg tactctctgg cggaaagcgg tgatgatgga agcatcgaag 900  
 5 atacgaggta tagcgcctcg taccttgggtg aagcgggaga tgaaggcccc gagagtttcc 960  
 ccgggttcct gcctcactgc atggagggtga gcctccatgc catgctggtg ataagcactg 1020  
 gcgaagtctg ctatgaacca cgcgcaaagc tcttcccagg agtagatcga tccatagggtg 1080  
 10 agattcatga gccaggctctg ggctggccca gacaaggcta catggaaata tgttgccatt 1140  
 acgacagtgt ctccacctgc tgccgtaata gcggtacgta tacctgcaag aattccgaca 1200  
 ggtttgacgt accgtcgtat tttttggcag gtgtggccgg aacttggatg gccaaagtgcg 1260  
 15 cgcgctgaga tgatccgcta gtgcggcgca gcccacaccg gtcaatggaa cactcgctg 1320  
 aattcgggcg cccgttgag tttgcggtgc aaccgcagcg aggtctaggt cgaggttgcg 1380  
 20 accctcgatg ttctaccggc gctctcgcgc cctctccaga gagactcggg catcctcgcc 1440  
 cgtacgccta cggttgagtt ctgctcgcag gtcattctggc ctctctagag agactggagc 1500  
 gtcctctccc gcacgcctgc ggttgagctc cgcccgcagg tccctcagtcg gtgcggcctt 1560  
 25 caccgaggtt gagcgcactg acgtcgacgc ctcgtggtga cgccgggatg accgaggcct 1620  
 aggcctcgtt gagccagaat gcgccatact gagcagacga tcgacatcat cacaccactg 1680  
 cttcatggcc tccggtgagg ccgtggagct aggaggggtg cgtagcaact ccctggctgc 1740  
 30 agacaaaagcc ccaagtgcag cccttgacgc tctggatgtc tgcgcaggag tgtgctgccg 1800  
 cgcagagcgc atagcagcag caccaggcgc atggcgggtg gaggcccgtg gcatggaaga 1860  
 cgcagcttct tccctccatat ggaagtcctc aggaacgaag tcgtggtgct cgacgatctg 1920  
 35 gaccatggtg tcgagaagga aaacaggcga aaacctaatg ccaagcccct acctggcgcg 1980  
 ccaaatggtg gagaggaaaa tctccgggcg ggtggcggaa cgcacccgcc ctaaactcta 2040  
 40 agatgaggag ggggcttaag cgtattgcct gtctattaga tggtcgatga acacgagagc 2100  
 acacaaggat ttagagtggc tcaggccgct ggagcgtaat accctactcc actgtttgtg 2160  
 tgatgtattg agtctgtgag cttgagagag ctcgtgagtc tgagttgggt ctgccttgta 2220  
 45 acgttggtg ccctcccttt tatagctcaa ggggggcaca tacaaggatg ttgagccccg 2280  
 acacgtgggc ccagtagcat aatgaaagaa atacattata ggagtaacta atgcaagtaa 2340  
 cgcataagca atctccggtc gtcgtgatgt ccgcagtcta tgcagtattg atatgcggcg 2400  
 50 gctgcttcct tggtaacgtg cgagtaatga tgagcgtagt gcacgcgga gtatggcgct 2460  
 gccgcctgcc agtggaatgg acatttcgcc gcctgccagc ggaatggata ggtctcaata 2520  
 55 aatgcagagg cggcacaccg tctgccagtg gaatggacag gcgacgcgcc ttatccacaa 2580  
 taaatgcaga ggtcgcgtag cccagaggcc ttacgtcagg cttcaccctg ttgcttacgt 2640

EP 3 936 519 A1

cacgtgcagt gtgccacgtg gcagcatcgg ggctctgcct gggcggggag caggagtgta 2700  
 tgcagacagg tccggacctg cacacgtgtc agcaccggac ctcgcttggg tcttgttcca 2760  
 5 ggctcgagta tgttctgtcc tagaacctta ggaccccatt gtgggcatc cggaccccc 2820  
 cacggggggg ggggaggggg gtacagatcc cattctaggg gtcctccttg cacacgtgga 2880  
 ggtcctggac caaccttga ggtccggact gtttatcaag gggccggcg ctctcctatg 2940  
 10 ggggtccgga cttactgttg atgccttaga gtatatcacc ttctctagac acgtggcggc 3000  
 tccggacccg cccatgtggt ggatccgggc gctgctgtgg acccagagta gtcgcccag 3060  
 actggggcaa gtcgtggcct cgtcccacac acagcacctt taccacgca ctaagagata 3120  
 15 gccgcgtggg cactgcgtct ttatacaata gtagggggta cccctgtttc agggtagtga 3180  
 caatatcttt tttggatfff tttatgcgta ttttgtccgc tcacctaac attttttaggt 3240  
 tatgtttaga tatacagtga aagttaaaca tctgaaaaag ataaccaca atgttaagta 3300  
 20 gatggagtac tatagtga caaataaata gtcaaagtta atttagaata acaaactcat 3360  
 acaaatctta aatgtcatt ttgtttgtga ctatagaaag tattcttaga gctaggaggt 3420  
 gcaataaata agacgggcaa gtcaacaacc tcttcgcttg gctttaattt ttaccagctt 3480  
 25 ctactatfff tataatfff tatctctata gaatacaact acatcagfff gaatatctag 3540  
 ctttaattcg aggggaacaa tctgaaaaac cttatgctta taagggtagc atcaatggta 3600  
 30 taggcgtgta tatagcaacg ttcagttag ctacatatta tactatagca aagtaatgat 3660  
 atatctatgg tagatattta taaatgtfff taatgattaa atacactctc tgtaccacct 3720  
 cggtttctgt gtataagfff actccatggt catagataac agcacactct cacttcatta 3780  
 35 atttcttgcc acatatgata gataccgaga gcatctccaa tagactagcc aaatagaccg 3840  
 ttagccaaa ttttggttaa tcaatagcaa aataactctc caacagacta gccatctgac 3900  
 tcgtcaaaact tttcgactct tcaaattggc tccctcacta gacaaacctg gctagtcaact 3960  
 40 ttgactaacc aaactagata gatagtatgc tggagtgagt tgctatatac agagtgtaat 4020  
 atttatgaaa aaaataaata gagagtcaaa taaaagcaa aatggagat cccttagaga 4080  
 tgttttgaca ttggttcttt atagagagct aattgggtac cgttgccgct gccctaattg 4140  
 45 accaagactg aggcaagcaa cactagtcac tgatgattag gagatgcttg aatgcaacta 4200  
 agctaatagt tagttgacta aaaattacta ataaaattaa ctagccaaca aatagctagc 4260  
 taactagttg ctaatfffatt aaaagtagct aataactgaa ctattagtta gactgtttgg 4320  
 50 atgtctcagc taatfffaac agctaactat tagttctagt gtattaaaac acttccaaat 4380  
 aatatgcaag tatttaagat aagatcgatg acaacaacat gacgaaataa atcaacctat 4440  
 caaccaaatt gccaggcatc acatgtatct tgtgtggcta accaaaagga acgaccggc 4500  
 55 ggtggaggta gagctgacca agacagcgtc gttgccatgg agacatttct tttagtggtc 4560

EP 3 936 519 A1

	ttgtttaaac agtaatattt gtatagtaaa tgttggttaga taaattattg tgaattctat	4620
	tttcgtaata ttacttaga tgtgtcatgt gtgtggagt accactgaga ggtgtttgac	4680
5	aattggcagt ttgaccgctt gaccagcggc ttcacatca catcgtctcg tctgtcgtcg	4740
	tgtgtggctt cctctcttcc cctcctccct tggccccgtc tegtctctc cccctcacct	4800
	tcctctccac cttcctccct cccaccctc cgcgcctcgc cccaccggc caaccaacca	4860
10	acacggcgtc ccagcctgcc tatataccgc tcccccgcg ccccccacacg cgcaaatcca	4920
	tatgctcagc tcccgcctcc tcccacccc ggacccccga ccccggccat gggcgcttgc	4980
	ttctcctccg cctctgccgc ccccgcggc gccgcctcgc acgagcgccg cccgtccaag	5040
15	gagggcgacg gcaagaagag ggcgcgcgcc gccggggcat cgccggatgc cgcggcgccc	5100
	gtgcgcgtgg agttcggcta cgagagggac ttcgagggc gctacgaggt cggccgcctg	5160
20	ctcggccacg gccagttcgg ctacaccttc gccgccaccg accgcggctc tggggaccgc	5220
	gttgccgtca agcgcacga caaggccaag gtgagctgcc gcctgcccc cgcacccca	5280
	agccgccgag ctgtccctgt ctctgtctct cctactagta gtagtagctg gtggtgattc	5340
25	cgagcgcgtc tttggtctgg tgcacgaac cacttgtgct tgggtcattt cgaggggatt	5400
	cggtgtaatt ccgtgcaaat tggggatttc tctcctgttg ctttccgagg tttaggtggt	5460
	tcgattggga cgcgattgga gccgttcatt ttaggacatt tccggtgcct tttgggaggc	5520
30	gtttagctca acgagtagct cactcacatt tctagctggt tggccgcttc atttctcca	5580
	agctttcgtt gtttgccggt ggttctgagc tgcgggatct tgacgttggc cagagaggtg	5640
	gtttcgacat tcaggcatct cggatgacct cttagtttgg cactacagct ctattatttc	5700
35	gggaacgacg tgttgctcag tgcgcacctc attcatggaa gtggcaaggc cgcttgtctg	5760
	cagaacgggg aaggtgcttt tcatctggct attcatggaa aacgacttgt tcagttgccc	5820
40	tactaataat ttcaataaga ttgcctgcct ccttgaatgg ttggggcttg gaaggttctt	5880
	gtcgaagaaa aagtcaggaa agataacaat tgcgcacttg cagtggacaa cgcttccctg	5940
	tcttctatgc tataggtgga cagcattttt ctaggtataa ttaatttgac cttcaaacat	6000
45	atgtatacta accaacgcgg ttttgattcc atcaaatggt ttggactctc tctgctgaac	6060
	tgtcaaagtt acttcatggg gcaaaatgtc aaatthctg gaaccttccg tagtatattt	6120
	tggaaatgag tgtttattgt gtcattggaa ataccgttca tgtgtctgtg acagaatgtg	6180
50	tcactagaaa gctgaattgg tgttgcctt gtcaaaaagg cactaaacac gactctgaaa	6240
	attaggcctg ttcttggtaa ggaaggaat ctgagcatca atgctgatag gaatagactc	6300
	tgtctgtcaa tattgttaac ttgtttatag ggcttcgagt tttcaacttt tgaggcagat	6360
55	aagtaggata cctcttttga tcatgatata taacatattc ttatatacct caagccttgc	6420

EP 3 936 519 A1

actgttaagt taatgtggca tcctttctag agatcatgac ctcaagttgc atatggatgc 6480  
 caataatatac gacaccaagt gaacatcagt gtctgtggaa tatgccgaaa gcagccaacg 6540  
 5 tgccattact gaatthttcat atgattatta tattctgttt agatttattt acgtcggaac 6600  
 acagtgagat ggtaacgtaa tgaatcaaaa taggctataa acatgcaatt caacatatca 6660  
 ttatcatgcc caagtgtttt gtcattctat ctttattcgt ccaagaagga caagcctggt 6720  
 10 gcattgttga ggggaaccagt tcttctgcag tacttctagg gaggtaaaaa ttcaacaccg 6780  
 ttggatgcag atctatcgaa cccagggact ttgtgcttcc agtgaaaagt tatatggacc 6840  
 cataggccag aggatgtgag agttttacct ctctggaagt tatatgcgct agcattagtg 6900  
 15 tggatcatcaa tgggatcaaa gatgagctcc acctttggtg tagagctgga gctaggggac 6960  
 tctagcatcc tggcgctcca atcttccatc cagtgaactc tgttttttgg gtctagtagg 7020  
 tcaagggtcc agttatthttt tctttctgct gtaaagtctc tagttaaggt gtgagthttg 7080  
 20 tatggtgttt tttogaggtt tccccaaacc tcacctthttt tccttcttaa tataatgata 7140  
 tgcagcttht ctgcgtattc gagaaaagaa agthtttatct ctctggaagt taactgcaga 7200  
 ggaacttgth acattgttga gagttgtctc accgagtcac cagggtcgctg gttcaaagca 7260  
 25 gtctctccac atthtatgtg aaggcttgcc tcggtthtct ccttccaag actctacttg 7320  
 tgggagactc tggcattggg tctgtcctat gccgttgaag cgctaggthc gthttatccct 7380  
 30 tccctataacc cacttgctcag agcctccaac actgagthctg ccctaagctt ccaagthcca 7440  
 aactgggthc tggcctaggc cgtcgaagcg thtatatgatt gccatgtact gthtatgctth 7500  
 gthgctthca cataththtcc gthcgaatc atctcctthg tgccttcaca thttgcctthg 7560  
 35 thgctthcac athththctg thccacgthc thcttagaag thagaacacg thgththtgc 7620  
 caathaaagat ththththta thaaacagat gaccgctctt gthgctgtgg aggatgtgaa 7680  
 aagagaagth aagathctta aagcacthaa aggacatcag aaththgthc actthctaca 7740  
 40 thgaththgag gatgathcat acgthtacct thgtgatggag thagtaggthc thacacactg 7800  
 thcctgctha thagacatath cgaththgct atgactththt thccthaagth ththaacatga 7860  
 acaathatctha thctgththac agaathctag aacthaaaat gthctththca ththtcaath 7920  
 45 athctatagc thaaaccagat gcaathctga thththththc thaacgthg gataththgg 7980  
 actththctth caaacctgca ththgathth gathacaggg aactataaca ththattcaga 8040  
 actctatcat gththaacath thctctgcat thgtctatgt thgtcaacth gacgcactthc 8100  
 50 thagataatha thaacatcath thccacagthc accathagth aggacctthg acctthcatgg 8160  
 thccgaaath thagthaagaa thgtatacat ggtcatgtga ththcaathg atgthctat 8220  
 atgccagaac caactcataa gthcataagth thacctthgth thththgagth ctatgtgagth 8280  
 55 gcgthgaaact athagatcgg aththggca aghaagthaga thagatcccc atctctththg 8340

EP 3 936 519 A1

	ttcccg	tacc	tcattcttcg	ccattaaatt	tatagat	tttt	tgtgctgtaa	aatcagattg	8400
	ctttatg	ttg	ttgtctgct	ttgtttgatt	tctagttgct	cgttcaagat	cctttactta	8460	
5	atggtgtg	cg	tgttttgaca	gaaagaatag	ccgctatagt	gagaaagatg	ctgcagtggt	8520	
	agtccg	ccaa	atgctcaaag	tagctgctga	atgccatctg	cgtagggtag	ttcaccgaga	8580	
	tatgaag	cct	gaggtagaaa	tcaaatactt	caatctcttt	gcacacagta	agcatttggt	8640	
10	gatatttc	ac	tacttcctca	ggtcatgtaa	gactgtacct	atcttccttc	ccagaacttc	8700	
	cttttcaa	aat	cgaacaagga	ggattcacca	ctaaaggcga	cagat	ttttgg	8760	
	ttcatta	aagc	caggtatcta	cttggggcca	tctgaatctg	tcgggaatct	gataggggca	8820	
15	agtctgc	cagt	ttagctgacc	atcttggtgt	ctaatagcatg	ctttagggaa	gaagttccat	8880	
	gacattg	ttg	gaagtgc	ctatgtcgca	ccagaagtac	taaaacgacg	gtctggctct	8940	
20	gagtcag	atg	tttgagcat	aggagtcata	acctacattt	tgctctgtgg	gaggcgcct	9000	
	ttttggg	ata	agaccgaaga	cggtatattc	aaggaggtaa	gtggatggat	tttgcatacc	9060	
	atgtgct	tac	atgtaaaata	tgcttggtta	gagtgtgta	ccagggatca	gcgttttcag	9120	
25	cg	tgctgata	ctg	ttttgta	caatgtgttt	ctactttcta	cg	catatag	9180
	ttgtta	acta	tttcag	gtc	aaactat	tttg	tc	gtgcaca	9240
	tattttg	aac	actgtaaacc	tg	cctgg	tca	ggt	tatcctt	9300
30	accagaa	aacc	cactttatgc	agg	gtttcag	tttaataaca	cccac	catct	9360
	taatg	ttcag	tg	ttagacag	acttc	attaa	gatgc	acctt	9420
35	aagtgc	tttg	cacttttg	tt	aaactttgag	tctgaagatg	act	tg	9480
	caagaa	acca	aggcattgcc	att	ggaatag	ctaattcgaa	tgag	cttcag	9540
	ctg	ttttag	tttggacatc	tg	actcaact	ttataggata	atact	atatt	9600
40	gaggtc	attg	tctcagccaa	aataag	ttgc	ggtctctttt	ttact	gtcct	9660
	atggt	ttcca	ttttcattat	accag	caact	tccacctttt	tctt	gctatt	9720
	tatgc	at	ttt	atcagcaagg	acatgatacg	atcgtat	atg	tgatatt	9780
45	cttctc	ataa	ttagg	ttcta	aggaacaagc	ctgatt	tttcg	taagagg	9840
	tcagcc	cagg	tgctaaagat	ttt	gttaaaa	ggttactag	tg	agaatcca	9900
	taacag	ctgc	tcaagctctc	tg	taag	tttt	ggt	at	9960
50	atgatg	atca	gattcacctt	ctctat	gtga	gaacagagaa	cacata	taca	10020
	tg	cctttcaa	tcagttatga	caatg	taaat	atgca	aagac	cgatg	10080
55	accatt	tttag	aacattaatg	ggg	aaaaaacc	acaat	atatt	agg	10140
	tcctg	gtcac	ttgaaatgaa	catata	ccac	tgagg	ttttc	tag	10200

EP 3 936 519 A1

aatgatctaa taagtcagtg gaggtttgct gcccaccacc cctacatttg tattgtgaat 10260  
tactatcatc tttactgatc ctgattgttc ttgatatggt aagcacatcc gtgggtaaga 10320  
5 gaaggagggg aagcatccga tatccccgtc gacatatctg tgttatcaaa catgcgtcag 10380  
tttgtcaagt acagccgttt caagcaattc gcgcttcggg taattacagt gattacaaaa 10440  
aacaacactg catcgtttat tttttcctca caatatttcc tcgtggcatg gtcaggctct 10500  
10 ggcgagcacc cttaacgagg aagagctatc agatctgaag gatcagtttg atgcaattga 10560  
tatcgataaa agtggatcga ttagtatcga ggaaatgcgt catgtaggtt ctgttagtgt 10620  
ttgctgatga aaatgcctta gatcctgaac tactctgogg tgctgattaa tctgtgcatg 10680  
15 tttcggtagg cccttgcaaa ggatcttccc tggagattga agggccccg tgtgctggag 10740  
attattcaag cagtaagttt gagccttctt ctggatccag ccctttcttt gttaccccc 10800  
ttgtttcaa gaaaatagct ggccttgttc tgagggtata accaaaactg catcttattt 10860  
20 tgtggtagat tgacagcaac actgatgggc tcgtggactt caaggagttt gttgcggcaa 10920  
ctctccatat ccaccagatg gcggagctcg actcagaaag gtggggcata cgctgccaag 10980  
ctgctttcag taagtttgat cttgacggtg atggatata caccgaggag gaactcagaa 11040  
25 tggtaathtt ctactcctgt cttgtttcca tgttgcttca ccaacgaatg cacagttcac 11100  
ataaccctta ttatcatcac tgcttcccat gaataactag ctggctcgac catcatgaga 11160  
ttcagtactt gcgccctgtg cacttggttt tgggtcccgt tgttagaatg aagtaattta 11220  
30 tcaatggaag cgctgtaata ttttaatcag cgtttagatt tgataaagat aaaacatggt 11280  
cattgtttgt gccaagaaat ccacttacac agatactgag agttgcaccg tagataacgc 11340  
35 taatcggcag taccctaate gagattttct ttcaagggtgc agcaccctgg gttgaaggga 11400  
tctatcgagc cgctgctgga ggaggccgac atcgacaaag acggcaagat aagcctgtcc 11460  
gagttccgca agctcctacg gacagcgagc atgagcaacg taccagccc aagggggccc 11520  
40 ccaaaccctc aggctctgtg aattccggct cggccactag ggaggagcaa gcttaggaag 11580  
ttgccataca atagccatgt gttctttggg ttcttcagag tgccatgtga tgtttctggt 11640  
ttttagcatc caggttatgt gtgcagtgca gccccgagtg agtttcgaag taaatattca 11700  
45 gtgctttctt tttctttccg gaagagtgag aggtggaggt caaatggta ggcaagactc 11760  
gccttcttct ttcctttaca ctgtacagtg atactgaaat atgtacgatt tttattataa 11820  
ctgttcgctg caataaagtt atttggagaa gtgaggattt tattgtcctg gtgaacctgt 11880  
50 acgttttttc cccaaacgga tcacggtcac ggcccccaag tttcagcata aaaagtttat 11940  
gacagatttc tggtttggtt cgctgcctca ttcattgctgt tcgtttggga gtaaaactag 12000  
ttggtgcaac tgtaatctat agagacaatt agataaaata ctgagattaa agctaaatga 12060  
55 acagactgcc acaatttatt atgtttaagg ttagatattt aatcgattta ggcgtgtggt 12120

EP 3 936 519 A1

5 tggtttatag ctataattgt gatatttttt ttttctggtg tgtagatttt acttgtcaac 12180  
 aattgtgatt ttttcttct gttgtgtaga ttttacttgt caacaattta ttatgtttaa 12240  
 10 ggtagacat ttaatcgatt tagacgtgtg tttggtttat agctataatt gtgatatttt 12300  
 ttttctggtg tgtagatttc attgtaaaag tgtgatagtt ttttaggttt ttctaaatgt 12360  
 agtgaagaat ttgagcgcag acaggtgtgg cagaaaactg tgtaccacca aacagcccct 12420  
 15 tcatttgcag ttccattgcc gcgacaagca attgcggttg atgattgagg atccgggtggc 12480  
 agtacagcag actgcccgtt cggaaaagcg cgcgggggct tctccctagt cgcttggcag 12540  
 gctgaatgcc ggaccgcgg ttggcgtaa acccggccgc cgtgctccac gcggcgctcc 12600  
 20 tcagggcctc ctctgccggt tgccgcctgc ctccccgat ctccctcaac tcgctgctgg 12660  
 cggccgccgc gtcctccgcg gacacgcgca cccgcgctct cgcgctcccg gctctcgcgc 12720  
 tcgcccacgc ctccggccgc gtgtccctcg actcgtacgc cctctgctcc gcgctccgct 12780  
 25 ccgcccctc cgccgcggg acgctgcacg cgctggccgc caagtccggc tggctcggca 12840  
 gcgtcttctg gtcctgcgcg ctgcgccgtt cctacggcgg gtcgggccgg tgcttgagc 12900  
 cccggagcct gttcgacgaa agtcccgcca ggaacggcgt cttcgggaac gccgtcctcg 12960  
 ccgcttacgt gggcgccggc gaggggctc ccgtgctgag gttcgccagg aggttctcgg 13020  
 aactgcggct gcaggtgac tggtagacga tgacggctgt ggcgcgggcg tgtggcgagg 13080  
 30 tggccaacgc tgatctcggc gtccaggcgc atgggcatgc ggtcaggagg ctgggaggtg 13140  
 tagaggtgga cgtgttcttg gtcagcgcgt tcgtggacat gtacgccaag tgcgggctta 13200  
 tcagccaagc ggagcgtgtg ttccgccttg cgcaacagga gaccggtggc agaggtgacg 13260  
 35 ttgtgctgtg gacggccatg ttgaacgcct atgcgcggca tggacagtgc aaggaggtta 13320  
 tccggcagta tgacctgatg ctggcctctg gtgtctatcc ggatgaattg gccatgtag 13380  
 ctgtactctc agcttgccag cacgccgggg aggtggtcaa ggggctcaac tactttgaa 13440  
 40 ccatgcatgc agattacggg ctggtgccca caccggagca ctacggttgt gtggtcaaca 13500  
 tgctgtgccg ggcaggggaa gtgaccaagg cgtgggagat tgccaccaag gacggctgtg 13560  
 45 atc 13563

<210> 13  
 <211> 2331  
 <212> DNA  
 50 <213> Artificial sequence

<400> 13  
 atgggcgctt gcttctctc cgcctctgcc gccccgccg gcgcccggc cgacgagcgc 60  
 55 cgcccgtcca aggagggcga cggcaagaag aggcgcggcg ccgcccgggc atcgccggat 120  
 gccgcggcgc ccgtgcgct ggagttcggc tacgagaggg acttcgaggc gcgctacgag 180

EP 3 936 519 A1

gtcggccgcc tgctcggcca cggccagttc ggctacacct tcgccgccac cgaccgcggc 240  
 tctggggacc gcggtgccgt caagcgcata gacaaggcca agatgacccg ccctggtgct 300  
 5 gtggaggatg tgaaaagaga agtgaagatt cttaaagcac ttaaaggaca tcagaatatt 360  
 gttcacttct acaatgcatt tgaggatgat tcatacgtgt acattgtgat ggagctatgt 420  
 gagggcggtg aactattaga tcggatthttg gcaaaaaaga atagccgcta tagtgagaaa 480  
 10 gatgctgcag tggtagtccg ccaaagctc aaagtagctg ctgaatgcca tctgcgtggg 540  
 ttagttcacc gagatatgaa gcctgagaac ttccttttca aatcgaacaa ggaggattca 600  
 ccactaaagg cgacagattht tggthttgtca gatttcatta agccagggaa gaagttccat 660  
 15 gacattgtht gaagtgcctta ctatgtcgca ccagaagtac taaaacgacg gtctggctct 720  
 gagtcatatg tttggagcat aggagtcata acctacattht tgctctgtgg gagggcctct 780  
 ttttgggata agaccgaaga cggatattc aaggaggttc taaggaacaa gcctgatttht 840  
 cgtaagaggc cttggtcaag catcagccca ggtgctaaag atthttgttaa aaggttacta 900  
 gtgaagaatc caagggccag gctaacagct gctcaagctc tctcacatcc gtgggtaaga 960  
 25 gaaggagggg aagcatccga tatccccgtc gacatatctg tgthtatcaaa catgcgtcag 1020  
 tttgtcaagt acagccgtht caagcaattht gcgcttcggg ctctggcgag cacccttaac 1080  
 gaggaagagc tatcagatct gaaggatcag tttgatgcaa ttgatatcga taaaagtgga 1140  
 30 tcgattagta tcgaggaaat gcgtcatgcc cttgcaaagg atcttccctg gagattgaag 1200  
 ggtccccgtg tgctggagat tattcaagca attgacagca aactgatgg gctcgtggac 1260  
 ttcaaggagt ttgthtcggc aactctccat atccaccaga tggcggagct cgactcagaa 1320  
 35 aggtggggca tacgctgcca agctgcttht agtaagthttg atcttgacgg tgatggatat 1380  
 atcacgccgg aggaactcag aatgcaccct gggthgaagg gatctatcga gccgctgctg 1440  
 gaggagggccg acatcgacaa agacggcaag ataagcctgt ccgagthccg caagctccta 1500  
 40 cggacagcga gcatgagcaa cgtaccagc ccaagggggc ccccaaacc ttaggctctg 1560  
 gatccggctg ctgccgctgc cgctgcggca gcggccggac cggctcgccac catggtgagc 1620  
 45 aagggcgagg agctgthcac cggggtggtg cccatcctgg tcgagctgga cggcgacgta 1680  
 aacggccaca agthcagcgt gtccggcgag ggcgagggcg atgccacct cggcaagctg 1740  
 accctgaagt tcatctgcac caccggcaag ctgcccgtgc cctggcccac cctcgtgacc 1800  
 50 accctgacct acggcgtgca gtgcttcagc cgctaccctg accacatgaa gcagcacgac 1860  
 ttcttcaagt ccgccatgcc cgaaggctac gtccaggagc gcacctctt cttcaaggac 1920  
 55 gacggcaact acaagaccct cgccgaggtg aagthtcgagg gcgacaccct ggtgaaccgc 1980  
 atcgagctga agggcatcga cttcaaggag gacggcaaca tctggggca caagctggag 2040

EP 3 936 519 A1

	tacaactaca acagccacaa cgtctatatac atggccgaca agcagaagaa cggcatcaag	2100
	gtgaacttca agatccgcca caacatcgag gacggcagcg tgcagctcgc cgaccactac	2160
5	cagcagaaca ccccatcgg cgacggcccc gtgctgctgc ccgacaacca ctacctgagc	2220
	accagtcgg ccctgagcaa agaccccaac gagaagcgcg atcacatggt cctgctggag	2280
	ttcgtgaccg ccgccgggat cactctcggc atggacgagc tgtacaagta a	2331
10		
	<210> 14	
	<211> 2337	
	<212> DNA	
	<213> Artificial sequence	
15		
	<400> 14	
	atgggcgctt gcttctcctc cgcctctgcc gcccccgccg gcgcccggct cgacgagcgc	60
	cgcccgtcca aggagggcga cggcaagaag aggcgcccgc ccgccggggc atcgccggat	120
20	gccgcccgc cegtgcgct ggagttcggc tacgagaggg acttcgaggc gcgctacgag	180
	gtcggccgcc tgctcggcca cggccagttc ggctacacct tcgccgccac cgaccgccc	240
	tctggggacc gcgttgccgt caagcgcata gacaaggcca agatgaccgg ccctgttget	300
25	gtggaggatg tgaaaagaga agtgaagatt cttaaagcac ttaaaggaca tcagaatatt	360
	gttcacttct acaatgcatt tgaggatgat tcatatcgtgt acattgtgat ggagctatgt	420
	gagggcgggtg aactattaga tcggatthttg gcaaaaaaga atagccgcta tagtgagaaa	480
30	gatgctgcag tggtagtccg ccaaatgctc aaagtagctg ctgaatgcca tctgcgtggg	540
	ttagttcacc gagatatgaa gcctgagaac ttccttttca aatcgaacaa ggaggattca	600
35	ccactaaagg cgacagattt tggtttgtca gatttcatta agccagggaa gaagttccat	660
	gacattgttg gaagtgctta ctatgtcgca ccagaagtac taaaacgacg gtctggtcct	720
	gagtcagatg tttggagcat aggagtcata acctacattt tgctctgtgg gaggcgccct	780
40	ttttgggata agaccgaaga cggatatattc aaggaggttc taaggaacaa gcctgatttt	840
	cgtaagaggc cttggtcaag catcagccca ggtgctaaag attttgtaa aaggttacta	900
	gtgaagaatc caagggccag gctaacagct gctcaagctc tctcacatcc gtgggtaaga	960
45	gaaggagggg aagcatccga tatccccgtc gacatatctg tgttatcaaa catgctcag	1020
	tttgtcaagt acagccgttt caagcaattc gcgcttcggg ctctggcgag caccctaac	1080
	gaggaagagc tatcagatct gaaggatcag tttgatgcaa ttgatatcga taaaagtgga	1140
50	tcgattagta tcgaggaaat gcgtcatgcc cttgcaaagg atcttccctg gagattgaag	1200
	ggtccccgtg tgctggagat tattcaagca attgacagca aactgatgg gctcgtggac	1260
55	ttcaaggagt ttgttcggc aactctccat atccaccaga tggcggagct cgactcagaa	1320
	aggtggggca tacgctgcca agctgctttc agtaagtttg atcttgacgg tgatggatat	1380

EP 3 936 519 A1

atcacgccgg aggaactcag aatggtgcag caccctgggt tgaagggatc tatcgagccg 1440  
 ctgctggagg aggccgacat cgacaaagac ggcaagataa gcctgtccga gttccgcaag 1500  
 5 ctctacgga cagcgagcat gagcaacgta cccagcccaa gggggccccc aaaccctcag 1560  
 gctctggatc cggctgctgc cgctgccgct gcggcagcgg cgggaccggt cgccaccatg 1620  
 gtgagcaagg gcgaggagct gttcaccggg gtggtgccca tcctggtcga gctggacggc 1680  
 10 gacgtaaacg gccacaagtt cagcgtgtcc ggcgagggcg agggcgatgc cacctacggc 1740  
 aagctgacct tgaagttcat ctgcaccacc ggcaagctgc ccgtgccctg gcccaccctc 1800  
 gtgaccaccc tgacctacgg cgtgcagtgc ttcagccgct accccgacca catgaagcag 1860  
 15 cagcatttct tcaagtccgc catgcccgaa ggctacgtcc aggagcgcac catcttcttc 1920  
 aaggacgacg gcaactacaa gaccgcgcc gaggtgaagt tcgagggcga caccctggtg 1980  
 aaccgcatcg agctgaaggg catcgacttc aaggaggacg gcaacatcct ggggcacaag 2040  
 20 ctggagtaca actacaacag ccacaacgtc tatatcatgg ccgacaagca gaagaacggc 2100  
 atcaaggatga acttcaagat ccgccacaac atcgaggacg gcagcgtgca gctcgccgac 2160  
 cactaccagc agaacacccc catcgggcgc ggccccgtgc tgctgcccga caaccactac 2220  
 25 ctgagcaccc agtccgccct gagcaaaagac cccaacgaga agcgcgatca catggtcctg 2280  
 ctggagttcg tgaccgccgc cgggatcact ctcggcattg acgagctgta caagtaa 2337

30 <210> 15  
 <211> 239  
 <212> PRT  
 <213> Artificial sequence

35 <400> 15

Met Val Ser Lys Gly Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu  
 1 5 10 15

40 Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser Val Ser Gly  
 20 25 30

45 Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile  
 35 40 45

50 Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr  
 50 55 60

Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys  
 65 70 75 80

55 Gln His Asp Phe Phe Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu  
 85 90 95

EP 3 936 519 A1

Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu  
 100 105 110

5 Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly  
 115 120 125

10 Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr  
 130 135 140

15 Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn  
 145 150 155 160

Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu Asp Gly Ser  
 165 170 175

20 Val Gln Leu Ala Asp His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly  
 180 185 190

25 Pro Val Leu Leu Pro Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu  
 195 200 205

Ser Lys Asp Pro Asn Glu Lys Arg Asp His Met Val Leu Leu Glu Phe  
 210 215 220

30 Val Thr Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys  
 225 230 235

35 <210> 16  
 <211> 953  
 <212> DNA  
 <213> Artificial sequence

40 <400> 16  
 ggtctctggc gacaagcctg attttcgtaa ggtttttagag ctagaaatag caagttaaaa 60  
 taaggctagt ccgttatcaa cttgaaaaag tggcaccgag tcggtgcttt ttttttctgt 120  
 tttgcattga gttttctccg tcgcatgttt gcagttttat tttccgtttt gcattgaaat 180  
 45 ttctccgtct catgtttgca gcggtttcaa aaagtacgca gctgtatttc acttatttac 240  
 ggcgccacat tttcatgccg tttgtgccaa ctatcccagag ctagtgaata cagcttggt 300  
 tcacacaaca ctggtgaccc gctgacctgc tcgtacctcg taccgtcgta cggcacagca 360  
 50 tttggaatta aaggggtgta tcgatactgc ttgctgctca tgaatccaaa ccacacggag 420  
 ttcaaattcc cacagattaa ggctcgtccg tcgcacaagg taatgtgtga atattatc 480  
 55 tgtcgtgcaa aattgcctgg cctgcacaat tgctgttata gttggcggca gggagagttt 540  
 taacattgac tagcgtgctg ataatttgtg agaaataata attgacaagt agatactgac 600

EP 3 936 519 A1

atttgagaag agcttctgaa ctgttattag taacaaaaat ggaaagctga tgcacggaaa 660  
 aaggaaagaa aaagccatac ttttttttag gtaggaaaag aaaaagccat acgagactga 720  
 5 tgtctctcag atgggccggg atctgtctat ctagcaggca gcagcccacc aacctcacgg 780  
 gccagcaatt acgagtcctt ctaaaagctc ccgccgaggg gcgctggcgc tgctgtgcag 840  
 cagcacgtct aacattagtc ccacctcgcc agtttacagg gagcagaacc agcttataag 900  
 10 cggaggcgcg gcaccaagaa gctgatgggc tcgtggactt cagtttagag acc 953

15 <210> 17  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence

20 <400> 17  
 acaagccuga uuuucguaag 20

25 <210> 18  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence

<400> 18  
 ugaugggcuc guggacuuca 20

30 <210> 19  
 <211> 17  
 <212> PRT  
 <213> Artificial sequence

35 <400> 19

Asp Pro Ala Gly Pro Val Ala  
 1 5 10 15

40 Thr

Claims

- 45 1. A protein, which is as follows: (a1), or (a2), or (a3), or (a4), or (a5), or (a6), or (a7), or (a8):
- (a1) a protein represented by SEQ ID NO: 2 in the sequence listing;
  - (a2) a protein represented by SEQ ID NO: 4 in the sequence listing;
  - 50 (a3) a protein represented by SEQ ID NO: 7 in the sequence listing;
  - (a4) a protein represented by SEQ ID NO: 9 in the sequence listing;
  - (a5) a fusion protein obtained by attaching a tag to an N-terminus or/and a C-terminus of the protein in any one of (a1) to (a4);
  - (a6) a protein comprising the following three segments from N-terminus to C-terminus: the protein in any one of (a1) to (a4), a connecting peptide, and an EGFP protein;
  - 55 (a7) a protein related to plant gray leaf spot resistance obtained by substituting and/or deleting and/or adding one or a plurality of amino acid residues to the protein in any one of (a1) to (a6); and
  - (a8) a protein related to plant gray leaf spot resistance obtained from corn and having a homology of 90%, 91%,

## EP 3 936 519 A1

92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% with the protein in any one of (a1) to (a4).

2. A nucleic acid molecule, which encodes the protein according to claim 1.

5 3. The nucleic acid molecule according to claim 2, **characterized in that** the nucleic acid molecule is any one of the following (b1) to (b15):

(b1) a DNA molecule with an encoding region that is represented by nucleotides 56 to 1618 in SEQ ID NO: 3 in the sequence listing;

10 (b2) a DNA molecule represented by SEQ ID NO: 3 in the sequence listing;

(b3) a DNA molecule with an encoding region that is represented by nucleotides 56 to 1624 in SEQ ID NO: 5 in the sequence listing;

(b4) a DNA molecule represented by SEQ ID NO: 5 in the sequence listing;

(b5) a DNA molecule represented by SEQ ID NO: 1 in the sequence listing;

15 (b6) a DNA molecule with an encoding region that is represented by nucleotides 56 to 1618 in SEQ ID NO: 8 in the sequence listing;

(b7) a DNA molecule represented by SEQ ID NO: 8 in the sequence listing;

(b8) a DNA molecule with an encoding region that is represented by nucleotides 56 to 1624 in SEQ ID NO: 10 in the sequence listing;

20 (b9) a DNA molecule represented by SEQ ID NO: 10 in the sequence listing;

(b10) a DNA molecule represented by SEQ ID NO: 6 in the sequence listing;

(b11) a DNA molecule represented by SEQ ID NO: 12 in the sequence listing;

(b12) a DNA molecule represented by SEQ ID NO: 13 in the sequence listing;

(b13) a DNA molecule represented by SEQ ID NO: 14 in the sequence listing;

25 (b14) a DNA molecule that is derived from corn, has a homology of 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% with any one of (b1) to (b13), and encodes the protein;

(b15) a DNA molecule that hybridizes to any one of (b1) to (b13) under a stringent condition, and encodes the protein.

30 4. An expression cassette, a recombinant vector or a recombinant microorganism comprising the nucleic acid molecule according to claim 2 or 3.

5. An application of the protein according to claim 1, which is the following (c1) or (c2):

35 (c1) to regulate the resistance of a plant to gray leaf spot;

(c2) to reduce the disease resistance of a plant to gray leaf spot.

6. The application according to claim 5, **characterized in that** the plant is a plant of the genus *Zea*.

40 7. An application of the nucleic acid molecule according to claim 2 or 3, which is the following (d1) or (d2):

(d1) to cultivate a transgenic plant with altered resistance to gray leaf spot;

(d2) to cultivate a transgenic plant with reduced resistance to gray leaf spot.

45 8. The application according to claim 7, **characterized in that** the plant is a plant of the genus *Zea*.

9. An application of a substance for inhibiting an activity of the protein according to claim 1 in a plant and/or for reducing an abundance of the protein according to claim 1 in a plant to enhance the disease resistance of the plant to gray leaf spot.

50 10. The application according to claim 9, **characterized in that** the plant is a plant of the genus *Zea*.

11. An application of a substance for inhibiting a transcription of the nucleic acid molecule according to claim 2 or 3 and/or for inhibiting an expression of the nucleic acid molecule according to claim 2 or 3 and/or for gene editing of the nucleic acid molecule according to claim 2 or 3 to enhance the disease resistance of the plant to gray leaf spot.

55 12. The application according to claim 11, **characterized in that** the plant is a plant of the genus *Zea*.

EP 3 936 519 A1

13. A method for preparing a transgenic plant, comprising the steps of: introducing the nucleic acid molecule according to claim 2 or 3 into a starting plant to obtain a transgenic plant with reduced gray leaf spot resistance.

5 14. The application according to claim 13, **characterized in that** the starting plant is a plant of the genus Zea.

15. A plant breeding method, comprising the following steps: increasing a content and/or activity of the protein according to claim 1 in a target plant, thereby reducing the gray leaf spot resistance of the target plant.

10 16. The application according to claim 15, **characterized in that** the target plant is a plant of the genus Zea.

17. A method for preparing a transgenic plant, comprising the following steps: inhibiting an expression of the nucleic acid molecule according to claim 2 or 3 in a starting plant to obtain a transgenic plant with increased gray leaf spot resistance.

15 18. The application according to claim 17, **characterized in that** the starting plant is a plant of the genus Zea.

19. A plant breeding method, comprising the following steps: reducing a content and/or activity of the protein according to claim 1 in a target plant, thereby increasing the disease resistance of the target plant to gray leaf spot.

20 20. The application according to claim 19, **characterized in that** the target plant is a plant of the genus Zea.

21. A plant breeding method, comprising the steps of: performing gene editing on a specific gene in a genome of a starting plant to increase the gray leaf spot resistance of the target plant; and the specific gene encoding the protein according to claim 1.

25 22. The application according to claim 21, **characterized in that** the starting plant is a plant of the genus Zea.




Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/CN2020/076319

5

<b>A. CLASSIFICATION OF SUBJECT MATTER</b>		
C07K 14/415(2006.01)i; C12N 15/29(2006.01)i; C12N 15/82(2006.01)i; A01H 5/00(2018.01)i; A01H 6/46(2018.01)i		
According to International Patent Classification (IPC) or to both national classification and IPC		
<b>B. FIELDS SEARCHED</b>		
Minimum documentation searched (classification system followed by classification symbols) C07K; C12N; A01H		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) CNABS, DWPI, SIPOABS, CNKI: 玉米, 灰斑病, 钙依赖性蛋白激酶, maize, Zea mays, gray leaf spot, GLS, qRgls2, GRMZM2G157068, 等; Genbank: SEQ ID NO: 2-9		
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
PX	CN 109705202 A (CHINA AGRICULTURAL UNIVERSITY) 03 May 2019 (2019-05-03) claims 1-10	1-22
X	GenBank. "Version NM_001359579.1" GenBank Registration No. NM_001359579, 05 May 2018 (2018-05-05), DEFINITION, FEATURES and ORIGIN parts	1-4
Y	GenBank. "Version NM_001359579.1" GenBank Registration No. NM_001359579, 05 May 2018 (2018-05-05), DEFINITION, FEATURES and ORIGIN parts	5-22
Y	徐凌 (XU, Ling). "玉米抗灰斑病主效QTL精细定位、基因预测及转录组分析 (Fine-mapping a Major QTL Resistance to Gray Leaf Spot in Maize, Gene Prediction and Transcriptome Analysis)" 中国博士学位论文全文数据库 (China Doctoral Dissertations Full-Text Database), 10 June 2018 (2018-06-10), abstract, page 34, section 3.2, table 3.1, and page 57, section 5.3	5-22
A	WO 2009088756 A1 (DU PONT et al.) 16 July 2009 (2009-07-16) entire document	1-22
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input checked="" type="checkbox"/> See patent family annex.		
* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family	
"A" document defining the general state of the art which is not considered to be of particular relevance		
"E" earlier application or patent but published on or after the international filing date		
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)		
"O" document referring to an oral disclosure, use, exhibition or other means		
"P" document published prior to the international filing date but later than the priority date claimed		
Date of the actual completion of the international search	Date of mailing of the international search report	
<b>13 May 2020</b>	<b>03 June 2020</b>	
Name and mailing address of the ISA/CN	Authorized officer	
<b>China National Intellectual Property Administration (ISA/ CN) No. 6, Xitucheng Road, Jimenqiao Haidian District, Beijing 100088 China</b>		
Facsimile No. (86-10)62019451	Telephone No.	

5

10

15

20

25

30

35

40

45

50

55

Form PCT/ISA/210 (second sheet) (January 2015)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/CN2020/076319

5

C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	CN 106701972 A (HUAZHONG AGRICULTURAL UNIVERSITY; HUBEI TENGLONG SEED CO., LTD.) 24 May 2017 (2017-05-24) entire document	1-22
A	CN 101970669 A (E. I. DU PONT DE NEMOURS AND COMPANY; PIONEER HI-BRED INTERNATIONAL, INC.) 09 February 2011 (2011-02-09) entire document	1-22
A	WO 2018013323 A1 (PIONEER HI-BRED INT INC) 18 January 2018 (2018-01-18) entire document	1-22

10

15

20

25

30

35

40

45

50

55

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/CN2020/076319

5

**Box No. 1 Nucleotide and/or amino acid sequence(s) (Continuation of item 1.c of the first sheet)**

10

15

20

25

30

35

40

45

50

55

1. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of a sequence listing:

a.  forming part of the international application as filed:

in the form of an Annex C/ST.25 text file.

on paper or in the form of an image file.

b.  furnished together with the international application under PCT Rule 13ter.1(a) for the purposes of international search only in the form of an Annex C/ST.25 text file.

c.  furnished subsequent to the international filing date for the purposes of international search only:

in the form of an Annex C/ST.25 text file (Rule 13ter.1(a)).

on paper or in the form of an image file (Rule 13ter.1(b) and Administrative Instructions, Section 713).

2.  In addition, in the case that more than one version or copy of a sequence listing has been filed or furnished, the required statements that the information in the subsequent or additional copies is identical to that forming part of the application as filed or does not go beyond the application as filed, as appropriate, were furnished.

3. Additional comments:



**INTERNATIONAL SEARCH REPORT**  
**Information on patent family members**

International application No.  
**PCT/CN2020/076319**

5

Patent document cited in search report	Publication date (day/month/year)	Patent family member(s)	Publication date (day/month/year)

10

15

20

25

30

35

40

45

50

55

Form PCT/ISA/210 (patent family annex) (January 2015)

**REFERENCES CITED IN THE DESCRIPTION**

*This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.*

**Non-patent literature cited in the description**

- **YAN ZHANG.** *Theor Appl Genet* [0032] [0033]
- **PATRICK S. SCHNABLE.** *Science*, 2009, vol. 326, 1112-1115 [0034]
- **ZHANG.** *Nature communications*, 2019, 5608 [0034]
- **MING ZHANG.** *New Phytologist*, 2018, vol. 217, 1161-1176 [0035]
- *Plant Disease*, vol. 97 (12 [0036]
- *Journal of Intergrative Plant Biology*, 2018 [0037]
- *Nature Genetics*, 2015, vol. 47, 151-157 [0038]
- **HUANG.** *PNAS*, 2018, vol. 115 (2), E334-E341 [0040]